



Welcome

AWS Resilience Hub



API Version 2020-04-30

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Resilience Hub: Welcome

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AddDraftAppVersionResourceMappings	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	5
Response Elements	6
Errors	7
Examples	8
See Also	12
BatchUpdateRecommendationStatus	13
Request Syntax	13
URI Request Parameters	13
Request Body	13
Response Syntax	14
Response Elements	15
Errors	15
Examples	16
See Also	18
CreateApp	19
Request Syntax	19
URI Request Parameters	20
Request Body	20
Response Syntax	22
Response Elements	23
Errors	23
See Also	24
CreateAppVersionAppComponent	26
Request Syntax	26
URI Request Parameters	26
Request Body	26
Response Syntax	28
Response Elements	28

Errors	29
See Also	30
CreateAppVersionResource	32
Request Syntax	32
URI Request Parameters	33
Request Body	33
Response Syntax	35
Response Elements	36
Errors	37
See Also	38
CreateRecommendationTemplate	40
Request Syntax	40
URI Request Parameters	40
Request Body	40
Response Syntax	43
Response Elements	44
Errors	44
See Also	45
CreateResiliencyPolicy	46
Request Syntax	46
URI Request Parameters	46
Request Body	47
Response Syntax	49
Response Elements	49
Errors	49
Examples	51
See Also	51
DeleteApp	53
Request Syntax	53
URI Request Parameters	53
Request Body	53
Response Syntax	54
Response Elements	54
Errors	55
See Also	55
DeleteAppAssessment	57

Request Syntax	57
URI Request Parameters	57
Request Body	57
Response Syntax	58
Response Elements	58
Errors	59
See Also	60
DeleteAppInputSource	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	63
Response Elements	63
Errors	64
See Also	65
DeleteAppVersionAppComponent	66
Request Syntax	66
URI Request Parameters	66
Request Body	66
Response Syntax	67
Response Elements	68
Errors	68
See Also	69
DeleteAppVersionResource	71
Request Syntax	71
URI Request Parameters	71
Request Body	72
Response Syntax	73
Response Elements	74
Errors	75
See Also	76
DeleteRecommendationTemplate	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	78

Response Elements	78
Errors	79
See Also	79
DeleteResiliencyPolicy	81
Request Syntax	81
URI Request Parameters	81
Request Body	81
Response Syntax	82
Response Elements	82
Errors	82
See Also	83
DescribeApp	85
Request Syntax	85
URI Request Parameters	85
Request Body	85
Response Syntax	85
Response Elements	86
Errors	87
See Also	88
DescribeAppAssessment	89
Request Syntax	89
URI Request Parameters	89
Request Body	89
Response Syntax	89
Response Elements	91
Errors	92
See Also	93
DescribeAppVersion	94
Request Syntax	94
URI Request Parameters	94
Request Body	94
Response Syntax	95
Response Elements	95
Errors	96
See Also	97
DescribeAppVersionAppComponent	98

Request Syntax	98
URI Request Parameters	98
Request Body	98
Response Syntax	99
Response Elements	99
Errors	100
See Also	101
DescribeAppVersionResource	102
Request Syntax	102
URI Request Parameters	102
Request Body	103
Response Syntax	104
Response Elements	105
Errors	106
See Also	107
DescribeAppVersionResourcesResolutionStatus	108
Request Syntax	108
URI Request Parameters	108
Request Body	108
Response Syntax	109
Response Elements	109
Errors	110
See Also	111
DescribeAppVersionTemplate	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	113
Response Elements	113
Errors	119
Examples	119
See Also	120
DescribeDraftAppVersionResourcesImportStatus	122
Request Syntax	122
URI Request Parameters	122
Request Body	122

Response Syntax	123
Response Elements	123
Errors	124
See Also	125
DescribeResiliencyPolicy	126
Request Syntax	126
URI Request Parameters	126
Request Body	126
Response Syntax	127
Response Elements	127
Errors	128
See Also	128
ImportResourcesToDraftAppVersion	130
Request Syntax	130
URI Request Parameters	130
Request Body	130
Response Syntax	132
Response Elements	132
Errors	133
See Also	135
ListAlarmRecommendations	136
Request Syntax	136
URI Request Parameters	136
Request Body	136
Response Syntax	137
Response Elements	138
Errors	138
See Also	139
ListAppAssessmentComplianceDrifts	140
Request Syntax	140
URI Request Parameters	140
Request Body	140
Response Syntax	141
Response Elements	142
Errors	143
See Also	143

ListAppAssessments	145
Request Syntax	145
URI Request Parameters	145
Request Body	146
Response Syntax	146
Response Elements	147
Errors	147
See Also	148
ListAppComponentCompliances	150
Request Syntax	150
URI Request Parameters	150
Request Body	150
Response Syntax	151
Response Elements	152
Errors	153
See Also	153
ListAppComponentRecommendations	155
Request Syntax	155
URI Request Parameters	155
Request Body	155
Response Syntax	156
Response Elements	157
Errors	158
See Also	159
ListAppInputSources	160
Request Syntax	160
URI Request Parameters	160
Request Body	160
Response Syntax	161
Response Elements	162
Errors	162
See Also	163
ListApps	164
Request Syntax	164
URI Request Parameters	164
Request Body	165

Response Syntax	165
Response Elements	166
Errors	166
See Also	167
ListAppVersionAppComponents	169
Request Syntax	169
URI Request Parameters	169
Request Body	169
Response Syntax	170
Response Elements	171
Errors	172
See Also	173
ListAppVersionResourceMappings	174
Request Syntax	174
URI Request Parameters	174
Request Body	174
Response Syntax	175
Response Elements	176
Errors	176
See Also	177
ListAppVersionResources	179
Request Syntax	179
URI Request Parameters	179
Request Body	179
Response Syntax	180
Response Elements	181
Errors	182
See Also	183
ListAppVersions	184
Request Syntax	184
URI Request Parameters	184
Request Body	184
Response Syntax	185
Response Elements	186
Errors	186
See Also	187

ListRecommendationTemplates	188
Request Syntax	188
URI Request Parameters	188
Request Body	189
Response Syntax	189
Response Elements	190
Errors	190
See Also	191
ListResiliencyPolicies	193
Request Syntax	193
URI Request Parameters	193
Request Body	193
Response Syntax	193
Response Elements	194
Errors	195
See Also	195
ListSopRecommendations	197
Request Syntax	197
URI Request Parameters	197
Request Body	197
Response Syntax	198
Response Elements	199
Errors	199
See Also	200
ListSuggestedResiliencyPolicies	202
Request Syntax	202
URI Request Parameters	202
Request Body	202
Response Syntax	202
Response Elements	203
Errors	203
See Also	204
ListTagsForResource	206
Request Syntax	206
URI Request Parameters	206
Request Body	206

Response Syntax	206
Response Elements	207
Errors	207
See Also	208
ListTestRecommendations	209
Request Syntax	209
URI Request Parameters	209
Request Body	209
Response Syntax	210
Response Elements	211
Errors	211
See Also	212
ListUnsupportedAppVersionResources	214
Request Syntax	214
URI Request Parameters	214
Request Body	214
Response Syntax	215
Response Elements	216
Errors	217
See Also	218
PublishAppVersion	219
Request Syntax	219
URI Request Parameters	219
Request Body	219
Response Syntax	220
Response Elements	220
Errors	221
See Also	222
PutDraftAppVersionTemplate	223
Request Syntax	223
URI Request Parameters	223
Request Body	223
Response Syntax	229
Response Elements	229
Errors	229
Examples	230

See Also	231
RemoveDraftAppVersionResourceMappings	233
Request Syntax	233
URI Request Parameters	233
Request Body	233
Response Syntax	235
Response Elements	235
Errors	236
See Also	237
ResolveAppVersionResources	238
Request Syntax	238
URI Request Parameters	238
Request Body	238
Response Syntax	239
Response Elements	239
Errors	240
See Also	241
StartAppAssessment	242
Request Syntax	242
URI Request Parameters	242
Request Body	242
Response Syntax	244
Response Elements	246
Errors	246
See Also	247
TagResource	248
Request Syntax	248
URI Request Parameters	248
Request Body	248
Response Syntax	249
Response Elements	249
Errors	249
See Also	250
UntagResource	251
Request Syntax	251
URI Request Parameters	251

Request Body	251
Response Syntax	251
Response Elements	252
Errors	252
See Also	252
UpdateApp	254
Request Syntax	254
URI Request Parameters	254
Request Body	254
Response Syntax	256
Response Elements	257
Errors	257
See Also	258
UpdateAppVersion	260
Request Syntax	260
URI Request Parameters	260
Request Body	260
Response Syntax	261
Response Elements	262
Errors	263
See Also	264
UpdateAppVersionAppComponent	265
Request Syntax	265
URI Request Parameters	265
Request Body	265
Response Syntax	267
Response Elements	267
Errors	268
See Also	269
UpdateAppVersionResource	270
Request Syntax	270
URI Request Parameters	271
Request Body	271
Response Syntax	273
Response Elements	274
Errors	275

See Also	276
UpdateResiliencyPolicy	277
Request Syntax	277
URI Request Parameters	277
Request Body	277
Response Syntax	279
Response Elements	280
Errors	280
See Also	281
Data Types	282
AlarmRecommendation	284
Contents	284
See Also	286
App	287
Contents	287
See Also	291
AppAssessment	292
Contents	292
See Also	296
AppAssessmentSummary	297
Contents	297
See Also	300
AppComponent	301
Contents	301
See Also	302
AppComponentCompliance	303
Contents	303
See Also	304
AppInputSource	305
Contents	305
See Also	306
AppSummary	307
Contents	307
See Also	309
AppVersionSummary	310
Contents	310

See Also	310
BatchUpdateRecommendationStatusFailedEntry	312
Contents	312
See Also	312
BatchUpdateRecommendationStatusSuccessfulEntry	314
Contents	314
See Also	315
ComplianceDrift	316
Contents	316
See Also	318
ComponentRecommendation	319
Contents	319
See Also	319
ConfigRecommendation	321
Contents	321
See Also	323
Cost	324
Contents	324
See Also	324
DisruptionCompliance	326
Contents	326
See Also	328
EksSource	329
Contents	329
See Also	329
EksSourceClusterNamespace	331
Contents	331
See Also	331
EventSubscription	333
Contents	333
See Also	334
FailurePolicy	335
Contents	335
See Also	335
LogicalResourceld	336
Contents	336

See Also	337
PermissionModel	338
Contents	338
See Also	339
PhysicalResource	340
Contents	340
See Also	342
PhysicalResourceId	343
Contents	343
See Also	345
RecommendationDisruptionCompliance	346
Contents	346
See Also	347
RecommendationItem	348
Contents	348
See Also	349
RecommendationTemplate	350
Contents	350
See Also	353
ResiliencyPolicy	355
Contents	355
See Also	357
ResiliencyScore	358
Contents	358
See Also	358
ResourceError	360
Contents	360
See Also	360
ResourceErrorsDetails	362
Contents	362
See Also	362
ResourceMapping	363
Contents	363
See Also	365
S3Location	366
Contents	366

See Also	366
ScoringComponentResiliencyScore	367
Contents	367
See Also	368
SopRecommendation	369
Contents	369
See Also	371
TerraformSource	372
Contents	372
See Also	372
TestRecommendation	373
Contents	373
See Also	375
UnsupportedResource	377
Contents	377
See Also	377
UpdateRecommendationStatusItem	379
Contents	379
See Also	379
UpdateRecommendationStatusRequestEntry	381
Contents	381
See Also	382
Common Parameters	383
Common Errors	386

Welcome

AWS Resilience Hub helps you proactively prepare and protect your AWS applications from disruptions. It offers continual resiliency assessment and validation that integrates into your software development lifecycle. This enables you to uncover resiliency weaknesses, ensure recovery time objective (RTO) and recovery point objective (RPO) targets for your applications are met, and resolve issues before they are released into production.

This document was last published on April 10, 2024.

Actions

The following actions are supported:

- [AddDraftAppVersionResourceMappings](#)
- [BatchUpdateRecommendationStatus](#)
- [CreateApp](#)
- [CreateAppVersionAppComponent](#)
- [CreateAppVersionResource](#)
- [CreateRecommendationTemplate](#)
- [CreateResiliencyPolicy](#)
- [DeleteApp](#)
- [DeleteAppAssessment](#)
- [DeleteAppInputSource](#)
- [DeleteAppVersionAppComponent](#)
- [DeleteAppVersionResource](#)
- [DeleteRecommendationTemplate](#)
- [DeleteResiliencyPolicy](#)
- [DescribeApp](#)
- [DescribeAppAssessment](#)
- [DescribeAppVersion](#)
- [DescribeAppVersionAppComponent](#)
- [DescribeAppVersionResource](#)
- [DescribeAppVersionResourcesResolutionStatus](#)
- [DescribeAppVersionTemplate](#)
- [DescribeDraftAppVersionResourcesImportStatus](#)
- [DescribeResiliencyPolicy](#)
- [ImportResourcesToDraftAppVersion](#)
- [ListAlarmRecommendations](#)
- [ListAppAssessmentComplianceDrifts](#)
- [ListAppAssessments](#)

- [ListAppComponentCompliances](#)
- [ListAppComponentRecommendations](#)
- [ListAppInputSources](#)
- [ListApps](#)
- [ListAppVersionAppComponents](#)
- [ListAppVersionResourceMappings](#)
- [ListAppVersionResources](#)
- [ListAppVersions](#)
- [ListRecommendationTemplates](#)
- [ListResiliencyPolicies](#)
- [ListSopRecommendations](#)
- [ListSuggestedResiliencyPolicies](#)
- [ListTagsForResource](#)
- [ListTestRecommendations](#)
- [ListUnsupportedAppVersionResources](#)
- [PublishAppVersion](#)
- [PutDraftAppVersionTemplate](#)
- [RemoveDraftAppVersionResourceMappings](#)
- [ResolveAppVersionResources](#)
- [StartAppAssessment](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateApp](#)
- [UpdateAppVersion](#)
- [UpdateAppVersionAppComponent](#)
- [UpdateAppVersionResource](#)
- [UpdateResiliencyPolicy](#)

AddDraftAppVersionResourceMappings

Adds the source of resource-maps to the draft version of an application. During assessment, AWS Resilience Hub will use these resource-maps to resolve the latest physical ID for each resource in the application template. For more information about different types of resources supported by AWS Resilience Hub and how to add them in your application, see [Step 2: How is your application managed?](#) in the AWS Resilience Hub User Guide.

Request Syntax

```
POST /add-draft-app-version-resource-mappings HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "resourceMappings": [
    {
      "appRegistryAppName": "string",
      "eksSourceName": "string",
      "logicalStackName": "string",
      "mappingType": "string",
      "physicalResourceId": {
        "awsAccountId": "string",
        "awsRegion": "string",
        "identifier": "string",
        "type": "string"
      },
      "resourceGroupName": "string",
      "resourceName": "string",
      "terraformSourceName": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+. -]{0,1023}\$

Required: Yes

[resourceMappings](#)

Mappings used to map logical resources from the template to physical resources. You can use the mapping type CFN_STACK if the application template uses a logical stack name. Or you can map individual resources by using the mapping type RESOURCE. We recommend using the mapping type CFN_STACK if the application is backed by a CloudFormation stack.

Type: Array of [ResourceMapping](#) objects

Required: Yes

Response Syntax

HTTP/1.1 200
Content-type: application/json

```
{
  "appArn": "string",
  "appVersion": "string",
  "resourceMappings": [
    {
      "appRegistryAppName": "string",
      "eksSourceName": "string",
      "logicalStackName": "string",
      "mappingType": "string",
      "physicalResourceId": {
        "awsAccountId": "string",
        "awsRegion": "string"
      }
    }
  ]
}
```

```
        "awsRegion": "string",
        "identifier": "string",
        "type": "string"
    },
    "resourceGroupName": "string",
    "resourceName": "string",
    "terraformSourceName": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}: [A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

[appVersion](#)

The version of the application.

Type: String

Pattern: ^\S{1,50}\\$

[resourceMappings](#)

List of sources that are used to map a logical resource from the template to a physical resource. You can use sources such as AWS CloudFormation, Terraform state files, AppRegistry applications, or Amazon EKS.

Type: Array of [ResourceMapping](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

Examples

Example CloudFormation Request

The following is an example request payload.

Sample Request

```
{  
  "appArn": "arn:aws:resiliencehub:us-west-2:44445556666:app/dd058443-7e2f-410d-bee6-  
c634cb3edb39",  
  "resourceMappings": [  
    {  
      "logicalStackName": "my-stack-name",  
      "mappingType": "CfnStack",  
      "physicalResourceId": {  
        "identifier": "arn:aws:cldformation:us-west-2:44445556666:stack/my-stack-  
name/fe0e1e00-03eb-11ee-8796-02038f8a9691",  
        "type": "Arn"  
      }  
    }  
  ]  
}
```

Sample CloudFormation Response

The following is an example response payload.

Sample Response

```
{  
  "appArn": "arn:aws:resiliencehub:us-west-2:44445556666:app/dd058443-7e2f-410d-bee6-  
c634cb3edb39",  
  "appVersion": "draft",  
  "resourceMappings": [  
    {  
      "logicalStackName": "my-stack-name",  
      "mappingType": "CfnStack",  
      "physicalResourceId": {  
        "identifier": "arn:aws:cldformation:us-west-2:44445556666:stack/my-stack-  
name/fe0e1e00-03eb-11ee-8796-02038f8a9691",  
        "type": "Arn"  
      }  
    }  
  ]  
}
```

```
    }
}
]
}
```

Example Terraform Request

The following is an example request payload.

Sample Request

```
{
  "appArn": "arn:aws:resiliencehub:us-west-2:444455556666:app/4019253a-0c99-4d30-be32-
b14dd46d1c3d",
  "resourceMappings": [
    {
      "mappingType": "Terraform",
      "physicalResourceId": {
        "awsAccountId": "444455556666",
        "awsRegion": "us-west-2",
        "identifier": "s3://my-terraform-bucket/my/path/application-state-
file.tfstate",
        "type": "Native"
      },
    }
  ]
}
```

Sample Terraform Response

The following is an example response payload.

Sample Response

```
{
  "appArn": "arn:aws:resiliencehub:us-west-2:444455556666:app/4019253a-0c99-4d30-be32-
b14dd46d1c3d",
  "resourceMappings": [
    {
      "terraformSourceName": "application-state-file.tfstate",
      "mappingType": "Terraform",
    }
  ]
}
```

```
"physicalResourceId": {  
    "identifier": "s3://terraform-bucket/web-app/latest/application-state-  
file.tfstate",  
    "type": "Native",  
    "awsRegion": "us-west-2",  
    "awsAccountId": "444455556666"  
}  
}  
]  
}
```

Sample AppRegistry Request

The following is an example request payload.

Sample Request

```
{  
    "appArn": "arn:aws:resiliencehub:us-west-2:444455556666:app/4019253a-0c99-4d30-be32-  
b14dd46d1c3d",  
    "resourceMappings": [  
        {  
            "appRegistryAppName": "MyWebApp",  
            "mappingType": "AppRegistryApp",  
            "physicalResourceId": {  
                "identifier": "arn:aws:servicecatalog:us-west-2:444455556666:/  
applications/123456789012abcdefghijklmnp",  
                "type": "ARN"  
            },  
        }  
    ]  
}
```

Sample AppRegistry Response

The following is an example response payload.

Sample Response

```
{  
    "appArn": "aws:resiliencehub:us-west-2:444455556666:app/4019253a-0c99-4d30-be32-  
b14dd46d1c3d",  
}
```

```
"resourceMappings": [  
    {  
        "appRegistryAppName": "MyWebApp",  
        "mappingType": "AppRegistryApp",  
        "physicalResourceId": {  
            "identifier": "arn:aws:servicecatalog:us-west-2:444455556666:/  
applications/123456789012abcdefghijklmnop",  
            "type": "Arn"  
        }  
    }  
]
```

Sample Amazon EKS Request

The following is an example request payload.

Sample Request

```
{  
    "appArn": "arn:aws:resiliencehub:us-  
west-2:444455556666:app/98f97a67-228f-40b3-8b2b-29da919c68cc",  
    "resourceMappings": [  
        {  
            "eksSourceName": "my-cluster/my-namespace",  
            "mappingType": "EKS",  
            "physicalResourceId": {  
                "identifier": "arn:aws:eks:us-west-2:444455556666:cluster/my-cluster/my-  
namespace",  
                "type": "Arn"  
            },  
        },  
    ]  
}
```

Sample Amazon EKS Response

The following is an example response payload.

Sample Response

```
{
```

```
"appArn": "arn:aws:resiliencehub:us-west-2:44445556666:app/98f97a67-228f-40b3-8b2b-29da919c68cc",
  "resourceMappings": [
    {
      "eksSourceName": "my-cluster/my-namespace",
      "mappingType": "EKS",
      "physicalResourceId": {
        "identifier": "arn:aws:eks:us-west-2:44445556666:cluster/my-cluster/my-namespace",
        "type": "Arn"
      },
    }
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

BatchUpdateRecommendationStatus

Enables you to include or exclude one or more operational recommendations.

Request Syntax

```
POST /batch-update-recommendation-status HTTP/1.1
Content-type: application/json

{
  "appArnrequestEntriesentryIdexcludedexcludeReasonitemresourceIdtargetAccountIdtargetRegionreferenceId
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:([A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

requestEntries

Defines the list of operational recommendations that need to be included or excluded.

Type: Array of [UpdateRecommendationStatusRequestEntry](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: Yes

Response Syntax

HTTP/1.1 200
Content-type: application/json

```
{
  "appArn": "string",
  "failedEntries": [
    {
      "entryId": "string",
      "errorMessage": "string"
    }
  ],
  "successfulEntries": [
    {
      "entryId": "string",
      "excluded": boolean,
      "excludeReason": "string",
      "item": {
        "resourceId": "string",
        "targetAccountId": "string",
        "targetRegion": "string"
      },
      "referenceId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023}\$

[failedEntries](#)

A list of items with error details about each item, which could not be included or excluded.

Type: Array of [BatchUpdateRecommendationStatusFailedEntry](#) objects

[successfulEntries](#)

A list of items that were included or excluded.

Type: Array of [BatchUpdateRecommendationStatusSuccessfulEntry](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

Examples

Sample request

This example illustrates one usage of BatchUpdateRecommendationStatus.

```
{  
  "appArn": "APP_ARN",  
  "requestEntries": [  
    {  
      "entryId": "entry_num_1",  
      "referenceId": "s3:alarm:health_4xx_errors_count:2020-04-01",  
      "item": {  
        "resourceId": "a-resource-id",  
        "targetAccountId": "123456789012",  
        "targetRegion": "us-west-2"  
      },  
      "excluded": true,  
      "excludeReason": "AlreadyImplemented"  
    },  
    {
```

```
"entryId": "entry_num_2",
"referenceId": "s3:alarm:health_total_request_latency:2020-04-01",
"item": {
    "resourceId": "a-resource-id",
    "targetAccountId": "123456789012",
    "targetRegion": "us-west-2"
},
"excluded": true
}
]
}
```

Sample response

This example illustrates one usage of BatchUpdateRecommendationStatus.

```
{
    "appArn": "APP_ARN",
    "successfulEntries": [
        {
            "entryId": "entry_num_2",
            "referenceId": "s3:alarm:health_total_request_latency:2020-04-01",
            "item": {
                "resourceId": "a-resource-id",
                "targetAccountId": "123456789012",
                "targetRegion": "us-west-2"
            },
            "excluded": true
        },
        {
            "entryId": "entry_num_1",
            "referenceId": "s3:alarm:health_4xx_errors_count:2020-04-01",
            "item": {
                "resourceId": "a-resource-id",
                "targetAccountId": "123456789012",
                "targetRegion": "us-west-2"
            },
            "excluded": true,
            "excludeReason": "AlreadyImplemented"
        }
    ],
    "failedEntries": []
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateApp

Creates an AWS Resilience Hub application. An AWS Resilience Hub application is a collection of AWS resources structured to prevent and recover AWS application disruptions. To describe a AWS Resilience Hub application, you provide an application name, resources from one or more AWS CloudFormation stacks, AWS Resource Groups, Terraform state files, AppRegistry applications, and an appropriate resiliency policy. In addition, you can also add resources that are located on Amazon Elastic Kubernetes Service (Amazon EKS) clusters as optional resources. For more information about the number of resources supported per application, see [Service quotas](#).

After you create an AWS Resilience Hub application, you publish it so that you can run a resiliency assessment on it. You can then use recommendations from the assessment to improve resiliency by running another assessment, comparing results, and then iterating the process until you achieve your goals for recovery time objective (RTO) and recovery point objective (RPO).

Request Syntax

```
POST /create-app HTTP/1.1
Content-type: application/json

{
  "assessmentSchedule": "string",
  "clientToken": "string",
  "description": "string",
  "eventSubscriptions": [
    {
      "eventType": "string",
      "name": "string",
      "snsTopicArn": "string"
    }
  ],
  "name": "string",
  "permissionModel": {
    "crossAccountRoleArns": [ "string" ],
    "invokerRoleName": "string",
    "type": "string"
  },
  "policyArn": "string",
  "tags": {
    "string" : "string"
  }
}
```

```
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentSchedule

Assessment execution schedule with 'Daily' or 'Disabled' values.

Type: String

Valid Values: Disabled | Daily

Required: No

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

description

The optional description for an app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

eventSubscriptions

The list of events you would like to subscribe and get notification for. Currently, AWS Resilience Hub supports only **Drift detected** and **Scheduled assessment failure** events notification.

Type: Array of [EventSubscription](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

name

Name of the application.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: Yes

permissionModel

Defines the roles and credentials that AWS Resilience Hub would use while creating the application, importing its resources, and running an assessment.

Type: [PermissionModel](#) object

Required: No

policyArn

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is:
arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_\-.]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:)[A-Za-z0-9/] [A-Za-z0-9:_/+.]{0,1023}\$

Required: No

[tags](#)

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[^\x00-\x1f\x22]+\$

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ^[^\x00-\x1f\x22]*\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "app": {
    "appArn": "string",
    "assessmentSchedule": "string",
    "complianceStatus": "string",
    "creationTime": number,
    "description": "string",
    "driftStatus": "string",
    "eventSubscriptions": [
      {
        "eventType": "string",
        "name": "string",
        "snsTopicArn": "string"
      }
    ],
    "lastAppComplianceEvaluationTime": number,
    "lastDriftEvaluationTime": number,
    "lastResiliencyScoreEvaluationTime": number,
  }
}
```

```
"name": "string",
"permissionModel": {
    "crossAccountRoleArns": [ "string" ],
    "invokerRoleName": "string",
    "type": "string"
},
"policyArn": "string",
"resiliencyScore": number,
"rpoInSecs": number,
"rtoInSecs": number,
"status": "string",
"tags": {
    "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[app](#)

The created application returned as an object with details including compliance status, creation time, description, resiliency score, and more.

Type: [App](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAppVersionAppComponent

Creates a new Application Component in the AWS Resilience Hub application.

Note

This API updates the AWS Resilience Hub application draft version. To use this Application Component for running assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.

Request Syntax

```
POST /create-app-version-app-component HTTP/1.1
Content-type: application/json

{
  "additionalInfoappArnclientTokenidnametype
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

additionalInfo

Currently, there is no supported additional information for Application Components.

Type: String to array of strings map

Key Pattern: `^\S{1,128}$`

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: `arn:partition:resiliencehub:region:account:app/app-id`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/]|[A-Za-z0-9:_/+.-]{0,1023})$`

Required: Yes

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[A-Za-z0-9_-.]{0,63}$`

Required: No

id

Identifier of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

name

Name of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

type

Type of Application Component. For more information about the types of Application Component, see [Grouping resources in an AppComponent](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appArn": "string",
  "appComponent": {
    "additionalInfo": {
      "string" : [ "string" ]
    },
    "id": "string",
    "name": "string",
    "type": "string"
  },
  "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

[appComponent](#)

List of Application Components that belong to this resource.

Type: [AppComponent](#) object

[appVersion](#)

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAppVersionResource

Adds a resource to the AWS Resilience Hub application and assigns it to the specified Application Components. If you specify a new Application Component, AWS Resilience Hub will automatically create the Application Component.

Note

- This action has no effect outside AWS Resilience Hub.
- This API updates the AWS Resilience Hub application draft version. To use this resource for running resiliency assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.
- To update application version with new physicalResourceID, you must call ResolveAppVersionResources API.

Request Syntax

```
POST /create-app-version-resource HTTP/1.1
Content-type: application/json
```

```
{
  "additionalInfoappArnappComponentsawsAccountIdawsRegionclientTokenlogicalResourceIdphysicalResourceIdresourceName
```

```
    "resourceType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

additionalInfo

Currently, there is no supported additional information for resources.

Type: String to array of strings map

Key Pattern: ^\S{1,128}\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

appComponents

List of Application Components that this resource belongs to. If an Application Component is not part of the AWS Resilience Hub application, it will be added.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

[awsAccountId](#)

AWS account that owns the physical resource.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

[awsRegion](#)

AWS region that owns the physical resource.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

[clientToken](#)

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

[logicalResourceId](#)

Logical identifier of the resource.

Type: [LogicalResourceId](#) object

Required: Yes

[physicalResourceId](#)

Physical identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

[resourceName](#)

Name of the resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

[resourceType](#)

Type of resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "appArn": "string",
  "appVersion": "string",
  "physicalResource": {
    "additionalInfo": {
      "string": [ "string" ]
    },
    "appComponents": [
```

```
{  
    "additionalInfo": {  
        "string" : [ "string" ]  
    },  
    "id": "string",  
    "name": "string",  
    "type": "string"  
}  
,  
"excluded": boolean,  
"logicalResourceId": {  
    "eksSourceName": "string",  
    "identifier": "string",  
    "logicalStackName": "string",  
    "resourceGroupName": "string",  
    "terraformSourceName": "string"  
},  
"parentResourceName": "string",  
"physicalResourceId": {  
    "awsAccountId": "string",  
    "awsRegion": "string",  
    "identifier": "string",  
    "type": "string"  
},  
"resourceName": "string",  
"resourceType": "string",  
"sourceType": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}: [A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

[appVersion](#)

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

[physicalResource](#)

Defines a physical resource. A physical resource is a resource that exists in your account. It can be identified using an Amazon Resource Name (ARN) or a Resilience Hub-native identifier.

Type: [PhysicalResource](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRecommendationTemplate

Creates a new recommendation template for the AWS Resilience Hub application.

Request Syntax

```
POST /create-recommendation-template HTTP/1.1
Content-type: application/json

{
  "assessmentArn": "string",
  "bucketName": "string",
  "clientToken": "string",
  "format": "string",
  "name": "string",
  "recommendationIds": [ "string" ],
  "recommendationTypes": [ "string" ],
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_-]{0,1023}\$

Required: Yes

bucketName

The name of the Amazon S3 bucket that will contain the recommendation template.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: No

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

format

The format for the recommendation template.

CfnJson

The template is CloudFormation JSON.

CfnYaml

The template is CloudFormation YAML.

Type: String

Valid Values: CfnYaml | CfnJson

Required: No

name

The name for the recommendation template.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: Yes

recommendationIds

Identifiers for the recommendations used to create a recommendation template.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Pattern: ^[0-9a-f]{8}-[0-9a-f]{4}-[0-5][0-9a-f]{3}-[089ab][0-9a-f]{3}-[0-9a-f]{12}\$

Required: No

recommendationTypes

An array of strings that specify the recommendation template type or types.

Alarm

The template is an [AlarmRecommendation](#) template.

Sop

The template is a [SopRecommendation](#) template.

Test

The template is a [TestRecommendation](#) template.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 4 items.

Valid Values: Alarm | Sop | Test

Required: No

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[^\x00-\x1f\x22]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `^[^\x00-\x1f\x22]*$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "recommendationTemplate": {
    "appArn": "string",
    "assessmentArn": "string",
    "endTime": number,
    "format": "string",
    "message": "string",
    "name": "string",
    "needsReplacements": boolean,
    "recommendationIds": [ "string" ],
    "recommendationTemplateArn": "string",
    "recommendationTypes": [ "string" ],
    "startTime": number,
    "status": "string",
    "tags": {
      "string" : "string"
    },
    "templatesLocation": {
      "bucket": "string",
      "prefix": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[recommendationTemplate](#)

The newly created recommendation template, returned as an object. This object includes the template's name, format, status, tags, Amazon S3 bucket location, and more.

Type: [RecommendationTemplate](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateResiliencyPolicy

Creates a resiliency policy for an application.

Note

AWS Resilience Hub allows you to provide a value of zero for `rtoInSecs` and `rpoInSecs` of your resiliency policy. But, while assessing your application, the lowest possible assessment result is near zero. Hence, if you provide value zero for `rtoInSecs` and `rpoInSecs`, the estimated workload RTO and estimated workload RPO result will be near zero and the **Compliance status** for your application will be set to **Policy breached**.

Request Syntax

```
POST /create-resiliency-policy HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "dataLocationConstraint": "string",
  "policy": {
    "string" : {
      "rpoInSecs": number,
      "rtoInSecs": number
    }
  },
  "policyDescription": "string",
  "policyName": "string",
  "tags": {
    "string" : "string"
  },
  "tier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

dataLocationConstraint

Specifies a high-level geographical location constraint for where your resilience policy data can be stored.

Type: String

Valid Values: AnyLocation | SameContinent | SameCountry

Required: No

policy

The type of resiliency policy to be created, including the recovery time objective (RTO) and recovery point objective (RPO) in seconds.

Type: String to [FailurePolicy](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: Yes

policyDescription

The description for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

policyName

The name of the policy

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: Yes

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[^\\x00-\\x1f\\x22]+\$

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ^[^\\x00-\\x1f\\x22]*\$

Required: No

tier

The tier for this resiliency policy, ranging from the highest severity (`MissionCritical`) to lowest (`NonCritical`).

Type: String

Valid Values: `MissionCritical` | `Critical` | `Important` | `CoreServices` | `NonCritical` | `NotApplicable`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "policy": {
    "creationTime": number,
    "dataLocationConstraint": "string",
    "estimatedCostTier": "string",
    "policy": {
      "string": {
        "rpoInSecs": number,
        "rtoInSecs": number
      }
    },
    "policyArn": "string",
    "policyDescription": "string",
    "policyName": "string",
    "tags": {
      "string": "string"
    },
    "tier": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

policy

The type of resiliency policy that was created, including the recovery time objective (RTO) and recovery point objective (RPO) in seconds.

Type: [ResiliencyPolicy](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

Examples

Sample ResilienceHub ResiliencyPolicy

This example illustrates one usage of CreateResiliencyPolicy.

```
AWSTemplateFormatVersion: 2010-09-09
Resources:
  ResiliencyPolicyCFNCanaryStack:
    Type: AWS::ResilienceHub::ResiliencyPolicy
    Properties:
      PolicyName: "ResiliencyPolicyCFNCanaryExample"
      PolicyDescription: 'ResilienceHub TestResiliencyPolicy for CFN'
      Tier: 'MissionCritical'
      Tags:
        TagKey: ""
      Policy:
        Software:
          RtoInSecs: 10
          RpoInSecs: 10
        Hardware:
          RtoInSecs: 10
          RpoInSecs: 10
        AZ:
          RtoInSecs: 10
          RpoInSecs: 10
      Region:
        RtoInSecs: 10
        RpoInSecs: 10
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApp

Deletes an AWS Resilience Hub application. This is a destructive action that can't be undone.

Request Syntax

```
POST /delete-app HTTP/1.1
Content-type: application/json

{
  "appArnclientTokenforceDelete
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

forceDelete

A boolean option to force the deletion of an AWS Resilience Hub application.

Type: Boolean

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAppAssessment

Deletes an AWS Resilience Hub application assessment. This is a destructive action that can't be undone.

Request Syntax

```
POST /delete-app-assessment HTTP/1.1
Content-type: application/json

{
  "assessmentArnclientToken
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is: arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+.-]{0,1023}\$

Required: Yes

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assessmentArnassessmentStatus
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

assessmentStatus

The current status of the assessment for the resiliency policy.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAppInputSource

Deletes the input source and all of its imported resources from the AWS Resilience Hub application.

Request Syntax

```
POST /delete-app-input-source HTTP/1.1
Content-type: application/json

{
  "appArnclientTokeneksSourceClusterNamespaceeksClusterArnnamespacesourceArnterraformSources3StateFileUrl
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_-]{0,1023}\$

Required: Yes

[clientToken](#)

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

[eksSourceClusterNamespace](#)

The namespace on your Amazon Elastic Kubernetes Service cluster that you want to delete from the AWS Resilience Hub application.

Type: [EksSourceClusterNamespace](#) object

Required: No

[sourceArn](#)

The Amazon Resource Name (ARN) of the imported resource you want to remove from the AWS Resilience Hub application. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: No

[terraformSource](#)

The imported Terraform s3 state file you want to remove from the AWS Resilience Hub application.

Type: [TerraformSource](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appArn": "string",
  "appInputSource": {
    "eksSourceClusterNamespace": {
      "eksClusterArn": "string",
      "namespace": "string"
    },
    "importType": "string",
    "resourceCount": number,
    "sourceArn": "string",
    "sourceName": "string",
    "terraformSource": {
      "s3StateFileUrl": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_-]{0,1023}\$

appInputSource

Name of the input source from where the application resource is imported from.

Type: [ApplInputSource](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAppVersionAppComponent

Deletes an Application Component from the AWS Resilience Hub application.

Note

- This API updates the AWS Resilience Hub application draft version. To use this Application Component for running assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.
- You will not be able to delete an Application Component if it has resources associated with it.

Request Syntax

```
POST /delete-app-version-app-component HTTP/1.1
Content-type: application/json

{
  "appArnclientTokenid
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_/-]{0,1023}\$

Required: Yes

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_/-]{0,63}\$

Required: No

id

Identifier of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appComponent": {
        "additionalInfo": {
            "string" : [ "string" ]
        },
        "id": "string",
        "name": "string",
        "type": "string"
    }
},
```

```
    "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

[appComponent](#)

List of Application Components that belong to this resource.

Type: [AppComponent](#) object

[appVersion](#)

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAppVersionResource

Deletes a resource from the AWS Resilience Hub application.

Note

- You can only delete a manually added resource. To exclude non-manually added resources, use the UpdateAppVersionResource API.
- This action has no effect outside AWS Resilience Hub.
- This API updates the AWS Resilience Hub application draft version. To use this resource for running resiliency assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.

Request Syntax

```
POST /delete-app-version-resource HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "awsAccountId": "string",
  "awsRegion": "string",
  "clientToken": "string",
  "logicalResourceId": {
    "eksSourceName": "string",
    "identifier": "string",
    "logicalStackName": "string",
    "resourceGroupName": "string",
    "terraformSourceName": "string"
  },
  "physicalResourceId": "string",
  "resourceName": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

awsAccountId

AWS account that owns the physical resource.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

awsRegion

AWS region that owns the physical resource.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

logicalResourceId

Logical identifier of the resource.

Type: [LogicalResourceId](#) object

Required: No

physicalResourceId

Physical identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

resourceName

Name of the resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "appArn": "string",
  "appVersion": "string",
  "physicalResource": {
    "additionalInfo": {
      "string": [ "string" ]
```

```
},
"appComponents": [
  {
    "additionalInfo": {
      "string" : [ "string" ]
    },
    "id": "string",
    "name": "string",
    "type": "string"
  }
],
"excluded": boolean,
"logicalResourceId": {
  "eksSourceName": "string",
  "identifier": "string",
  "logicalStackName": "string",
  "resourceGroupName": "string",
  "terraformSourceName": "string"
},
"parentResourceName": "string",
"physicalResourceId": {
  "awsAccountId": "string",
  "awsRegion": "string",
  "identifier": "string",
  "type": "string"
},
"resourceName": "string",
"resourceType": "string",
"sourceType": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_+.-]{0,1023}\$

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

physicalResource

Defines a physical resource. A physical resource is a resource that exists in your account. It can be identified using an Amazon Resource Name (ARN) or a Resilience Hub-native identifier.

Type: [PhysicalResource](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRecommendationTemplate

Deletes a recommendation template. This is a destructive action that can't be undone.

Request Syntax

```
POST /delete-recommendation-template HTTP/1.1
Content-type: application/json

{
  "clientTokenrecommendationTemplateArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

recommendationTemplateArn

The Amazon Resource Name (ARN) for a recommendation template.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "recommendationTemplateArnstatus
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

recommendationTemplateArn

The Amazon Resource Name (ARN) for a recommendation template.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

status

Status of the action.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteResiliencyPolicy

Deletes a resiliency policy. This is a destructive action that can't be undone.

Request Syntax

```
POST /delete-resiliency-policy HTTP/1.1
Content-type: application/json

{
  "clientTokenpolicyArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

policyArn

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is: arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "policyArn
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[policyArn](#)

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is:

arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApp

Describes an AWS Resilience Hub application.

Request Syntax

```
POST /describe-app HTTP/1.1
Content-type: application/json

{
    "appArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
  "app": {  
    "appArn": "string",  
    "assessmentSchedule": "string",  
    "complianceStatus": "string",  
    "creationTime": number,  
    "description": "string",  
    "driftStatus": "string",  
    "eventSubscriptions": [  
      {  
        "eventType": "string",  
        "name": "string",  
        "snsTopicArn": "string"  
      }  
    ],  
    "lastAppComplianceEvaluationTime": number,  
    "lastDriftEvaluationTime": number,  
    "lastResiliencyScoreEvaluationTime": number,  
    "name": "string",  
    "permissionModel": {  
      "crossAccountRoleArns": [ "string" ],  
      "invokerRoleName": "string",  
      "type": "string"  
    },  
    "policyArn": "string",  
    "resiliencyScore": number,  
    "rpoInSecs": number,  
    "rtoInSecs": number,  
    "status": "string",  
    "tags": {  
      "string" : "string"  
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[app](#)

The specified application, returned as an object with details including compliance status, creation time, description, resiliency score, and more.

Type: [App](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAppAssessment

Describes an assessment for an AWS Resilience Hub application.

Request Syntax

```
POST /describe-app-assessment HTTP/1.1
Content-type: application/json

{
    "assessmentArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is: arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "assessment": {  
    "appArn": "string",  
    "appVersion": "string",  
    "assessmentArn": "string",  
    "assessmentName": "string",  
    "assessmentStatus": "string",  
    "compliance": {  
      "string" : {  
        "achievableRpoInSecs": number,  
        "achievableRtoInSecs": number,  
        "complianceStatus": "string",  
        "currentRpoInSecs": number,  
        "currentRtoInSecs": number,  
        "message": "string",  
        "rpoDescription": "string",  
        "rpoReferenceId": "string",  
        "rtoDescription": "string",  
        "rtoReferenceId": "string"  
      }  
    },  
    "complianceStatus": "string",  
    "cost": {  
      "amount": number,  
      "currency": "string",  
      "frequency": "string"  
    },  
    "driftStatus": "string",  
    "endTime": number,  
    "invoker": "string",  
    "message": "string",  
    "policy": {  
      "creationTime": number,  
      "dataLocationConstraint": "string",  
      "estimatedCostTier": "string",  
      "policy": {  
        "string" : {  
          "rpoInSecs": number,  
          "rtoInSecs": number  
        }  
      },  
      "policyArn": "string",  
      "policyDescription": "string",  
      "policyName": "string",  
      "policyStatus": "string",  
      "rpoInSecs": number,  
      "rtoInSecs": number  
    }  
  },  
  "cost": number,  
  "costType": "string",  
  "driftStatus": "string",  
  "estimatedCost": number,  
  "estimatedCostTier": "string",  
  "lastUpdatedTime": number,  
  "message": "string",  
  "name": "string",  
  "policyArn": "string",  
  "policyName": "string",  
  "policyStatus": "string",  
  "rpoInSecs": number,  
  "rtoInSecs": number  
}
```

```
"policyName": "string",
"tags": {
    "string" : "string"
},
"tier": "string"
},
"resiliencyScore": {
    "componentScoreexcludedCount": number,
            "outstandingCount": number,
            "possibleScore": number,
            "score": number
        }
    },
    "disruptionScore": {
        "string" : number
    },
    "score": number
},
"resourceErrorsDetails": {
    "hasMoreErrors": boolean,
    "resourceErrors": [
        {
            "logicalResourceId": "string",
            "physicalResourceId": "string",
            "reason": "string"
        }
    ]
},
"startTime": number,
"tags": {
    "string" : "string"
},
"versionName": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessment

The assessment for an AWS Resilience Hub application, returned as an object. This object includes Amazon Resource Names (ARNs), compliance information, compliance status, cost, messages, resiliency scores, and more.

Type: [AppAssessment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAppVersion

Describes the AWS Resilience Hub application version.

Request Syntax

```
POST /describe-app-version HTTP/1.1
Content-type: application/json

{
    "appArnappVersion
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:([A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: `^\$[1,50]$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "additionalInfo": {
    "string": [ "string" ]
  },
  "appArn": "string",
  "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

 **Note**

Currently, this parameter supports only failover region and account.

Type: String to array of strings map

Key Pattern: `^\$[1,128]$`

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}):[A-Za-z0-9/_/+.-]{0,1023}\$

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAppVersionAppComponent

Describes an Application Component in the AWS Resilience Hub application.

Request Syntax

```
POST /describe-app-version-app-component HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "appVersion": "string",
  "id": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

id

Identifier of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appComponent": {
        "additionalInfo": {
            "string" : [ "string" ]
        },
        "id": "string",
        "name": "string",
        "type": "string"
    },
    "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:)[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

appComponent

List of Application Components that belong to this resource.

Type: [AppComponent](#) object

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAppVersionResource

Describes a resource of the AWS Resilience Hub application.

Note

This API accepts only one of the following parameters to describe the resource:

- `resourceName`
- `logicalResourceId`
- `physicalResourceId` (Along with `physicalResourceId`, you can also provide `awsAccountId`, and `awsRegion`)

Request Syntax

```
POST /describe-app-version-resource HTTP/1.1
Content-type: application/json

{
  "appArnappVersionawsAccountIdawsRegionlogicalResourceIdeksSourceNameidentifierlogicalStackNameresourceGroupNameterraformSourceNamephysicalResourceIdresourceName
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_+.-]{0,1023}\$

Required: Yes

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

awsAccountId

AWS account that owns the physical resource.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

awsRegion

AWS region that owns the physical resource.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

[logicalResourceId](#)

Logical identifier of the resource.

Type: [LogicalResourceId](#) object

Required: No

[physicalResourceId](#)

Physical identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

[resourceName](#)

Name of the resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "appArn": "string",
  "appVersion": "string",
  "physicalResource": {
    "additionalInfo": {
      "string" : [ "string" ]
    },
    "appComponents": [
```

```
{  
    "additionalInfo": {  
        "string" : [ "string" ]  
    },  
    "id": "string",  
    "name": "string",  
    "type": "string"  
}  
,  
"excluded": boolean,  
"logicalResourceId": {  
    "eksSourceName": "string",  
    "identifier": "string",  
    "logicalStackName": "string",  
    "resourceGroupName": "string",  
    "terraformSourceName": "string"  
},  
"parentResourceName": "string",  
"physicalResourceId": {  
    "awsAccountId": "string",  
    "awsRegion": "string",  
    "identifier": "string",  
    "type": "string"  
},  
"resourceName": "string",  
"resourceType": "string",  
"sourceType": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

[appVersion](#)

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

[physicalResource](#)

Defines a physical resource. A physical resource is a resource that exists in your account. It can be identified using an Amazon Resource Name (ARN) or a Resilience Hub-native identifier.

Type: [PhysicalResource](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAppVersionResourcesResolutionStatus

Returns the resolution status for the specified resolution identifier for an application version. If `resolutionId` is not specified, the current resolution status is returned.

Request Syntax

```
POST /describe-app-version-resources-resolution-status HTTP/1.1
Content-type: application/json

{
  "appArnappVersionresolutionId
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: `arn:partition:resiliencehub:region:account:app/app-id`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}$`

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

resolutionId

The identifier for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "appArn": "string",
  "appVersion": "string",
  "errorMessage": "string",
  "resolutionId": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:)[A-Za-z0-9/_/+. -]{0,1023}\$

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

errorMessage

The returned error message for the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

resolutionId

The identifier for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

status

Status of the action.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAppVersionTemplate

Describes details about an AWS Resilience Hub application.

Request Syntax

```
POST /describe-app-version-template HTTP/1.1
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appTemplateBody": "string",
    "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:([A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

[appTemplateBody](#)

A JSON string that provides information about your application structure. To learn more about the appTemplateBody template, see the sample template provided in the *Examples* section.

The appTemplateBody JSON string has the following structure:

- **resources**

The list of logical resources that must be included in the AWS Resilience Hub application.

Type: Array

Note

Don't add the resources that you want to exclude.

Each `resources` array item includes the following fields:

- `logicalResourceId`

Logical identifier of the resource.

Type: Object

Each `logicalResourceId` object includes the following fields:

- `identifier`

Identifier of the resource.

Type: String

- `logicalStackName`

The name of the AWS CloudFormation stack this resource belongs to.

Type: String

- `resourceGroupName`

The name of the resource group this resource belongs to.

Type: String

- `terraformSourceName`

The name of the Terraform S3 state file this resource belongs to.

Type: String

- `eksSourceName`

Name of the Amazon Elastic Kubernetes Service cluster and namespace this resource belongs to.

Note

This parameter accepts values in "eks-cluster/nspace" format.

Type: String

- *type*

The type of resource.

Type: string

- *name*

The name of the resource.

Type: String

- additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

Note

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region":"<REGION>", "accounts": [{"id":"<ACCOUNT_ID>"}]}]"

- **appComponents**

List of Application Components that this resource belongs to. If an Application Component is not part of the AWS Resilience Hub application, it will be added.

Type: Array

Each appComponents array item includes the following fields:

- **name**

Name of the Application Component.

Type: String

- **type**

Type of Application Component. For more information about the types of Application Component, see [Grouping resources in an AppComponent](#).

Type: String

- **resourceNames**

The list of included resources that are assigned to the Application Component.

Type: Array of strings

- **additionalInfo**

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

 **Note**

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region": "<REGION>", "accounts": [{"id": "<ACCOUNT_ID>"}]}]"

- **excludedResources**

The list of logical resource identifiers to be excluded from the application.

Type: Array

 **Note**

Don't add the resources that you want to include.

Each excludedResources array item includes the following fields:

- *logicalResourceIds*

Logical identifier of the resource.

Type: Object

 **Note**

You can configure only one of the following fields:

- `logicalStackName`
- `resourceGroupName`
- `terraformSourceName`
- `eksSourceName`

Each logicalResourceIds object includes the following fields:

- *identifier*

Identifier of the resource.

Type: String

- `logicalStackName`

The name of the AWS CloudFormation stack this resource belongs to.

Type: String

- `resourceGroupName`

The name of the resource group this resource belongs to.

Type: String

- `terraformSourceName`

The name of the Terraform S3 state file this resource belongs to.

Type: String

- eksSourceName

Name of the Amazon Elastic Kubernetes Service cluster and namespace this resource belongs to.



This parameter accepts values in "eks-cluster/namespace" format.

Type: String

- **version**

AWS Resilience Hub application version.

- additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).



Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region": "<REGION>", "accounts": [{"id": "<ACCOUNT_ID>"}]}]"

Type: String

Length Constraints: Minimum length of 0. Maximum length of 409600.

Pattern: ^[\w\s:, -\.\.\'\\V{}\\[\\]:\"\\]+\$

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

Examples

Sample appTemplateBody template

This example illustrates one usage of `DescribeAppVersionTemplate`.

```
{  
  "resources": [  
    {"logicalResourceId": {  
      "identifier": "testResourceID1",  
      "logicalStackName": "testResourceStack1",  
      "resourceGroupName": null  
    },  
    {"type": "AWS::RDS::DBInstance",  
     "name": "testResourceName"  
  ]},  
  "appComponents": [  
    {"name": "testappcomponent-test",  
     "type": "AWS::ResilienceHub::AppComponent",  
     "resourceNames": [  
       "testResourceName"  
     ]},  
    {"name": "testappcommon",  
     "type": "AWS::ResilienceHub::AppComponent",  
     "resourceNames": "[testResourceName]"  
   }  
  ],  
  "excludedResources": {  
    "logicalResourceIds": [  
      {"identifier": "testResourceID2",  
       "logicalStackName": "testResourceStack2",  
       "resourceGroupName": ""  
     ]}  
  },  
  "version": 2.0  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDraftAppVersionResourcesImportStatus

Describes the status of importing resources to an application version.

Note

If you get a 404 error with `ResourceImportStatusNotFoundAppMetadataException`, you must call `importResourcesToDraftAppVersion` after creating the application and before calling `describeDraftAppVersionResourcesImportStatus` to obtain the status.

Request Syntax

```
POST /describe-draft-app-version-resources-import-status HTTP/1.1
Content-type: application/json

{
  "appArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: `arn:partition:resiliencehub:region:account:app/app-id`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_-]{0,1023}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string",
    "errorMessage": "string",
    "status": "string",
    "statusChangeTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

errorMessage

The returned error message for the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

status

Status of the action.

Type: String

Valid Values: Pending | InProgress | Failed | Success

statusChangeTime

The time when the status last changed.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeResiliencyPolicy

Describes a specified resiliency policy for an AWS Resilience Hub application. The returned policy object includes creation time, data location constraints, the Amazon Resource Name (ARN) for the policy, tags, tier, and more.

Request Syntax

```
POST /describe-resiliency-policy HTTP/1.1
Content-type: application/json

{
    "policyArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

policyArn

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is:

arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023}\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "policy": {
    "creationTime": number,
    "dataLocationConstraint": "string",
    "estimatedCostTier": "string",
    "policy": {
      "string": {
        "rpoInSecs": number,
        "rtoInSecs": number
      }
    },
    "policyArn": "string",
    "policyDescription": "string",
    "policyName": "string",
    "tags": {
      "string": "string"
    },
    "tier": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[policy](#)

Information about the specific resiliency policy, returned as an object. This object includes creation time, data location constraints, its name, description, tags, the recovery time objective (RTO) and recovery point objective (RPO) in seconds, and more.

Type: [ResiliencyPolicy](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ImportResourcesToDraftAppVersion

Imports resources to AWS Resilience Hub application draft version from different input sources. For more information about the input sources supported by AWS Resilience Hub, see [Discover the structure and describe your Resilience Hub application](#).

Request Syntax

```
POST /import-resources-to-draft-app-version HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "eksSources": [
    {
      "eksClusterArn": "string",
      "namespaces": [ "string" ]
    }
  ],
  "importStrategy": "string",
  "sourceArns": [ "string" ],
  "terraformSources": [
    {
      "s3StateFileUrl": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

Required: Yes

eksSources

The input sources of the Amazon Elastic Kubernetes Service resources you need to import.

Type: Array of [EksSource](#) objects

Required: No

importStrategy

The import strategy you would like to set to import resources into AWS Resilience Hub application.

Type: String

Valid Values: AddOnly | ReplaceAll

Required: No

sourceArns

The Amazon Resource Names (ARNs) for the resources.

Type: Array of strings

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

Required: No

terraformSources

A list of terraform file s3 URLs you need to import.

Type: Array of [TerraformSource](#) objects

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "appArnappVersioneksSourceseksClusterArnnamespacessourceArnsstatusterraformSourcess3StateFileUrl
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_-.]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_-]{0,1023}\$

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

eksSources

The input sources of the Amazon Elastic Kubernetes Service resources you have imported.

Type: Array of [EksSource](#) objects

sourceArns

The Amazon Resource Names (ARNs) for the resources you have imported.

Type: Array of strings

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+.-]{0,1023}\$

status

Status of the action.

Type: String

Valid Values: Pending | InProgress | Failed | Success

terraformSources

A list of terraform file s3 URLs you have imported.

Type: Array of [TerraformSource](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAlarmRecommendations

Lists the alarm recommendations for an AWS Resilience Hub application.

Request Syntax

```
POST /list-alarm-recommendations HTTP/1.1
Content-type: application/json

{
    "assessmentArnmaxResultsnextToken
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "alarmRecommendations": [
        {
            "appNamecomponentNames": [ "string" ],
            "description": "string",
            "items": [
                {
                    "alreadyImplemented": boolean,
                    "excluded": boolean,
                    "excludeReason": "string",
                    "resourceId": "string",
                    "targetAccountId": "string",
                    "targetRegion": "string"
                }
            ],
        }
    ]
},
```

```
        "name": "string",
        "prerequisite": "string",
        "recommendationId": "string",
        "recommendationStatus": "string",
        "referenceId": "string",
        "type": "string"
    },
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[alarmRecommendations](#)

The alarm recommendations for an AWS Resilience Hub application, returned as an object. This object includes Application Component names, descriptions, information about whether a recommendation has already been implemented or not, prerequisites, and more.

Type: Array of [AlarmRecommendation](#) objects

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppAssessmentComplianceDrifts

List of compliance drifts that were detected while running an assessment.

Request Syntax

```
POST /list-app-assessment-compliance-drifts HTTP/1.1
Content-type: application/json

{
  "assessmentArn": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is: arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

maxResults

Indicates the maximum number of applications requested.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Indicates the unique token number of the next application to be checked for compliance and regulatory requirements from the list of applications.

Type: String

Pattern: ^\S{1,2000}\\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "complianceDrifts": [
    {
      "actualReferenceIdactualValue": {
        "string" : {
          "achievableRpoInSecs": number,
          "achievableRtoInSecs": number,
          "complianceStatus": "string",
          "currentRpoInSecs": number,
          "currentRtoInSecs": number,
          "message": "string",
          "rpoDescription": "string",
          "rpoReferenceId": "string",
          "rtoDescription": "string",
          "rtoReferenceId": "string"
        }
      },
      "appId": "string",
      "appVersion": "string",
      "diffType": "string",
    }
  ]
}
```

```
  "driftType": "string",
  "entityId": "string",
  "entityType": "string",
  "expectedReferenceId": "string",
  "expectedValue": {
    "string" : {
      "achievableRpoInSecs": number,
      "achievableRtoInSecs": number,
      "complianceStatus": "string",
      "currentRpoInSecs": number,
      "currentRtoInSecs": number,
      "message": "string",
      "rpoDescription": "string",
      "rpoReferenceId": "string",
      "rtoDescription": "string",
      "rtoReferenceId": "string"
    }
  }
},
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[complianceDrifts](#)

Indicates compliance drifts (recovery time objective (RTO) and recovery point objective (RPO)) detected for an assessed entity.

Type: Array of [ComplianceDrift](#) objects

[nextToken](#)

Token number of the next application to be checked for compliance and regulatory requirements from the list of applications.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppAssessments

Lists the assessments for an AWS Resilience Hub application. You can use request parameters to refine the results for the response object.

Request Syntax

```
GET /list-app-assessments?  
appArn=appArn&assessmentName=assessmentName&assessmentStatus=assessmentStatus&complianceStatus=complianceStatus  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

assessmentName

The name for the assessment.

Pattern: ^[A-Za-z0-9][A-Za-z0-9_/-]{1,59}\$

assessmentStatus

The current status of the assessment for the resiliency policy.

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Valid Values: Pending | InProgress | Failed | Success

complianceStatus

The current status of compliance for the resiliency policy.

Valid Values: PolicyBreached | PolicyMet

invoker

Specifies the entity that invoked a specific assessment, either a User or the System.

Valid Values: User | System

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

Null, or the token from a previous call to get the next set of results.

Pattern: ^\S{1,2000}\\$

reverseOrder

The default is to sort by ascending **startTime**. To sort by descending **startTime**, set reverseOrder to true.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assessmentSummaries": [
    {
      "appArnappVersionassessmentArnassessmentNameassessmentStatus
```

```
"complianceStatus": "string",
"cost": {
    "amountcurrency": "string",
    "frequency": "string"
},
"driftStatus": "string",
"endTime": "number",
"invoker": "string",
"message": "string",
"resiliencyScore": "number",
"startTime": "number",
"versionName": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessmentSummaries

The summaries for the specified assessments, returned as an object. This object includes application versions, associated Amazon Resource Numbers (ARNs), cost, messages, resiliency scores, and more.

Type: Array of [AppAssessmentSummary](#) objects

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppComponentCompliances

Lists the compliances for an AWS Resilience Hub Application Component.

Request Syntax

```
POST /list-app-component-compliances HTTP/1.1
Content-type: application/json

{
    "assessmentArn": "string",
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\$

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
  "componentCompliances": [  
    {  
      "appComponentName": "string",  
      "compliance": {  
        "string" : {  
          "achievableRpoInSecs": number,  
          "achievableRtoInSecs": number,  
          "complianceStatus": "string",  
          "currentRpoInSecs": number,  
          "currentRtoInSecs": number,  
          "message": "string",  
          "rpoDescription": "string",  
          "rpoReferenceId": "string",  
          "rtoDescription": "string",  
          "rtoReferenceId": "string"  
        }  
      }  
    }  
  ]  
}
```

```
  },
  "costamountnumber,
    "currencystring",
    "frequencystring"
  },
  "messagestring",
  "resiliencyScorecomponentScorestring": {
        "excludedCountnumber,
        "outstandingCountnumber,
        "possibleScorenumber,
        "scorenumber
      }
    },
    "disruptionScorestring": number
    },
    "scorenumber
  },
  "statusstringnextTokenstring
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[componentCompliances](#)

The compliances for an AWS Resilience Hub Application Component, returned as an object. This object contains the names of the Application Components, compliances, costs, resiliency scores, outage scores, and more.

Type: Array of [AppComponentCompliance](#) objects

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppComponentRecommendations

Lists the recommendations for an AWS Resilience Hub Application Component.

Request Syntax

```
POST /list-app-component-recommendations HTTP/1.1
Content-type: application/json

{
    "assessmentArnmaxResultsnextToken
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more

information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:([A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\$

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
  "componentRecommendations": [  
    {  
      "appComponentName": "string",  
      "configRecommendations": [  
        {  
          "appComponentName": "string",  
          "compliance": {  
            "string" : {  
              "achievableRpoInSecs": number,  
              "achievableRtoInSecs": number,  
              "complianceStatus": "string",  
              "currentRpoInSecs": number,  
              "currentRtoInSecs": number,  
              "message": "string",  
              "rpoDescription": "string",  
              "rpoReferenceId": "string",  
            }  
          }  
        }  
      ]  
    }  
  ]  
}
```

```
        "rtoDescription": "string",
        "rtoReferenceId": "string"
    },
},
"cost": {
    "amount": number,
    "currency": "string",
    "frequency": "string"
},
"description": "string",
"haArchitecture": "string",
"name": "string",
"optimizationType": "string",
"recommendationCompliance": {
    "string" : {
        "expectedComplianceStatus": "string",
        "expectedRpoDescription": "string",
        "expectedRpoInSecs": number,
        "expectedRtoDescription": "string",
        "expectedRtoInSecs": number
    }
},
"referenceId": "string",
"suggestedChanges": [ "string" ]
},
],
"recommendationStatus": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[componentRecommendations](#)

The recommendations for an AWS Resilience Hub Application Component, returned as an object. This object contains the names of the Application Components, configuration recommendations, and recommendation statuses.

Type: Array of [ComponentRecommendation](#) objects

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppInputSources

Lists all the input sources of the AWS Resilience Hub application. For more information about the input sources supported by AWS Resilience Hub, see [Discover the structure and describe your Resilience Hub application](#).

Request Syntax

```
POST /list-app-input-sources HTTP/1.1
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string",
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_+.-]{0,1023}\$

Required: Yes

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

maxResults

Maximum number of input sources to be displayed per AWS Resilience Hub application.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appInputSources": [
        {
            "eksSourceClusterNamespaceeksClusterArnnamespaceimportType
```

```
"resourceCount": number,  
"sourceArn": "string",  
"sourceName": "string",  
"terraformSource": {  
    "s3StateFileUrl": "string"  
}  
},  
]  
,  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appInputSources](#)

The list of AWS Resilience Hub application input sources.

Type: Array of [AppInputSource](#) objects

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApps

Lists your AWS Resilience Hub applications.

Note

You can filter applications using only one filter at a time or without using any filter. If you try to filter applications using multiple filters, you will get the following error:

An error occurred (ValidationException) when calling the ListApps operation: Only one filter is supported for this operation.

Request Syntax

```
GET /list-apps?  
appArn=appArn&fromLastAssessmentTime=fromLastAssessmentTime&maxResults=maxResults&name=name&nex  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+.-]{0,1023}\$

fromLastAssessmentTime

Indicates the lower limit of the range that is used to filter applications based on their last assessment times.

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Valid Range: Minimum value of 1. Maximum value of 100.

name

The name for the one of the listed applications.

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

nextToken

Null, or the token from a previous call to get the next set of results.

Pattern: ^\S{1,2000}\$

reverseOrder

The application list is sorted based on the values of lastAppComplianceEvaluationTime field. By default, application list is sorted in ascending order. To sort the application list in descending order, set this field to True.

toLastAssessmentTime

Indicates the upper limit of the range that is used to filter the applications based on their last assessment times.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appSummaries": [
```

```
{  
    "appArn": "string",  
    "assessmentSchedule": "string",  
    "complianceStatus": "string",  
    "creationTime": number,  
    "description": "string",  
    "driftStatus": "string",  
    "lastAppComplianceEvaluationTime": number,  
    "name": "string",  
    "resiliencyScore": number,  
    "rpoInSecs": number,  
    "rtoInSecs": number,  
    "status": "string"  
}  
],  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appSummaries](#)

Summaries for the AWS Resilience Hub application.

Type: Array of [AppSummary](#) objects

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppVersionAppComponents

Lists all the Application Components in the AWS Resilience Hub application.

Request Syntax

```
POST /list-app-version-app-components HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "appVersion": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/_/-]{0,1023}\$

Required: Yes

appVersion

Version of the Application Component.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

maxResults

Maximum number of Application Components to be displayed per AWS Resilience Hub application version.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "appArn": "string",
  "appComponents": [
    {
      "additionalInfo": {
        "string" : [ "string" ]
      },
      "id": "string",
      "name": "string",
      "type": "string"
```

```
    }
],
"appVersion": "string",
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023}\$

appComponents

Defines an Application Component.

Type: Array of [AppComponent](#) objects

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppVersionResourceMappings

Lists how the resources in an application version are mapped/sourced from. Mappings can be physical resource identifiers, CloudFormation stacks, resource-groups, or an application registry app.

Request Syntax

```
POST /list-app-version-resource-mappings HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "appVersion": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_+.-]{0,1023}\$

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "resourceMappings": [
    {
      "appRegistryAppName": "string",
```

```
"eksSourceName": "string",
"logicalStackName": "string",
"mappingType": "string",
"physicalResourceId": {
    "awsAccountId": "string",
    "awsRegion": "string",
    "identifier": "string",
    "type": "string"
},
"resourceGroupName": "string",
"resourceName": "string",
"terraformSourceName": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

[resourceMappings](#)

Mappings used to map logical resources from the template to physical resources. You can use the mapping type CFN_STACK if the application template uses a logical stack name. Or you can map individual resources by using the mapping type RESOURCE. We recommend using the mapping type CFN_STACK if the application is backed by a CloudFormation stack.

Type: Array of [ResourceMapping](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppVersionResources

Lists all the resources in an AWS Resilience Hub application.

Request Syntax

```
POST /list-app-version-resources HTTP/1.1
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string",
    "maxResults": number,
    "nextToken": "string",
    "resolutionId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

[maxResults](#)

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\$

Required: No

[resolutionId](#)

The identifier for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
```

```
"physicalResources": [
  {
    "additionalInfo": {
      "string" : [ "string" ]
    },
    "appComponents": [
      {
        "additionalInfo": {
          "string" : [ "string" ]
        },
        "id": "string",
        "name": "string",
        "type": "string"
      }
    ],
    "excluded": boolean,
    "logicalResourceId": {
      "eksSourceName": "string",
      "identifier": "string",
      "logicalStackName": "string",
      "resourceGroupName": "string",
      "terraformSourceName": "string"
    },
    "parentResourceName": "string",
    "physicalResourceId": {
      "awsAccountId": "string",
      "awsRegion": "string",
      "identifier": "string",
      "type": "string"
    },
    "resourceName": "string",
    "resourceType": "string",
    "sourceType": "string"
  }
],
"resolutionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

physicalResources

The physical resources in the application version.

Type: Array of [PhysicalResource](#) objects

resolutionId

The ID for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppVersions

Lists the different versions for the AWS Resilience Hub applications.

Request Syntax

```
POST /list-app-versions HTTP/1.1
Content-type: application/json

{
    "appArn": "string",
    "endTime": number,
    "maxResults": number,
    "nextToken": "string",
    "startTime": number
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

endTime

Upper limit of the time range to filter the application versions.

Type: Timestamp

Required: No

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\\$

Required: No

startTime

Lower limit of the time range to filter the application versions.

Type: Timestamp

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appVersions": [
        {
            "appVersion": "string",
```

```
        "creationTime": number,
        "identifier": number,
        "versionName": "string"
    }
],
"nextTokenstring
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appVersions

The version of the application.

Type: Array of [AppVersionSummary](#) objects

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRecommendationTemplates

Lists the recommendation templates for the AWS Resilience Hub applications.

Request Syntax

```
GET /list-recommendation-templates?  
assessmentArn=assessmentArn&maxResults=maxResults&name=name&nextToken=nextToken&recommendationT  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:
arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Valid Range: Minimum value of 1. Maximum value of 100.

name

The name for one of the listed recommendation templates.

Pattern: ^[A-Za-z0-9][A-Za-z0-9_/-]{1,59}\$

nextToken

Null, or the token from a previous call to get the next set of results.

Pattern: ^\S{1,2000}\\$

recommendationTemplateArn

The Amazon Resource Name (ARN) for a recommendation template.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\\$

reverseOrder

The default is to sort by ascending **startTime**. To sort by descending **startTime**, set **reverseOrder** to true.

status

Status of the action.

Array Members: Minimum number of 1 item. Maximum number of 4 items.

Valid Values: Pending | InProgress | Failed | Success

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextTokenrecommendationTemplatesappArnassessmentArnendTime
```

```
"format": "string",
"message": "string",
"name": "string",
"needsReplacements": boolean,
"recommendationIds": [ "string" ],
"recommendationTemplateArn": "string",
"recommendationTypes": [ "string" ],
"startTime": number,
"status": "string",
"tags": {
    "string" : "string"
},
"templatesLocation": {
    "bucket": "string",
    "prefix": "string"
}
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

[recommendationTemplates](#)

The recommendation templates for the AWS Resilience Hub applications.

Type: Array of [RecommendationTemplate](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListResiliencyPolicies

Lists the resiliency policies for the AWS Resilience Hub applications.

Request Syntax

```
GET /list-resiliency-policies?  
maxResults=maxResults&nextToken=nextToken&policyName=policyName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

Null, or the token from a previous call to get the next set of results.

Pattern: ^\S{1,2000}\\$

policyName

The name of the policy

Pattern: ^[A-Za-z0-9][A-Za-z0-9_-\-]{1,59}\\$

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
    "nextToken": "string",  
    "resiliencyPolicies": [  
        {  
            "creationTime": number,  
            "dataLocationConstraint": "string",  
            "estimatedCostTier": "string",  
            "policy": {  
                "string" : {  
                    "rpoInSecs": number,  
                    "rtoInSecs": number  
                }  
            },  
            "policyArn": "string",  
            "policyDescription": "string",  
            "policyName": "string",  
            "tags": {  
                "string" : "string"  
            },  
            "tier": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

resiliencyPolicies

The resiliency policies for the AWS Resilience Hub applications.

Type: Array of [ResiliencyPolicy](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSopRecommendations

Lists the standard operating procedure (SOP) recommendations for the AWS Resilience Hub applications.

Request Syntax

```
POST /list-sop-recommendations HTTP/1.1
Content-type: application/json

{
  "assessmentArnmaxResultsnextToken
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "sopRecommendations": [
        {
            "appComponentName": "string",
            "description": "string",
            "items": [
                {
                    "alreadyImplemented": boolean,
                    "excluded": boolean,
                    "excludeReason": "string",
                    "resourceId": "string",
                    "targetAccountId": "string",
                    "targetRegion": "string"
                }
            ],
        }
    ]
},
```

```
        "name": "string",
        "prerequisite": "string",
        "recommendationId": "string",
        "recommendationStatus": "string",
        "referenceId": "string",
        "serviceType": "string"
    }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

[sopRecommendations](#)

The standard operating procedure (SOP) recommendations for the AWS Resilience Hub applications.

Type: Array of [SopRecommendation](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSuggestedResiliencyPolicies

Lists the suggested resiliency policies for the AWS Resilience Hub applications.

Request Syntax

```
GET /list-suggested-resiliency-policies?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

Null, or the token from a previous call to get the next set of results.

Pattern: ^\S{1,2000}\\$

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextTokenresiliencyPolicies
```

```
"creationTime": number,  
"dataLocationConstraintstring",  
"estimatedCostTier": "string",  
"policy": {  
    "string": {  
        "rpoInSecs": number,  
        "rtoInSecs": number  
    }  
},  
"policyArn": "string",  
"policyDescription": "string",  
"policyName": "string",  
"tags": {  
    "string": "string"  
},  
"tier": "string"  
}  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

resiliencyPolicies

The suggested resiliency policies for the AWS Resilience Hub applications.

Type: Array of [ResiliencyPolicy](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists the tags for your resources in your AWS Resilience Hub applications.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) for a specific resource in your AWS Resilience Hub application.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[^\x00-\x1f\x22]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `^[^\x00-\x1f\x22]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestRecommendations

Lists the test recommendations for the AWS Resilience Hub application.

Request Syntax

```
POST /list-test-recommendations HTTP/1.1
Content-type: application/json

{
    "assessmentArnmaxResultsnextToken
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more

information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "testRecommendations": [
        {
            "appComponentName": "string",
            "dependsOnAlarms": [ "string" ],
            "description": "string",
            "intent": "string",
            "items": [
                {
                    "alreadyImplemented": boolean,
                    "excluded": boolean,
                    "excludeReason": "string",
                    "resourceId": "string",
                    "targetAccountId": "string",
                    "targetRegion": "string"
                }
            ]
        }
    ]
}
```

```
        }
    ],
    "name": "string",
    "prerequisite": "string",
    "recommendationId": "string",
    "recommendationStatus": "string",
    "referenceId": "string",
    "risk": "string",
    "type": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\\$

[testRecommendations](#)

The test recommendations for the AWS Resilience Hub application.

Type: Array of [TestRecommendation](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListUnsupportedAppVersionResources

Lists the resources that are not currently supported in AWS Resilience Hub. An unsupported resource is a resource that exists in the object that was used to create an app, but is not supported by AWS Resilience Hub.

Request Syntax

```
POST /list-unsupported-app-version-resources HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "appVersion": "string",
  "maxResults": number,
  "nextToken": "string",
  "resolutionId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

maxResults

Maximum number of results to include in the response. If more results exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

Null, or the token from a previous call to get the next set of results.

Type: String

Pattern: ^\S{1,2000}\$

Required: No

resolutionId

The identifier for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
    "nextToken": "string",  
    "resolutionId": "string",  
    "unsupportedResources": [  
        {  
            "logicalResourceId": {  
                "eksSourceName": "string",  
                "identifier": "string",  
                "logicalStackName": "string",  
                "resourceGroupName": "string",  
                "terraformSourceName": "string"  
            },  
            "physicalResourceId": {  
                "awsAccountId": "string",  
                "awsRegion": "string",  
                "identifier": "string",  
                "type": "string"  
            },  
            "resourceType": "string",  
            "unsupportedResourceStatus": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

Token for the next set of results, or null if there are no more results.

Type: String

Pattern: ^\S{1,2000}\$

[resolutionId](#)

The identifier for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

unsupportedResources

The unsupported resources for the application.

Type: Array of [UnsupportedResource](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PublishAppVersion

Publishes a new version of a specific AWS Resilience Hub application.

Request Syntax

```
POST /publish-app-version HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "versionName": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:([A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

versionName

Name of the application version.

Type: String

Pattern: `^\$[1,50]\$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string",
    "identifier": number,
    "versionName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})$`

[appVersion](#)

The version of the application.

Type: String

Pattern: `^\$[1,50]\$`

identifier

Identifier of the application version.

Type: Long

versionName

Name of the application version.

Type: String

Pattern: ^\S{1,50}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutDraftAppVersionTemplate

Adds or updates the app template for an AWS Resilience Hub application draft version.

Request Syntax

```
POST /put-draft-app-version-template HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "appTemplateBody": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

appTemplateBody

A JSON string that provides information about your application structure. To learn more about the appTemplateBody template, see the sample template provided in the *Examples* section.

The appTemplateBody JSON string has the following structure:

- **resources**

The list of logical resources that must be included in the AWS Resilience Hub application.

Type: Array

 **Note**

Don't add the resources that you want to exclude.

Each resources array item includes the following fields:

- *logicalResourceId*

Logical identifier of the resource.

Type: Object

Each logicalResourceId object includes the following fields:

- *identifier*

Identifier of the resource.

Type: String

- *logicalStackName*

The name of the AWS CloudFormation stack this resource belongs to.

Type: String

- *resourceGroupName*

The name of the resource group this resource belongs to.

Type: String

- *terraformSourceName*

The name of the Terraform S3 state file this resource belongs to.

- **eksSourceName**

Name of the Amazon Elastic Kubernetes Service cluster and namespace this resource belongs to.

 **Note**

This parameter accepts values in "eks-cluster/namespace" format.

Type: String

- *type*

The type of resource.

Type: string

- *name*

The name of the resource.

Type: String

- *additionalInfo*

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

 **Note**

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region":"<REGION>", "accounts": [{"id":"<ACCOUNT_ID>"}]}]"

- **appComponents**

List of Application Components that this resource belongs to. If an Application Component is not part of the AWS Resilience Hub application, it will be added.

Type: Array

Each appComponents array item includes the following fields:

- name

Name of the Application Component.

Type: String

- type

Type of Application Component. For more information about the types of Application Component, see [Grouping resources in an AppComponent](#).

Type: String

- resourceNames

The list of included resources that are assigned to the Application Component.

Type: Array of strings

- additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

Note

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region":"<REGION>", "accounts": [{"id":"<ACCOUNT_ID>"}]}]"

• excludedResources

The list of logical resource identifiers to be excluded from the application.

Type: Array

Note

Don't add the resources that you want to include.

Each `excludedResources` array item includes the following fields:

- `logicalResourceIds`

Logical identifier of the resource.

Type: Object

Note

You can configure only one of the following fields:

- `logicalStackName`
- `resourceGroupName`
- `terraformSourceName`
- `eksSourceName`

Each `logicalResourceIds` object includes the following fields:

- `identifier`

Identifier of the resource.

Type: String

- `logicalStackName`

The name of the AWS CloudFormation stack this resource belongs to.

Type: String

- `resourceGroupName`

The name of the resource group this resource belongs to.

Type: String

- **terraformSourceName**

The name of the Terraform S3 state file this resource belongs to.

Type: String

- **eksSourceName**

Name of the Amazon Elastic Kubernetes Service cluster and namespace this resource belongs to.

 **Note**

This parameter accepts values in "eks-cluster/namespace" format.

Type: String

- **version**

AWS Resilience Hub application version.

- **additionalInfo**

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

 **Note**

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region": "<REGION>", "accounts": [{"id": "<ACCOUNT_ID>"}]}]"

Type: String

Length Constraints: Minimum length of 0. Maximum length of 409600.

Pattern: ^[\w\s:, -\.\']\{\}\[\]:\"\\]+\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appVersion
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:([A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023})\$

[appVersion](#)

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

Examples

Sample appTemplateBody template

This example illustrates one usage of PutDraftAppVersionTemplate.

```
{  
  "resources": [  
    {"logicalResourceId": {  
      "identifier": "testResourceID1",  
      "logicalStackName": "testResourceStack1",  
      "resourceGroupName": null  
    },  
    {"type": "AWS::RDS::DBInstance",  
     "name": "testResourceName"  
  ]},  
  "appComponents": [  
    {"name": "testappcomponent-test",  
     "type": "AWS::ResilienceHub::AppComponent",  
     "resourceNames": [  
       "testResourceName"  
     ]},  
    {"  
      "name": "testappcommon",  
      "type": "AWS::ResilienceHub::AppComponent",  
      "resourceNames": "[testResourceName]"  
    }  
  ],  
  "excludedResources": {  
    "logicalResourceIds": [  
      {"identifier": "testResourceID2",  
       "logicalStackName": "testResourceStack2",  
       "resourceGroupName": ""  
     ]}  
  },  
  "version": 2.0  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveDraftAppVersionResourceMappings

Removes resource mappings from a draft application version.

Request Syntax

```
POST /remove-draft-app-version-resource-mappings HTTP/1.1
Content-type: application/json

{
  "appArn": "string",
  "appRegistryAppNames": [ "string" ],
  "eksSourceNames": [ "string" ],
  "logicalStackNames": [ "string" ],
  "resourceGroupNames": [ "string" ],
  "resourceNames": [ "string" ],
  "terraformSourceNames": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

[appRegistryAppNames](#)

The names of the registered applications you want to remove from the resource mappings.

Type: Array of strings

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

[eksSourceNames](#)

The names of the Amazon Elastic Kubernetes Service clusters and namespaces you want to remove from the resource mappings.

Note

This parameter accepts values in "eks-cluster/namespace" format.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

[logicalStackNames](#)

The names of the CloudFormation stacks you want to remove from the resource mappings.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

[resourceGroupNames](#)

The names of the resource groups you want to remove from the resource mappings.

Type: Array of strings

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

resourceNames

The names of the resources you want to remove from the resource mappings.

Type: Array of strings

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: No

terraformSourceNames

The names of the Terraform sources you want to remove from the resource mappings.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:)[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ResolveAppVersionResources

Resolves the resources for an application version.

Request Syntax

```
POST /resolve-app-version-resources HTTP/1.1
Content-type: application/json

{
  "appArnappVersion
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: `^\S{1,50}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appArn": "string",
  "appVersion": "string",
  "resolutionId": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})$`

[appVersion](#)

The version of the application.

Type: String

Pattern: `^\S{1,50}$`

resolutionId

The identifier for a specific resolution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

status

Status of the action.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartAppAssessment

Creates a new application assessment for an application.

Request Syntax

```
POST /start-app-assessment HTTP/1.1
Content-type: application/json

{
    "appArn": "string",
    "appVersion": "string",
    "assessmentName": "string",
    "clientToken": "string",
    "tags": {
        "string" : "string"
    }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:)[A-Za-z0-9/_+.-]{0,1023}\$

Required: Yes

appVersion

The version of the application.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

assessmentName

The name for the assessment.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: Yes

clientToken

Used for an idempotency token. A client token is a unique, case-sensitive string of up to 64 ASCII characters. You should not reuse the same client token for other API requests.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[A-Za-z0-9_.-]{0,63}\$

Required: No

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[^\x00-\x1f\x22]+\$

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `^\x00-\x1f\x22]*$`

Required: No

Response Syntax

HTTP/1.1 200
Content-type: application/json

```
{  
  "assessment": {  
    "appArn": "string",  
    "appVersion": "string",  
    "assessmentArn": "string",  
    "assessmentName": "string",  
    "assessmentStatus": "string",  
    "compliance": {  
      "string" : {  
        "achievableRpoInSecs": number,  
        "achievableRtoInSecs": number,  
        "complianceStatus": "string",  
        "currentRpoInSecs": number,  
        "currentRtoInSecs": number,  
        "message": "string",  
        "rpoDescription": "string",  
        "rpoReferenceId": "string",  
        "rtoDescription": "string",  
        "rtoReferenceId": "string"  
      }  
    },  
    "complianceStatus": "string",  
    "cost": {  
      "amount": number,  
      "currency": "string",  
      "frequency": "string"  
    },  
    "driftStatus": "string",  
    "endTime": number,  
    "invoker": "string",  
    "message": "string",  
    "policy": {  
      "creationTime": number,  
      "dataLocationConstraint": "string",  
      "description": "string",  
      "id": "string",  
      "name": "string",  
      "status": "string",  
      "version": number  
    }  
  }  
}
```

```
"estimatedCostTier": "string",
"policy": {
    "string" : {
        "rpoInSecs": number,
        "rtoInSecs": number
    }
},
"policyArn": "string",
"policyDescription": "string",
"policyName": "string",
"tags": {
    "string" : "string"
},
"tier": "string"
},
"resiliencyScore": {
    "componentScore": {
        "string" : {
            "excludedCount": number,
            "outstandingCount": number,
            "possibleScore": number,
            "score": number
        }
    },
    "disruptionScore": {
        "string" : number
    },
    "score": number
},
"resourceErrorsDetails": {
    "hasMoreErrors": boolean,
    "resourceErrors": [
        {
            "logicalResourceId": "string",
            "physicalResourceId": "string",
            "reason": "string"
        }
    ]
},
"startTime": number,
"tags": {
    "string" : "string"
},
"versionName": "string"
```

```
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessment

The assessment created.

Type: [AppAssessment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Applies one or more tags to a resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

Amazon Resource Name (ARN) of the resource.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The tags to assign to the resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[^\x00-\x1f\x22]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `^[^\x00-\x1f\x22]*$`

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes one or more tags from a resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

Amazon Resource Name (ARN) of the resource.

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: Yes

tagKeys

The keys of the tags you want to remove.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^(?!aws:)[^\x00-\x1f\x22]+\$

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateApp

Updates an application.

Request Syntax

```
POST /update-app HTTP/1.1
Content-type: application/json

{
  "appArnassessmentScheduleclearResiliencyPolicyArndescriptioneventSubscriptionseventTypenamesnsTopicArnpermissionModelcrossAccountRoleArnsinvokerRoleNametypepolicyArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

Required: Yes

[assessmentSchedule](#)

Assessment execution schedule with 'Daily' or 'Disabled' values.

Type: String

Valid Values: Disabled | Daily

Required: No

[clearResiliencyPolicyArn](#)

Specifies if the resiliency policy ARN should be cleared.

Type: Boolean

Required: No

[description](#)

The optional description for an app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

[eventSubscriptions](#)

The list of events you would like to subscribe and get notification for. Currently, AWS Resilience Hub supports notifications only for **Drift detected** and **Scheduled assessment failure** events.

Type: Array of [EventSubscription](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

permissionModel

Defines the roles and credentials that AWS Resilience Hub would use while creating an application, importing its resources, and running an assessment.

Type: [PermissionModel](#) object

Required: No

policyArn

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is: arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+.-]{0,1023}\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "app": {
    "appArn": "string",
    "assessmentSchedule": "string",
    "complianceStatus": "string",
    "creationTime": number,
    "description": "string",
    "driftStatus": "string",
    "eventSubscriptions": [
      {
        "eventType": "string",
        "rule": "string"
      }
    ],
    "id": "string",
    "lastEvent": "string",
    "lastEventTime": "string",
    "lastSyncTime": "string",
    "name": "string",
    "region": "string",
    "status": "string"
  }
}
```

```
        "name": "string",
        "snsTopicArn": "string"
    },
],
"lastAppComplianceEvaluationTime": number,
"lastDriftEvaluationTime": number,
"lastResiliencyScoreEvaluationTime": number,
"name": "string",
"permissionModel": {
    "crossAccountRoleArns": [ "string" ],
    "invokerRoleName": "string",
    "type": "string"
},
"policyArn": "string",
"resiliencyScore": number,
"rpoInSecs": number,
"rtoInSecs": number,
"status": "string",
"tags": {
    "string" : "string"
}
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

app

The specified application, returned as an object with details including compliance status, creation time, description, resiliency score, and more.

Type: [App](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerException

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAppVersion

Updates the AWS Resilience Hub application version.

Note

This API updates the AWS Resilience Hub application draft version. To use this information for running resiliency assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.

Request Syntax

```
POST /update-app-version HTTP/1.1
Content-type: application/json

{
  "additionalInfo": {
    "string": [ "string" ]
  },
  "appArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

Note

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region": "<REGION>", "accounts": [{"id": "<ACCOUNT_ID>"}]}]"

Type: String to array of strings map

Key Pattern: ^\S{1,128}\\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}: [A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\\$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "additionalInfo": {
    "string": [ "string" ]
```

```
},  
  "appArn": "string",  
  "appVersion": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[additionalInfo](#)

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

 **Note**

Currently, this parameter supports only failover region and account.

Type: String to array of strings map

Key Pattern: ^\S{1,128}\\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

[appArn](#)

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_-]{0,1023}\\$

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAppVersionAppComponent

Updates an existing Application Component in the AWS Resilience Hub application.

Note

This API updates the AWS Resilience Hub application draft version. To use this Application Component for running assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.

Request Syntax

```
POST /update-app-version-app-component HTTP/1.1
Content-type: application/json

{
  "additionalInfoappArnidnametype
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

additionalInfo

Currently, there is no supported additional information for Application Components.

Type: String to array of strings map

Key Pattern: ^\S{1,128}\\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

id

Identifier of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

name

Name of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

type

Type of Application Component. For more information about the types of Application Component, see [Grouping resources in an AppComponent](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "appArn": "string",
    "appComponent": {
        "additionalInfoid": "string",
        "name": "string",
        "type": "string"
    },
    "appVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_-.]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/_-]{0,1023}\$

[appComponent](#)

List of Application Components that belong to this resource.

Type: [AppComponent](#) object

[appVersion](#)

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAppVersionResource

Updates the resource details in the AWS Resilience Hub application.

Note

- This action has no effect outside AWS Resilience Hub.
- This API updates the AWS Resilience Hub application draft version. To use this resource for running resiliency assessments, you must publish the AWS Resilience Hub application using the PublishAppVersion API.
- To update application version with new physicalResourceID, you must call ResolveAppVersionResources API.

Request Syntax

```
POST /update-app-version-resource HTTP/1.1
Content-type: application/json

{
  "additionalInfoappArnappComponentsawsAccountIdawsRegionexcludedlogicalResourceIdphysicalResourceIdresourceNameresourceType
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

additionalInfo

Currently, there is no supported additional information for resources.

Type: String to array of strings map

Key Pattern: ^\S{1,128}\\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/]|[A-Za-z0-9:_/+.-]{0,1023})\\$

Required: Yes

appComponents

List of Application Components that this resource belongs to. If an Application Component is not part of the AWS Resilience Hub application, it will be added.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

[awsAccountId](#)

AWS account that owns the physical resource.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

[awsRegion](#)

AWS region that owns the physical resource.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

[excluded](#)

Indicates if a resource is excluded from an AWS Resilience Hub application.

Note

You can exclude only imported resources from an AWS Resilience Hub application.

Type: Boolean

Required: No

[logicalResourceId](#)

Logical identifier of the resource.

Type: [LogicalResourceId](#) object

Required: No

[physicalResourceId](#)

Physical identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

resourceName

Name of the resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: No

resourceType

Type of resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appArn": "string",
  "appVersion": "string",
  "physicalResource": {
    "additionalInfo": {
      "string" : [ "string" ]
    },
    "appComponents": [
      {
        "additionalInfo": {
          "string" : [ "string" ]
        },
        "componentType": "string"
      }
    ]
}
```

```
        "id": "string",
        "name": "string",
        "type": "string"
    },
],
"excluded": boolean,
"logicalResourceId": {
    "eksSourceName": "string",
    "identifier": "string",
    "logicalStackName": "string",
    "resourceGroupName": "string",
    "terraformSourceName": "string"
},
"parentResourceName": "string",
"physicalResourceId": {
    "awsAccountId": "string",
    "awsRegion": "string",
    "identifier": "string",
    "type": "string"
},
"resourceName": "string",
"resourceType": "string",
"sourceType": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:|[A-Za-z0-9/_-]{0,1023}\$

appVersion

AWS Resilience Hub application version.

Type: String

Pattern: ^\S{1,50}\\$

physicalResource

Defines a physical resource. A physical resource is a resource that exists in your account. It can be identified using an Amazon Resource Name (ARN) or a Resilience Hub-native identifier.

Type: [PhysicalResource](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

This exception occurs when you have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateResiliencyPolicy

Updates a resiliency policy.

Note

AWS Resilience Hub allows you to provide a value of zero for `rtoInSecs` and `rpoInSecs` of your resiliency policy. But, while assessing your application, the lowest possible assessment result is near zero. Hence, if you provide value zero for `rtoInSecs` and `rpoInSecs`, the estimated workload RTO and estimated workload RPO result will be near zero and the **Compliance status** for your application will be set to **Policy breached**.

Request Syntax

```
POST /update-resiliency-policy HTTP/1.1
Content-type: application/json

{
  "dataLocationConstraint": "string",
  "policy": {
    "string" : {
      "rpoInSecs": number,
      "rtoInSecs": number
    }
  },
  "policyArn": "string",
  "policyDescription": "string",
  "policyName": "string",
  "tier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[dataLocationConstraint](#)

Specifies a high-level geographical location constraint for where your resilience policy data can be stored.

Type: String

Valid Values: AnyLocation | SameContinent | SameCountry

Required: No

[policy](#)

The type of resiliency policy to be created, including the recovery time objective (RTO) and recovery point objective (RPO) in seconds.

Type: String to [FailurePolicy](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

[policyArn](#)

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is:
arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+. -]{0,1023}\$

Required: Yes

[policyDescription](#)

The description for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

policyName

The name of the policy

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: No

tier

The tier for this resiliency policy, ranging from the highest severity (MissionCritical) to lowest (NonCritical).

Type: String

Valid Values: MissionCritical | Critical | Important | CoreServices | NonCritical | NotApplicable

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "policy": {
    "creationTime": number,
    "dataLocationConstraint": "string",
    "estimatedCostTier": "string",
    "policy": {
      "string": {
        "rpoInSecs": number,
        "rtoInSecs": number
      }
    },
    "policyArn": "string",
    "policyDescription": "string",
    "policyName": "string",
```

```
"tags": {  
    "string" : "string"  
},  
"tier": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[policy](#)

The type of resiliency policy that was updated, including the recovery time objective (RTO) and recovery point objective (RPO) in seconds.

Type: [ResiliencyPolicy](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions.

HTTP Status Code: 403

ConflictException

This exception occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 409

InternalServerError

This exception occurs when there is an internal failure in the AWS Resilience Hub service.

HTTP Status Code: 500

ResourceNotFoundException

This exception occurs when the specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

This exception occurs when you have exceeded the limit on the number of requests per second.

HTTP Status Code: 429

ValidationException

This exception occurs when a request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Resilience Hub API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AlarmRecommendation](#)
- [App](#)
- [AppAssessment](#)
- [AppAssessmentSummary](#)
- [AppComponent](#)
- [AppComponentCompliance](#)
- [AppInputSource](#)
- [AppSummary](#)
- [AppVersionSummary](#)
- [BatchUpdateRecommendationStatusFailedEntry](#)
- [BatchUpdateRecommendationStatusSuccessfulEntry](#)
- [ComplianceDrift](#)
- [ComponentRecommendation](#)
- [ConfigRecommendation](#)
- [Cost](#)
- [DisruptionCompliance](#)
- [EksSource](#)
- [EksSourceClusterNamespace](#)
- [EventSubscription](#)
- [FailurePolicy](#)

- [LogicalResourceId](#)
- [PermissionModel](#)
- [PhysicalResource](#)
- [PhysicalResourceId](#)
- [RecommendationDisruptionCompliance](#)
- [RecommendationItem](#)
- [RecommendationTemplate](#)
- [ResiliencyPolicy](#)
- [ResiliencyScore](#)
- [ResourceError](#)
- [ResourceErrorsDetails](#)
- [ResourceMapping](#)
- [S3Location](#)
- [ScoringComponentResiliencyScore](#)
- [SopRecommendation](#)
- [TerraformSource](#)
- [TestRecommendation](#)
- [UnsupportedResource](#)
- [UpdateRecommendationStatusItem](#)
- [UpdateRecommendationStatusRequestEntry](#)

AlarmRecommendation

Defines a recommendation for a CloudWatch alarm.

Contents

name

Name of the alarm recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

recommendationId

Identifier of the alarm recommendation.

Type: String

Pattern: ^[0-9a-f]{8}-[0-9a-f]{4}-[0-5][0-9a-f]{3}-[089ab][0-9a-f]{3}-[0-9a-f]{12}\$

Required: Yes

referenceId

Reference identifier of the alarm recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

type

Type of alarm recommendation.

Type: String

Valid Values: Metric | Composite | Canary | Logs | Event

Required: Yes

appComponentName

This member has been deprecated.

Application Component name for the CloudWatch alarm recommendation. This name is saved as the first item in the appComponentNames list.

Type: String

Pattern: ^\S{1,255}\\$

Required: No

appComponentNames

List of Application Component names for the CloudWatch alarm recommendation.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

description

Description of the alarm recommendation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

items

List of CloudWatch alarm recommendations.

Type: Array of [RecommendationItem](#) objects

Required: No

prerequisite

The prerequisite for the alarm recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

recommendationStatus

Status of the recommended Amazon CloudWatch alarm.

Type: String

Valid Values: Implemented | Inactive | NotImplemented | Excluded

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

App

Defines an AWS Resilience Hub application.

Contents

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

creationTime

Date and time when the app was created.

Type: Timestamp

Required: Yes

name

Name for the application.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_/-]{1,59}\$

Required: Yes

assessmentSchedule

Assessment execution schedule with 'Daily' or 'Disabled' values.

Type: String

Valid Values: Disabled | Daily

Required: No

complianceStatus

Current status of compliance for the resiliency policy.

Type: String

Valid Values: PolicyBreached | PolicyMet | NotAssessed | ChangesDetected

Required: No

description

Optional description for an application.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

driftStatus

Indicates if compliance drifts (deviations) were detected while running an assessment for your application.

Type: String

Valid Values: NotChecked | NotDetected | Detected

Required: No

eventSubscriptions

The list of events you would like to subscribe and get notification for. Currently, AWS Resilience Hub supports notifications only for **Drift detected** and **Scheduled assessment failure** events.

Type: Array of [EventSubscription](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

lastAppComplianceEvaluationTime

Date and time the most recent compliance evaluation.

Type: Timestamp

Required: No

lastDriftEvaluationTime

Indicates the last time that a drift was evaluated.

Type: Timestamp

Required: No

lastResiliencyScoreEvaluationTime

Date and time the most recent resiliency score evaluation.

Type: Timestamp

Required: No

permissionModel

Defines the roles and credentials that AWS Resilience Hub would use while creating the application, importing its resources, and running an assessment.

Type: [PermissionModel](#) object

Required: No

policyArn

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is:

arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: No

resiliencyScore

Current resiliency score for the application.

Type: Double

Required: No

rpoInSecs

Recovery Point Objective (RPO) in seconds.

Type: Integer

Required: No

rtoInSecs

Recovery Time Objective (RTO) in seconds.

Type: Integer

Required: No

status

Status of the application.

Type: String

Valid Values: Active | Deleting

Required: No

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[^\x00-\x1f\x22]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `^[^\x00-\x1f\x22]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppAssessment

Defines an application assessment.

Contents

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more

information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023}\$

Required: Yes

assessmentStatus

Current status of the assessment for the resiliency policy.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Required: Yes

invoker

The entity that invoked the assessment.

Type: String

Valid Values: User | System

Required: Yes

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+.-]{0,1023}\$

Required: No

appVersion

Version of an application.

Type: String

Pattern: ^\S{1,50}\$

Required: No

assessmentName

Name of the assessment.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

compliance

Application compliance against the resiliency policy.

Type: String to [DisruptionCompliance](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

complianceStatus

Current status of the compliance for the resiliency policy.

Type: String

Valid Values: PolicyBreached | PolicyMet

Required: No

cost

Cost for the application.

Type: [Cost](#) object

Required: No

driftStatus

Indicates if compliance drifts (deviations) were detected while running an assessment for your application.

Type: String

Valid Values: NotChecked | NotDetected | Detected

Required: No

endTime

End time for the action.

Type: Timestamp

Required: No

message

Error or warning message from the assessment execution

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

policy

Resiliency policy of an application.

Type: [ResiliencyPolicy](#) object

Required: No

resiliencyScore

Current resiliency score for an application.

Type: [ResiliencyScore](#) object

Required: No

resourceErrorsDetails

A resource error object containing a list of errors retrieving an application's resources.

Type: [ResourceErrorsDetails](#) object

Required: No

startTime

Starting time for the action.

Type: Timestamp

Required: No

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!\aws:)[^\x00-\x1f\x22]+\$

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ^[^\x00-\x1f\x22]*\$

Required: No

versionName

Version name of the published application.

Type: String

Pattern: ^\S{1,50}\\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppAssessmentSummary

Defines an application assessment summary.

Contents

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is:

arn:partition:resiliencehub:region:account:app-assessment/app-id. For more

information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023}\$

Required: Yes

assessmentStatus

Current status of the assessment for the resiliency policy.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Required: Yes

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023}\$

Required: No

appVersion

Version of an application.

Type: String

Pattern: ^\S{1,50}\\$

Required: No

assessmentName

Name of the assessment.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\\$

Required: No

complianceStatus

TCurrent status of compliance for the resiliency policy.

Type: String

Valid Values: PolicyBreached | PolicyMet

Required: No

cost

Cost for an application.

Type: [Cost](#) object

Required: No

driftStatus

Indicates if compliance drifts (deviations) were detected while running an assessment for your application.

Type: String

Valid Values: NotChecked | NotDetected | Detected

Required: No

endTime

End time for the action.

Type: Timestamp

Required: No

invoker

Entity that invoked the assessment.

Type: String

Valid Values: User | System

Required: No

message

Message from the assessment run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

resiliencyScore

Current resiliency score for the application.

Type: Double

Required: No

startTime

Starting time for the action.

Type: Timestamp

Required: No

versionName

Name of an application version.

Type: String

Pattern: ^\S{1,50}\\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppComponent

Defines an Application Component.

Contents

name

Name of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

type

The type of Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

Note

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region": "<REGION>", "accounts": [{"id": "<ACCOUNT_ID>"}]}]"

Type: String to array of strings map

Key Pattern: ^\S{1,128}\\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

id

Identifier of the Application Component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppComponentCompliance

Defines the compliance of an Application Component against the resiliency policy.

Contents

appComponentName

Name of the Application Component.

Type: String

Pattern: ^\S{1,255}\\$

Required: No

compliance

The compliance of the Application Component against the resiliency policy.

Type: String to [DisruptionCompliance](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

cost

The cost for the application.

Type: [Cost](#) object

Required: No

message

The compliance message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

resiliencyScore

The current resiliency score for the application.

Type: [ResiliencyScore object](#)

Required: No

status

Status of the action.

Type: String

Valid Values: PolicyBreached | PolicyMet

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppInputSource

The list of AWS Resilience Hub application input sources.

Contents

importType

The resource type of the input source.

Type: String

Valid Values: CfnStack | Resource | AppRegistryApp | ResourceGroup | Terraform | EKS

Required: Yes

eksSourceClusterNamespace

The namespace on your Amazon Elastic Kubernetes Service cluster.

Type: [EksSourceClusterNamespace](#) object

Required: No

resourceCount

The number of resources.

Type: Integer

Required: No

sourceArn

The Amazon Resource Name (ARN) of the input source. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/]|[A-Za-z0-9:_/-]{0,1023})\$

Required: No

sourceName

The name of the input source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

terraformSource

The name of the Terraform s3 state file.

Type: [TerraformSource](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppSummary

Defines an application summary.

Contents

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

creationTime

Date and time when the app was created.

Type: Timestamp

Required: Yes

name

The name of the application.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_/-]{1,59}\$

Required: Yes

assessmentSchedule

Assessment execution schedule with 'Daily' or 'Disabled' values.

Type: String

Valid Values: Disabled | Daily

Required: No

complianceStatus

The current status of compliance for the resiliency policy.

Type: String

Valid Values: PolicyBreached | PolicyMet | NotAssessed | ChangesDetected

Required: No

description

The optional description for an app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

driftStatus

Indicates if compliance drifts (deviations) were detected while running an assessment for your application.

Type: String

Valid Values: NotChecked | NotDetected | Detected

Required: No

lastAppComplianceEvaluationTime

Date and time of the most recent compliance evaluation.

Type: Timestamp

Required: No

resiliencyScore

The current resiliency score for the application.

Type: Double

Required: No

rpoInSecs

Recovery Point Objective (RPO) in seconds.

Type: Integer

Required: No

rtoInSecs

Recovery Time Objective (RTO) in seconds.

Type: Integer

Required: No

status

Status of the application.

Type: String

Valid Values: Active | Deleting

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppVersionSummary

Version of an application.

Contents

appVersion

Version of an application.

Type: String

Pattern: ^\S{1,50}\$

Required: Yes

creationTime

Creation time of the application version.

Type: Timestamp

Required: No

identifier

Identifier of the application version.

Type: Long

Required: No

versionName

Name of the application version.

Type: String

Pattern: ^\S{1,50}\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchUpdateRecommendationStatusFailedEntry

List of operational recommendations that did not get included or excluded.

Contents

entryId

An identifier of an entry in this batch that is used to communicate the result.

 **Note**

The entryIds of a batch request need to be unique within a request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

errorMessage

Indicates the error that occurred while excluding an operational recommendation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchUpdateRecommendationStatusSuccessfulEntry

List of operational recommendations that were successfully included or excluded.

Contents

entryId

An identifier for an entry in this batch that is used to communicate the result.

 **Note**

The entryIds of a batch request need to be unique within a request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

excluded

Indicates if the operational recommendation was successfully excluded.

Type: Boolean

Required: Yes

item

The operational recommendation item.

Type: [UpdateRecommendationStatusItem](#) object

Required: Yes

referenceId

Reference identifier of the operational recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

excludeReason

Indicates the reason for excluding an operational recommendation.

Type: String

Valid Values: AlreadyImplemented | NotRelevant | ComplexityOfImplementation

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ComplianceDrift

Indicates the compliance drifts (recovery time objective (RTO) and recovery point objective (RPO)) that were detected for an assessed entity.

Contents

actualReferenceId

Assessment identifier that is associated with this drift item.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

actualValue

Actual compliance value of the entity.

Type: String to [DisruptionCompliance](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

appId

Identifier of your application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

appVersion

Published version of your application on which drift was detected.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

diffType

Difference type between actual and expected recovery point objective (RPO) and recovery time objective (RTO) values. Currently, AWS Resilience Hub supports only **NotEqual** difference type.

Type: String

Valid Values: NotEqual

Required: No

driftType

The type of drift detected. Currently, AWS Resilience Hub supports only **ApplicationCompliance** drift type.

Type: String

Valid Values: ApplicationCompliance

Required: No

entityId

Identifier of an entity in which drift was detected. For compliance drift, the entity ID can be either application ID or the AppComponent ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

entityType

The type of entity in which drift was detected. For compliance drifts, AWS Resilience Hub supports AWS::ResilienceHub::AppComponent and AWS::ResilienceHub::Application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

expectedReferenceId

Assessment identifier of a previous assessment of the same application version. AWS Resilience Hub uses the previous assessment (associated with the reference identifier) to compare the compliance with the current assessment to identify drifts.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

expectedValue

The expected compliance value of an entity.

Type: String to [DisruptionCompliance](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ComponentRecommendation

Defines recommendations for an AWS Resilience Hub Application Component, returned as an object. This object contains component names, configuration recommendations, and recommendation statuses.

Contents

appComponentName

Name of the Application Component.

Type: String

Pattern: ^\S{1,255}\$

Required: Yes

configRecommendations

List of recommendations.

Type: Array of [ConfigRecommendation](#) objects

Required: Yes

recommendationStatus

Status of the recommendation.

Type: String

Valid Values: BreachedUnattainable | BreachedCanMeet | MetCanImprove

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfigRecommendation

Defines a recommendation configuration.

Contents

name

The name of the recommendation configuration.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: Yes

optimizationType

The type of optimization.

Type: String

Valid Values: LeastCost | LeastChange | BestAZRecovery | LeastErrors | BestAttainable | BestRegionRecovery

Required: Yes

referenceId

Reference identifier for the recommendation configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

appComponentName

Name of the Application Component.

Type: String

Pattern: ^\S{1,255}\$

Required: No

compliance

The current compliance against the resiliency policy before applying the configuration change.

Type: String to [DisruptionCompliance](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

cost

The cost for the application.

Type: [Cost](#) object

Required: No

description

The optional description for an app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

haArchitecture

The architecture type.

Type: String

Valid Values: MultiSite | WarmStandby | PilotLight | BackupAndRestore | NoRecoveryPlan

Required: No

recommendationCompliance

The expected compliance against the resiliency policy after applying the configuration change.

Type: String to [RecommendationDisruptionCompliance](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

suggestedChanges

List of the suggested configuration changes.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Cost

Defines a cost object.

Contents

amount

The cost amount.

Type: Double

Required: Yes

currency

The cost currency, for example USD.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 3.

Required: Yes

frequency

The cost frequency.

Type: String

Valid Values: Hourly | Daily | Monthly | Yearly

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

DisruptionCompliance

Defines the compliance against the resiliency policy for a disruption.

Contents

complianceStatus

The current status of compliance for the resiliency policy.

Type: String

Valid Values: PolicyBreached | PolicyMet

Required: Yes

achievableRpoInSecs

The Recovery Point Objective (RPO) that is achievable, in seconds.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

achievableRtoInSecs

The Recovery Time Objective (RTO) that is achievable, in seconds

Type: Integer

Valid Range: Minimum value of 0.

Required: No

currentRpoInSecs

The current RPO, in seconds.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

currentRtoInSecs

The current RTO, in seconds.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

message

The disruption compliance message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

rpoDescription

The RPO description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

rpoReferenceId

Reference identifier of the RPO .

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

rtoDescription

The RTO description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

rtoReferenceId

Reference identifier of the RTO.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EksSource

The input source of the Amazon Elastic Kubernetes Service cluster.

Contents

eksClusterArn

Amazon Resource Name (ARN) of the Amazon Elastic Kubernetes Service cluster. The format for this ARN is: `arn:aws:eks:region:account-id:cluster/cluster-name`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}$`

Required: Yes

namespaces

The list of namespaces located on your Amazon Elastic Kubernetes Service cluster.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[a-z0-9]([-a-z0-9]*[a-z0-9])? $`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

EksSourceClusterNamespace

The input source of the namespace that is located on your Amazon Elastic Kubernetes Service cluster.

Contents

eksClusterArn

Amazon Resource Name (ARN) of the Amazon Elastic Kubernetes Service cluster. The format for this ARN is: arn:aws:eks:region:account-id:cluster/cluster-name. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/-]{0,1023}\$

Required: Yes

namespace

Name of the namespace that is located on your Amazon Elastic Kubernetes Service cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: ^[a-z0-9]([-a-z0-9]*[a-z0-9])? \$

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

EventSubscription

Indicates an event you would like to subscribe and get notification for. Currently, AWS Resilience Hub supports notifications only for **Drift detected** and **Scheduled assessment failure** events.

Contents

eventType

The type of event you would like to subscribe and get notification for. Currently, AWS Resilience Hub supports notifications only for **Drift detected** (DriftDetected) and **Scheduled assessment failure** (ScheduledAssessmentFailure) events.

Type: String

Valid Values: ScheduledAssessmentFailure | DriftDetected

Required: Yes

name

Unique name to identify an event subscription.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

snsTopicArn

Amazon Resource Name (ARN) of the Amazon Simple Notification Service topic. The format for this ARN is: arn:partition:sns:region:account:topic-name. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:)[A-Za-z0-9/_/+.-]{0,1023}\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FailurePolicy

Defines a failure policy.

Contents

rpoInSecs

Recovery Point Objective (RPO) in seconds.

Type: Integer

Valid Range: Minimum value of 0.

Required: Yes

rtoInSecs

Recovery Time Objective (RTO) in seconds.

Type: Integer

Valid Range: Minimum value of 0.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogicalResourceId

Defines a logical resource identifier.

Contents

identifier

Identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

eksSourceName

Name of the Amazon Elastic Kubernetes Service cluster and namespace this resource belongs to.

 **Note**

This parameter accepts values in "eks-cluster/namespace" format.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

logicalStackName

The name of the AWS CloudFormation stack this resource belongs to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

resourceGroupName

The name of the resource group that this resource belongs to.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: No

terraformSourceName

The name of the Terraform S3 state file this resource belongs to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PermissionModel

Defines the roles and credentials that AWS Resilience Hub would use while creating the application, importing its resources, and running an assessment.

Contents

type

Defines how AWS Resilience Hub scans your resources. It can scan for the resources by using a pre-existing role in your AWS account, or by using the credentials of the current IAM user.

Type: String

Valid Values: LegacyIAMUser | RoleBased

Required: Yes

crossAccountRoleArns

Defines a list of role Amazon Resource Names (ARNs) to be used in other accounts. These ARNs are used for querying purposes while importing resources and assessing your application.

Note

- These ARNs are required only when your resources are in other accounts and you have different role name in these accounts. Else, the invoker role name will be used in the other accounts.
- These roles must have a trust policy with `iam:AssumeRole` permission to the invoker role in the primary account.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Pattern: `^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):iam::[0-9]{12}:role/(([^\/\][!-\~]+/){1,511})?[A-Za-z0-9+=,.@-]{1,64}$`

Required: No

invokerRoleName

Existing AWS IAM role name in the primary AWS account that will be assumed by AWS Resilience Hub Service Principle to obtain a read-only access to your application resources while running an assessment.

 **Note**

- You must have `iam:passRole` permission for this role while creating or updating the application.
- Currently, `invokerRoleName` accepts only `[A-Za-z0-9_+=,.@-]` characters.

Type: String

Pattern: `^([^\n]([!-\~]+/){1,511})?[A-Za-z0-9_+=,.@-]{1,64}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PhysicalResource

Defines a physical resource. A physical resource is a resource that exists in your account. It can be identified using an Amazon Resource Name (ARN) or an AWS Resilience Hub-native identifier.

Contents

logicalResourceId

Logical identifier of the resource.

Type: [LogicalResourceId](#) object

Required: Yes

physicalResourceId

Identifier of the physical resource.

Type: [PhysicalResourceId](#) object

Required: Yes

resourceType

Type of resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

additionalInfo

Additional configuration parameters for an AWS Resilience Hub application. If you want to implement additionalInfo through the AWS Resilience Hub console rather than using an API call, see [Configure the application configuration parameters](#).

Note

Currently, this parameter accepts a key-value mapping (in a string format) of only one failover region and one associated account.

Key: "failover-regions"

Value: "[{"region": "<REGION>", "accounts": [{"id": "<ACCOUNT_ID>"}]}]"

Type: String to array of strings map

Key Pattern: ^\S{1,128}\$

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

appComponents

The application components that belong to this resource.

Type: Array of [AppComponent](#) objects

Required: No

excluded

Indicates if a resource is included or excluded from the assessment.

Type: Boolean

Required: No

parentResourceName

Name of the parent resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

resourceName

The name of the resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

sourceType

Type of input source.

Type: String

Valid Values: AppTemplate | Discovered

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PhysicalResourceId

Defines a physical resource identifier.

Contents

identifier

Identifier of the physical resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

type

Specifies the type of physical resource identifier.

Arn

The resource identifier is an Amazon Resource Name (ARN) and it can identify the following list of resources:

- AWS::ECS::Service
- AWS::EFS::FileSystem
- AWS::ElasticLoadBalancingV2::LoadBalancer
- AWS::Lambda::Function
- AWS::SNS::Topic

Native

The resource identifier is an AWS Resilience Hub-native identifier and it can identify the following list of resources:

- AWS::ApiGateway::RestApi
- AWS::ApiGatewayV2::Api
- AWS::AutoScaling::AutoScalingGroup
- AWS::DocDB::DBCluster
- AWS::DocDB::DBGlobalCluster

- AWS::DocDB::DBInstance
- AWS::DynamoDB::GlobalTable
- AWS::DynamoDB::Table
- AWS::EC2::EC2Fleet
- AWS::EC2::Instance
- AWS::EC2::NatGateway
- AWS::EC2::Volume
- AWS::ElasticLoadBalancing::LoadBalancer
- AWS::RDS::DBCluster
- AWS::RDS::DBInstance
- AWS::RDS::GlobalCluster
- AWS::Route53::RecordSet
- AWS::S3::Bucket
- AWS::SQS::Queue

Type: String

Valid Values: Arn | Native

Required: Yes

awsAccountId

The AWS account that owns the physical resource.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

awsRegion

The AWS Region that the physical resource is located in.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationDisruptionCompliance

Defines a disruption compliance recommendation.

Contents

expectedComplianceStatus

The expected compliance status after applying the recommended configuration change.

Type: String

Valid Values: PolicyBreached | PolicyMet

Required: Yes

expectedRpoDescription

The expected Recovery Point Objective (RPO) description after applying the recommended configuration change.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

expectedRpoInSecs

The expected RPO after applying the recommended configuration change.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

expectedRtoDescription

The expected Recovery Time Objective (RTO) description after applying the recommended configuration change.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

expectedRtoInSecs

The expected RTO after applying the recommended configuration change.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationItem

Defines a recommendation.

Contents

alreadyImplemented

Specifies if the recommendation has already been implemented.

Type: Boolean

Required: No

excluded

Indicates if an operational recommendation item is excluded.

Type: Boolean

Required: No

excludeReason

Indicates the reason for excluding an operational recommendation.

Type: String

Valid Values: AlreadyImplemented | NotRelevant | ComplexityOfImplementation

Required: No

resourceId

Identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

targetAccountId

Identifier of the target account.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

targetRegion

The target region.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationTemplate

Defines a recommendation template created with the [CreateRecommendationTemplate](#) action.

Contents

assessmentArn

Amazon Resource Name (ARN) of the assessment. The format for this ARN is: arn:partition:resiliencehub:region:account:app-assessment/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}(([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/_/+.-]{0,1023})\$

Required: Yes

format

Format of the recommendation template.

CfnJson

The template is AWS CloudFormation JSON.

CfnYaml

The template is AWS CloudFormation YAML.

Type: String

Valid Values: CfnYaml | CfnJson

Required: Yes

name

Name for the recommendation template.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_/-]{1,59}\$

Required: Yes

recommendationTemplateArn

Amazon Resource Name (ARN) for the recommendation template.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/] [A-Za-z0-9:_/+.-]{0,1023}\$

Required: Yes

recommendationTypes

An array of strings that specify the recommendation template type or types.

Alarm

The template is an [AlarmRecommendation](#) template.

Sop

The template is a [SopRecommendation](#) template.

Test

The template is a [TestRecommendation](#) template.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 4 items.

Valid Values: Alarm | Sop | Test

Required: Yes

status

Status of the action.

Type: String

Valid Values: Pending | InProgress | Failed | Success

Required: Yes

appArn

Amazon Resource Name (ARN) of the AWS Resilience Hub application. The format for this ARN is: arn:partition:resiliencehub:region:account:app/app-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:([A-Za-z0-9/]|[A-Za-z0-9:_/+.-]{0,1023})\$

Required: No

endTime

The end time for the action.

Type: Timestamp

Required: No

message

Message for the recommendation template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

needsReplacements

Indicates if replacements are needed.

Type: Boolean

Required: No

recommendationIds

Identifiers for the recommendations used in the recommendation template.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Pattern: ^[0-9a-f]{8}-[0-9a-f]{4}-[0-5][0-9a-f]{3}-[089ab][0-9a-f]{3}-[0-9a-f]{12}\$

Required: No

startTime

The start time for the action.

Type: Timestamp

Required: No

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[^\x00-\x1f\x22]+\$

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ^[^\x00-\x1f\x22]*\$

Required: No

templatesLocation

The file location of the template.

Type: [S3Location](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResiliencyPolicy

Defines a resiliency policy.

Note

AWS Resilience Hub allows you to provide a value of zero for `rtoInSecs` and `rpoInSecs` of your resiliency policy. But, while assessing your application, the lowest possible assessment result is near zero. Hence, if you provide value zero for `rtoInSecs` and `rpoInSecs`, the estimated workload RTO and estimated workload RPO result will be near zero and the **Compliance status** for your application will be set to **Policy breached**.

Contents

creationTime

Date and time when the resiliency policy was created.

Type: Timestamp

Required: No

dataLocationConstraint

Specifies a high-level geographical location constraint for where your resilience policy data can be stored.

Type: String

Valid Values: AnyLocation | SameContinent | SameCountry

Required: No

estimatedCostTier

Specifies the estimated cost tier of the resiliency policy.

Type: String

Valid Values: L1 | L2 | L3 | L4

Required: No

policy

The resiliency policy.

Type: String to [FailurePolicy](#) object map

Valid Keys: Software | Hardware | AZ | Region

Required: No

policyArn

Amazon Resource Name (ARN) of the resiliency policy. The format for this ARN is:

arn:partition:resiliencehub:region:account:resiliency-policy/policy-id. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference* guide.

Type: String

Pattern: ^arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/-]{0,62}:[([a-z]{2}-((iso[a-z]{0,1})-)|(gov-)){0,1}[a-z]+[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+.-]{0,1023}\$

Required: No

policyDescription

The description for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

policyName

The name of the policy

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

tags

Tags assigned to the resource. A tag is a label that you assign to an AWS resource. Each tag consists of a key/value pair.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[^\x00-\x1f\x22]+\$

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ^[\x00-\x1f\x22]*\$

Required: No

tier

The tier for this resiliency policy, ranging from the highest severity (`MissionCritical`) to lowest (`NonCritical`).

Type: String

Valid Values: `MissionCritical` | `Critical` | `Important` | `CoreServices` | `NonCritical` | `NotApplicable`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResiliencyScore

The overall resiliency score, returned as an object that includes the disruption score and outage score.

Contents

disruptionScore

The disruption score for a valid key.

Type: String to double map

Valid Keys: Software | Hardware | AZ | Region

Required: Yes

score

The outage score for a valid key.

Type: Double

Required: Yes

componentScore

The score generated by AWS Resilience Hub for the scoring component after running an assessment.

For example, if the score is 25 points, it indicates the overall score of your application generated by AWS Resilience Hub after running an assessment.

Type: String to [ScoringComponentResiliencyScore](#) object map

Valid Keys: Compliance | Test | Alarm | Sop

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceError

Defines application resource errors.

Contents

logicalResourceId

Identifier of the logical resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

physicalResourceId

Identifier of the physical resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

reason

This is the error message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceErrorsDetails

A list of errors retrieving an application's resources.

Contents

hasMoreErrors

This indicates if there are more errors not listed in the resourceErrors list.

Type: Boolean

Required: No

resourceErrors

A list of errors retrieving an application's resources.

Type: Array of [ResourceError](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceMapping

Defines a resource mapping.

Contents

mappingType

Specifies the type of resource mapping.

Type: String

Valid Values: CfnStack | Resource | AppRegistryApp | ResourceGroup | Terraform | EKS

Required: Yes

physicalResourceId

Identifier of the physical resource.

Type: [PhysicalResourceId](#) object

Required: Yes

appRegistryAppName

Name of the application this resource is mapped to when the mappingType is AppRegistryApp.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\\-]{1,59}\$

Required: No

eksSourceName

Name of the Amazon Elastic Kubernetes Service cluster and namespace that this resource is mapped to when the mappingType is EKS.

Note

This parameter accepts values in "eks-cluster/namespace" format.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

logicalStackName

Name of the AWS CloudFormation stack this resource is mapped to when the mappingType is CfnStack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

resourceGroupName

Name of the AWS Resource Groups that this resource is mapped to when the mappingType is ResourceGroup.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

resourceName

Name of the resource that this resource is mapped to when the mappingType is Resource.

Type: String

Pattern: ^[A-Za-z0-9][A-Za-z0-9_\-]{1,59}\$

Required: No

terraformSourceName

Name of the Terraform source that this resource is mapped to when the mappingType is Terraform.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Location

The location of the Amazon S3 bucket.

Contents

bucket

The name of the Amazon S3 bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

prefix

The prefix for the Amazon S3 bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScoringComponentResiliencyScore

Resiliency score of each scoring component. For more information about scoring component, see [Calculating resiliency score](#).

Contents

excludedCount

Number of recommendations that were excluded from the assessment.

For example, if the excludedCount for Alarms coverage scoring component is 7, it indicates that 7 Amazon CloudWatch alarms are excluded from the assessment.

Type: Long

Required: No

outstandingCount

Number of recommendations that must be implemented to obtain the maximum possible score for the scoring component. For SOPs, alarms, and tests, these are the number of recommendations that must be implemented. For compliance, these are the number of Application Components that have breached the resiliency policy.

For example, if the outstandingCount for Alarms coverage scoring component is 5, it indicates that 5 Amazon CloudWatch alarms need to be implemented to achieve the maximum possible score.

Type: Long

Required: No

possibleScore

Maximum possible score that can be obtained for the scoring component.

For example, if the possibleScore is 20 points, it indicates the maximum possible score you can achieve for the scoring component when you run a new assessment after implementing all the AWS Resilience Hub recommendations.

Type: Double

Required: No

score

Resiliency score points given for the scoring component. The score is always less than or equal to the possibleScore.

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SopRecommendation

Defines a standard operating procedure (SOP) recommendation.

Contents

recommendationId

Identifier for the SOP recommendation.

Type: String

Pattern: ^[0-9a-f]{8}-[0-9a-f]{4}-[0-5][0-9a-f]{3}-[089ab][0-9a-f]{3}-[0-9a-f]{12}\$

Required: Yes

referenceId

Reference identifier for the SOP recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

serviceType

The service type.

Type: String

Valid Values: SSM

Required: Yes

appComponentName

Name of the Application Component.

Type: String

Pattern: ^\S{1,255}\$

Required: No

description

Description of the SOP recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

items

The recommendation items.

Type: Array of [RecommendationItem](#) objects

Required: No

name

Name of the SOP recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

prerequisite

Prerequisite for the SOP recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

recommendationStatus

Status of the recommended standard operating procedure.

Type: String

Valid Values: Implemented | Inactive | NotImplemented | Excluded

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TerraformSource

The Terraform s3 state file you need to import.

Contents

s3StateFileUrl

The URL of the Terraform s3 state file you need to import.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: ^((https://([/^]+)\.s3((-|\.)[/^]+)?\.amazonaws\.com(.\cn)?))|(s3://([/^]+)))/\S{1,2000}\\$

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestRecommendation

Defines a test recommendation.

Contents

referenceId

Reference identifier for the test recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

appComponentName

Name of the Application Component.

Type: String

Pattern: ^\S{1,255}\$

Required: No

dependsOnAlarms

A list of recommended alarms that are used in the test and must be exported before or with the test.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

description

Description for the test recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

intent

Intent of the test recommendation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

items

The test recommendation items.

Type: Array of [RecommendationItem](#) objects

Required: No

name

Name of the test recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

prerequisite

Prerequisite of the test recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

recommendationId

Identifier for the test recommendation.

Type: String

Pattern: ^[0-9a-f]{8}-[0-9a-f]{4}-[0-5][0-9a-f]{3}-[089ab][0-9a-f]{3}-[0-9a-f]{12}\$

Required: No

recommendationStatus

Status of the recommended test.

Type: String

Valid Values: Implemented | Inactive | NotImplemented | Excluded

Required: No

risk

Level of risk for this test recommendation.

Type: String

Valid Values: Small | Medium | High

Required: No

type

Type of test recommendation.

Type: String

Valid Values: Software | Hardware | AZ | Region

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

UnsupportedResource

Defines a resource that is not supported by AWS Resilience Hub.

Contents

logicalResourceId

Logical resource identifier for the unsupported resource.

Type: [LogicalResourceId](#) object

Required: Yes

physicalResourceId

Physical resource identifier for the unsupported resource.

Type: [PhysicalResourceId](#) object

Required: Yes

resourceType

The type of resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

unsupportedResourceStatus

The status of the unsupported resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateRecommendationStatusItem

Defines the operational recommendation item that needs a status update.

Contents

resourceId

Resource identifier of the operational recommendation item.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: No

targetAccountId

Identifier of the target AWS account.

Type: String

Pattern: ^[0-9]{12}\$

Required: No

targetRegion

Identifier of the target AWS Region.

Type: String

Pattern: ^[a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateRecommendationStatusRequestEntry

Defines the operational recommendation item that is to be included or excluded.

Contents

entryId

An identifier for an entry in this batch that is used to communicate the result.

 **Note**

The entryIds of a batch request need to be unique within a request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

excluded

Indicates if the operational recommendation needs to be excluded. If set to True, the operational recommendation will be excluded.

Type: Boolean

Required: Yes

item

The operational recommendation item.

Type: [UpdateRecommendationStatusItem](#) object

Required: Yes

referenceId

Reference identifier of the operational recommendation item.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Required: Yes

excludeReason

Indicates the reason for excluding an operational recommendation.

Type: String

Valid Values: AlreadyImplemented | NotRelevant | ComplexityOfImplementation

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400