



REST API Reference

Amazon MQ



Amazon MQ: REST API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Example REST Request	1
Example REST Response	1
Resources	5
Broker	5
URI	5
HTTP methods	5
Schemas	10
Properties	16
See also	43
Broker Engine Types	44
URI	45
HTTP methods	45
Schemas	46
Properties	47
See also	49
Broker Instance Options	50
URI	50
HTTP methods	50
Schemas	52
Properties	53
See also	56
Broker Reboot	57
URI	57
HTTP methods	57
Schemas	59
Properties	59
See also	59
Brokers	60
URI	60
HTTP methods	60
Schemas	64
Properties	66
See also	83

Brokers broker-id Promote	84
URI	84
HTTP methods	84
Schemas	86
Properties	87
See also	88
Configuration	88
URI	89
HTTP methods	89
Schemas	93
Properties	95
See also	101
Configuration Revision	103
URI	103
HTTP methods	103
Schemas	105
Properties	105
See also	107
Configuration Revisions	107
URI	108
HTTP methods	108
Schemas	110
Properties	111
See also	113
Configurations	113
URI	114
HTTP methods	114
Schemas	116
Properties	118
See also	124
Tag	125
URI	125
HTTP methods	126
Schemas	130
Properties	130
See also	131

User	133
URI	133
HTTP methods	133
Schemas	140
Properties	142
See also	146
Users	148
URI	149
HTTP methods	149
Schemas	151
Properties	152
See also	154
Operations	155

Welcome

Welcome to the Amazon MQ REST API reference. In this guide, you can find descriptions of REST resources, example requests, HTTP methods, schemas, parameters, and the errors that the service returns.

Amazon MQ is a managed message broker service for [Apache ActiveMQ](#) and [RabbitMQ](#) that makes it easy to set up and operate message brokers in the cloud. A message broker allows software applications and components to communicate using various programming languages, operating systems, and formal messaging protocols. Amazon MQ works with your existing applications and services without the need to manage, operate, or maintain your own messaging system.

Topics

- [Example REST Request](#)
- [Example REST Response](#)

Additional Information

- [Amazon MQ Product Page](#)
- [Amazon MQ Developer Guide](#)
- [Amazon MQ in the AWS CLI Command Reference](#)
- [Regions and Endpoints](#)

This document was last published on July 7, 2021

Example REST Request

The following is an example of an Amazon MQ REST request (and its headers) which creates a new Amazon MQ for ActiveMQ broker:

```
POST /v1/brokers HTTP/1.1
Content-Type: application/json
X-Amz-Date: 20171123T214525Z
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20171128/us-east-2/mq/aws4_request, SignedHeaders=content-length;content-type;host;x-amz-date, Signature=a12bc34567defg89h0ij1234kl56m789no01p2q345r6s789tu01v2w3x4567890
```

```
Host: mq.us-east-2.amazonaws.com
Cache-Control: no-cache

{
  "brokerName": "MyActiveMQBroker",
  "hostInstanceType": "mq.m5.large",
  "engineType": "ActiveMQ",
  "engineVersion": "5.15.8",
  "logs": {
    "general": true,
    "audit": false
  },
  "deploymentMode": "ACTIVE_STANDBY_MULTI_AZ",
  "publiclyAccessible": true,
  "subnetIds": [
    "subnet-12a3b45c",
    "subnet-67d8e90f"
  ],
  "securityGroups": [
    "sg-a1b234cd",
    "sg-e5f678gh"
  ],
  "autoMinorVersionUpgrade": true,
  "users": [{
    "password": "MyPassword456",
    "groups": [
      "admins"
    ],
    "consoleAccess": true,
    "username": "jane.doe"
  }]
}
```

The following is an example of an Amazon MQ REST request (and its headers) which creates a new Amazon MQ for RabbitMQ broker:

```
POST /v1/brokers HTTP/1.1
Content-Type: application/json
X-Amz-Date: 20171123T214525Z
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20171128/us-east-2/mq/aws4_request, SignedHeaders=content-length;content-type;host;x-amz-date, Signature=a12bc34567defg89h0ij1234kl156m789no01p2q345r6s789tu01v2w3x4567890
Host: mq.us-east-2.amazonaws.com
```

```
Cache-Control: no-cache

{
  "brokerName": "MyRabbitMQBroker",
  "hostInstanceType": "mq.m5.large",
  "engineType": "RabbitMQ",
  "engineVersion": "3.8.6",
  "logs": {
    "general": true
  },
  "deploymentMode": "CLUSTER_MULTI_AZ",
  "publiclyAccessible": true,
  "subnetIds": [
    "subnet-15a3b47c",
    "subnet-69d8n90j"
  ],
  "autoMinorVersionUpgrade": true,
  "users": [{
    "password": "MyPassword456",
    "groups": [
      "admins"
    ],
    "consoleAccess": true,
    "username": "jane.doe"
  }]
}
```

Example REST Response

The following is an example of an Amazon MQ REST response (and its headers) which acknowledges the creation of the new broker:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: 250
Connection: keep-alive
Date: Wed, 28 Nov 2017 12:00:00 GMT
X-Amzn-RequestId: a12bc345-67de-89f0-g12h-345ij6k7l89m
X-Amzn-Trace-Id: sampled=1;root=1-2345a67b-c8defg901hijk2l1f3m4nopqr
X-Cache: Miss from cloudfront
Via: 1.1 ab123456cd789ef012g34567890h1i23.cloudfront.net (CloudFront)
X-Amz-Cf-Id: ABCa1D6b2-EcF3dG7e456_fGIgh7JKLMijN0_PQ8RSTUVWX-Y9k0ZA==
```

```
{
  "brokerId" : "b-1234a5b6-78cd-901e-2fgh-3i45j6k17819",
  "brokerArn" : "arn:aws:mq:us-
east-2:123456789012:broker:MyBroker:b-1234a5b6-78cd-901e-2fgh-3i45j6k17819"
}
```

Resources

The Amazon MQ REST API includes the following resources.

Topics

- [Broker](#)
- [Broker Engine Types](#)
- [Broker Instance Options](#)
- [Broker Reboot](#)
- [Brokers](#)
- [Brokers broker-id Promote](#)
- [Configuration](#)
- [Configuration Revision](#)
- [Configuration Revisions](#)
- [Configurations](#)
- [Tag](#)
- [User](#)
- [Users](#)

Broker

A broker is a message broker environment running on Amazon MQ. It is the basic building block of Amazon MQ. For more information about the different components of an Amazon MQ broker, see [How Amazon MQ works](#) in the *Amazon MQ Developer Guide*.

URI

`/v1/brokers/broker-id`

HTTP methods

GET

Operation ID: DescribeBroker

Returns information about the specified broker.

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	DescribeBrokerOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

PUT

Operation ID: UpdateBroker

Adds a pending configuration change to a broker.

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	UpdateBrokerOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
409	Error	HTTP Status Code 409: Configuration ID is already in use. Remove the configura

Status code	Response model	Description
500	Error	tion from all brokers and retry the request. HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

DELETE

Operation ID: DeleteBroker

Deletes a broker. Note: This API is asynchronous.

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	DeleteBrokerOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your

Status code	Response model	Description
404	Error	credentials and then retry your request. HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

PUT schema

```
{
  "dataReplicationMode": enum,
  "engineVersion": "string",
  "maintenanceWindowStartTime": {
    "dayOfWeek": enum,
    "timeZone": "string",
    "timeOfDay": "string"
  },
  "configuration": {
    "id": "string",
    "revision": integer
  },
  "storageConfiguration": {
    "efs": {
      "throughputMode": enum
    }
  },
  "authenticationStrategy": enum,
  "securityGroups": [
    "string"
  ],
  "ldapServerMetadata": {
    "roleSearchMatching": "string",
    "serviceAccountPassword": "string",
    "roleBase": "string",
    "hosts": [
      "string"
    ],
    "roleName": "string",
    "userBase": "string",
    "roleSearchSubtree": boolean,
    "serviceAccountUsername": "string",
    "userRoleName": "string",
    "userSearchMatching": "string",
    "userSearchSubtree": boolean
  },
  "logs": {
```

```
"general": boolean,
"audit": boolean
},
"hostInstanceType": "string",
"autoMinorVersionUpgrade": boolean
}
```

Response bodies

DescribeBrokerOutput schema

```
{
  "pendingEngineVersion": "string",
  "pendingAuthenticationStrategy": enum,
  "pendingSecurityGroups": [
    "string"
  ],
  "configurations": {
    "current": {
      "id": "string",
      "revision": integer
    },
    "pending": {
      "id": "string",
      "revision": integer
    },
    "history": [
      {
        "id": "string",
        "revision": integer
      }
    ]
  },
  "brokerState": enum,
  "pendingDataReplicationMode": enum,
  "engineType": enum,
  "brokerInstances": [
    {
      "endpoints": [
        "string"
      ],
      "consoleURL": "string",
      "ipAddress": "string"
    }
  ]
}
```

```
    }
  ],
  "hostInstanceType": "string",
  "dataReplicationMode": enum,
  "storageConfiguration": {
    "efs": {
      "throughputMode": enum
    }
  },
  "publiclyAccessible": boolean,
  "logs": {
    "generalLogGroup": "string",
    "general": boolean,
    "audit": boolean,
    "pending": {
      "general": boolean,
      "audit": boolean
    },
    "auditLogGroup": "string"
  },
  "ldapServerMetadata": {
    "roleSearchMatching": "string",
    "roleBase": "string",
    "hosts": [
      "string"
    ],
    "roleName": "string",
    "userBase": "string",
    "roleSearchSubtree": boolean,
    "serviceAccountUsername": "string",
    "userRoleName": "string",
    "userSearchMatching": "string",
    "userSearchSubtree": boolean
  },
  "subnetIds": [
    "string"
  ],
  "pendingHostInstanceType": "string",
  "engineVersion": "string",
  "brokerArn": "string",
  "brokerId": "string",
  "deploymentMode": enum,
  "maintenanceWindowStartTime": {
    "dayOfWeek": enum,
```

```
    "timeZone": "string",
    "timeOfDay": "string"
  },
  "created": "string",
  "authenticationStrategy": enum,
  "users": [
    {
      "pendingChange": enum,
      "username": "string"
    }
  ],
  "pendingStorageConfiguration": {
    "efs": {
      "throughputMode": enum
    }
  },
  "tags": {
  },
  "dataReplicationMetadata": {
    "dataReplicationCounterpart": {
      "brokerId": "string",
      "region": "string"
    },
    "dataReplicationRole": "string"
  },
  "pendingLdapServerMetadata": {
    "roleSearchMatching": "string",
    "roleBase": "string",
    "hosts": [
      "string"
    ],
    "roleName": "string",
    "userBase": "string",
    "roleSearchSubtree": boolean,
    "serviceAccountUsername": "string",
    "userRoleName": "string",
    "userSearchMatching": "string",
    "userSearchSubtree": boolean
  },
  "encryptionOptions": {
    "useAwsOwnedKey": boolean,
    "kmsKeyId": "string"
  },
  "pendingDataReplicationMetadata": {
```

```

    "dataReplicationCounterpart": {
      "brokerId": "string",
      "region": "string"
    },
    "dataReplicationRole": "string"
  },
  "storageType": enum,
  "actionsRequired": [
    {
      "actionRequiredCode": "string",
      "actionRequiredInfo": "string"
    }
  ],
  "securityGroups": [
    "string"
  ],
  "brokerName": "string",
  "autoMinorVersionUpgrade": boolean
}

```

UpdateBrokerOutput schema

```

{
  "engineVersion": "string",
  "brokerId": "string",
  "maintenanceWindowStartTime": {
    "dayOfWeek": enum,
    "timeZone": "string",
    "timeOfDay": "string"
  },
  "configuration": {
    "id": "string",
    "revision": integer
  },
  "authenticationStrategy": enum,
  "pendingDataReplicationMode": enum,
  "hostInstanceType": "string",
  "pendingStorageConfiguration": {
    "efs": {
      "throughputMode": enum
    }
  },
  "dataReplicationMode": enum,
}

```

```

{
  "dataReplicationMetadata": {
    "dataReplicationCounterpart": {
      "brokerId": "string",
      "region": "string"
    },
    "dataReplicationRole": "string"
  },
  "pendingDataReplicationMetadata": {
    "dataReplicationCounterpart": {
      "brokerId": "string",
      "region": "string"
    },
    "dataReplicationRole": "string"
  },
  "securityGroups": [
    "string"
  ],
  "logs": {
    "general": boolean,
    "audit": boolean
  },
  "ldapServerMetadata": {
    "roleSearchMatching": "string",
    "roleBase": "string",
    "hosts": [
      "string"
    ],
    "roleName": "string",
    "userBase": "string",
    "roleSearchSubtree": boolean,
    "serviceAccountUsername": "string",
    "userRoleName": "string",
    "userSearchMatching": "string",
    "userSearchSubtree": boolean
  },
  "autoMinorVersionUpgrade": boolean
}

```

DeleteBrokerOutput schema

```

{
  "brokerId": "string"
}

```

Error schema

```
{  
  "errorAttribute": "string",  
  "message": "string"  
}
```

Properties

ActionRequired

Action required for a broker.

actionRequiredCode

The code you can use to find instructions on the action required to resolve your broker issue.

Type: string

Required: False

actionRequiredInfo

Information about the action required to resolve your broker issue.

Type: string

Required: False

AuthenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

SIMPLE

LDAP

CONFIG_MANAGED

BrokerInstance

Returns information about all brokers.

endpoints

The broker's wire-level protocol endpoints.

Type: Array of type string

Required: False

consoleURL

The brokers web console URL.

Type: string

Required: False

ipAddress

The IP address of the Elastic Network Interface (ENI) attached to the broker. Does not apply to RabbitMQ brokers.

Type: string

Required: False

BrokerState

The broker's status.

CREATION_IN_PROGRESS

CREATION_FAILED

DELETION_IN_PROGRESS

RUNNING

REBOOT_IN_PROGRESS

CRITICAL_ACTION_REQUIRED

REPLICA

BrokerStorageConfiguration

The storage configurations of a broker.

efs

Type: [EfsBrokerStorageConfiguration](#)

Required: False

BrokerStorageType

The broker's storage type.

Important

EFS is not supported for RabbitMQ engine type.

EBS

EFS

ChangeType

The type of change pending for the ActiveMQ user.

CREATE

UPDATE

DELETE

ConfigurationId

A list of information about the configuration.

id

Required. The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

revision

The revision number of the configuration.

Type: integer
Required: False

Configurations

Broker configuration information

current

The broker's current configuration.

Type: [ConfigurationId](#)
Required: False

pending

The broker's pending configuration.

Type: [ConfigurationId](#)
Required: False

history

The history of configurations applied to the broker.

Type: Array of type [ConfigurationId](#)
Required: False

DataReplicationCounterpart

Specifies a broker in a data replication pair.

brokerId

Required. The unique broker id generated by Amazon MQ.

Type: string
Required: True

region

Required. The region of the broker.

Type: string

Required: True

DataReplicationMetadataOutput

The replication details of the data replication-enabled broker. Only returned if `dataReplicationMode` or `pendingDataReplicationMode` is set to CRDR.

dataReplicationCounterpart

Describes the replica/primary broker. Only returned if this broker is currently set as a primary or replica in the broker's `dataReplicationRole` property.

Type: [DataReplicationCounterpart](#)

Required: False

dataReplicationRole

Defines the role of this broker in a data replication pair. When a replica broker is promoted to primary, this role is interchanged.

Type: string

Required: True

DataReplicationMode

Specifies whether a broker is a part of a data replication pair.

NONE

CRDR

DeleteBrokerOutput

Returns information about the deleted broker.

brokerId

The unique ID that Amazon MQ generates for the broker.

Type: string

Required: False

DeploymentMode

The broker's deployment mode.

SINGLE_INSTANCE

ACTIVE_STANDBY_MULTI_AZ

CLUSTER_MULTI_AZ

DescribeBrokerOutput

Returns information about the specified broker.

pendingEngineVersion

The broker engine version to upgrade to. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string

Required: False

pendingAuthenticationStrategy

The authentication strategy that will be applied when the broker is rebooted. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: False

pendingSecurityGroups

The list of pending security groups to authorize connections to brokers.

Type: Array of type string

Required: False

configurations

The list of all revisions for the specified configuration.

Type: [Configurations](#)

Required: False

brokerState

The broker's status.

Type: [BrokerState](#)

Required: False

pendingDataReplicationMode

Describes whether this broker will be a part of a data replication pair after reboot.

Type: [DataReplicationMode](#)

Required: False

engineType

The type of broker engine. Currently, Amazon MQ supports ACTIVEMQ and RABBITMQ.

Type: [EngineType](#)

Required: True

brokerInstances

A list of information about allocated brokers.

Type: Array of type [BrokerInstance](#)

Required: False

hostInstanceType

The broker's instance type.

Type: string

Required: False

dataReplicationMode

Describes whether this broker is a part of a data replication pair.

Type: [DataReplicationMode](#)

Required: False

storageConfiguration

The broker's storage configuration.

Type: [BrokerStorageConfiguration](#)

Required: False

publiclyAccessible

Enables connections from applications outside of the VPC that hosts the broker's subnets.

Type: boolean

Required: True

logs

The list of information about logs currently enabled and pending to be deployed for the specified broker.

Type: [LogsSummary](#)

Required: False

ldapServerMetadata

The metadata of the LDAP server used to authenticate and authorize connections to the broker.

Type: [LdapServerMetadataOutput](#)

Required: False

subnetIds

The list of groups that define which subnets and IP ranges the broker can use from different Availability Zones.

Type: Array of type string

Required: False

pendingHostInstanceType

The broker's host instance type to upgrade to. For a list of supported instance types, see [Broker instance types](#).

Type: string

Required: False

engineVersion

The broker engine version. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string

Required: False

brokerArn

The broker's Amazon Resource Name (ARN).

Type: string

Required: False

brokerId

The unique ID that Amazon MQ generates for the broker.

Type: string

Required: False

deploymentMode

The broker's deployment mode.

Type: [DeploymentMode](#)

Required: True

maintenanceWindowStartTime

The parameters that determine the WeeklyStartTime.

Type: [WeeklyStartTime](#)

Required: False

created

The time when the broker was created.

Type: string

Required: False

Format: date-time

authenticationStrategy

The authentication strategy used to secure the broker. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: False

users

The list of all broker usernames for the specified broker.

Type: Array of type [UserSummary](#)

Required: False

pendingStorageConfiguration

The pending broker's storage configuration.

Type: [BrokerStorageConfiguration](#)

Required: False

tags

The list of all tags associated with this broker.

Type: object

Required: False

dataReplicationMetadata

The replication details of the data replication-enabled broker. Only returned if dataReplicationMode is set to CRDR.

Type: [DataReplicationMetadataOutput](#)

Required: False

pendingLdapServerMetadata

The metadata of the LDAP server that will be used to authenticate and authorize connections to the broker after it is rebooted.

Type: [LdapServerMetadataOutput](#)

Required: False

encryptionOptions

Encryption options for the broker.

Type: [EncryptionOptions](#)

Required: False

pendingDataReplicationMetadata

The pending replication details of the data replication-enabled broker. Only returned if `pendingDataReplicationMode` is set to `CRDR`.

Type: [DataReplicationMetadataOutput](#)

Required: False

storageType

The broker's storage type.

Type: [BrokerStorageType](#)

Required: False

actionsRequired

Actions required for a broker.

Type: Array of type [ActionRequired](#)

Required: False

securityGroups

The list of rules (1 minimum, 125 maximum) that authorize connections to brokers.

Type: Array of type string

Required: False

brokerName

The broker's name. This value must be unique in your AWS account, 1-50 characters long, must contain only letters, numbers, dashes, and underscores, and must not contain white spaces, brackets, wildcard characters, or special characters.

Type: string

Required: False

autoMinorVersionUpgrade

Enables automatic upgrades to new patch versions for brokers as new versions are released and supported by Amazon MQ. Automatic upgrades occur during the scheduled maintenance window or after a manual broker reboot.

Type: boolean

Required: True

EfsBrokerStorageConfiguration

The storage configuration of an EFS broker storage

throughputMode

Throughput mode of EFS broker storage

Type: string

Required: False

Values: ELASTIC | STANDARD

EncryptionOptions

Encryption options for the broker.

useAwsOwnedKey

Enables the use of an AWS owned CMK using AWS KMS (KMS). Set to `true` by default, if no value is provided, for example, for RabbitMQ brokers.

Type: boolean

Required: True

kmsKeyId

The customer master key (CMK) to use for the A AWS KMS (KMS). This key is used to encrypt your data at rest. If not provided, Amazon MQ will use a default CMK to encrypt your data.

Type: string

Required: False

EngineType

The type of broker engine. Amazon MQ supports ActiveMQ and RabbitMQ.

ACTIVEMQ

RABBITMQ

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

LdapServerMetadataInput

Optional. The metadata of the LDAP server used to authenticate and authorize connections to the broker.

Important

Does not apply to RabbitMQ brokers.

roleSearchMatching

The LDAP search filter used to find roles within the `roleBase`. The distinguished name of the user matched by `userSearchMatching` is substituted into the `{0}` placeholder in the search filter. The client's username is substituted into the `{1}` placeholder. For example, if you set this option to

(`member=uid={1}`) for the user `janedoe`, the search filter becomes (`member=uid=janedoe`) after string substitution. It matches all role entries that have a `member` attribute equal to `uid=janedoe` under the subtree selected by the `roleBase`.

Type: string

Required: True

serviceAccountPassword

Service account password. A service account is an account in your LDAP server that has access to initiate a connection. For example, `cn=admin,dc=corp, dc=example, dc=com`.

Type: string

Required: True

roleBase

The distinguished name of the node in the directory information tree (DIT) to search for roles or groups. For example, `ou=group, ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

hosts

Specifies the location of the LDAP server such as AWS Directory Service for Microsoft Active Directory. Optional failover server.

Type: Array of type string

Required: True

roleName

Specifies the LDAP attribute that identifies the group name attribute in the object returned from the group membership query.

Type: string

Required: False

userBase

Select a particular subtree of the directory information tree (DIT) to search for user entries. The subtree is specified by a DN, which specifies the base node of the subtree. For example, by setting this option to `ou=Users,ou=corp,dc=corp,dc=example,dc=com`, the search for user entries is restricted to the subtree beneath `ou=Users,ou=corp,dc=corp,dc=example,dc=com`.

Type: string

Required: True

roleSearchSubtree

The directory search scope for the role. If set to true, scope is to search the entire subtree.

Type: boolean

Required: False

serviceAccountUsername

Service account username. A service account is an account in your LDAP server that has access to initiate a connection. For example, `cn=admin,dc=corp,dc=example,dc=com`.

Type: string

Required: True

userRoleName

Specifies the name of the LDAP attribute for the user group membership.

Type: string

Required: False

userSearchMatching

The LDAP search filter used to find users within the `userBase`. The client's username is substituted into the `{0}` placeholder in the search filter. For example, if this option is set to `(uid={0})` and the received username is `janedoe`, the search filter becomes `(uid=janedoe)` after string

substitution. It will result in matching an entry like `uid=janedoe, ou=Users,ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

userSearchSubtree

The directory search scope for the user. If set to true, scope is to search the entire subtree.

Type: boolean

Required: False

LdapServerMetadataOutput

Optional. The metadata of the LDAP server used to authenticate and authorize connections to the broker.

roleSearchMatching

The LDAP search filter used to find roles within the `roleBase`. The distinguished name of the user matched by `userSearchMatching` is substituted into the `{0}` placeholder in the search filter. The client's username is substituted into the `{1}` placeholder. For example, if you set this option to `(member=uid={1})` for the user `janedoe`, the search filter becomes `(member=uid=janedoe)` after string substitution. It matches all role entries that have a `member` attribute equal to `uid=janedoe` under the subtree selected by the `roleBase`.

Type: string

Required: True

roleBase

The distinguished name of the node in the directory information tree (DIT) to search for roles or groups. For example, `ou=group, ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

hosts

Specifies the location of the LDAP server such as AWS Directory Service for Microsoft Active Directory. Optional failover server.

Type: Array of type string

Required: True

roleName

Specifies the LDAP attribute that identifies the group name attribute in the object returned from the group membership query.

Type: string

Required: False

userBase

Select a particular subtree of the directory information tree (DIT) to search for user entries. The subtree is specified by a DN, which specifies the base node of the subtree. For example, by setting this option to `ou=Users,ou=corp, dc=corp, dc=example, dc=com`, the search for user entries is restricted to the subtree beneath `ou=Users, ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

roleSearchSubtree

The directory search scope for the role. If set to true, scope is to search the entire subtree.

Type: boolean

Required: False

serviceAccountUsername

Service account username. A service account is an account in your LDAP server that has access to initiate a connection. For example, `cn=admin,dc=corp, dc=example, dc=com`.

Type: string

Required: True

userRoleName

Specifies the name of the LDAP attribute for the user group membership.

Type: string

Required: False

userSearchMatching

The LDAP search filter used to find users within the `userBase`. The client's username is substituted into the `{0}` placeholder in the search filter. For example, if this option is set to `(uid={0})` and the received username is `janedoe`, the search filter becomes `(uid=janedoe)` after string substitution. It will result in matching an entry like `uid=janedoe, ou=Users,ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

userSearchSubtree

The directory search scope for the user. If set to `true`, scope is to search the entire subtree.

Type: boolean

Required: False

Logs

The list of information about logs to be enabled for the specified broker.

general

Enables general logging.

Type: boolean

Required: False

audit

Enables audit logging. Every user management action made using JMX or the ActiveMQ Web Console is logged. Does not apply to RabbitMQ brokers.

Type: boolean

Required: False

LogsSummary

The list of information about logs currently enabled and pending to be deployed for the specified broker.

generalLogGroup

The location of the CloudWatch Logs log group where general logs are sent.

Type: string

Required: True

general

Enables general logging.

Type: boolean

Required: True

audit

Enables audit logging. Every user management action made using JMX or the ActiveMQ Web Console is logged.

Type: boolean

Required: False

pending

The list of information about logs pending to be deployed for the specified broker.

Type: [PendingLogs](#)

Required: False

auditLogGroup

The location of the CloudWatch Logs log group where audit logs are sent.

Type: string

Required: False

PendingLogs

The list of information about logs to be enabled for the specified broker.

general

Enables general logging.

Type: boolean

Required: False

audit

Enables audit logging. Every user management action made using JMX or the ActiveMQ Web Console is logged.

Type: boolean

Required: False

UpdateBrokerInput

Updates the broker using the specified properties.

dataReplicationMode

Defines whether this broker is a part of a data replication pair.

Type: [DataReplicationMode](#)

Required: False

engineVersion

The broker engine version. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Note

When upgrading to ActiveMQ version 5.18 and above or RabbitMQ version 3.13 and above, you must have `autoMinorVersionUpgrade` set to `true` for the broker.

Type: string

Required: False

maintenanceWindowStartTime

The parameters that determine the `WeeklyStartTime`.

Type: [WeeklyStartTime](#)

Required: False

configuration

A list of information about the configuration.

Type: [ConfigurationId](#)

Required: False

storageConfiguration

The broker's storage configuration.

Type: [BrokerStorageConfiguration](#)

Required: False

authenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: False

securityGroups

The list of security groups (1 minimum, 5 maximum) that authorizes connections to brokers.

Type: Array of type string

Required: False

ldapServerMetadata

Optional. The metadata of the LDAP server used to authenticate and authorize connections to the broker. Does not apply to RabbitMQ brokers.

Type: [LdapServerMetadataInput](#)

Required: False

logs

Enables Amazon CloudWatch logging for brokers.

Type: [Logs](#)

Required: False

hostInstanceType

The broker's host instance type to upgrade to. For a list of supported instance types, see [Broker instance types](#).

Type: string

Required: False

autoMinorVersionUpgrade

Enables automatic upgrades to new patch versions for brokers as new versions are released and supported by Amazon MQ. Automatic upgrades occur during the scheduled maintenance window or after a manual broker reboot.

Note

Must be set to `true` for ActiveMQ brokers version 5.18 and above and for RabbitMQ brokers version 3.13 and above.

Type: boolean

Required: False

UpdateBrokerOutput

Returns information about the updated broker.

engineVersion

The broker engine version to upgrade to. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string

Required: False

brokerId

Required. The unique ID that Amazon MQ generates for the broker.

Type: string

Required: True

maintenanceWindowStartTime

The parameters that determine the WeeklyStartTime.

Type: [WeeklyStartTime](#)

Required: False

configuration

The ID of the updated configuration.

Type: [ConfigurationId](#)

Required: False

authenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: False

pendingDataReplicationMode

Describes whether this broker will be a part of a data replication pair after reboot.

Type: [DataReplicationMode](#)

Required: False

hostInstanceType

The broker's host instance type to upgrade to. For a list of supported instance types, see [Broker instance types](#).

Type: string

Required: False

pendingStorageConfiguration

The pending broker's storage configuration.

Type: [BrokerStorageConfiguration](#)

Required: False

dataReplicationMode

Describes whether this broker is a part of a data replication pair.

Type: [DataReplicationMode](#)

Required: False

dataReplicationMetadata

The replication details of the data replication-enabled broker. Only returned if `dataReplicationMode` is set to CRDR.

Type: [DataReplicationMetadataOutput](#)

Required: False

pendingDataReplicationMetadata

The pending replication details of the data replication-enabled broker. Only returned if `pendingDataReplicationMode` is set to CRDR.

Type: [DataReplicationMetadataOutput](#)

Required: False

securityGroups

The list of security groups (1 minimum, 5 maximum) that authorizes connections to brokers.

Type: Array of type string

Required: False

logs

The list of information about logs to be enabled for the specified broker.

Type: [Logs](#)

Required: False

ldapServerMetadata

Optional. The metadata of the LDAP server used to authenticate and authorize connections to the broker. Does not apply to RabbitMQ brokers.

Type: [LdapServerMetadataOutput](#)

Required: False

autoMinorVersionUpgrade

Enables automatic upgrades to new patch versions for brokers as new versions are released and supported by Amazon MQ. Automatic upgrades occur during the scheduled maintenance window or after a manual broker reboot.

Type: boolean

Required: False

UserSummary

Returns a list of all broker users. Does not apply to RabbitMQ brokers.

pendingChange

The type of change pending for the broker user.

Type: [ChangeType](#)

Required: False

username

Required. The username of the broker user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: string

Required: True

WeeklyStartTime

The scheduled time period relative to UTC during which Amazon MQ begins to apply pending updates or patches to the broker.

dayOfWeek

Required. The day of the week.

Type: string

Required: True

Values: MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | SUNDAY

timeZone

The time zone, UTC by default, in either the Country/City format, or the UTC offset format.

Type: string

Required: False

timeOfDay

Required. The time, in 24-hour format.

Type: string

Required: True

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

DescribeBroker

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateBroker

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteBroker

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Broker Engine Types

Retrieve information about available broker engines. AWS does not support all instance types in all availability zones and regions. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

This API will tell you, for a given region and availability zone, which broker engine types and engine versions you can create.

URI

`/v1/broker-engine-types`

HTTP methods

GET

Operation ID: DescribeBrokerEngineTypes

Describe available engine types and versions.

Query parameters

Name	Type	Required	Description
<code>engineType</code>	String	False	Filter response by engine type.
<code>nextToken</code>	String	False	The token that specifies the next page of results Amazon MQ should return. To request the first page, leave <code>nextToken</code> empty.
<code>maxResults</code>	String	False	The maximum number of brokers that Amazon MQ can return per page (20 by default). This value must be an integer from 5 to 100.

Responses

Status code	Response model	Description
200	BrokerEngineTypeOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Response bodies

BrokerEngineTypeOutput schema

```
{
```

```
"nextToken": "string",
"maxResults": integer,
"brokerEngineTypes": [
  {
    "engineVersions": [
      {
        "name": "string"
      }
    ],
    "engineType": enum
  }
]
```

Error schema

```
{
  "errorAttribute": "string",
  "message": "string"
}
```

Properties

BrokerEngineType

Types of broker engines.

engineVersions

The list of engine versions.

Type: Array of type [EngineVersion](#)

Required: False

engineType

The broker's engine type.

Type: [EngineType](#)

Required: False

BrokerEngineTypeOutput

Returns a list of broker engine type.

nextToken

The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Type: string

Required: False

maxResults

Required. The maximum number of engine types that can be returned per page (20 by default). This value must be an integer from 5 to 100.

Type: integer

Required: True

Minimum: 5

Maximum: 100

brokerEngineTypes

List of available engine types and versions.

Type: Array of type [BrokerEngineType](#)

Required: False

EngineType

The type of broker engine. Amazon MQ supports ActiveMQ and RabbitMQ.

ACTIVEMQ

RABBITMQ

EngineVersion

Id of the engine version.

name

Id for the version.

Type: string

Required: False

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

DescribeBrokerEngineTypes

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Broker Instance Options

You can retrieve information about broker instances. For more information about the different components of an Amazon MQ broker, see [How Amazon MQ works](#) in the *Amazon MQ Developer Guide*.

URI

/v1/broker-instance-options

HTTP methods

GET

Operation ID: DescribeBrokerInstanceOptions

Describe available broker instance options.

Query parameters

Name	Type	Required	Description
hostInstanceType	String	False	Filter response by host instance type.
nextToken	String	False	The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Name	Type	Required	Description
storageType	String	False	Filter response by storage type.
maxResults	String	False	The maximum number of brokers that Amazon MQ can return per page (20 by default). This value must be an integer from 5 to 100.
engineType	String	False	Filter response by engine type.

Responses

Status code	Response model	Description
200	BrokerInstanceOptionsOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Response bodies

BrokerInstanceOptionsOutput schema

```
{
  "nextToken": "string",
  "maxResults": integer,
  "brokerInstanceOptions": [
    {
      "supportedDeploymentModes": [
        enum
      ],
      "supportedEngineVersions": [
        "string"
      ],
      "storageType": enum,
      "engineType": enum,
      "availabilityZones": [
        {
          "name": "string"
        }
      ],
      "hostInstanceType": "string"
    }
  ]
}
```

Error schema

```
{
```

```
"errorAttribute": "string",  
"message": "string"  
}
```

Properties

AvailabilityZone

Name of the availability zone.

name

Id for the availability zone.

Type: string

Required: False

BrokerInstanceOption

Option for host instance type.

supportedDeploymentModes

The list of supported deployment modes.

Type: Array of type [DeploymentMode](#)

Required: False

supportedEngineVersions

The list of supported engine versions.

Type: Array of type string

Required: False

storageType

The broker's storage type.

Type: [BrokerStorageType](#)

Required: False

engineType

The broker's engine type.

Type: [EngineType](#)

Required: False

availabilityZones

The list of available az.

Type: Array of type [AvailabilityZone](#)

Required: False

hostInstanceType

The broker's instance type.

Type: string

Required: False

BrokerInstanceOptionsOutput

Returns a list of broker instance options.

nextToken

The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Type: string

Required: False

maxResults

Required. The maximum number of instance options that can be returned per page (20 by default). This value must be an integer from 5 to 100.

Type: integer
Required: True
Minimum: 5
Maximum: 100

brokerInstanceOptions

List of available broker instance options.

Type: Array of type [BrokerInstanceOption](#)
Required: False

BrokerStorageType

The broker's storage type.

Important

EFS is not supported for RabbitMQ engine type.

EBS
EFS

DeploymentMode

The broker's deployment mode.

SINGLE_INSTANCE
ACTIVE_STANDBY_MULTI_AZ
CLUSTER_MULTI_AZ

EngineType

The type of broker engine. Amazon MQ supports ActiveMQ and RabbitMQ.

ACTIVEMQ

RABBITMQ

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

DescribeBrokerInstanceOptions

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Broker Reboot

To apply a new configuration to a broker or to initiate a failover in a multi-AZ broker, you can reboot the broker. In addition, if your broker becomes unresponsive, you can reboot it to recover from a faulty state.

Note

You can reboot only a broker with the RUNNING status.

URI

`/v1/brokers/broker-id/reboot`

HTTP methods

POST

Operation ID: RebootBroker

Reboots a broker. Note: This API is asynchronous.

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect

Status code	Response model	Description
403	Error	input. Correct your request and then retry it.
404	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
500	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
		HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Response bodies

Error schema

```
{
  "errorAttribute": "string",
  "message": "string"
}
```

Properties

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

RebootBroker

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Brokers

This is a collection of brokers. A broker is a message broker environment running on Amazon MQ. It is the basic building block of Amazon MQ. For more information, see [Broker instance types](#) in the *Amazon MQ Developer Guide*.

URI

/v1/brokers

HTTP methods

GET

Operation ID: ListBrokers

Returns a list of all brokers.

Query parameters

Name	Type	Required	Description
nextToken	String	False	The token that specifies the next page of results Amazon MQ should

Name	Type	Required	Description
maxResults	String	False	return. To request the first page, leave nextToken empty. The maximum number of brokers that Amazon MQ can return per page (20 by default). This value must be an integer from 5 to 100.

Responses

Status code	Response model	Description
200	ListBrokersOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

POST

Operation ID: CreateBroker

Creates a broker. Note: This API is asynchronous.

To create a broker, you must either use the `AmazonMQFullAccess` IAM policy or include the following EC2 permissions in your IAM policy.

- `ec2:CreateNetworkInterface`

This permission is required to allow Amazon MQ to create an elastic network interface (ENI) on behalf of your account.

- `ec2:CreateNetworkInterfacePermission`

This permission is required to attach the ENI to the broker instance.

- `ec2>DeleteNetworkInterface`
- `ec2>DeleteNetworkInterfacePermission`
- `ec2:DetachNetworkInterface`
- `ec2:DescribeInternetGateways`
- `ec2:DescribeNetworkInterfaces`
- `ec2:DescribeNetworkInterfacePermissions`
- `ec2:DescribeRouteTables`
- `ec2:DescribeSecurityGroups`
- `ec2:DescribeSubnets`
- `ec2:DescribeVpcs`

For more information, see [Create an IAM User and Get Your AWS Credentials](#) and [Never Modify or Delete the Amazon MQ Elastic Network Interface](#) in the *Amazon MQ Developer Guide*.

Responses

Status code	Response model	Description
200	CreateBrokerOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

Status code	Response model	Description
401	Error	HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
409	Error	HTTP Status Code 409: Configuration ID is already in use. Remove the configuration from all brokers and retry the request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

POST schema

```
{
  "engineVersion": "string",
  "deploymentMode": enum,
  "maintenanceWindowStartTime": {
    "dayOfWeek": enum,
    "timeZone": "string",
    "timeOfDay": "string"
  },
  "configuration": {
    "id": "string",
    "revision": integer
  },
  "authenticationStrategy": enum,
  "engineType": enum,
  "hostInstanceType": "string",
  "users": [
    {
      "password": "string",
      "replicationUser": boolean,
      "groups": [
        "string"
      ],
      "consoleAccess": boolean,
      "username": "string"
    }
  ],
  "tags": {
  },
  "dataReplicationMode": enum,
  "creatorRequestId": "string",
  "storageConfiguration": {
    "efs": {
      "throughputMode": enum
    }
  },
  "encryptionOptions": {
    "useAwsOwnedKey": boolean,
```

```

    "kmsKeyId": "string"
  },
  "publiclyAccessible": boolean,
  "storageType": enum,
  "securityGroups": [
    "string"
  ],
  "dataReplicationPrimaryBrokerArn": "string",
  "brokerName": "string",
  "logs": {
    "general": boolean,
    "audit": boolean
  },
  "ldapServerMetadata": {
    "roleSearchMatching": "string",
    "serviceAccountPassword": "string",
    "roleBase": "string",
    "hosts": [
      "string"
    ],
    "roleName": "string",
    "userBase": "string",
    "roleSearchSubtree": boolean,
    "serviceAccountUsername": "string",
    "userRoleName": "string",
    "userSearchMatching": "string",
    "userSearchSubtree": boolean
  },
  "autoMinorVersionUpgrade": boolean,
  "subnetIds": [
    "string"
  ]
}

```

Response bodies

ListBrokersOutput schema

```

{
  "brokerSummaries": [
    {
      "brokerArn": "string",
      "brokerId": "string",

```

```
    "deploymentMode": enum,  
    "created": "string",  
    "brokerState": enum,  
    "engineType": enum,  
    "brokerName": "string",  
    "hostInstanceType": "string"  
  }  
],  
"nextToken": "string"  
}
```

CreateBrokerOutput schema

```
{  
  "brokerArn": "string",  
  "brokerId": "string"  
}
```

Error schema

```
{  
  "errorAttribute": "string",  
  "message": "string"  
}
```

Properties

AuthenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

SIMPLE
LDAP
CONFIG_MANAGED

BrokerState

The broker's status.

CREATION_IN_PROGRESS

CREATION_FAILED
DELETION_IN_PROGRESS
RUNNING
REBOOT_IN_PROGRESS
CRITICAL_ACTION_REQUIRED
REPLICA

BrokerStorageConfiguration

The storage configurations of a broker.

efs

Type: [EfsBrokerStorageConfiguration](#)

Required: False

BrokerStorageType

The broker's storage type.

Important

EFS is not supported for RabbitMQ engine type.

EBS

EFS

BrokerSummary

Returns information about all brokers.

brokerArn

The broker's Amazon Resource Name (ARN).

Type: string

Required: False

brokerId

The unique ID that Amazon MQ generates for the broker.

Type: string

Required: False

deploymentMode

The broker's deployment mode.

Type: [DeploymentMode](#)

Required: True

created

The time when the broker was created.

Type: string

Required: False

Format: date-time

brokerState

The broker's status.

Type: [BrokerState](#)

Required: False

engineType

The type of broker engine.

Type: [EngineType](#)

Required: True

brokerName

The broker's name. This value is unique in your AWS account, 1-50 characters long, and containing only letters, numbers, dashes, and underscores, and must not contain white spaces, brackets, wildcard characters, or special characters.

Type: string

Required: False

hostInstanceType

The broker's instance type.

Type: string

Required: False

ConfigurationId

A list of information about the configuration.

id

Required. The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

revision

The revision number of the configuration.

Type: integer

Required: False

CreateBrokerInput

Creates a broker.

engineVersion

The broker engine version. Defaults to the latest available version for the specified broker engine type. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string

Required: False

deploymentMode

Required. The broker's deployment mode.

Type: [DeploymentMode](#)

Required: True

maintenanceWindowStartTime

The parameters that determine the WeeklyStartTime.

Type: [WeeklyStartTime](#)

Required: False

configuration

A list of information about the configuration.

Type: [ConfigurationId](#)

Required: False

authenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: False

engineType

Required. The type of broker engine. Currently, Amazon MQ supports ACTIVEMQ and RABBITMQ.

Type: [EngineType](#)

Required: True

hostInstanceType

Required. The broker's instance type.

Type: string

Required: True

users

The list of broker users (persons or applications) who can access queues and topics. For Amazon MQ for RabbitMQ brokers, one and only one administrative user is accepted and created when a broker is first provisioned. All subsequent broker users are created by making RabbitMQ API calls directly to brokers or via the RabbitMQ web console.

When OAuth 2.0 is enabled, the broker accepts one or no users.

Type: Array of type [User](#)

Required: False

tags

Create tags when creating the broker.

Type: object

Required: False

dataReplicationMode

Defines whether this broker is a part of a data replication pair.

Type: [DataReplicationMode](#)

Required: False

creatorRequestId

The unique ID that the requester receives for the created broker. Amazon MQ passes your ID with the API action.

Note

We recommend using a Universally Unique Identifier (UUID) for the `creatorRequestId`. You may omit the `creatorRequestId` if your application doesn't require idempotency.

Type: string

Required: False

storageConfiguration

The broker's storage configuration.

Type: [BrokerStorageConfiguration](#)

Required: False

encryptionOptions

Encryption options for the broker.

Type: [EncryptionOptions](#)

Required: False

publiclyAccessible

Enables connections from applications outside of the VPC that hosts the broker's subnets. Set to `false` by default, if no value is provided.

Type: boolean

Required: True

storageType

The broker's storage type.

Type: [BrokerStorageType](#)

Required: False

securityGroups

The list of rules (1 minimum, 125 maximum) that authorize connections to brokers.

Type: Array of type string

Required: False

dataReplicationPrimaryBrokerArn

The Amazon Resource Name (ARN) of the primary broker that is used to replicate data from in a data replication pair, and is applied to the replica broker. Must be set when dataReplicationMode is set to CRDR.

Type: string

Required: False

brokerName

Required. The broker's name. This value must be unique in your AWS account, 1-50 characters long, must contain only letters, numbers, dashes, and underscores, and must not contain white spaces, brackets, wildcard characters, or special characters.

Important

Do not add personally identifiable information (PII) or other confidential or sensitive information in broker names. Broker names are accessible to other AWS services, including CloudWatch Logs. Broker names are not intended to be used for private or sensitive data.

Type: string

Required: True

logs

Enables Amazon CloudWatch logging for brokers.

Type: [Logs](#)

Required: False

ldapServerMetadata

Optional. The metadata of the LDAP server used to authenticate and authorize connections to the broker. Does not apply to RabbitMQ brokers.

Type: [LdapServerMetadataInput](#)

Required: False

autoMinorVersionUpgrade

Enables automatic upgrades to new patch versions for brokers as new versions are released and supported by Amazon MQ. Automatic upgrades occur during the scheduled maintenance window or after a manual broker reboot. Set to `true` by default, if no value is specified.

Note

Must be set to `true` for ActiveMQ brokers version 5.18 and above and for RabbitMQ brokers version 3.13 and above.

Type: boolean

Required: False

subnetIds

The list of groups that define which subnets and IP ranges the broker can use from different Availability Zones. If you specify more than one subnet, the subnets must be in different Availability Zones. Amazon MQ will not be able to create VPC endpoints for your broker with multiple subnets in the same Availability Zone. A `SINGLE_INSTANCE` deployment requires one subnet (for example, the default subnet). An `ACTIVE_STANDBY_MULTI_AZ` Amazon MQ for ActiveMQ deployment requires two subnets. A `CLUSTER_MULTI_AZ` Amazon MQ for RabbitMQ

deployment has no subnet requirements when deployed with public accessibility. Deployment without public accessibility requires at least one subnet.

⚠ Important

If you specify subnets in a [shared VPC](#) for a RabbitMQ broker, the associated VPC to which the specified subnets belong must be owned by your AWS account. Amazon MQ will not be able to create VPC endpoints in VPCs that are not owned by your AWS account.

Type: Array of type string

Required: False

CreateBrokerOutput

Returns information about the created broker.

brokerArn

The broker's Amazon Resource Name (ARN).

Type: string

Required: False

brokerId

The unique ID that Amazon MQ generates for the broker.

Type: string

Required: False

DataReplicationMode

Specifies whether a broker is a part of a data replication pair.

NONE

CRDR

DeploymentMode

The broker's deployment mode.

SINGLE_INSTANCE
ACTIVE_STANDBY_MULTI_AZ
CLUSTER_MULTI_AZ

EfsBrokerStorageConfiguration

The storage configuration of an EFS broker storage

throughputMode

Throughput mode of EFS broker storage

Type: string
Required: False
Values: ELASTIC | STANDARD

EncryptionOptions

Encryption options for the broker.

useAwsOwnedKey

Enables the use of an AWS owned CMK using AWS KMS (KMS). Set to `true` by default, if no value is provided, for example, for RabbitMQ brokers.

Type: boolean
Required: True

kmsKeyId

The customer master key (CMK) to use for the A AWS KMS (KMS). This key is used to encrypt your data at rest. If not provided, Amazon MQ will use a default CMK to encrypt your data.

Type: string
Required: False

EngineType

The type of broker engine. Amazon MQ supports ActiveMQ and RabbitMQ.

ACTIVEMQ

RABBITMQ

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

LdapServerMetadataInput

Optional. The metadata of the LDAP server used to authenticate and authorize connections to the broker.

Important

Does not apply to RabbitMQ brokers.

roleSearchMatching

The LDAP search filter used to find roles within the `roleBase`. The distinguished name of the user matched by `userSearchMatching` is substituted into the `{0}` placeholder in the search filter. The client's username is substituted into the `{1}` placeholder. For example, if you set this option to

(`member=uid={1}`) for the user `janedoe`, the search filter becomes (`member=uid=janedoe`) after string substitution. It matches all role entries that have a `member` attribute equal to `uid=janedoe` under the subtree selected by the `roleBase`.

Type: string

Required: True

serviceAccountPassword

Service account password. A service account is an account in your LDAP server that has access to initiate a connection. For example, `cn=admin,dc=corp, dc=example, dc=com`.

Type: string

Required: True

roleBase

The distinguished name of the node in the directory information tree (DIT) to search for roles or groups. For example, `ou=group, ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

hosts

Specifies the location of the LDAP server such as AWS Directory Service for Microsoft Active Directory. Optional failover server.

Type: Array of type string

Required: True

roleName

Specifies the LDAP attribute that identifies the group name attribute in the object returned from the group membership query.

Type: string

Required: False

userBase

Select a particular subtree of the directory information tree (DIT) to search for user entries. The subtree is specified by a DN, which specifies the base node of the subtree. For example, by setting this option to `ou=Users,ou=corp,dc=corp,dc=example,dc=com`, the search for user entries is restricted to the subtree beneath `ou=Users,ou=corp,dc=corp,dc=example,dc=com`.

Type: string

Required: True

roleSearchSubtree

The directory search scope for the role. If set to true, scope is to search the entire subtree.

Type: boolean

Required: False

serviceAccountUsername

Service account username. A service account is an account in your LDAP server that has access to initiate a connection. For example, `cn=admin,dc=corp,dc=example,dc=com`.

Type: string

Required: True

userRoleName

Specifies the name of the LDAP attribute for the user group membership.

Type: string

Required: False

userSearchMatching

The LDAP search filter used to find users within the `userBase`. The client's username is substituted into the `{0}` placeholder in the search filter. For example, if this option is set to `(uid={0})` and the received username is `janedoe`, the search filter becomes `(uid=janedoe)` after string

substitution. It will result in matching an entry like `uid=janedoe, ou=Users,ou=corp, dc=corp, dc=example, dc=com`.

Type: string

Required: True

userSearchSubtree

The directory search scope for the user. If set to true, scope is to search the entire subtree.

Type: boolean

Required: False

ListBrokersOutput

A list of information about all brokers.

brokerSummaries

A list of information about all brokers.

Type: Array of type [BrokerSummary](#)

Required: False

nextToken

The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Type: string

Required: False

Logs

The list of information about logs to be enabled for the specified broker.

general

Enables general logging.

Type: boolean

Required: False

audit

Enables audit logging. Every user management action made using JMX or the ActiveMQ Web Console is logged. Does not apply to RabbitMQ brokers.

Type: boolean

Required: False

User

A user associated with the broker. For Amazon MQ for RabbitMQ brokers, one and only one administrative user is accepted and created when a broker is first provisioned. All subsequent broker users are created by making RabbitMQ API calls directly to brokers or via the RabbitMQ web console.

password

Required. The password of the user. This value must be at least 12 characters long, must contain at least 4 unique characters, and must not contain commas, colons, or equal signs (,:=).

Type: string

Required: True

Format: password

replicationUser

Defines if this user is intended for CRDR replication purposes.

Type: boolean

Required: False

groups

The list of groups (20 maximum) to which the ActiveMQ user belongs. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long. Does not apply to RabbitMQ brokers.

Type: Array of type string

Required: False

consoleAccess

Enables access to the ActiveMQ Web Console for the ActiveMQ user. Does not apply to RabbitMQ brokers.

Type: boolean

Required: False

username

The username of the broker user. The following restrictions apply to broker usernames:

- For Amazon MQ for ActiveMQ brokers, this value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.
- For Amazon MQ for RabbitMQ brokers, this value can contain only alphanumeric characters, dashes, periods, underscores (- . _). This value must not contain a tilde (~) character. Amazon MQ prohibits using guest as a valid username. This value must be 2-100 characters long.

Important

Do not add personally identifiable information (PII) or other confidential or sensitive information in broker usernames. Broker usernames are accessible to other AWS services, including CloudWatch Logs. Broker usernames are not intended to be used for private or sensitive data.

Type: string

Required: True

WeeklyStartTime

The scheduled time period relative to UTC during which Amazon MQ begins to apply pending updates or patches to the broker.

dayOfWeek

Required. The day of the week.

Type: string

Required: True

Values: MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY | SUNDAY

timeZone

The time zone, UTC by default, in either the Country/City format, or the UTC offset format.

Type: string

Required: False

timeOfDay

Required. The time, in 24-hour format.

Type: string

Required: True

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

ListBrokers

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateBroker

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Brokers broker-id Promote

URI

/v1/brokers/*broker-id*/promote

HTTP methods

POST

Operation ID: Promote

Promotes a data replication replica broker to a primary.

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	PromoteOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

POST schema

```
{  
  "mode": enum  
}
```

Response bodies

PromoteOutput schema

```
{  
  "brokerId": "string"  
}
```

Error schema

```
{
```

```
"errorAttribute": "string",  
"message": "string"  
}
```

Properties

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

PromoteInput

Creates a Promote request with the properties specified.

mode

The Promote mode requested. Note: Valid values for the parameter are SWITCHOVER, FAILOVER.

Type: [PromoteMode](#)

Required: True

PromoteMode

The Promote mode requested.

SWITCHOVER

FAILOVER

PromoteOutput

Returns information about the updated broker.

brokerId

The unique ID that Amazon MQ generates for the broker.

Type: string

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

Promote

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Configuration

A configuration contains all of the settings for your broker. For more information, see [Amazon MQ for RabbitMQ broker configurations](#) and [Amazon MQ for ActiveMQ broker configurations](#) in the Amazon MQ Developer Guide.

You can create a configuration before creating any brokers. You can then apply the configuration to one or more brokers.

⚠ Important

Making changes to a configuration does not apply the changes to the broker immediately. To apply your changes, you must wait for the next maintenance window or reboot the broker.

URI

/v1/configurations/*configuration-id*

HTTP methods**GET**

Operation ID: DescribeConfiguration

Returns information about the specified configuration.

Path parameters

Name	Type	Required	Description
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Responses

Status code	Response model	Description
200	Configuration	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

Status code	Response model	Description
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

PUT

Operation ID: UpdateConfiguration

Updates the specified configuration.

Path parameters

Name	Type	Required	Description
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Responses

Status code	Response model	Description
200	UpdateConfigurationOutput	HTTP Status Code 200: OK.

Status code	Response model	Description
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
409	Error	HTTP Status Code 409: Configuration ID is already in use. Remove the configuration from all brokers and retry the request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

DELETE

Operation ID: DeleteConfiguration

Deletes the specified configuration.

Path parameters

Name	Type	Required	Description
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Responses

Status code	Response model	Description
200	DeleteConfigurationOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
409	Error	HTTP Status Code 409: Configuration ID is already in use. Remove the configuration from all brokers and retry the request.
500	Error	HTTP Status Code 500: Unexpected internal server

Status code	Response model	Description
		error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

PUT schema

```
{  
  "data": "string",  
  "description": "string"  
}
```

Response bodies

Configuration schema

```
{
  "engineVersion": "string",
  "created": "string",
  "authenticationStrategy": enum,
  "name": "string",
  "description": "string",
  "engineType": enum,
  "id": "string",
  "arn": "string",
  "latestRevision": {
    "created": "string",
    "description": "string",
    "revision": integer
  },
  "tags": {
  }
}
```

UpdateConfigurationOutput schema

```
{
  "created": "string",
  "warnings": [
    {
      "reason": enum,
      "attributeName": "string",
      "elementName": "string"
    }
  ],
  "name": "string",
  "id": "string",
  "arn": "string",
  "latestRevision": {
    "created": "string",
    "description": "string",
    "revision": integer
  }
}
```

DeleteConfigurationOutput schema

```
{
  "configurationId": "string"
}
```

Error schema

```
{
  "errorAttribute": "string",
  "message": "string"
}
```

Properties

AuthenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

SIMPLE

LDAP

CONFIG_MANAGED

Configuration

Returns information about all configurations.

engineVersion

The broker engine version. Defaults to the latest available version for the specified broker engine type. For a list of supported engine versions, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string

Required: True

created

Required. The date and time of the configuration revision.

Type: string

Required: True

Format: date-time

authenticationStrategy

Optional. The authentication strategy associated with the configuration. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: True

name

Required. The name of the configuration. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 1-150 characters long.

Type: string

Required: True

description

Required. The description of the configuration.

Type: string

Required: True

engineType

Required. The type of broker engine. Currently, Amazon MQ supports ACTIVEMQ and RABBITMQ.

Type: [EngineType](#)

Required: True

id

Required. The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

arn

Required. The ARN of the configuration.

Type: string

Required: True

latestRevision

Required. The latest revision of the configuration.

Type: [ConfigurationRevision](#)

Required: True

tags

The list of all tags associated with this configuration.

Type: object

Required: False

ConfigurationRevision

Returns information about the specified configuration revision.

created

Required. The date and time of the configuration revision.

Type: string

Required: True

Format: date-time

description

The description of the configuration revision.

Type: string

Required: False

revision

Required. The revision number of the configuration.

Type: integer

Required: True

DeleteConfigurationOutput

Returns information about the deleted configuration.

configurationId

The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: False

EngineType

The type of broker engine. Amazon MQ supports ActiveMQ and RabbitMQ.

ACTIVEMQ

RABBITMQ

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

SanitizationWarning

Returns information about the configuration element or attribute that was sanitized in the configuration.

reason

The reason for which the configuration elements or attributes were sanitized.

Type: [SanitizationWarningReason](#)

Required: True

attributeName

The name of the configuration attribute that has been sanitized.

Type: string

Required: False

elementName

The name of the configuration element that has been sanitized.

Type: string

Required: False

SanitizationWarningReason

The reason for which the configuration elements or attributes were sanitized.

DISALLOWED_ELEMENT_REMOVED

DISALLOWED_ATTRIBUTE_REMOVED

INVALID_ATTRIBUTE_VALUE_REMOVED

UpdateConfigurationInput

Updates the specified configuration.

data

Amazon MQ for Active MQ: The base64-encoded XML configuration. Amazon MQ for RabbitMQ: the base64-encoded Cuttlefish configuration.

Type: string

Required: True

Format: byte

description

The description of the configuration.

Type: string

Required: False

UpdateConfigurationOutput

Returns information about the updated configuration.

created

Required. The date and time of the configuration.

Type: string

Required: True

Format: date-time

warnings

The list of the first 20 warnings about the configuration elements or attributes that were sanitized.

Type: Array of type [SanitizationWarning](#)

Required: False

name

The name of the configuration. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 1-150 characters long.

Type: string

Required: True

id

The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

arn

The Amazon Resource Name (ARN) of the configuration.

Type: string

Required: True

latestRevision

The latest revision of the configuration.

Type: [ConfigurationRevision](#)

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

DescribeConfiguration

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateConfiguration

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteConfiguration

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Configuration Revision

To keep track of the changes you make to your configuration, you can create configuration revisions. For more information, see [Configuration](#) in the Amazon MQ Developer Guide.

Important

Making changes to a configuration does not apply the changes to the broker immediately. To apply your changes, you must wait for the next maintenance window or reboot the broker.

URI

/v1/configurations/*configuration-id*/revisions/*configuration-revision*

HTTP methods

GET

Operation ID: DescribeConfigurationRevision

Returns the specified configuration revision for the specified configuration.

Path parameters

Name	Type	Required	Description
<i>configuration-revision</i>	String	True	The revision of the configuration.
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Responses

Status code	Response model	Description
200	DescribeConfigurationRevisionOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>configuration-revision</i>	String	True	The revision of the configuration.
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ

Name	Type	Required	Description
			generates for the configuration.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Response bodies

DescribeConfigurationRevisionOutput schema

```
{
  "data": "string",
  "created": "string",
  "description": "string",
  "configurationId": "string"
}
```

Error schema

```
{
  "errorAttribute": "string",
  "message": "string"
}
```

Properties

DescribeConfigurationRevisionOutput

Returns the specified configuration revision for the specified configuration.

data

Amazon MQ for ActiveMQ: the base64-encoded XML configuration. Amazon MQ for RabbitMQ: base64-encoded Cuttlefish.

Type: string

Required: True

Format: byte

created

Required. The date and time of the configuration.

Type: string

Required: True

Format: date-time

description

The description of the configuration.

Type: string

Required: False

configurationId

Required. The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

DescribeConfigurationRevision

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Configuration Revisions

This is a collection of configuration revisions. To keep track of the changes you make to your configuration, you can create configuration revisions. For more information, see [Configuration](#) in the Amazon MQ Developer Guide.

⚠ Important

Making changes to a configuration does not apply the changes to the broker immediately. To apply your changes, you must wait for the next maintenance window or reboot the broker.

URI

/v1/configurations/*configuration-id*/revisions

HTTP methods

GET

Operation ID: ListConfigurationRevisions

Returns a list of all revisions for the specified configuration.

Path parameters

Name	Type	Required	Description
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Query parameters

Name	Type	Required	Description
nextToken	String	False	The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Name	Type	Required	Description
maxResults	String	False	The maximum number of brokers that Amazon MQ can return per page (20 by default). This value must be an integer from 5 to 100.

Responses

Status code	Response model	Description
200	ListConfigurationRevisionsOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>configuration-id</i>	String	True	The unique ID that Amazon MQ generates for the configuration.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Response bodies

ListConfigurationRevisionsOutput schema

```
{
  "nextToken": "string",
  "maxResults": integer,
  "revisions": [
    {
      "created": "string",
      "description": "string",
      "revision": integer
    }
  ],
  "configurationId": "string"
}
```

Error schema

```
{
```

```
"errorAttribute": "string",  
"message": "string"  
}
```

Properties

ConfigurationRevision

Returns information about the specified configuration revision.

created

Required. The date and time of the configuration revision.

Type: string

Required: True

Format: date-time

description

The description of the configuration revision.

Type: string

Required: False

revision

Required. The revision number of the configuration.

Type: integer

Required: True

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

ListConfigurationRevisionsOutput

Returns a list of all revisions for the specified configuration.

nextToken

The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Type: string

Required: False

maxResults

The maximum number of configuration revisions that can be returned per page (20 by default). This value must be an integer from 5 to 100.

Type: integer

Required: False

revisions

The list of all revisions for the specified configuration.

Type: Array of type [ConfigurationRevision](#)

Required: False

configurationId

The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

ListConfigurationRevisions

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Configurations

This is a collection of configurations. A configuration contains all of the settings for your broker. For more information, see [Configuration](#) and [Amazon MQ Broker Configuration Parameters](#) in the Amazon MQ Developer Guide.

You can create a configuration before creating any brokers. You can then apply the configuration to one or more brokers.

Important

Making changes to a configuration does not apply the changes to the broker immediately. To apply your changes, you must wait for the next maintenance window or reboot the broker.

URI

/v1/configurations

HTTP methods

GET

Operation ID: ListConfigurations

Returns a list of all configurations.

Query parameters

Name	Type	Required	Description
nextToken	String	False	The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.
maxResults	String	False	The maximum number of brokers that Amazon MQ can return per page (20 by default). This value must be an integer from 5 to 100.

Responses

Status code	Response model	Description
200	ListConfigurations Output	HTTP Status Code 200: OK.

Status code	Response model	Description
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

POST

Operation ID: CreateConfiguration

Creates a new configuration for the specified configuration name. Amazon MQ uses the default configuration (the engine type and version).

Responses

Status code	Response model	Description
200	CreateConfigurationOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your

Status code	Response model	Description
409	Error	credentials and then retry your request. HTTP Status Code 409: Configuration ID is already in use. Remove the configuration from all brokers and retry the request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

POST schema

```
{
  "engineVersion": "string",
  "authenticationStrategy": enum,
  "name": "string",
  "engineType": enum,
  "tags": {
  }
}
```

Response bodies

ListConfigurationsOutput schema

```
{
  "nextToken": "string",
  "maxResults": integer,
  "configurations": [
    {
      "engineVersion": "string",
      "created": "string",
      "authenticationStrategy": enum,
      "name": "string",
      "description": "string",
      "engineType": enum,
      "id": "string",
      "arn": "string",
      "latestRevision": {
        "created": "string",
        "description": "string",
        "revision": integer
      },
      "tags": {
      }
    }
  ]
}
```

CreateConfigurationOutput schema

```
{
  "created": "string",
  "authenticationStrategy": enum,
  "name": "string",
  "id": "string",
  "arn": "string",
  "latestRevision": {
    "created": "string",
    "description": "string",
    "revision": integer
  }
}
```

Error schema

```
{  
  "errorAttribute": "string",  
  "message": "string"  
}
```

Properties

AuthenticationStrategy

Optional. The authentication strategy used to secure the broker. The default is SIMPLE.

SIMPLE

LDAP

CONFIG_MANAGED

Configuration

Returns information about all configurations.

engineVersion

The broker engine version. Defaults to the latest available version for the specified broker engine type. For a list of supported engine versions, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string

Required: True

created

Required. The date and time of the configuration revision.

Type: string

Required: True

Format: date-time

authenticationStrategy

Optional. The authentication strategy associated with the configuration. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: True

name

Required. The name of the configuration. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 1-150 characters long.

Type: string

Required: True

description

Required. The description of the configuration.

Type: string

Required: True

engineType

Required. The type of broker engine. Currently, Amazon MQ supports ACTIVEMQ and RABBITMQ.

Type: [EngineType](#)

Required: True

id

Required. The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

arn

Required. The ARN of the configuration.

Type: string

Required: True

latestRevision

Required. The latest revision of the configuration.

Type: [ConfigurationRevision](#)

Required: True

tags

The list of all tags associated with this configuration.

Type: object

Required: False

ConfigurationRevision

Returns information about the specified configuration revision.

created

Required. The date and time of the configuration revision.

Type: string

Required: True

Format: date-time

description

The description of the configuration revision.

Type: string

Required: False

revision

Required. The revision number of the configuration.

Type: integer
Required: True

CreateConfigurationInput

Creates a new configuration for the specified configuration name. Amazon MQ uses the default configuration (the engine type and version).

engineVersion

The broker engine version. Defaults to the latest available version for the specified broker engine type. For more information, see the [ActiveMQ version management](#) and the [RabbitMQ version management](#) sections in the Amazon MQ Developer Guide.

Type: string
Required: False

authenticationStrategy

Optional. The authentication strategy associated with the configuration. The default is SIMPLE.

Type: [AuthenticationStrategy](#)
Required: False

name

Required. The name of the configuration. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 1-150 characters long.

Type: string
Required: True

engineType

Required. The type of broker engine. Currently, Amazon MQ supports ACTIVEMQ and RABBITMQ.

Type: [EngineType](#)
Required: True

tags

Create tags when creating the configuration.

Type: object

Required: False

CreateConfigurationOutput

Returns information about the created configuration.

created

Required. The date and time of the configuration.

Type: string

Required: True

Format: date-time

authenticationStrategy

Optional. The authentication strategy associated with the configuration. The default is SIMPLE.

Type: [AuthenticationStrategy](#)

Required: True

name

Required. The name of the configuration. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 1-150 characters long.

Type: string

Required: True

id

Required. The unique ID that Amazon MQ generates for the configuration.

Type: string

Required: True

arn

Required. The Amazon Resource Name (ARN) of the configuration.

Type: string

Required: True

latestRevision

The latest revision of the configuration.

Type: [ConfigurationRevision](#)

Required: False

EngineType

The type of broker engine. Amazon MQ supports ActiveMQ and RabbitMQ.

ACTIVEMQ

RABBITMQ

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

ListConfigurationsOutput

Returns a list of all configurations.

nextToken

The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Type: string

Required: False

maxResults

The maximum number of configurations that Amazon MQ can return per page (20 by default). This value must be an integer from 5 to 100.

Type: integer

Required: False

configurations

The list of all revisions for the specified configuration.

Type: Array of type [Configuration](#)

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

ListConfigurations

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateConfiguration

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Tag

A tag is a key-value pair associated with a resource. You can use these metadata tags to identify the purpose of a broker or configuration. For more information see [Tagging resources](#) in the Amazon MQ Developer Guide.

URI

`/v1/tags/resource-arn`

HTTP methods

GET

Operation ID: ListTags

Lists tags for a resource.

Path parameters

Name	Type	Required	Description
<i>resource-arn</i>	String	True	The Amazon Resource Name (ARN) of the resource tag.

Responses

Status code	Response model	Description
200	Tags	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server

Status code	Response model	Description
		error. Retrying your request might resolve the issue.

POST

Operation ID: CreateTags

Add a tag to a resource.

Path parameters

Name	Type	Required	Description
<i>resource-arn</i>	String	True	The Amazon Resource Name (ARN) of the resource tag.

Responses

Status code	Response model	Description
204	None	HTTP Status Code 204: Successful response.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to

Status code	Response model	Description
500	Error	incorrect input. Correct your request and then retry it. HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

DELETE

Operation ID: DeleteTags

Removes a tag from a resource.

Path parameters

Name	Type	Required	Description
<i>resource-arn</i>	String	True	The Amazon Resource Name (ARN) of the resource tag.

Query parameters

Name	Type	Required	Description
tagKeys	String	True	An array of tag keys to delete

Responses

Status code	Response model	Description
204	None	HTTP Status Code 204: Successful response.

Status code	Response model	Description
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>resource-arn</i>	String	True	The Amazon Resource Name (ARN) of the resource tag.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

POST schema

```
{
  "tags": {
  }
}
```

Response bodies

Tags schema

```
{
  "tags": {
  }
}
```

Error schema

```
{
  "errorAttribute": "string",
  "message": "string"
}
```

Properties

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

Tags

A map of the key-value pairs for the resource tag.

tags

The key-value pair for the resource tag.

Type: object

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

ListTags

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTags

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTags

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

User

Note

Does not apply to RabbitMQ brokers.

An ActiveMQ user is a person or an application that can access the queues and topics of an ActiveMQ broker. For more information, see [User](#) in the Amazon MQ Developer Guide.

A user can belong to a group. You can configure which users belong to which groups and which groups have permission to send to, receive from, and administer specific queues and topics.

Important

Making changes to a user does not apply the changes to the user immediately. To apply your changes, you must wait for the next maintenance window or reboot the broker.

URI

`/v1/brokers/broker-id/users/username`

HTTP methods

GET

Operation ID: DescribeUser

Returns information about an ActiveMQ user.

Path parameters

Name	Type	Required	Description
<i>username</i>	String	True	The username of the ActiveMQ user. This value can contain only alphanumeric characters, dashes,

Name	Type	Required	Description
<i>broker-id</i>	String	True	periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long. The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	DescribeUserOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

POST

Operation ID: CreateUser

Creates an ActiveMQ user.

Important

Do not add personally identifiable information (PII) or other confidential or sensitive information in broker usernames. Broker usernames are accessible to other AWS services, including CloudWatch Logs. Broker usernames are not intended to be used for private or sensitive data.

Path parameters

Name	Type	Required	Description
<i>username</i>	String	True	The username of the ActiveMQ user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	HTTP Status Code 200: OK.

Status code	Response model	Description
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
409	Error	HTTP Status Code 409: Configuration ID is already in use. Remove the configuration from all brokers and retry the request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

PUT

Operation ID: UpdateUser

Updates the information for an ActiveMQ user.

Path parameters

Name	Type	Required	Description
<i>username</i>	String	True	The username of the ActiveMQ user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to

Status code	Response model	Description
409	Error	incorrect input. Correct your request and then retry it. HTTP Status Code 409: Configuration ID is already in use. Remove the configuration from all brokers and retry the request.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

DELETE

Operation ID: DeleteUser

Deletes an ActiveMQ user.

Path parameters

Name	Type	Required	Description
<i>username</i>	String	True	The username of the ActiveMQ user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.
<i>broker-id</i>	String	True	The unique ID that Amazon MQ

Name	Type	Required	Description
			generates for the broker.

Responses

Status code	Response model	Description
200	None	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>username</i>	String	True	The username of the ActiveMQ user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Request bodies

POST schema

```
{  
  "password": "string",  
  "replicationUser": boolean,
```

```
"groups": [  
  "string"  
],  
"consoleAccess": boolean  
}
```

PUT schema

```
{  
  "password": "string",  
  "replicationUser": boolean,  
  "groups": [  
    "string"  
  ],  
  "consoleAccess": boolean  
}
```

Response bodies

DescribeUserOutput schema

```
{  
  "brokerId": "string",  
  "replicationUser": boolean,  
  "pending": {  
    "pendingChange": enum,  
    "groups": [  
      "string"  
    ],  
    "consoleAccess": boolean  
  },  
  "groups": [  
    "string"  
  ],  
  "consoleAccess": boolean,  
  "username": "string"  
}
```

Error schema

```
{  
  "errorAttribute": "string",  
}
```

```
"message": "string"  
}
```

Properties

ChangeType

The type of change pending for the ActiveMQ user.

CREATE
UPDATE
DELETE

CreateUserInput

Creates a new ActiveMQ user.

password

Required. The password of the user. This value must be at least 12 characters long, must contain at least 4 unique characters, and must not contain commas, colons, or equal signs (,:=).

Type: string
Required: True
Format: password

replicationUser

Defines if this user is intended for CRDR replication purposes.

Type: boolean
Required: False

groups

The list of groups (20 maximum) to which the ActiveMQ user belongs. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: Array of type string

Required: False

consoleAccess

Enables access to the ActiveMQ Web Console for the ActiveMQ user.

Type: boolean

Required: False

DescribeUserOutput

Returns information about an ActiveMQ user.

brokerId

Required. The unique ID that Amazon MQ generates for the broker.

Type: string

Required: True

replicationUser

Describes whether the user is intended for data replication replication

Type: boolean

Required: False

pending

The status of the changes pending for the ActiveMQ user.

Type: [UserPendingChanges](#)

Required: False

groups

The list of groups (20 maximum) to which the ActiveMQ user belongs. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: Array of type string

Required: False

consoleAccess

Enables access to the the ActiveMQ Web Console for the ActiveMQ user.

Type: boolean

Required: False

username

Required. The username of the ActiveMQ user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: string

Required: True

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string

Required: False

message

The explanation of the error.

Type: string

Required: False

UpdateUserInput

Updates the information for an ActiveMQ user.

password

The password of the user. This value must be at least 12 characters long, must contain at least 4 unique characters, and must not contain commas, colons, or equal signs (,:=).

Type: string

Required: False

Format: password

replicationUser

Defines whether the user is intended for data replication replication.

Type: boolean

Required: False

groups

The list of groups (20 maximum) to which the ActiveMQ user belongs. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: Array of type string

Required: False

consoleAccess

Enables access to the the ActiveMQ Web Console for the ActiveMQ user.

Type: boolean

Required: False

UserPendingChanges

Returns information about the status of the changes pending for the ActiveMQ user.

pendingChange

Required. The type of change pending for the ActiveMQ user.

Type: [ChangeType](#)

Required: True

groups

The list of groups (20 maximum) to which the ActiveMQ user belongs. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: Array of type string

Required: False

consoleAccess

Enables access to the the ActiveMQ Web Console for the ActiveMQ user.

Type: boolean

Required: False

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

DescribeUser

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateUser

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateUser

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteUser

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Users

Note

Does not apply to RabbitMQ brokers.

This is a collection of ActiveMQ users for the specified broker. An ActiveMQ user is a person or an application that can access the queues and topics of an ActiveMQ broker. For more information, see [User](#) in the Amazon MQ Developer Guide.

You can configure to have specific permissions. For example, you can allow some users to access the [ActiveMQ Web Console](#).

A user can belong to a group. You can configure which users belong to which groups and which groups have permission to send to, receive from, and administer specific queues and topics.

Important

Making changes to a user does not apply the changes to the user immediately. To apply your changes, you must wait for the next maintenance window or reboot the broker.

URI

/v1/brokers/*broker-id*/users

HTTP methods

GET

Operation ID: ListUsers

Returns a list of all ActiveMQ users.

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Query parameters

Name	Type	Required	Description
nextToken	String	False	The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.
maxResults	String	False	The maximum number of brokers that Amazon MQ can return per page (20 by default). This value

Name	Type	Required	Description
			must be an integer from 5 to 100.

Responses

Status code	Response model	Description
200	ListUsersOutput	HTTP Status Code 200: OK.
400	Error	HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.
403	Error	HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.
404	Error	HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.
500	Error	HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

OPTIONS

Path parameters

Name	Type	Required	Description
<i>broker-id</i>	String	True	The unique ID that Amazon MQ generates for the broker.

Responses

Status code	Response model	Description
200	None	Default response for CORS method

Schemas

Response bodies

ListUsersOutput schema

```
{
  "brokerId": "string",
  "nextToken": "string",
  "maxResults": integer,
  "users": [
    {
      "pendingChange": enum,
      "username": "string"
    }
  ]
}
```

Error schema

```
{
```

```
"errorAttribute": "string",  
"message": "string"  
}
```

Properties

ChangeType

The type of change pending for the ActiveMQ user.

CREATE
UPDATE
DELETE

Error

Returns information about an error.

errorAttribute

The attribute which caused the error.

Type: string
Required: False

message

The explanation of the error.

Type: string
Required: False

ListUsersOutput

Returns a list of all ActiveMQ users.

brokerId

Required. The unique ID that Amazon MQ generates for the broker.

Type: string
Required: True

nextToken

The token that specifies the next page of results Amazon MQ should return. To request the first page, leave nextToken empty.

Type: string
Required: False

maxResults

Required. The maximum number of ActiveMQ users that can be returned per page (20 by default). This value must be an integer from 5 to 100.

Type: integer
Required: True
Minimum: 5
Maximum: 100

users

Required. The list of all ActiveMQ usernames for the specified broker. Does not apply to RabbitMQ brokers.

Type: Array of type [UserSummary](#)
Required: True

UserSummary

Returns a list of all broker users. Does not apply to RabbitMQ brokers.

pendingChange

The type of change pending for the broker user.

Type: [ChangeType](#)
Required: False

username

Required. The username of the broker user. This value can contain only alphanumeric characters, dashes, periods, underscores, and tildes (- . _ ~). This value must be 2-100 characters long.

Type: string

Required: True

See also

For more information about using this API in one of the language-specific AWS SDKs and references, see the following:

ListUsers

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Operations

The Amazon MQ REST API includes the following operations.

- [CreateBroker](#)

Creates a broker. Note: This API is asynchronous.

To create a broker, you must either use the `AmazonMQFullAccess` IAM policy or include the following EC2 permissions in your IAM policy.

- `ec2:CreateNetworkInterface`

This permission is required to allow Amazon MQ to create an elastic network interface (ENI) on behalf of your account.

- `ec2:CreateNetworkInterfacePermission`

This permission is required to attach the ENI to the broker instance.

- `ec2>DeleteNetworkInterface`
- `ec2>DeleteNetworkInterfacePermission`
- `ec2:DetachNetworkInterface`
- `ec2:DescribeInternetGateways`
- `ec2:DescribeNetworkInterfaces`
- `ec2:DescribeNetworkInterfacePermissions`
- `ec2:DescribeRouteTables`
- `ec2:DescribeSecurityGroups`
- `ec2:DescribeSubnets`
- `ec2:DescribeVpcs`

For more information, see [Create an IAM User and Get Your AWS Credentials](#) and [Never Modify or Delete the Amazon MQ Elastic Network Interface](#) in the *Amazon MQ Developer Guide*.

- [CreateConfiguration](#)

Creates a new configuration for the specified configuration name. Amazon MQ uses the default configuration (the engine type and version).

- [CreateTags](#)

Add a tag to a resource.

- [CreateUser](#)

Creates an ActiveMQ user.

⚠ Important

Do not add personally identifiable information (PII) or other confidential or sensitive information in broker usernames. Broker usernames are accessible to other AWS services, including CloudWatch Logs. Broker usernames are not intended to be used for private or sensitive data.

- [DeleteBroker](#)

Deletes a broker. Note: This API is asynchronous.

- [DeleteConfiguration](#)

Deletes the specified configuration.

- [DeleteTags](#)

Removes a tag from a resource.

- [DeleteUser](#)

Deletes an ActiveMQ user.

- [DescribeBroker](#)

Returns information about the specified broker.

- [DescribeBrokerEngineTypes](#)

Describe available engine types and versions.

- [DescribeBrokerInstanceOptions](#)

Describe available broker instance options.

- [DescribeConfiguration](#)

Returns information about the specified configuration.

- [DescribeConfigurationRevision](#)

Returns the specified configuration revision for the specified configuration.

- [DescribeUser](#)

Returns information about an ActiveMQ user.

- [ListBrokers](#)

Returns a list of all brokers.

- [ListConfigurationRevisions](#)

Returns a list of all revisions for the specified configuration.

- [ListConfigurations](#)

Returns a list of all configurations.

- [ListTags](#)

Lists tags for a resource.

- [ListUsers](#)

Returns a list of all ActiveMQ users.

- [Promote](#)

Promotes a data replication replica broker to a primary.

- [RebootBroker](#)

Reboots a broker. Note: This API is asynchronous.

- [UpdateBroker](#)

Adds a pending configuration change to a broker.

- [UpdateConfiguration](#)

Updates the specified configuration.

- [UpdateUser](#)

Updates the information for an ActiveMQ user.