



API Reference

# AWS Config



**API Version 2014-11-12**

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# AWS Config: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>9</b>
AssociateResourceTypes .....	13
Request Syntax .....	13
Request Parameters .....	13
Response Syntax .....	19
Response Elements .....	20
Errors .....	20
See Also .....	22
BatchGetAggregateResourceConfig .....	23
Request Syntax .....	23
Request Parameters .....	23
Response Syntax .....	24
Response Elements .....	25
Errors .....	25
See Also .....	26
BatchGetResourceConfig .....	28
Request Syntax .....	28
Request Parameters .....	28
Response Syntax .....	29
Response Elements .....	29
Errors .....	30
See Also .....	31
DeleteAggregationAuthorization .....	32
Request Syntax .....	32
Request Parameters .....	32
Response Elements .....	32
Errors .....	33
See Also .....	33
DeleteConfigRule .....	34
Request Syntax .....	34
Request Parameters .....	34
Response Elements .....	35
Errors .....	35

---

See Also .....	36
DeleteConfigurationAggregator .....	37
Request Syntax .....	37
Request Parameters .....	37
Response Elements .....	37
Errors .....	37
See Also .....	38
DeleteConfigurationRecorder .....	39
Request Syntax .....	39
Request Parameters .....	39
Response Elements .....	39
Errors .....	39
See Also .....	41
DeleteConformancePack .....	42
Request Syntax .....	42
Request Parameters .....	42
Response Elements .....	42
Errors .....	42
See Also .....	43
DeleteDeliveryChannel .....	45
Request Syntax .....	45
Request Parameters .....	45
Response Elements .....	45
Errors .....	45
See Also .....	46
DeleteEvaluationResults .....	47
Request Syntax .....	47
Request Parameters .....	47
Response Elements .....	47
Errors .....	47
See Also .....	48
DeleteOrganizationConfigRule .....	50
Request Syntax .....	50
Request Parameters .....	50
Response Elements .....	50
Errors .....	51



See Also .....	52
DeleteOrganizationConformancePack .....	53
Request Syntax .....	53
Request Parameters .....	53
Response Elements .....	53
Errors .....	54
See Also .....	55
DeletePendingAggregationRequest .....	56
Request Syntax .....	56
Request Parameters .....	56
Response Elements .....	56
Errors .....	57
See Also .....	57
DeleteRemediationConfiguration .....	58
Request Syntax .....	58
Request Parameters .....	58
Response Elements .....	58
Errors .....	59
See Also .....	60
DeleteRemediationExceptions .....	61
Request Syntax .....	61
Request Parameters .....	61
Response Syntax .....	62
Response Elements .....	62
Errors .....	63
See Also .....	63
DeleteResourceConfig .....	64
Request Syntax .....	64
Request Parameters .....	64
Response Elements .....	64
Errors .....	65
See Also .....	66
DeleteRetentionConfiguration .....	67
Request Syntax .....	67
Request Parameters .....	67
Response Elements .....	67

Errors .....	67
See Also .....	68
DeleteServiceLinkedConfigurationRecorder .....	69
Request Syntax .....	69
Request Parameters .....	69
Response Syntax .....	70
Response Elements .....	70
Errors .....	70
See Also .....	72
DeleteStoredQuery .....	73
Request Syntax .....	73
Request Parameters .....	73
Response Elements .....	73
Errors .....	73
See Also .....	74
DeliverConfigSnapshot .....	76
Request Syntax .....	76
Request Parameters .....	76
Response Syntax .....	76
Response Elements .....	77
Errors .....	77
See Also .....	77
DescribeAggregateComplianceByConfigRules .....	79
Request Syntax .....	79
Request Parameters .....	79
Response Syntax .....	80
Response Elements .....	81
Errors .....	81
See Also .....	82
DescribeAggregateComplianceByConformancePacks .....	84
Request Syntax .....	84
Request Parameters .....	84
Response Syntax .....	85
Response Elements .....	86
Errors .....	86
See Also .....	87

DescribeAggregationAuthorizations .....	89
Request Syntax .....	89
Request Parameters .....	89
Response Syntax .....	89
Response Elements .....	90
Errors .....	90
See Also .....	91
DescribeComplianceByConfigRule .....	92
Request Syntax .....	92
Request Parameters .....	92
Response Syntax .....	93
Response Elements .....	94
Errors .....	94
See Also .....	95
DescribeComplianceByResource .....	96
Request Syntax .....	96
Request Parameters .....	96
Response Syntax .....	98
Response Elements .....	98
Errors .....	99
See Also .....	99
DescribeConfigRuleEvaluationStatus .....	100
Request Syntax .....	100
Request Parameters .....	100
Response Syntax .....	101
Response Elements .....	102
Errors .....	102
See Also .....	103
DescribeConfigRules .....	104
Request Syntax .....	104
Request Parameters .....	104
Response Syntax .....	105
Response Elements .....	106
Errors .....	106
See Also .....	107
DescribeConfigurationAggregators .....	108

Request Syntax .....	108
Request Parameters .....	108
Response Syntax .....	109
Response Elements .....	110
Errors .....	110
See Also .....	111
<b>DescribeConfigurationAggregatorSourcesStatus .....</b>	<b>112</b>
Request Syntax .....	112
Request Parameters .....	112
Response Syntax .....	113
Response Elements .....	114
Errors .....	114
See Also .....	115
<b>DescribeConfigurationRecorders .....</b>	<b>116</b>
Request Syntax .....	116
Request Parameters .....	116
Response Syntax .....	117
Response Elements .....	118
Errors .....	118
See Also .....	119
<b>DescribeConfigurationRecorderStatus .....</b>	<b>121</b>
Request Syntax .....	121
Request Parameters .....	121
Response Syntax .....	122
Response Elements .....	123
Errors .....	123
See Also .....	124
<b>DescribeConformancePackCompliance .....</b>	<b>126</b>
Request Syntax .....	126
Request Parameters .....	126
Response Syntax .....	127
Response Elements .....	127
Errors .....	128
See Also .....	129
<b>DescribeConformancePacks .....</b>	<b>130</b>
Request Syntax .....	130

Request Parameters .....	130
Response Syntax .....	131
Response Elements .....	131
Errors .....	132
See Also .....	133
<b>DescribeConformancePackStatus .....</b>	<b>134</b>
Request Syntax .....	134
Request Parameters .....	134
Response Syntax .....	135
Response Elements .....	135
Errors .....	136
See Also .....	136
<b>DescribeDeliveryChannels .....</b>	<b>138</b>
Request Syntax .....	138
Request Parameters .....	138
Response Syntax .....	138
Response Elements .....	139
Errors .....	139
See Also .....	139
<b>DescribeDeliveryChannelStatus .....</b>	<b>141</b>
Request Syntax .....	141
Request Parameters .....	141
Response Syntax .....	141
Response Elements .....	142
Errors .....	142
See Also .....	143
<b>DescribeOrganizationConfigRules .....</b>	<b>144</b>
Request Syntax .....	144
Request Parameters .....	144
Response Syntax .....	145
Response Elements .....	146
Errors .....	147
See Also .....	148
<b>DescribeOrganizationConfigRuleStatuses .....</b>	<b>149</b>
Request Syntax .....	149
Request Parameters .....	149

Response Syntax .....	150
Response Elements .....	150
Errors .....	151
See Also .....	152
<b>DescribeOrganizationConformancePacks .....</b>	<b>153</b>
Request Syntax .....	153
Request Parameters .....	153
Response Syntax .....	154
Response Elements .....	155
Errors .....	155
See Also .....	156
<b>DescribeOrganizationConformancePackStatuses .....</b>	<b>158</b>
Request Syntax .....	158
Request Parameters .....	158
Response Syntax .....	159
Response Elements .....	159
Errors .....	160
See Also .....	161
<b>DescribePendingAggregationRequests .....</b>	<b>162</b>
Request Syntax .....	162
Request Parameters .....	162
Response Syntax .....	162
Response Elements .....	163
Errors .....	163
See Also .....	164
<b>DescribeRemediationConfigurations .....</b>	<b>165</b>
Request Syntax .....	165
Request Parameters .....	165
Response Syntax .....	165
Response Elements .....	166
Errors .....	166
See Also .....	167
<b>DescribeRemediationExceptions .....</b>	<b>168</b>
Request Syntax .....	168
Request Parameters .....	168
Response Syntax .....	169

Response Elements .....	170
Errors .....	170
See Also .....	171
<b>DescribeRemediationExecutionStatus .....</b>	<b>172</b>
Request Syntax .....	172
Request Parameters .....	172
Response Syntax .....	173
Response Elements .....	174
Errors .....	174
See Also .....	175
<b>DescribeRetentionConfigurations .....</b>	<b>176</b>
Request Syntax .....	176
Request Parameters .....	176
Response Syntax .....	177
Response Elements .....	177
Errors .....	178
See Also .....	178
<b>DisassociateResourceTypes .....</b>	<b>180</b>
Request Syntax .....	180
Request Parameters .....	180
Response Syntax .....	186
Response Elements .....	187
Errors .....	187
See Also .....	189
<b>GetAggregateComplianceDetailsByConfigRule .....</b>	<b>190</b>
Request Syntax .....	190
Request Parameters .....	190
Response Syntax .....	192
Response Elements .....	193
Errors .....	193
See Also .....	194
<b>GetAggregateConfigRuleComplianceSummary .....</b>	<b>196</b>
Request Syntax .....	196
Request Parameters .....	196
Response Syntax .....	197
Response Elements .....	198

Errors .....	199
See Also .....	200
GetAggregateConformancePackComplianceSummary .....	201
Request Syntax .....	201
Request Parameters .....	201
Response Syntax .....	202
Response Elements .....	203
Errors .....	203
See Also .....	205
GetAggregateDiscoveredResourceCounts .....	206
Request Syntax .....	206
Request Parameters .....	206
Response Syntax .....	207
Response Elements .....	208
Errors .....	209
See Also .....	210
GetAggregateResourceConfig .....	211
Request Syntax .....	211
Request Parameters .....	211
Response Syntax .....	212
Response Elements .....	213
Errors .....	213
See Also .....	214
GetComplianceDetailsByConfigRule .....	215
Request Syntax .....	215
Request Parameters .....	215
Response Syntax .....	216
Response Elements .....	217
Errors .....	217
See Also .....	218
GetComplianceDetailsByResource .....	219
Request Syntax .....	219
Request Parameters .....	219
Response Syntax .....	220
Response Elements .....	221
Errors .....	221



See Also .....	222
GetComplianceSummaryByConfigRule .....	223
Response Syntax .....	223
Response Elements .....	223
Errors .....	223
See Also .....	224
GetComplianceSummaryByResourceType .....	225
Request Syntax .....	225
Request Parameters .....	225
Response Syntax .....	225
Response Elements .....	226
Errors .....	226
See Also .....	227
GetConformancePackComplianceDetails .....	228
Request Syntax .....	228
Request Parameters .....	228
Response Syntax .....	229
Response Elements .....	230
Errors .....	230
See Also .....	231
GetConformancePackComplianceSummary .....	233
Request Syntax .....	233
Request Parameters .....	233
Response Syntax .....	234
Response Elements .....	234
Errors .....	235
See Also .....	235
GetCustomRulePolicy .....	236
Request Syntax .....	236
Request Parameters .....	236
Response Syntax .....	236
Response Elements .....	236
Errors .....	237
See Also .....	237
GetDiscoveredResourceCounts .....	238
Request Syntax .....	238

Request Parameters .....	239
Response Syntax .....	240
Response Elements .....	240
Errors .....	241
See Also .....	242
<b>GetOrganizationConfigRuleDetailedStatus .....</b>	<b>243</b>
Request Syntax .....	243
Request Parameters .....	243
Response Syntax .....	244
Response Elements .....	244
Errors .....	245
See Also .....	246
<b>GetOrganizationConformancePackDetailedStatus .....</b>	<b>247</b>
Request Syntax .....	247
Request Parameters .....	247
Response Syntax .....	248
Response Elements .....	248
Errors .....	249
See Also .....	250
<b>GetOrganizationCustomRulePolicy .....</b>	<b>251</b>
Request Syntax .....	251
Request Parameters .....	251
Response Syntax .....	251
Response Elements .....	251
Errors .....	252
See Also .....	253
<b>GetResourceConfigHistory .....</b>	<b>254</b>
Request Syntax .....	254
Request Parameters .....	255
Response Syntax .....	262
Response Elements .....	263
Errors .....	263
See Also .....	265
<b>GetResourceEvaluationSummary .....</b>	<b>266</b>
Request Syntax .....	266
Request Parameters .....	266

Response Syntax .....	266
Response Elements .....	267
Errors .....	268
Examples .....	269
See Also .....	269
GetStoredQuery .....	271
Request Syntax .....	271
Request Parameters .....	271
Response Syntax .....	271
Response Elements .....	272
Errors .....	272
See Also .....	273
ListAggregateDiscoveredResources .....	274
Request Syntax .....	274
Request Parameters .....	274
Response Syntax .....	281
Response Elements .....	282
Errors .....	282
See Also .....	283
ListConfigurationRecorders .....	285
Request Syntax .....	285
Request Parameters .....	285
Response Syntax .....	286
Response Elements .....	286
Errors .....	286
See Also .....	287
ListConformancePackComplianceScores .....	289
Request Syntax .....	289
Request Parameters .....	289
Response Syntax .....	291
Response Elements .....	291
Errors .....	292
See Also .....	292
ListDiscoveredResources .....	293
Request Syntax .....	293
Request Parameters .....	293

Response Syntax .....	301
Response Elements .....	301
Errors .....	301
See Also .....	303
ListResourceEvaluations .....	304
Request Syntax .....	304
Request Parameters .....	304
Response Syntax .....	305
Response Elements .....	305
Errors .....	306
See Also .....	306
ListStoredQueries .....	308
Request Syntax .....	308
Request Parameters .....	308
Response Syntax .....	308
Response Elements .....	309
Errors .....	309
See Also .....	310
ListTagsForResource .....	312
Request Syntax .....	312
Request Parameters .....	312
Response Syntax .....	313
Response Elements .....	313
Errors .....	314
See Also .....	315
PutAggregationAuthorization .....	316
Request Syntax .....	316
Request Parameters .....	316
Response Syntax .....	317
Response Elements .....	317
Errors .....	318
See Also .....	318
PutConfigRule .....	319
Request Syntax .....	320
Request Parameters .....	321
Response Elements .....	321

Errors .....	321
See Also .....	323
PutConfigurationAggregator .....	324
Request Syntax .....	324
Request Parameters .....	325
Response Syntax .....	326
Response Elements .....	327
Errors .....	327
See Also .....	329
PutConfigurationRecorder .....	330
Request Syntax .....	330
Request Parameters .....	331
Response Elements .....	332
Errors .....	332
See Also .....	334
PutConformancePack .....	336
Request Syntax .....	336
Request Parameters .....	336
Response Syntax .....	339
Response Elements .....	339
Errors .....	339
See Also .....	341
PutDeliveryChannel .....	342
Request Syntax .....	342
Request Parameters .....	342
Response Elements .....	343
Errors .....	343
See Also .....	344
PutEvaluations .....	345
Request Syntax .....	345
Request Parameters .....	345
Response Syntax .....	346
Response Elements .....	346
Errors .....	347
See Also .....	347
PutExternalEvaluation .....	349

Request Syntax .....	349
Request Parameters .....	349
Response Elements .....	350
Errors .....	350
See Also .....	350
PutOrganizationConfigRule .....	351
Request Syntax .....	352
Request Parameters .....	353
Response Syntax .....	354
Response Elements .....	355
Errors .....	355
See Also .....	358
PutOrganizationConformancePack .....	359
Request Syntax .....	359
Request Parameters .....	360
Response Syntax .....	362
Response Elements .....	362
Errors .....	363
See Also .....	366
PutRemediationConfigurations .....	367
Request Syntax .....	368
Request Parameters .....	369
Response Syntax .....	369
Response Elements .....	370
Errors .....	370
See Also .....	371
PutRemediationExceptions .....	372
Request Syntax .....	373
Request Parameters .....	373
Response Syntax .....	375
Response Elements .....	375
Errors .....	375
See Also .....	376
PutResourceConfig .....	377
Request Syntax .....	377
Request Parameters .....	377

---

Response Elements .....	379
Errors .....	379
See Also .....	381
PutRetentionConfiguration .....	382
Request Syntax .....	382
Request Parameters .....	382
Response Syntax .....	383
Response Elements .....	383
Errors .....	383
See Also .....	384
PutServiceLinkedConfigurationRecorder .....	385
Request Syntax .....	385
Request Parameters .....	385
Response Syntax .....	386
Response Elements .....	386
Errors .....	387
See Also .....	389
PutStoredQuery .....	390
Request Syntax .....	390
Request Parameters .....	390
Response Syntax .....	391
Response Elements .....	391
Errors .....	392
See Also .....	393
SelectAggregateResourceConfig .....	394
Request Syntax .....	394
Request Parameters .....	394
Response Syntax .....	396
Response Elements .....	396
Errors .....	396
See Also .....	397
SelectResourceConfig .....	398
Request Syntax .....	398
Request Parameters .....	398
Response Syntax .....	399
Response Elements .....	399

---

Errors .....	400
See Also .....	400
StartConfigRulesEvaluation .....	402
Request Syntax .....	402
Request Parameters .....	403
Response Elements .....	403
Errors .....	403
See Also .....	404
StartConfigurationRecorder .....	406
Request Syntax .....	406
Request Parameters .....	406
Response Elements .....	406
Errors .....	406
See Also .....	408
StartRemediationExecution .....	409
Request Syntax .....	409
Request Parameters .....	409
Response Syntax .....	410
Response Elements .....	410
Errors .....	410
See Also .....	411
StartResourceEvaluation .....	413
Request Syntax .....	413
Request Parameters .....	413
Response Syntax .....	415
Response Elements .....	415
Errors .....	415
See Also .....	416
StopConfigurationRecorder .....	417
Request Syntax .....	417
Request Parameters .....	417
Response Elements .....	417
Errors .....	417
See Also .....	419
TagResource .....	420
Request Syntax .....	420



Request Parameters .....	420
Response Elements .....	421
Errors .....	421
See Also .....	422
<b>UntagResource .....</b>	<b>423</b>
Request Syntax .....	423
Request Parameters .....	423
Response Elements .....	424
Errors .....	424
See Also .....	425
<b>Data Types .....</b>	<b>426</b>
AccountAggregationSource .....	431
Contents .....	431
See Also .....	431
AggregateComplianceByConfigRule .....	433
Contents .....	433
See Also .....	434
AggregateComplianceByConformancePack .....	435
Contents .....	435
See Also .....	436
AggregateComplianceCount .....	437
Contents .....	437
See Also .....	437
AggregateConformancePackCompliance .....	438
Contents .....	438
See Also .....	439
AggregateConformancePackComplianceCount .....	440
Contents .....	440
See Also .....	440
AggregateConformancePackComplianceFilters .....	441
Contents .....	441
See Also .....	442
AggregateConformancePackComplianceSummary .....	443
Contents .....	443
See Also .....	443
AggregateConformancePackComplianceSummaryFilters .....	444

---

Contents .....	444
See Also .....	444
AggregatedSourceStatus .....	445
Contents .....	445
See Also .....	446
AggregateEvaluationResult .....	447
Contents .....	447
See Also .....	448
AggregateResourceIdentifier .....	449
Contents .....	449
See Also .....	456
AggregationAuthorization .....	457
Contents .....	457
See Also .....	457
AggregatorFilterResourceType .....	459
Contents .....	459
See Also .....	459
AggregatorFilters .....	460
Contents .....	460
See Also .....	460
AggregatorFilterServicePrincipal .....	461
Contents .....	461
See Also .....	461
BaseConfigurationItem .....	462
Contents .....	462
See Also .....	471
Compliance .....	472
Contents .....	472
See Also .....	472
ComplianceByConfigRule .....	474
Contents .....	474
See Also .....	474
ComplianceByResource .....	475
Contents .....	475
See Also .....	475
ComplianceContributorCount .....	477

Contents .....	477
See Also .....	477
ComplianceSummary .....	478
Contents .....	478
See Also .....	478
ComplianceSummaryByResourceType .....	479
Contents .....	479
See Also .....	479
ConfigExportDeliveryInfo .....	480
Contents .....	480
See Also .....	481
ConfigRule .....	482
Contents .....	482
See Also .....	486
ConfigRuleComplianceFilters .....	487
Contents .....	487
See Also .....	488
ConfigRuleComplianceSummaryFilters .....	489
Contents .....	489
See Also .....	489
ConfigRuleEvaluationStatus .....	490
Contents .....	490
See Also .....	493
ConfigSnapshotDeliveryProperties .....	494
Contents .....	494
See Also .....	495
ConfigStreamDeliveryInfo .....	496
Contents .....	496
See Also .....	497
ConfigurationAggregator .....	498
Contents .....	498
See Also .....	499
ConfigurationItem .....	501
Contents .....	501
See Also .....	511
ConfigurationRecorder .....	512

---

Contents .....	512
See Also .....	515
ConfigurationRecorderFilter .....	516
Contents .....	516
See Also .....	516
ConfigurationRecorderStatus .....	517
Contents .....	517
See Also .....	519
ConfigurationRecorderSummary .....	520
Contents .....	520
See Also .....	521
ConformancePackComplianceFilters .....	522
Contents .....	522
See Also .....	522
ConformancePackComplianceScore .....	523
Contents .....	523
See Also .....	523
ConformancePackComplianceScoresFilters .....	525
Contents .....	525
See Also .....	525
ConformancePackComplianceSummary .....	526
Contents .....	526
See Also .....	526
ConformancePackDetail .....	527
Contents .....	527
See Also .....	529
ConformancePackEvaluationFilters .....	530
Contents .....	530
See Also .....	531
ConformancePackEvaluationResult .....	532
Contents .....	532
See Also .....	533
ConformancePackInputParameter .....	534
Contents .....	534
See Also .....	534
ConformancePackRuleCompliance .....	535

---

Contents .....	535
See Also .....	536
ConformancePackStatusDetail .....	537
Contents .....	537
See Also .....	539
CustomPolicyDetails .....	540
Contents .....	540
See Also .....	541
DeliveryChannel .....	542
Contents .....	542
See Also .....	543
DeliveryChannelStatus .....	544
Contents .....	544
See Also .....	545
DescribeConfigRulesFilters .....	546
Contents .....	546
See Also .....	546
Evaluation .....	547
Contents .....	547
See Also .....	548
EvaluationContext .....	549
Contents .....	549
See Also .....	549
EvaluationModeConfiguration .....	550
Contents .....	550
See Also .....	550
EvaluationResult .....	551
Contents .....	551
See Also .....	552
EvaluationResultIdentifier .....	553
Contents .....	553
See Also .....	553
EvaluationResultQualifier .....	555
Contents .....	555
See Also .....	556
EvaluationStatus .....	557

---

Contents .....	557
See Also .....	557
ExclusionByResourceTypes .....	558
Contents .....	558
See Also .....	564
ExecutionControls .....	566
Contents .....	566
See Also .....	566
ExternalEvaluation .....	567
Contents .....	567
See Also .....	568
FailedDeleteRemediationExceptionsBatch .....	569
Contents .....	569
See Also .....	569
FailedRemediationBatch .....	570
Contents .....	570
See Also .....	570
FailedRemediationExceptionBatch .....	571
Contents .....	571
See Also .....	571
FieldInfo .....	572
Contents .....	572
See Also .....	572
GroupedResourceCount .....	573
Contents .....	573
See Also .....	573
MemberAccountStatus .....	574
Contents .....	574
See Also .....	576
OrganizationAggregationSource .....	577
Contents .....	577
See Also .....	577
OrganizationConfigRule .....	579
Contents .....	579
See Also .....	580
OrganizationConfigRuleStatus .....	581

Contents .....	581
See Also .....	583
OrganizationConformancePack .....	584
Contents .....	584
See Also .....	586
OrganizationConformancePackDetailedStatus .....	587
Contents .....	587
See Also .....	589
OrganizationConformancePackStatus .....	590
Contents .....	590
See Also .....	592
OrganizationCustomPolicyRuleMetadata .....	593
Contents .....	593
See Also .....	596
OrganizationCustomPolicyRuleMetadataNoPolicy .....	597
Contents .....	597
See Also .....	600
OrganizationCustomRuleMetadata .....	601
Contents .....	601
See Also .....	603
OrganizationManagedRuleMetadata .....	605
Contents .....	605
See Also .....	607
OrganizationResourceDetailedStatusFilters .....	608
Contents .....	608
See Also .....	609
PendingAggregationRequest .....	610
Contents .....	610
See Also .....	610
QueryInfo .....	611
Contents .....	611
See Also .....	611
RecordingGroup .....	612
Contents .....	612
See Also .....	624
RecordingMode .....	625

Contents .....	625
See Also .....	626
RecordingModeOverride .....	627
Contents .....	627
See Also .....	634
RecordingStrategy .....	635
Contents .....	635
See Also .....	637
Relationship .....	638
Contents .....	638
See Also .....	644
RemediationConfiguration .....	645
Contents .....	645
See Also .....	648
RemediationException .....	649
Contents .....	649
See Also .....	650
RemediationExceptionResourceKey .....	651
Contents .....	651
See Also .....	651
RemediationExecutionStatus .....	652
Contents .....	652
See Also .....	653
RemediationExecutionStep .....	654
Contents .....	654
See Also .....	655
RemediationParameterValue .....	656
Contents .....	656
See Also .....	656
ResourceCount .....	657
Contents .....	657
See Also .....	663
ResourceCountFilters .....	664
Contents .....	664
See Also .....	670
ResourceDetails .....	671



Contents .....	671
See Also .....	672
ResourceEvaluation .....	673
Contents .....	673
See Also .....	673
ResourceEvaluationFilters .....	675
Contents .....	675
See Also .....	675
ResourceFilters .....	677
Contents .....	677
See Also .....	678
ResourceIdentifier .....	679
Contents .....	679
See Also .....	685
ResourceKey .....	686
Contents .....	686
See Also .....	692
ResourceValue .....	693
Contents .....	693
See Also .....	693
RetentionConfiguration .....	694
Contents .....	694
See Also .....	694
Scope .....	696
Contents .....	696
See Also .....	697
Source .....	698
Contents .....	698
See Also .....	699
SourceDetail .....	700
Contents .....	700
See Also .....	701
SsmControls .....	702
Contents .....	702
See Also .....	702
StaticValue .....	704

---

Contents .....	704
See Also .....	704
StatusDetailFilters .....	705
Contents .....	705
See Also .....	706
StoredQuery .....	707
Contents .....	707
See Also .....	708
StoredQueryMetadata .....	709
Contents .....	709
See Also .....	710
Tag .....	711
Contents .....	711
See Also .....	711
TemplateSSMDocumentDetails .....	712
Contents .....	712
See Also .....	713
TimeWindow .....	714
Contents .....	714
See Also .....	714
<b>Common Parameters .....</b>	<b>715</b>
<b>Common Errors .....</b>	<b>718</b>

# Welcome

AWS Config provides a way to keep track of the configurations of all the AWS resources associated with your AWS account. You can use AWS Config to get the current and historical configurations of each AWS resource and also to get information about the relationship between the resources. An AWS resource can be an Amazon Compute Cloud (Amazon EC2) instance, an Elastic Block Store (EBS) volume, an elastic network Interface (ENI), or a security group. For a complete list of resources currently supported by AWS Config, see [Supported AWS resources](#).

You can access and manage AWS Config through the AWS Management Console, the AWS Command Line Interface (AWS CLI), the AWS Config API, or the AWS SDKs for AWS Config. This reference guide contains documentation for the AWS Config API and the AWS CLI commands that you can use to manage AWS Config. The AWS Config API uses the Signature Version 4 protocol for signing requests. For more information about how to sign a request with this protocol, see [Signature Version 4 Signing Process](#). For detailed information about AWS Config features and their associated actions or commands, as well as how to work with AWS Management Console, see [What Is AWS Config](#) in the *AWS Config Developer Guide*.

## Configuration Recorder

Use the following APIs for the configuration recorder.

The following APIs can only be used for the customer managed configuration recorder:

- [PutConfigurationRecorder](#), creates or updates the customer managed configuration recorder.
- [StartConfigurationRecorder](#), starts the customer managed configuration recorder. The customer managed configuration recorder will begin recording configuration changes for the resource types you specify.
- [StopConfigurationRecorder](#), stops the customer managed configuration recorder. The customer managed configuration recorder will stop recording configuration changes for the resource types you have specified.
- [DeleteConfigurationRecorder](#), , deletes the customer managed configuration recorder.

The following APIs can only be used for service-linked configuration recorders:

- [PutServiceLinkedConfigurationRecorder](#), creates a service-linked configuration recorder.

- [DeleteServiceLinkedConfigurationRecorder](#), deletes an existing service-linked configuration recorder.

The following APIs can be used for both the customer managed configuration recorder and the service-linked configuration recorders:

- [DescribeConfigurationRecorders](#), returns the details for the configuration recorders you specify.
- [DescribeConfigurationRecorderStatus](#), returns the current status of the configuration recorder you specify.
- [ListConfigurationRecorders](#), returns a list of configuration recording depending on the filters you specify.
- [AssociateResourceTypes](#), adds all the specified resource types to the recording group of the specified configuration recorder.
- [DisassociateResourceTypes](#), removes all the specified resource types from the recording group of the specified configuration recorder.

## Delivery Channel

Use the following APIs for the delivery channel:

- [DeliverConfigSnapshot](#), schedules delivery of a configuration snapshot to the Amazon S3 bucket in the specified delivery channel.
- [DescribeDeliveryChannels](#), returns details about the specified delivery channel.
- [DescribeDeliveryChannelStatus](#), returns the current status of the specified delivery channel.
- [DeleteDeliveryChannel](#), deletes the delivery channel.
- [PutDeliveryChannel](#), creates or updates a delivery channel to deliver configuration information and other compliance notifications.

## Resource Management

Use the following APIs for AWS Config resource management:

- [BatchGetResourceConfig](#), returns the BaseConfigurationItem for one or more requested resources.
- [DeleteResourceConfig](#), records the configuration state for a custom resource that has been deleted.

- [DeleteRetentionConfiguration](#), deletes the retention configuration.
- [DeliverConfigSnapshot](#), schedules delivery of a configuration snapshot to the Amazon S3 bucket in the specified delivery channel.
- [DescribeRetentionConfigurations](#), returns the details of one or more retention configurations.
- [GetDiscoveredResourceCounts](#), returns the resource types, the number of each resource type, and the total number of resources that AWS Config is recording in this region for your AWS account.
- [GetResourceConfigHistory](#), returns a list of ConfigurationItems for the specified resource.
- [ListDiscoveredResources](#), accepts a resource type and returns a list of resource identifiers for the resources of that type.
- [ListTagsForResource](#), list the tags for AWS Config resource.
- [PutResourceConfig](#), records the configuration state for the resource provided in the request.
- [PutRetentionConfiguration](#), creates and updates the retention configuration with details about retention period (number of days) that AWS Config stores your historical information.
- [TagResource](#), associates the specified tags to a resource with the specified ResourceArn.
- [UntagResource](#), deletes specified tags from a resource.

## AWS Config rules

Use the following APIs for AWS Config rules:

- [DeleteConfigRule](#), deletes the specified AWS Config rule and all of its evaluation results.
- [DeleteEvaluationResults](#), deletes the evaluation results for the specified AWS Config rule.
- [DeleteOrganizationConfigRule](#), deletes the specified organization AWS Config rule and all of its evaluation results from all member accounts in that organization.
- [DescribeComplianceByConfigRule](#), indicates whether the specified AWS Config rules are compliant.
- [DescribeComplianceByResource](#), indicates whether the specified AWS resources are compliant.
- [DescribeConfigRuleEvaluationStatus](#), returns status information for each of your AWS Config managed rules.
- [DescribeConfigRules](#), returns details about your AWS Config rules.
- [DescribeOrganizationConfigRules](#), returns a list of organization AWS Config rules.

- [DescribeOrganizationConfigRuleStatuses](#), provides organization AWS Config rule deployment status for an organization.
- [GetComplianceDetailsByConfigRule](#), returns the evaluation results for the specified AWS Config rule.
- [GetComplianceDetailsByResource](#), returns the evaluation results for the specified AWS resource.
- [GetComplianceSummaryByConfigRule](#), returns the number of AWS Config rules that are compliant and noncompliant, up to a maximum of 25 for each.
- [GetComplianceSummaryByResourceType](#), returns the number of resources that are compliant and the number that are noncompliant.
- [GetCustomRulePolicy](#), returns the policy definition containing the logic for your AWS Config Custom Policy rule.
- [GetOrganizationConfigRuleDetailedStatus](#), returns detailed status for each member account within an organization for a given organization AWS Config rule.
- [GetOrganizationCustomRulePolicy](#), returns the metadata, the rule name, and the policy definition containing the logic for your organization AWS Config Custom Policy rule.
- [GetResourceEvaluationSummary](#), returns a summary of resource evaluation for the specified resource evaluation ID from the proactive rules that were run.
- [ListResourceEvaluations](#), returns a list of proactive resource evaluations.
- [PutConfigRule](#), adds or updates an AWS Config rule for evaluating whether your AWS resources comply with your desired configurations.
- [PutEvaluations](#), used by an AWS Lambda function to deliver evaluation results to AWS Config.
- [PutOrganizationConfigRule](#), adds or updates organization AWS Config rule for your entire organization evaluating whether your AWS resources comply with your desired configurations.
- [StartConfigRulesEvaluation](#), runs an on-demand evaluation for the specified AWS Config rules against the last known configuration state of the resources.
- [StartResourceEvaluation](#), runs an on-demand evaluation for the specified resource to determine whether the resource details will comply with configured AWS Config rules.

## Remediation

Use the following APIs for AWS Config remediation actions:

- [DeleteRemediationConfiguration](#), deletes the remediation configuration.

- [DeleteRemediationExceptions](#), deletes one or more remediation exceptions mentioned in the resource keys.
- [DescribeRemediationConfigurations](#), returns the details of one or more remediation configurations.
- [DescribeRemediationExceptions](#), returns the details of one or more remediation exceptions.
- [DescribeRemediationExecutionStatus](#), provides a detailed view of a Remediation Execution for a set of resources including state, timestamps for when steps for the remediation execution occur, and any error messages for steps that have failed.
- [PutRemediationConfigurations](#), adds or updates the remediation configuration with a specific AWS Config rule with the selected target or action.
- [PutRemediationExceptions](#), adds a new exception or updates an existing exception for a specific resource with a specific AWS Config rule.
- [StartRemediationExecution](#), runs an on-demand remediation for the specified AWS Config rules against the last known remediation configuration.

## Conformance Packs

Use the following APIs for conformance packs:

- [DeleteConformancePack](#), deletes the specified conformance pack and all the AWS Config rules and all evaluation results within that conformance pack.
- [DeleteOrganizationConformancePack](#), deletes the specified organization conformance pack and all of the AWS Config rules and remediation actions from all member accounts in that organization.
- [DescribeConformancePackCompliance](#), returns compliance information for each rule in that conformance pack.
- [DescribeConformancePacks](#), returns a list of one or more conformance packs.
- [DescribeConformancePackStatus](#), provides one or more conformance packs deployment status.
- [DescribeOrganizationConformancePacks](#), returns a list of organization conformance packs.
- [DescribeOrganizationConformancePackStatuses](#), provides organization conformance pack deployment status for an organization.
- [GetConformancePackComplianceDetails](#), returns compliance details of a conformance pack for all AWS resources that are monitored by conformance pack.

- [GetConformancePackComplianceSummary](#), returns compliance information for the conformance pack based on the cumulative compliance results of all the rules in that conformance pack.
- [GetOrganizationConformancePackDetailedStatus](#), returns detailed status for each member account within an organization for a given organization conformance pack.
- [ListConformancePackComplianceScores](#), returns a list of conformance pack compliance scores.
- [PutConformancePack](#), creates or updates a conformance pack.
- [PutOrganizationConformancePack](#), deploys conformance packs across member accounts in an AWS Organization.
- [PutExternalEvaluation](#), add or updates the evaluations for process checks.

## Aggregators

Use the following APIs for multi-account multi-Region data aggregation:

- [BatchGetAggregateResourceConfig](#), returns the current configuration items for resources that are present in your AWS Config aggregator.
- [DeleteAggregationAuthorization](#), deletes the authorization granted to the specified configuration aggregator account in a specified region.
- [DeleteConfigurationAggregator](#), deletes the specified configuration aggregator and the aggregated data associated with the aggregator.
- [DeletePendingAggregationRequest](#), deletes pending authorization requests for a specified aggregator account in a specified region.
- [DescribeAggregateComplianceByConfigRules](#), returns a list of compliant and noncompliant rules with the number of resources for compliant and noncompliant rules.
- [DescribeAggregateComplianceByConformancePacks](#), returns a list of existing and deleted conformance packs and their associated compliance status with the count of compliant and noncompliant AWS Config rules within each conformance pack.
- [DescribeAggregationAuthorizations](#), returns a list of authorizations granted to various aggregator accounts and regions.
- [DescribeConfigurationAggregators](#), returns the details of one or more configuration aggregators. If the configuration aggregator is not specified, this operation returns the details for all the configuration aggregators associated with the account.



- [DescribeConfigurationAggregatorSourcesStatus](#), returns status information for sources within an aggregator. The status includes information about the last time AWS Config verified authorization between the source account and an aggregator account.
- [DescribePendingAggregationRequests](#), returns a list of all pending aggregation requests.
- [GetAggregateConformancePackComplianceSummary](#), returns the count of compliant and noncompliant conformance packs across all AWS accounts and AWS Regions in an aggregator.
- [GetAggregateComplianceDetailsByConfigRule](#), returns the evaluation results for the specified AWS Config rule for a specific resource in a rule. The results indicate which AWS resources were evaluated by the rule, when each resource was last evaluated, and whether each resource complies with the rule.
- [GetAggregateConfigRuleComplianceSummary](#), returns the number of compliant and noncompliant rules for one or more accounts and regions in an aggregator.
- [GetAggregateDiscoveredResourceCounts](#), returns the resource counts across accounts and regions that are present in your AWS Config aggregator.
- [GetAggregateResourceConfig](#), returns configuration item that is aggregated for your specific resource in a specific source account and region.
- [ListAggregateDiscoveredResources](#), accepts a resource type and returns a list of resource identifiers that are aggregated for a specific resource type across accounts and regions.
- [PutAggregationAuthorization](#), authorizes the aggregator account and region to collect data from the source account and region.
- [PutConfigurationAggregator](#), creates and updates the configuration aggregator with the selected source accounts and regions.

## Advanced Queries

Use the following APIs for AWS Config:

- [SelectAggregateResourceConfig](#), accepts a structured query language (SQL) SELECT command and an aggregator to query configuration state of AWS resources across multiple accounts and regions.
- [SelectResourceConfig](#), accepts a structured query language (SQL) SELECT command, performs the corresponding search, and returns resource configurations matching the properties.
- [PutStoredQuery](#), saves a new query or updates an existing saved query.
- [GetStoredQuery](#), returns the details of a specific stored query.

- [ListStoredQueries](#), lists the stored queries for a single AWS account and a single AWS Region.
- [DeleteStoredQuery](#), deletes the stored query for a single AWS account and a single AWS Region.

This document was last published on February 21, 2025.

# Actions

The following actions are supported:

- [AssociateResourceTypes](#)
- [BatchGetAggregateResourceConfig](#)
- [BatchGetResourceConfig](#)
- [DeleteAggregationAuthorization](#)
- [DeleteConfigRule](#)
- [DeleteConfigurationAggregator](#)
- [DeleteConfigurationRecorder](#)
- [DeleteConformancePack](#)
- [DeleteDeliveryChannel](#)
- [DeleteEvaluationResults](#)
- [DeleteOrganizationConfigRule](#)
- [DeleteOrganizationConformancePack](#)
- [DeletePendingAggregationRequest](#)
- [DeleteRemediationConfiguration](#)
- [DeleteRemediationExceptions](#)
- [DeleteResourceConfig](#)
- [DeleteRetentionConfiguration](#)
- [DeleteServiceLinkedConfigurationRecorder](#)
- [DeleteStoredQuery](#)
- [DeliverConfigSnapshot](#)
- [DescribeAggregateComplianceByConfigRules](#)
- [DescribeAggregateComplianceByConformancePacks](#)
- [DescribeAggregationAuthorizations](#)
- [DescribeComplianceByConfigRule](#)
- [DescribeComplianceByResource](#)
- [DescribeConfigRuleEvaluationStatus](#)
- [DescribeConfigRules](#)

- [DescribeConfigurationAggregators](#)
- [DescribeConfigurationAggregatorSourcesStatus](#)
- [DescribeConfigurationRecorders](#)
- [DescribeConfigurationRecorderStatus](#)
- [DescribeConformancePackCompliance](#)
- [DescribeConformancePacks](#)
- [DescribeConformancePackStatus](#)
- [DescribeDeliveryChannels](#)
- [DescribeDeliveryChannelStatus](#)
- [DescribeOrganizationConfigRules](#)
- [DescribeOrganizationConfigRuleStatuses](#)
- [DescribeOrganizationConformancePacks](#)
- [DescribeOrganizationConformancePackStatuses](#)
- [DescribePendingAggregationRequests](#)
- [DescribeRemediationConfigurations](#)
- [DescribeRemediationExceptions](#)
- [DescribeRemediationExecutionStatus](#)
- [DescribeRetentionConfigurations](#)
- [DisassociateResourceTypes](#)
- [GetAggregateComplianceDetailsByConfigRule](#)
- [GetAggregateConfigRuleComplianceSummary](#)
- [GetAggregateConformancePackComplianceSummary](#)
- [GetAggregateDiscoveredResourceCounts](#)
- [GetAggregateResourceConfig](#)
- [GetComplianceDetailsByConfigRule](#)
- [GetComplianceDetailsByResource](#)
- [GetComplianceSummaryByConfigRule](#)
- [GetComplianceSummaryByResourceType](#)
- [GetConformancePackComplianceDetails](#)
- [GetConformancePackComplianceSummary](#)

- [GetCustomRulePolicy](#)
- [GetDiscoveredResourceCounts](#)
- [GetOrganizationConfigRuleDetailedStatus](#)
- [GetOrganizationConformancePackDetailedStatus](#)
- [GetOrganizationCustomRulePolicy](#)
- [GetResourceConfigHistory](#)
- [GetResourceEvaluationSummary](#)
- [GetStoredQuery](#)
- [ListAggregateDiscoveredResources](#)
- [ListConfigurationRecorders](#)
- [ListConformancePackComplianceScores](#)
- [ListDiscoveredResources](#)
- [ListResourceEvaluations](#)
- [ListStoredQueries](#)
- [ListTagsForResource](#)
- [PutAggregationAuthorization](#)
- [PutConfigRule](#)
- [PutConfigurationAggregator](#)
- [PutConfigurationRecorder](#)
- [PutConformancePack](#)
- [PutDeliveryChannel](#)
- [PutEvaluations](#)
- [PutExternalEvaluation](#)
- [PutOrganizationConfigRule](#)
- [PutOrganizationConformancePack](#)
- [PutRemediationConfigurations](#)
- [PutRemediationExceptions](#)
- [PutResourceConfig](#)
- [PutRetentionConfiguration](#)
- [PutServiceLinkedConfigurationRecorder](#)

- [PutStoredQuery](#)
- [SelectAggregateResourceConfig](#)
- [SelectResourceConfig](#)
- [StartConfigRulesEvaluation](#)
- [StartConfigurationRecorder](#)
- [StartRemediationExecution](#)
- [StartResourceEvaluation](#)
- [StopConfigurationRecorder](#)
- [TagResource](#)
- [UntagResource](#)

# AssociateResourceTypes

Adds all resource types specified in the `ResourceTypes` list to the [RecordingGroup](#) of specified configuration recorder and includes those resource types when recording.

For this operation, the specified configuration recorder must use a [RecordingStrategy](#) that is either `INCLUSION_BY_RESOURCE_TYPES` or `EXCLUSION_BY_RESOURCE_TYPES`.

## Request Syntax

```
{
  "ConfigurationRecorderArn": "string",
  "ResourceTypes": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigurationRecorderArn](#)

The Amazon Resource Name (ARN) of the specified configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### [ResourceTypes](#)

The list of resource types you want to add to the recording group of the specified configuration recorder.

Type: Array of strings

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection`

| AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance |  
AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway |  
AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog  
| AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain  
| AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role |  
AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline



| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |

AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |

AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |

AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FwotaTask |

AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
 AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
 AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
 AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
 AWS::CodeGuruProfiler::ProfilingGroup |  
 AWS::Route53Resolver::ResolverQueryLoggingConfig |  
 AWS::Batch::SchedulingPolicy |  
 AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
 | AWS::AppMesh::Mesh | AWS::Connect::Instance |  
 AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
 AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
 AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
 | AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
 AWS::IoT TwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
 AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
 | AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
 | AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
 AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
 | AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
 | AWS::GroundStation::DataflowEndpointGroup |  
 AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
 | AWS::QuickSight::DataSource | AWS::QuickSight::Template  
 | AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
 AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
 | AWS::SSM::Document

Required: Yes

## Response Syntax

```

{
  "ConfigurationRecorder": {
    "arn": "string",
    "name": "string",
    "recordingGroup": {
      "allSupported": boolean,
      "exclusionByResourceTypes": {

```

```
    "resourceTypes": [ "string" ]
  },
  "includeGlobalResourceTypes": boolean,
  "recordingStrategy": {
    "useOnly": "string"
  },
  "resourceTypes": [ "string" ]
},
"recordingMode": {
  "recordingFrequency": "string",
  "recordingModeOverrides": [
    {
      "description": "string",
      "recordingFrequency": "string",
      "resourceTypes": [ "string" ]
    }
  ]
},
"recordingScope": "string",
"roleARN": "string",
"servicePrincipal": "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationRecorder

Records configuration changes to the resource types in scope.

For more information about the configuration recorder, see [Working with the Configuration Recorder](#) in the *AWS Config Developer Guide*.

Type: [ConfigurationRecorder](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## ConflictException

For [PutServiceLinkedConfigurationRecorder](#), you cannot create a service-linked recorder because a service-linked recorder already exists for the specified service.

For [DeleteServiceLinkedConfigurationRecorder](#), you cannot delete the service-linked recorder because it is currently in use by the linked AWS service.

For [DeleteDeliveryChannel](#), you cannot delete the specified delivery channel because the customer managed configuration recorder is running. Use the [StopConfigurationRecorder](#) operation to stop the customer managed configuration recorder.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- For service-linked configuration recorders, the configuration recorder is not in use by the service. No association or dissociation of resource types is permitted.
- For service-linked configuration recorders, your requested change to the configuration recorder has been denied by its linked AWS service.

HTTP Status Code: 400

## NoSuchConfigurationRecorderException

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# BatchGetAggregateResourceConfig

Returns the current configuration items for resources that are present in your AWS Config aggregator. The operation also returns a list of resources that are not processed in the current request. If there are no unprocessed resources, the operation returns an empty `unprocessedResourceIdentifiers` list.

## Note

- The API does not return results for deleted resources.
- The API does not return tags and relationships.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "ResourceIdentifiers": [
    {
      "ResourceId": "string",
      "ResourceName": "string",
      "ResourceType": "string",
      "SourceAccountId": "string",
      "SourceRegion": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ -]+`

Required: Yes

## ResourceIdentifiers

A list of aggregate ResourceIdentifiers objects.

Type: Array of [AggregateResourceIdentifier](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes

## Response Syntax

```
{
  "BaseConfigurationItems": [
    {
      "accountId": "string",
      "arn": "string",
      "availabilityZone": "string",
      "awsRegion": "string",
      "configuration": "string",
      "configurationItemCaptureTime": number,
      "configurationItemDeliveryTime": number,
      "configurationItemStatus": "string",
      "configurationStateId": "string",
      "recordingFrequency": "string",
      "resourceCreationTime": number,
      "resourceId": "string",
      "resourceName": "string",
      "resourceType": "string",
      "supplementaryConfiguration": {
        "string" : "string"
      },
      "version": "string"
    }
  ],
  "UnprocessedResourceIdentifiers": [
    {
```

```
    "ResourceId": "string",
    "ResourceName": "string",
    "ResourceType": "string",
    "SourceAccountId": "string",
    "SourceRegion": "string"
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### BaseConfigurationItems

A list that contains the current configuration of one or more resources.

Type: Array of [BaseConfigurationItem](#) objects

### UnprocessedResourceIdentifiers

A list of resource identifiers that were not processed with current scope. The list is empty if all the resources are processed.

Type: Array of [AggregateResourceIdentifier](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **NoSuchConfigurationAggregatorException**

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# BatchGetResourceConfig

Returns the `BaseConfigurationItem` for one or more requested resources. The operation also returns a list of resources that are not processed in the current request. If there are no unprocessed resources, the operation returns an empty `unprocessedResourceKeys` list.

## Note

- The API does not return results for deleted resources.
- The API does not return any tags for the requested resources. This information is filtered out of the `supplementaryConfiguration` section of the API response.

## Request Syntax

```
{
  "resourceKeys": [
    {
      "resourceId": "string",
      "resourceType": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### resourceKeys

A list of resource keys to be processed with the current request. Each element in the list consists of the resource type and resource ID.

Type: Array of [ResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes

## Response Syntax

```
{
  "baseConfigurationItems": [
    {
      "accountId": "string",
      "arn": "string",
      "availabilityZone": "string",
      "awsRegion": "string",
      "configuration": "string",
      "configurationItemCaptureTime": number,
      "configurationItemDeliveryTime": number,
      "configurationItemStatus": "string",
      "configurationStateId": "string",
      "recordingFrequency": "string",
      "resourceCreationTime": number,
      "resourceId": "string",
      "resourceName": "string",
      "resourceType": "string",
      "supplementaryConfiguration": {
        "string" : "string"
      },
      "version": "string"
    }
  ],
  "unprocessedResourceKeys": [
    {
      "resourceId": "string",
      "resourceType": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### baseConfigurationItems

A list that contains the current configuration of one or more resources.

Type: Array of [BaseConfigurationItem](#) objects

### [unprocessedResourceKeys](#)

A list of resource keys that were not processed with the current response. The `unprocessedResourceKeys` value is in the same form as `ResourceKeys`, so the value can be directly provided to a subsequent `BatchGetResourceConfig` operation. If there are no unprocessed resource keys, the response contains an empty `unprocessedResourceKeys` list.

Type: Array of [ResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **NoAvailableConfigurationRecorderException**

There are no customer managed configuration recorders available to record your resources. Use the [PutConfigurationRecorder](#) operation to create the customer managed configuration recorder.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.



For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteAggregationAuthorization

Deletes the authorization granted to the specified configuration aggregator account in a specified region.

## Request Syntax

```
{  
  "AuthorizedAccountId": "string",  
  "AuthorizedAwsRegion": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### AuthorizedAccountId

The 12-digit account ID of the account authorized to aggregate data.

Type: String

Pattern: `\d{12}`

Required: Yes

### AuthorizedAwsRegion

The region authorized to collect aggregated data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteConfigRule

Deletes the specified AWS Config rule and all of its evaluation results.

AWS Config sets the state of a rule to `DELETING` until the deletion is complete. You cannot update a rule while it is in this state. If you make a `PutConfigRule` or `DeleteConfigRule` request for the rule, you will receive a `ResourceInUseException`.

You can check the state of a rule by using the `DescribeConfigRules` request.

## Note

**Recommendation: Consider excluding the `AWS::Config::ResourceCompliance` resource type from recording before deleting rules**

Deleting rules creates configuration items (CIs) for `AWS::Config::ResourceCompliance` that can affect your costs for the configuration recorder. If you are deleting rules which evaluate a large number of resource types, this can lead to a spike in the number of CIs recorded.

To avoid the associated costs, you can opt to disable recording for the `AWS::Config::ResourceCompliance` resource type before deleting rules, and re-enable recording after the rules have been deleted.

However, since deleting rules is an asynchronous process, it might take an hour or more to complete. During the time when recording is disabled for `AWS::Config::ResourceCompliance`, rule evaluations will not be recorded in the associated resource's history.

## Request Syntax

```
{
  "ConfigRuleName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

## ConfigRuleName

The name of the AWS Config rule that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchConfigRuleException

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### ResourceInUseException

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.
- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.

- For PutConformancePack and PutOrganizationConformancePack, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For DeleteConformancePack, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteConfigurationAggregator

Deletes the specified configuration aggregator and the aggregated data associated with the aggregator.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# DeleteConfigurationRecorder

Deletes the customer managed configuration recorder.

This operation does not delete the configuration information that was previously recorded. You will be able to access the previously recorded information by using the [GetResourceConfigHistory](#) operation, but you will not be able to access this information in the AWS Config console until you have created a new customer managed configuration recorder.

## Request Syntax

```
{  
  "ConfigurationRecorderName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigurationRecorderName](#)

The name of the customer managed configuration recorder that you want to delete. You can retrieve the name of your configuration recorders by using the [DescribeConfigurationRecorders](#) operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InvalidConfigurationRecorderNameException

The configuration recorder name is not valid. The prefix "AWSConfigurationRecorderFor" is reserved for service-linked configuration recorders.

HTTP Status Code: 400

## NoSuchConfigurationRecorderException

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

## UnmodifiableEntityException

The requested operation is not valid.

For [PutConfigurationRecorder](#), you will see this exception because you cannot use this operation to create a service-linked configuration recorder. Use the [PutServiceLinkedConfigurationRecorder](#) operation to create a service-linked configuration recorder.

For [DeleteConfigurationRecorder](#), you will see this exception because you cannot use this operation to delete a service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

For [StartConfigurationRecorder](#) and [StopConfigurationRecorder](#), you will see this exception because these operations do not affect service-linked configuration recorders. Service-linked configuration recorders are always recording. To stop recording, you must delete the service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.

- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteConformancePack

Deletes the specified conformance pack and all the AWS Config rules, remediation actions, and all evaluation results within that conformance pack.

AWS Config sets the conformance pack to `DELETE_IN_PROGRESS` until the deletion is complete. You cannot update a conformance pack while it is in this state.

## Request Syntax

```
{
  "ConformancePackName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConformancePackName

Name of the conformance pack you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## NoSuchConformancePackException

You specified one or more conformance packs that do not exist.

HTTP Status Code: 400

## ResourceInUseException

You see this exception in the following cases:

- For DeleteConfigRule, AWS Config is deleting this rule. Try your request again later.
- For DeleteConfigRule, the rule is deleting your evaluation results. Try your request again later.
- For DeleteConfigRule, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For PutConfigOrganizationRule, organization AWS Config rule deletion is in progress. Try your request again later.
- For DeleteOrganizationConfigRule, organization AWS Config rule creation is in progress. Try your request again later.
- For PutConformancePack and PutOrganizationConformancePack, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For DeleteConformancePack, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDeliveryChannel

Deletes the delivery channel.

Before you can delete the delivery channel, you must stop the customer managed configuration recorder. You can use the [StopConfigurationRecorder](#) operation to stop the customer managed configuration recorder.

## Request Syntax

```
{  
  "DeliveryChannelName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [DeliveryChannelName](#)

The name of the delivery channel that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### LastDeliveryChannelDeleteFailedException

You cannot delete the delivery channel you specified because the customer managed configuration recorder is running.

HTTP Status Code: 400

## **NoSuchDeliveryChannelException**

You have specified a delivery channel that does not exist.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# DeleteEvaluationResults

Deletes the evaluation results for the specified AWS Config rule. You can specify one AWS Config rule per request. After you delete the evaluation results, you can call the [StartConfigRulesEvaluation](#) API to start evaluating your AWS resources against the rule.

## Request Syntax

```
{
  "ConfigRuleName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigRuleName](#)

The name of the AWS Config rule for which you want to delete the evaluation results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchConfigRuleException

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## ResourceInUseException

You see this exception in the following cases:

- For DeleteConfigRule, AWS Config is deleting this rule. Try your request again later.
- For DeleteConfigRule, the rule is deleting your evaluation results. Try your request again later.
- For DeleteConfigRule, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For PutConfigOrganizationRule, organization AWS Config rule deletion is in progress. Try your request again later.
- For DeleteOrganizationConfigRule, organization AWS Config rule creation is in progress. Try your request again later.
- For PutConformancePack and PutOrganizationConformancePack, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For DeleteConformancePack, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# DeleteOrganizationConfigRule

Deletes the specified organization AWS Config rule and all of its evaluation results from all member accounts in that organization.

Only a management account and a delegated administrator account can delete an organization AWS Config rule. When calling this API with a delegated administrator, you must ensure AWS Organizations `ListDelegatedAdministrator` permissions are added.

AWS Config sets the state of a rule to `DELETE_IN_PROGRESS` until the deletion is complete. You cannot update a rule while it is in this state.

## Request Syntax

```
{
  "OrganizationConfigRuleName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### OrganizationConfigRuleName

The name of organization AWS Config rule that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9- _]+`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchOrganizationConfigRuleException

The AWS Config rule in the request is not valid. Verify that the rule is an organization AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### OrganizationAccessDeniedException

For PutConfigurationAggregator API, you can see this exception for the following reasons:

- No permission to call EnableAWSServiceAccess API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call ListDelegatedAdministrators API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all OrganizationConfigRule and OrganizationConformancePack APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

### ResourceInUseException

You see this exception in the following cases:

- For DeleteConfigRule, AWS Config is deleting this rule. Try your request again later.
- For DeleteConfigRule, the rule is deleting your evaluation results. Try your request again later.

- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteOrganizationConformancePack

Deletes the specified organization conformance pack and all of the AWS Config rules and remediation actions from all member accounts in that organization.

Only a management account or a delegated administrator account can delete an organization conformance pack. When calling this API with a delegated administrator, you must ensure AWS Organizations `ListDelegatedAdministrator` permissions are added.

AWS Config sets the state of a conformance pack to `DELETE_IN_PROGRESS` until the deletion is complete. You cannot update a conformance pack while it is in this state.

## Request Syntax

```
{
  "OrganizationConformancePackName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### OrganizationConformancePackName

The name of organization conformance pack that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchOrganizationConformancePackException

AWS Config organization conformance pack that you passed in the filter does not exist.

For `DeleteOrganizationConformancePack`, you tried to delete an organization conformance pack that does not exist.

HTTP Status Code: 400

### OrganizationAccessDeniedException

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

### ResourceInUseException

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.



- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeletePendingAggregationRequest

Deletes pending authorization requests for a specified aggregator account in a specified region.

## Request Syntax

```
{
  "RequesterAccountId": "string",
  "RequesterAwsRegion": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### RequesterAccountId

The 12-digit account ID of the account requesting to aggregate data.

Type: String

Pattern: `\d{12}`

Required: Yes

### RequesterAwsRegion

The region requesting to aggregate data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteRemediationConfiguration

Deletes the remediation configuration.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "ResourceType": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of the AWS Config rule for which you want to delete remediation configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: .\*\\S.\*

Required: Yes

### ResourceType

The type of a resource.

Type: String

Required: No

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InsufficientPermissionsException

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the `config:Put*` action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM `GetRole` action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM `GetRole` action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call `SSM:GetDocument`.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM `CreateServiceLinkedRole`.

HTTP Status Code: 400

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### NoSuchRemediationConfigurationException

You specified an AWS Config rule without a remediation configuration.

HTTP Status Code: 400

### RemediationInProgressException

Remediation action is in progress. You can either cancel execution in AWS Systems Manager or wait and try again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteRemediationExceptions

Deletes one or more remediation exceptions mentioned in the resource keys.

## Note

AWS Config generates a remediation exception when a problem occurs executing a remediation action to a specific resource. Remediation exceptions blocks auto-remediation until the exception is cleared.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "ResourceKeys": [
    {
      "ResourceId": "string",
      "ResourceType": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of the AWS Config rule for which you want to delete remediation exception configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

## ResourceKeys

An exception list of resource exception keys to be processed with the current request. AWS Config adds exception for each resource key. For example, AWS Config adds 3 exceptions for 3 resource keys.

Type: Array of [RemediationExceptionResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes

## Response Syntax

```
{
  "FailedBatches": [
    {
      "FailedItems": [
        {
          "ResourceId": "string",
          "ResourceType": "string"
        }
      ],
      "FailureMessage": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### FailedBatches

Returns a list of failed delete remediation exceptions batch objects. Each object in the batch consists of a list of failed items and failure messages.

Type: Array of [FailedDeleteRemediationExceptionsBatch](#) objects



## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchRemediationExceptionException

You tried to delete a remediation exception that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteResourceConfig

Records the configuration state for a custom resource that has been deleted. This API records a new ConfigurationItem with a ResourceDeleted status. You can retrieve the ConfigurationItems recorded for this resource in your AWS Config History.

## Request Syntax

```
{
  "ResourceId": "string",
  "ResourceType": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ResourceId](#)

Unique identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

### [ResourceType](#)

The type of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 196.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoRunningConfigurationRecorderException

There is no configuration recorder running.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteRetentionConfiguration

Deletes the retention configuration.

## Request Syntax

```
{  
  "RetentionConfigurationName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [RetentionConfigurationName](#)

The name of the retention configuration to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchRetentionConfigurationException

You have specified a retention configuration that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteServiceLinkedConfigurationRecorder

Deletes an existing service-linked configuration recorder.

This operation does not delete the configuration information that was previously recorded. You will be able to access the previously recorded information by using the [GetResourceConfigHistory](#) operation, but you will not be able to access this information in the AWS Config console until you have created a new service-linked configuration recorder for the same service.

## Note

### The recording scope determines if you receive configuration items

The recording scope is set by the service that is linked to the configuration recorder and determines whether you receive configuration items (CIs) in the delivery channel. If the recording scope is internal, you will not receive CIs in the delivery channel.

## Request Syntax

```
{
  "ServicePrincipal": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ServicePrincipal](#)

The service principal of the AWS service for the service-linked configuration recorder that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`

Required: Yes

## Response Syntax

```
{
  "Arn": "string",
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the specified configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

### Name

The name of the specified configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **ConflictException**

For [PutServiceLinkedConfigurationRecorder](#), you cannot create a service-linked recorder because a service-linked recorder already exists for the specified service.

For [DeleteServiceLinkedConfigurationRecorder](#), you cannot delete the service-linked recorder because it is currently in use by the linked AWS service.



For [DeleteDeliveryChannel](#), you cannot delete the specified delivery channel because the customer managed configuration recorder is running. Use the [StopConfigurationRecorder](#) operation to stop the customer managed configuration recorder.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- For service-linked configuration recorders, the configuration recorder is not in use by the service. No association or dissociation of resource types is permitted.
- For service-linked configuration recorders, your requested change to the configuration recorder has been denied by its linked AWS service.

HTTP Status Code: 400

### **NoSuchConfigurationRecorderException**

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or dissociation of resource types.
- One or more of the specified resource types are already associated or dissociated with the configuration recorder.

- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteStoredQuery

Deletes the stored query for a single AWS account and a single AWS Region.

## Request Syntax

```
{  
  "QueryName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### QueryName

The name of the query that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9- _]+$`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### ResourceNotFoundException

You have specified a resource that does not exist.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeliverConfigSnapshot

Schedules delivery of a configuration snapshot to the Amazon S3 bucket in the specified delivery channel. After the delivery has started, AWS Config sends the following notifications using an Amazon SNS topic that you have specified.

- Notification of the start of the delivery.
- Notification of the completion of the delivery, if the delivery was successfully completed.
- Notification of delivery failure, if the delivery failed.

## Request Syntax

```
{  
  "deliveryChannelName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### deliveryChannelName

The name of the delivery channel through which the snapshot is delivered.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## Response Syntax

```
{  
  "configSnapshotId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [configSnapshotId](#)

The ID of the snapshot that is being created.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **NoAvailableConfigurationRecorderException**

There are no customer managed configuration recorders available to record your resources. Use the [PutConfigurationRecorder](#) operation to create the customer managed configuration recorder.

HTTP Status Code: 400

### **NoRunningConfigurationRecorderException**

There is no configuration recorder running.

HTTP Status Code: 400

### **NoSuchDeliveryChannelException**

You have specified a delivery channel that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# DescribeAggregateComplianceByConfigRules

Returns a list of compliant and noncompliant rules with the number of resources for compliant and noncompliant rules. Does not display rules that do not have compliance results.

## Note

The results can return an empty result page, but if you have a `nextToken`, the results are displayed on the next page.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Filters": {
    "AccountId": "string",
    "AwsRegion": "string",
    "ComplianceType": "string",
    "ConfigRuleName": "string"
  },
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

### Filters

Filters the results by ConfigRuleComplianceFilters object.

Type: [ConfigRuleComplianceFilters](#) object

Required: No

### Limit

The maximum number of evaluation results returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1000.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "AggregateComplianceByConfigRules": [
    {
      "AccountId": "string",
      "AwsRegion": "string",
      "Compliance": {
        "ComplianceContributorCount": {
          "CapExceeded": boolean,
          "CappedCount": number
        },
        "ComplianceType": "string"
      }
    }
  ]
}
```

```
    },  
    "ConfigRuleName": "string"  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [AggregateComplianceByConfigRules](#)

Returns a list of `AggregateComplianceByConfigRule` object.

Type: Array of [AggregateComplianceByConfigRule](#) objects

### [NextToken](#)

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeAggregateComplianceByConformancePacks

Returns a list of the existing and deleted conformance packs and their associated compliance status with the count of compliant and noncompliant AWS Config rules within each conformance pack. Also returns the total rule count which includes compliant rules, noncompliant rules, and rules that cannot be evaluated due to insufficient data.

## Note

The results can return an empty result page, but if you have a `nextToken`, the results are displayed on the next page.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Filters": {
    "AccountId": "string",
    "AwsRegion": "string",
    "ComplianceType": "string",
    "ConformancePackName": "string"
  },
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

### Filters

Filters the result by `AggregateConformancePackComplianceFilters` object.

Type: [AggregateConformancePackComplianceFilters](#) object

Required: No

### Limit

The maximum number of conformance packs compliance details returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "AggregateComplianceByConformancePacks": [
    {
      "AccountId": "string",
      "AwsRegion": "string",
      "Compliance": {
        "ComplianceType": "string",
        "CompliantRuleCount": number,
        "NonCompliantRuleCount": number,
        "TotalRuleCount": number
      }
    }
  ]
}
```

```
    },  
    "ConformancePackName": "string"  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregateComplianceByConformancePacks

Returns the `AggregateComplianceByConformancePack` object.

Type: Array of [AggregateComplianceByConformancePack](#) objects

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400



## NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeAggregationAuthorizations

Returns a list of authorizations granted to various aggregator accounts and regions.

## Request Syntax

```
{  
  "Limit": number,  
  "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Limit

The maximum number of AggregationAuthorizations returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{  
  "AggregationAuthorizations": [  
    ...  
  ]  
}
```

```
{
  "AggregationAuthorizationArn": "string",
  "AuthorizedAccountId": "string",
  "AuthorizedAwsRegion": "string",
  "CreationTime": number
},
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregationAuthorizations

Returns a list of authorizations granted to various aggregator accounts and regions.

Type: Array of [AggregationAuthorization](#) objects

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeComplianceByConfigRule

Indicates whether the specified AWS Config rules are compliant. If a rule is noncompliant, this operation returns the number of AWS resources that do not comply with the rule.

A rule is compliant if all of the evaluated resources comply with it. It is noncompliant if any of these resources do not comply.

If AWS Config has no current evaluation results for the rule, it returns `INSUFFICIENT_DATA`. This result might indicate one of the following conditions:

- AWS Config has never invoked an evaluation for the rule. To check whether it has, use the `DescribeConfigRuleEvaluationStatus` action to get the `LastSuccessfulInvocationTime` and `LastFailedInvocationTime`.
- The rule's AWS Lambda function is failing to send evaluation results to AWS Config. Verify that the role you assigned to your configuration recorder includes the `config:PutEvaluations` permission. If the rule is a custom rule, verify that the AWS Lambda execution role includes the `config:PutEvaluations` permission.
- The rule's AWS Lambda function has returned `NOT_APPLICABLE` for all evaluation results. This can occur if the resources were deleted or removed from the rule's scope.

## Request Syntax

```
{
  "ComplianceTypes": [ "string" ],
  "ConfigRuleNames": [ "string" ],
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ComplianceTypes](#)

Filters the results by compliance.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: COMPLIANT | NON\_COMPLIANT | NOT\_APPLICABLE | INSUFFICIENT\_DATA

Required: No

### ConfigRuleNames

Specify one or more AWS Config rule names to filter the results by rule.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: .\*\\S.\*

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ComplianceByConfigRules": [
    {
      "Compliance": {
        "ComplianceContributorCount": {
          "CapExceeded": boolean,
          "CappedCount": number
        },
        "ComplianceType": "string"
      },
    },
  ],
}
```

```
    "ConfigRuleName": "string"
  }
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ComplianceByConfigRules

Indicates whether each of the specified AWS Config rules is compliant.

Type: Array of [ComplianceByConfigRule](#) objects

### NextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400



## NoSuchConfigRuleException

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeComplianceByResource

Indicates whether the specified AWS resources are compliant. If a resource is noncompliant, this operation returns the number of AWS Config rules that the resource does not comply with.

A resource is compliant if it complies with all the AWS Config rules that evaluate it. It is noncompliant if it does not comply with one or more of these rules.

If AWS Config has no current evaluation results for the resource, it returns `INSUFFICIENT_DATA`. This result might indicate one of the following conditions about the rules that evaluate the resource:

- AWS Config has never invoked an evaluation for the rule. To check whether it has, use the `DescribeConfigRuleEvaluationStatus` action to get the `LastSuccessfulInvocationTime` and `LastFailedInvocationTime`.
- The rule's AWS Lambda function is failing to send evaluation results to AWS Config. Verify that the role that you assigned to your configuration recorder includes the `config:PutEvaluations` permission. If the rule is a custom rule, verify that the AWS Lambda execution role includes the `config:PutEvaluations` permission.
- The rule's AWS Lambda function has returned `NOT_APPLICABLE` for all evaluation results. This can occur if the resources were deleted or removed from the rule's scope.

## Request Syntax

```
{
  "ComplianceTypes": [ "string" ],
  "Limit": number,
  "NextToken": "string",
  "ResourceId": "string",
  "ResourceType": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

## ComplianceTypes

Filters the results by compliance.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: COMPLIANT | NON\_COMPLIANT | NOT\_APPLICABLE | INSUFFICIENT\_DATA

Required: No

## Limit

The maximum number of evaluation results returned on each page. The default is 10. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## ResourceId

The ID of the AWS resource for which you want compliance information. You can specify only one resource ID. If you specify a resource ID, you must also specify a type for ResourceType.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

## ResourceType

The types of AWS resources for which you want compliance information (for example, `AWS::EC2::Instance`). For this operation, you can specify that the resource type is an AWS account by specifying `AWS:::Account`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Response Syntax

```
{
  "ComplianceByResources": [
    {
      "Compliance": {
        "ComplianceContributorCount": {
          "CapExceeded": boolean,
          "CappedCount": number
        },
        "ComplianceType": "string"
      },
      "ResourceId": "string",
      "ResourceType": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ComplianceByResources

Indicates whether the specified AWS resource complies with all of the AWS Config rules that evaluate it.

Type: Array of [ComplianceByResource](#) objects

### NextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConfigRuleEvaluationStatus

Returns status information for each of your AWS Config managed rules. The status includes information such as the last time AWS Config invoked the rule, the last time AWS Config failed to invoke the rule, and the related error for the last failure.

## Request Syntax

```
{  
  "ConfigRuleNames": [ "string" ],  
  "Limit": number,  
  "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleNames

The name of the AWS Config managed rules for which you want status information. If you do not specify any names, AWS Config returns status information for all AWS Config managed rules that you use.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

### Limit

The number of rule evaluation results that you want returned.

This parameter is required if the rule limit for your account is more than the default of 1000 rules.

For information about requesting a rule limit increase, see [AWS Config Limits](#) in the *AWS General Reference Guide*.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 50.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConfigRulesEvaluationStatus": [
    {
      "ConfigRuleArn": "string",
      "ConfigRuleId": "string",
      "ConfigRuleName": "string",
      "FirstActivatedTime": number,
      "FirstEvaluationStarted": boolean,
      "LastDeactivatedTime": number,
      "LastDebugLogDeliveryStatus": "string",
      "LastDebugLogDeliveryStatusReason": "string",
      "LastDebugLogDeliveryTime": number,
      "LastErrorCode": "string",
      "LastErrorMessage": "string",
      "LastFailedEvaluationTime": number,
      "LastFailedInvocationTime": number,
      "LastSuccessfulEvaluationTime": number,
      "LastSuccessfulInvocationTime": number
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigRulesEvaluationStatus

Status information about your AWS Config managed rules.

Type: Array of [ConfigRuleEvaluationStatus](#) objects

### NextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **NoSuchConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400



## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConfigRules

Returns details about your AWS Config rules.

## Request Syntax

```
{
  "ConfigRuleNames": [ "string" ],
  "Filters": {
    "EvaluationMode": "string"
  },
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleNames

The names of the AWS Config rules for which you want details. If you do not specify any names, AWS Config returns details for all your rules.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

### Filters

Returns a list of Detective or Proactive AWS Config rules. By default, this API returns an unfiltered list. For more information on Detective or Proactive AWS Config rules, see [Evaluation Mode](#) in the *AWS Config Developer Guide*.

Type: [DescribeConfigRulesFilters](#) object

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConfigRules": [
    {
      "ConfigRuleArn": "string",
      "ConfigRuleId": "string",
      "ConfigRuleName": "string",
      "ConfigRuleState": "string",
      "CreatedBy": "string",
      "Description": "string",
      "EvaluationModes": [
        {
          "Mode": "string"
        }
      ],
      "InputParameters": "string",
      "MaximumExecutionFrequency": "string",
      "Scope": {
        "ComplianceResourceId": "string",
        "ComplianceResourceTypes": [ "string" ],
        "TagKey": "string",
        "TagValue": "string"
      },
      "Source": {
        "CustomPolicyDetails": {
          "EnableDebugLogDelivery": boolean,
          "PolicyRuntime": "string",
          "PolicyText": "string"
        },
        "Owner": "string",
        "SourceDetails": [
```

```
    {
      "EventSource": "string",
      "MaximumExecutionFrequency": "string",
      "MessageType": "string"
    },
    "SourceIdentifier": "string"
  }
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigRules

The details about your AWS Config rules.

Type: Array of [ConfigRule](#) objects

### NextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchConfigRuleException

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConfigurationAggregators

Returns the details of one or more configuration aggregators. If the configuration aggregator is not specified, this operation returns the details for all the configuration aggregators associated with the account.

## Request Syntax

```
{
  "ConfigurationAggregatorNames": [ "string" ],
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorNames

The name of the configuration aggregators.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ -]+`

Required: No

### Limit

The maximum number of configuration aggregators returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConfigurationAggregators": [
    {
      "AccountAggregationSources": [
        {
          "AccountIds": [ "string" ],
          "AllAwsRegions": boolean,
          "AwsRegions": [ "string" ]
        }
      ],
      "AggregatorFilters": {
        "ResourceType": {
          "Type": "string",
          "Value": [ "string" ]
        },
        "ServicePrincipal": {
          "Type": "string",
          "Value": [ "string" ]
        }
      },
      "ConfigurationAggregatorArn": "string",
      "ConfigurationAggregatorName": "string",
      "CreatedBy": "string",
      "CreationTime": number,
      "LastUpdatedTime": number,
      "OrganizationAggregationSource": {
        "AllAwsRegions": boolean,
        "AwsRegions": [ "string" ],
      }
    }
  ]
}
```

```
        "RoleArn": "string"  
    }  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationAggregators

Returns a ConfigurationAggregators object.

Type: Array of [ConfigurationAggregator](#) objects

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400



## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConfigurationAggregatorSourcesStatus

Returns status information for sources within an aggregator. The status includes information about the last time AWS Config verified authorization between the source account and an aggregator account. In case of a failure, the status contains the related error code or message.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Limit": number,
  "NextToken": "string",
  "UpdateStatus": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\-\ ]+`

Required: Yes

### Limit

The maximum number of `AggregatorSourceStatus` returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### UpdateStatus

Filters the status type.

- Valid value FAILED indicates errors while moving data.
- Valid value SUCCEEDED indicates the data was successfully moved.
- Valid value OUTDATED indicates the data is not the most recent.

Type: Array of strings

Array Members: Minimum number of 1 item.

Valid Values: FAILED | SUCCEEDED | OUTDATED

Required: No

## Response Syntax

```
{
  "AggregatedSourceStatusList": [
    {
      "AwsRegion": "string",
      "LastErrorCode": "string",
      "LastErrorMessage": "string",
      "LastUpdateStatus": "string",
      "LastUpdateTime": number,
      "SourceId": "string",
      "SourceType": "string"
    }
  ],
  "NextToken": "string"
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregatedSourceStatusList

Returns an `AggregatedSourceStatus` object.

Type: Array of [AggregatedSourceStatus](#) objects

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConfigurationRecorders

Returns details for the configuration recorder you specify.

If a configuration recorder is not specified, this operation returns details for the customer managed configuration recorder configured for the account, if applicable.

## Note

When making a request to this operation, you can only specify one configuration recorder.

## Request Syntax

```
{
  "Arn": "string",
  "ConfigurationRecorderNames": [ "string" ],
  "ServicePrincipal": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Arn

The Amazon Resource Name (ARN) of the configuration recorder that you want to specify.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### ConfigurationRecorderNames

A list of names of the configuration recorders that you want to specify.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### ServicePrincipal

For service-linked configuration recorders, you can use the service principal of the linked AWS service to specify the configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@-]+`

Required: No

## Response Syntax

```
{
  "ConfigurationRecorders": [
    {
      "arn": "string",
      "name": "string",
      "recordingGroup": {
        "allSupported": boolean,
        "exclusionByResourceTypes": {
          "resourceTypes": [ "string" ]
        },
        "includeGlobalResourceTypes": boolean,
        "recordingStrategy": {
          "useOnly": "string"
        },
        "resourceTypes": [ "string" ]
      },
      "recordingMode": {
        "recordingFrequency": "string",
        "recordingModeOverrides": [
          {
            "description": "string",
            "recordingFrequency": "string",
            "resourceTypes": [ "string" ]
          }
        ]
      }
    }
  ]
}
```

```
    ]
  },
  "recordingScope": "string",
  "roleARN": "string",
  "servicePrincipal": "string"
}
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationRecorders

A list that contains the descriptions of the specified configuration recorders.

Type: Array of [ConfigurationRecorder](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidConfigurationRecorderNameException**

The configuration recorder name is not valid. The prefix "AWSConfigurationRecorderFor" is reserved for service-linked configuration recorders.

HTTP Status Code: 400

### **NoSuchConfigurationRecorderException**

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.



For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# DescribeConfigurationRecorderStatus

Returns the current status of the configuration recorder you specify as well as the status of the last recording event for the configuration recorders.

For a detailed status of recording events over time, add your AWS Config events to Amazon CloudWatch metrics and use CloudWatch metrics.

If a configuration recorder is not specified, this operation returns the status for the customer managed configuration recorder configured for the account, if applicable.

## Note

When making a request to this operation, you can only specify one configuration recorder.

## Request Syntax

```
{
  "Arn": "string",
  "ConfigurationRecorderNames": [ "string" ],
  "ServicePrincipal": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Arn

The Amazon Resource Name (ARN) of the configuration recorder that you want to specify.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

## ConfigurationRecorderNames

The name of the configuration recorder. If the name is not specified, the operation returns the status for the customer managed configuration recorder configured for the account, if applicable.

### Note

When making a request to this operation, you can only specify one configuration recorder.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## ServicePrincipal

For service-linked configuration recorders, you can use the service principal of the linked AWS service to specify the configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`

Required: No

## Response Syntax

```
{
  "ConfigurationRecordersStatus": [
    {
      "arn": "string",
      "lastErrorCode": "string",
      "lastErrorMessage": "string",
      "lastStartTime": number,
      "lastStatus": "string",
      "lastStatusChangeTime": number,
    }
  ]
}
```

```
    "lastStopTime": number,
    "name": "string",
    "recording": boolean,
    "servicePrincipal": "string"
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationRecordersStatus

A list that contains status of the specified recorders.

Type: Array of [ConfigurationRecorderStatus](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidConfigurationRecorderNameException**

The configuration recorder name is not valid. The prefix "AWSConfigurationRecorderFor" is reserved for service-linked configuration recorders.

HTTP Status Code: 400

### **NoSuchConfigurationRecorderException**

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# DescribeConformancePackCompliance

Returns compliance details for each rule in that conformance pack.

## Note

You must provide exact rule names.

## Request Syntax

```
{
  "ConformancePackName": "string",
  "Filters": {
    "ComplianceType": "string",
    "ConfigRuleNames": [ "string" ]
  },
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConformancePackName

Name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z][-a-zA-Z0-9]\*

Required: Yes

### Filters

A `ConformancePackComplianceFilters` object.



Type: [ConformancePackComplianceFilters](#) object

Required: No

### Limit

The maximum number of AWS Config rules within a conformance pack are returned on each page.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1000.

Required: No

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConformancePackName": "string",
  "ConformancePackRuleComplianceList": [
    {
      "ComplianceType": "string",
      "ConfigRuleName": "string",
      "Controls": [ "string" ]
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## ConformancePackName

Name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

## ConformancePackRuleComplianceList

Returns a list of `ConformancePackRuleCompliance` objects.

Type: Array of [ConformancePackRuleCompliance](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

## NextToken

The `nextToken` string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **NoSuchConfigRuleInConformancePackException**

AWS Config rule that you passed in the filter does not exist.

HTTP Status Code: 400

### **NoSuchConformancePackException**

You specified one or more conformance packs that do not exist.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConformancePacks

Returns a list of one or more conformance packs.

## Request Syntax

```
{
  "ConformancePackNames": [ "string" ],
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConformancePackNames](#)

Comma-separated list of conformance pack names for which you want details. If you do not specify any names, AWS Config returns details for all your conformance packs.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: No

### [Limit](#)

The maximum number of conformance packs returned on each page.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

## NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConformancePackDetails": [
    {
      "ConformancePackArn": "string",
      "ConformancePackId": "string",
      "ConformancePackInputParameters": [
        {
          "ParameterName": "string",
          "ParameterValue": "string"
        }
      ],
      "ConformancePackName": "string",
      "CreatedBy": "string",
      "DeliveryS3Bucket": "string",
      "DeliveryS3KeyPrefix": "string",
      "LastUpdateRequestedTime": number,
      "TemplateSSMDocumentDetails": {
        "DocumentName": "string",
        "DocumentVersion": "string"
      }
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## ConformancePackDetails

Returns a list of `ConformancePackDetail` objects.

Type: Array of [ConformancePackDetail](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

## NextToken

The `nextToken` string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **NoSuchConformancePackException**

You specified one or more conformance packs that do not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeConformancePackStatus

Provides one or more conformance packs deployment status.

## Note

If there are no conformance packs then you will see an empty result.

## Request Syntax

```
{
  "ConformancePackNames": [ "string" ],
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConformancePackNames

Comma-separated list of conformance pack names.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: No

### Limit

The maximum number of conformance packs status returned on each page.

Type: Integer



Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConformancePackStatusDetails": [
    {
      "ConformancePackArn": "string",
      "ConformancePackId": "string",
      "ConformancePackName": "string",
      "ConformancePackState": "string",
      "ConformancePackStatusReason": "string",
      "LastUpdateCompletedTime": number,
      "LastUpdateRequestedTime": number,
      "StackArn": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConformancePackStatusDetails

A list of `ConformancePackStatusDetail` objects.

Type: Array of [ConformancePackStatusDetail](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

### **NextToken**

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeDeliveryChannels

Returns details about the specified delivery channel. If a delivery channel is not specified, this operation returns the details of all delivery channels associated with the account.

## Note

Currently, you can specify only one delivery channel per region in your account.

## Request Syntax

```
{
  "DeliveryChannelNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### DeliveryChannelNames

A list of delivery channel names.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Response Syntax

```
{
  "DeliveryChannels": [
    {
      "configSnapshotDeliveryProperties": {
        "deliveryFrequency": "string"
      }
    }
  ]
}
```

```
    },
    "name": "string",
    "s3BucketName": "string",
    "s3KeyPrefix": "string",
    "s3KmsKeyArn": "string",
    "snsTopicARN": "string"
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### DeliveryChannels

A list that contains the descriptions of the specified delivery channel.

Type: Array of [DeliveryChannel](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchDeliveryChannelException

You have specified a delivery channel that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeDeliveryChannelStatus

Returns the current status of the specified delivery channel. If a delivery channel is not specified, this operation returns the current status of all delivery channels associated with the account.

## Note

Currently, you can specify only one delivery channel per region in your account.

## Request Syntax

```
{
  "DeliveryChannelNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### DeliveryChannelNames

A list of delivery channel names.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Response Syntax

```
{
  "DeliveryChannelsStatus": [
    {
      "configHistoryDeliveryInfo": {
        "lastAttemptTime": number,
        "lastErrorCode": "string",

```

```
    "lastErrorMessage": "string",
    "lastStatus": "string",
    "lastSuccessfulTime": number,
    "nextDeliveryTime": number
  },
  "configSnapshotDeliveryInfo": {
    "lastAttemptTime": number,
    "lastErrorCode": "string",
    "lastErrorMessage": "string",
    "lastStatus": "string",
    "lastSuccessfulTime": number,
    "nextDeliveryTime": number
  },
  "configStreamDeliveryInfo": {
    "lastErrorCode": "string",
    "lastErrorMessage": "string",
    "lastStatus": "string",
    "lastStatusChangeTime": number
  },
  "name": "string"
}
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### DeliveryChannelsStatus

A list that contains the status of a specified delivery channel.

Type: Array of [DeliveryChannelStatus](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### NoSuchDeliveryChannelException

You have specified a delivery channel that does not exist.



HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeOrganizationConfigRules

Returns a list of organization AWS Config rules.

## Note

When you specify the limit and the next token, you receive a paginated response. Limit and next token are not applicable if you specify organization AWS Config rule names. It is only applicable, when you request all the organization AWS Config rules.

### *For accounts within an organization*

If you deploy an organizational rule or conformance pack in an organization administrator account, and then establish a delegated administrator and deploy an organizational rule or conformance pack in the delegated administrator account, you won't be able to see the organizational rule or conformance pack in the organization administrator account from the delegated administrator account or see the organizational rule or conformance pack in the delegated administrator account from organization administrator account. The `DescribeOrganizationConfigRules` and `DescribeOrganizationConformancePacks` APIs can only see and interact with the organization-related resource that were deployed from within the account calling those APIs.

## Request Syntax

```
{
  "Limit": number,
  "NextToken": "string",
  "OrganizationConfigRuleNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

## Limit

The maximum number of organization AWS Config rules returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## OrganizationConfigRuleNames

The names of organization AWS Config rules for which you want details. If you do not specify any names, AWS Config returns details for all your organization AWS Config rules.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "OrganizationConfigRules": [
    {
      "ExcludedAccounts": [ "string" ],
      "LastUpdateTime": number,
      "OrganizationConfigRuleArn": "string",
```

```

"OrganizationConfigRuleName": "string",
"OrganizationCustomPolicyRuleMetadata": {
  "DebugLogDeliveryAccounts": [ "string" ],
  "Description": "string",
  "InputParameters": "string",
  "MaximumExecutionFrequency": "string",
  "OrganizationConfigRuleTriggerTypes": [ "string" ],
  "PolicyRuntime": "string",
  "ResourceIdScope": "string",
  "ResourceTypesScope": [ "string" ],
  "TagKeyScope": "string",
  "TagValueScope": "string"
},
"OrganizationCustomRuleMetadata": {
  "Description": "string",
  "InputParameters": "string",
  "LambdaFunctionArn": "string",
  "MaximumExecutionFrequency": "string",
  "OrganizationConfigRuleTriggerTypes": [ "string" ],
  "ResourceIdScope": "string",
  "ResourceTypesScope": [ "string" ],
  "TagKeyScope": "string",
  "TagValueScope": "string"
},
"OrganizationManagedRuleMetadata": {
  "Description": "string",
  "InputParameters": "string",
  "MaximumExecutionFrequency": "string",
  "ResourceIdScope": "string",
  "ResourceTypesScope": [ "string" ],
  "RuleIdentifier": "string",
  "TagKeyScope": "string",
  "TagValueScope": "string"
}
}
]
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## OrganizationConfigRules

Returns a list of `OrganizationConfigRule` objects.

Type: Array of [OrganizationConfigRule](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchOrganizationConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an organization AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API

- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeOrganizationConfigRuleStatuses

Provides organization AWS Config rule deployment status for an organization.

## Note

The status is not considered successful until organization AWS Config rule is successfully deployed in all the member accounts with an exception of excluded accounts. When you specify the limit and the next token, you receive a paginated response. Limit and next token are not applicable if you specify organization AWS Config rule names. It is only applicable, when you request all the organization AWS Config rules.

## Request Syntax

```
{
  "Limit": number,
  "NextToken": "string",
  "OrganizationConfigRuleNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Limit

The maximum number of `OrganizationConfigRuleStatuses` returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### OrganizationConfigRuleNames

The names of organization AWS Config rules for which you want status details. If you do not specify any names, AWS Config returns details for all your organization AWS Config rules.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "OrganizationConfigRuleStatuses": [
    {
      "ErrorCode": "string",
      "ErrorMessage": "string",
      "LastUpdateTime": number,
      "OrganizationConfigRuleName": "string",
      "OrganizationRuleStatus": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.



Type: String

### [OrganizationConfigRuleStatuses](#)

A list of `OrganizationConfigRuleStatus` objects.

Type: Array of [OrganizationConfigRuleStatus](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchOrganizationConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an organization AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.

- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delagated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeOrganizationConformancePacks

Returns a list of organization conformance packs.

## Note

When you specify the limit and the next token, you receive a paginated response. Limit and next token are not applicable if you specify organization conformance packs names. They are only applicable, when you request all the organization conformance packs.

### *For accounts within an organization*

If you deploy an organizational rule or conformance pack in an organization administrator account, and then establish a delegated administrator and deploy an organizational rule or conformance pack in the delegated administrator account, you won't be able to see the organizational rule or conformance pack in the organization administrator account from the delegated administrator account or see the organizational rule or conformance pack in the delegated administrator account from organization administrator account. The `DescribeOrganizationConfigRules` and `DescribeOrganizationConformancePacks` APIs can only see and interact with the organization-related resource that were deployed from within the account calling those APIs.

## Request Syntax

```
{
  "Limit": number,
  "NextToken": "string",
  "OrganizationConformancePackNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

## Limit

The maximum number of organization config packs returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## OrganizationConformancePackNames

The name that you assign to an organization conformance pack.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z][-a-zA-Z0-9]\*

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "OrganizationConformancePacks": [
    {
      "ConformancePackInputParameters": [
        {
          "ParameterName": "string",
          "ParameterValue": "string"
        }
      ]
    }
  ]
}
```

```
    ],  
    "DeliveryS3Bucket": "string",  
    "DeliveryS3KeyPrefix": "string",  
    "ExcludedAccounts": [ "string" ],  
    "LastUpdateTime": number,  
    "OrganizationConformancePackArn": "string",  
    "OrganizationConformancePackName": "string"  
  }  
]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### OrganizationConformancePacks

Returns a list of OrganizationConformancePacks objects.

Type: Array of [OrganizationConformancePack](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchOrganizationConformancePackException**

AWS Config organization conformance pack that you passed in the filter does not exist.

For `DeleteOrganizationConformancePack`, you tried to delete an organization conformance pack that does not exist.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeOrganizationConformancePackStatuses

Provides organization conformance pack deployment status for an organization.

## Note

The status is not considered successful until organization conformance pack is successfully deployed in all the member accounts with an exception of excluded accounts. When you specify the limit and the next token, you receive a paginated response. Limit and next token are not applicable if you specify organization conformance pack names. They are only applicable, when you request all the organization conformance packs.

## Request Syntax

```
{
  "Limit": number,
  "NextToken": "string",
  "OrganizationConformancePackNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Limit

The maximum number of OrganizationConformancePackStatuses returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.



Type: String

Required: No

### OrganizationConformancePackNames

The names of organization conformance packs for which you want status details. If you do not specify any names, AWS Config returns details for all your organization conformance packs.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z][-a-zA-Z0-9]\*

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "OrganizationConformancePackStatuses": [
    {
      "ErrorCode": "string",
      "ErrorMessage": "string",
      "LastUpdateTime": number,
      "OrganizationConformancePackName": "string",
      "Status": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## OrganizationConformancePackStatuses

A list of OrganizationConformancePackStatus objects.

Type: Array of [OrganizationConformancePackStatus](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### NoSuchOrganizationConformancePackException

AWS Config organization conformance pack that you passed in the filter does not exist.

For DeleteOrganizationConformancePack, you tried to delete an organization conformance pack that does not exist.

HTTP Status Code: 400

### OrganizationAccessDeniedException

For PutConfigurationAggregator API, you can see this exception for the following reasons:

- No permission to call EnableAWSServiceAccess API

- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribePendingAggregationRequests

Returns a list of all pending aggregation requests.

## Request Syntax

```
{  
  "Limit": number,  
  "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Limit

The maximum number of evaluation results returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{  
  "NextToken": "string",  
}
```

```
"PendingAggregationRequests": [  
  {  
    "RequesterAccountId": "string",  
    "RequesterAwsRegion": "string"  
  }  
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### PendingAggregationRequests

Returns a PendingAggregationRequests object.

Type: Array of [PendingAggregationRequest](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRemediationConfigurations

Returns the details of one or more remediation configurations.

## Request Syntax

```
{
  "ConfigRuleNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleNames

A list of AWS Config rule names of remediation configurations for which you want details.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

## Response Syntax

```
{
  "RemediationConfigurations": [
    {
      "Arn": "string",
      "Automatic": boolean,
      "ConfigRuleName": "string",
      "CreatedByService": "string",
      "ExecutionControls": {
```

```

    "SsmControls": {
      "ConcurrentExecutionRatePercentage": number,
      "ErrorPercentage": number
    }
  },
  "MaximumAutomaticAttempts": number,
  "Parameters": {
    "string" : {
      "ResourceValue": {
        "Value": "string"
      },
      "StaticValue": {
        "Values": [ "string" ]
      }
    }
  },
  "ResourceType": "string",
  "RetryAttemptSeconds": number,
  "TargetId": "string",
  "TargetType": "string",
  "TargetVersion": "string"
}
]
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### RemediationConfigurations

Returns a remediation configuration object.

Type: Array of [RemediationConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).



## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRemediationExceptions

Returns the details of one or more remediation exceptions. A detailed view of a remediation exception for a set of resources that includes an explanation of an exception and the time when the exception will be deleted. When you specify the limit and the next token, you receive a paginated response.

## Note

AWS Config generates a remediation exception when a problem occurs executing a remediation action to a specific resource. Remediation exceptions blocks auto-remediation until the exception is cleared.

When you specify the limit and the next token, you receive a paginated response. Limit and next token are not applicable if you request resources in batch. It is only applicable, when you request all resources.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "Limit": number,
  "NextToken": "string",
  "ResourceKeys": [
    {
      "ResourceId": "string",
      "ResourceType": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

### Limit

The maximum number of `RemediationExceptionResourceKey` returned on each page. The default is 25. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The `nextToken` string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

### ResourceKeys

An exception list of resource exception keys to be processed with the current request. AWS Config adds exception for each resource key. For example, AWS Config adds 3 exceptions for 3 resource keys.

Type: Array of [RemediationExceptionResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: No

## Response Syntax

```
{  
  "NextToken": "string",
```

```
"RemediationExceptions": [  
  {  
    "ConfigRuleName": "string",  
    "ExpirationTime": number,  
    "Message": "string",  
    "ResourceId": "string",  
    "ResourceType": "string"  
  }  
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

### RemediationExceptions

Returns a list of remediation exception objects.

Type: Array of [RemediationException](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRemediationExecutionStatus

Provides a detailed view of a Remediation Execution for a set of resources including state, timestamps for when steps for the remediation execution occur, and any error messages for steps that have failed. When you specify the limit and the next token, you receive a paginated response.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "Limit": number,
  "NextToken": "string",
  "ResourceKeys": [
    {
      "resourceId": "string",
      "resourceType": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

### Limit

The maximum number of RemediationExecutionStatuses returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### ResourceKeys

A list of resource keys to be processed with the current request. Each element in the list consists of the resource type and resource ID.

Type: Array of [ResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "RemediationExecutionStatuses": [
    {
      "InvocationTime": number,
      "LastUpdatedTime": number,
      "ResourceKey": {
        "resourceId": "string",
        "resourceType": "string"
      },
      "State": "string",
      "StepDetails": [
        {
          "ErrorMessage": "string",
          "Name": "string",
```

```
        "StartTime": number,
        "State": "string",
        "StopTime": number
    }
  ]
}
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### RemediationExecutionStatuses

Returns a list of remediation execution statuses objects.

Type: Array of [RemediationExecutionStatus](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.



HTTP Status Code: 400

## NoSuchRemediationConfigurationException

You specified an AWS Config rule without a remediation configuration.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRetentionConfigurations

Returns the details of one or more retention configurations. If the retention configuration name is not specified, this operation returns the details for all the retention configurations for that account.

## Note

Currently, AWS Config supports only one retention configuration per region in your account.

## Request Syntax

```
{  
  "NextToken": "string",  
  "RetentionConfigurationNames": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### RetentionConfigurationNames

A list of names of retention configurations for which you want details. If you do not specify a name, AWS Config returns details for all the retention configurations for that account.

**Note**

Currently, AWS Config supports only one retention configuration per region in your account.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "RetentionConfigurations": [
    {
      "Name": "string",
      "RetentionPeriodInDays": number
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## [RetentionConfigurations](#)

Returns a retention configuration object.

Type: Array of [RetentionConfiguration](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### NoSuchRetentionConfigurationException

You have specified a retention configuration that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DisassociateResourceTypes

Removes all resource types specified in the `ResourceTypes` list from the [RecordingGroup](#) of configuration recorder and excludes these resource types when recording.

For this operation, the configuration recorder must use a [RecordingStrategy](#) that is either `INCLUSION_BY_RESOURCE_TYPES` or `EXCLUSION_BY_RESOURCE_TYPES`.

## Request Syntax

```
{
  "ConfigurationRecorderArn": "string",
  "ResourceTypes": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigurationRecorderArn](#)

The Amazon Resource Name (ARN) of the specified configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### [ResourceTypes](#)

The list of resource types you want to remove from the recording group of the specified configuration recorder.

Type: Array of strings

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection`

| AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance |  
AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway |  
AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog  
| AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain  
| AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role |  
AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline

| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |



AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |

AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |

AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FwotaTask |

AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
 AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
 AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
 AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
 AWS::CodeGuruProfiler::ProfilingGroup |  
 AWS::Route53Resolver::ResolverQueryLoggingConfig |  
 AWS::Batch::SchedulingPolicy |  
 AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
 | AWS::AppMesh::Mesh | AWS::Connect::Instance |  
 AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
 AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
 AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
 | AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
 AWS::IoT TwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
 AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
 | AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
 | AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
 AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
 | AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
 | AWS::GroundStation::DataflowEndpointGroup |  
 AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
 | AWS::QuickSight::DataSource | AWS::QuickSight::Template  
 | AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
 AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
 | AWS::SSM::Document

Required: Yes

## Response Syntax

```

{
  "ConfigurationRecorder": {
    "arn": "string",
    "name": "string",
    "recordingGroup": {
      "allSupported": boolean,
      "exclusionByResourceTypes": {

```

```

    "resourceTypes": [ "string" ]
  },
  "includeGlobalResourceTypes": boolean,
  "recordingStrategy": {
    "useOnly": "string"
  },
  "resourceTypes": [ "string" ]
},
"recordingMode": {
  "recordingFrequency": "string",
  "recordingModeOverrides": [
    {
      "description": "string",
      "recordingFrequency": "string",
      "resourceTypes": [ "string" ]
    }
  ]
},
"recordingScope": "string",
"roleARN": "string",
"servicePrincipal": "string"
}
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationRecorder

Records configuration changes to the resource types in scope.

For more information about the configuration recorder, see [Working with the Configuration Recorder](#) in the *AWS Config Developer Guide*.

Type: [ConfigurationRecorder](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## ConflictException

For [PutServiceLinkedConfigurationRecorder](#), you cannot create a service-linked recorder because a service-linked recorder already exists for the specified service.

For [DeleteServiceLinkedConfigurationRecorder](#), you cannot delete the service-linked recorder because it is currently in use by the linked AWS service.

For [DeleteDeliveryChannel](#), you cannot delete the specified delivery channel because the customer managed configuration recorder is running. Use the [StopConfigurationRecorder](#) operation to stop the customer managed configuration recorder.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- For service-linked configuration recorders, the configuration recorder is not in use by the service. No association or dissociation of resource types is permitted.
- For service-linked configuration recorders, your requested change to the configuration recorder has been denied by its linked AWS service.

HTTP Status Code: 400

## NoSuchConfigurationRecorderException

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAggregateComplianceDetailsByConfigRule

Returns the evaluation results for the specified AWS Config rule for a specific resource in a rule. The results indicate which AWS resources were evaluated by the rule, when each resource was last evaluated, and whether each resource complies with the rule.

## Note

The results can return an empty result page. But if you have a `nextToken`, the results are displayed on the next page.

## Request Syntax

```
{
  "AccountId": "string",
  "AwsRegion": "string",
  "ComplianceType": "string",
  "ConfigRuleName": "string",
  "ConfigurationAggregatorName": "string",
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### AccountId

The 12-digit account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: Yes



## AwsRegion

The source region from where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

## ComplianceType

The resource compliance status.

### Note

For the `GetAggregateComplianceDetailsByConfigRuleRequest` data type, AWS Config supports only the `COMPLIANT` and `NON_COMPLIANT`. AWS Config does not support the `NOT_APPLICABLE` and `INSUFFICIENT_DATA` values.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `NOT_APPLICABLE` | `INSUFFICIENT_DATA`

Required: No

## ConfigRuleName

The name of the AWS Config rule for which you want compliance information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

## ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

### Limit

The maximum number of evaluation results returned on each page. The default is 50. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "AggregateEvaluationResults": [
    {
      "AccountId": "string",
      "Annotation": "string",
      "AwsRegion": "string",
      "ComplianceType": "string",
      "ConfigRuleInvokedTime": number,
      "EvaluationResultIdentifier": {
        "EvaluationResultQualifier": {
          "ConfigRuleName": "string",
          "EvaluationMode": "string",
          "ResourceId": "string",
          "ResourceType": "string"
        },
      },
      "OrderingTimestamp": number,
    }
  ]
}
```

```
        "ResourceEvaluationId": "string"  
    },  
    "ResultRecordedTime": number  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregateEvaluationResults

Returns an `AggregateEvaluationResults` object.

Type: Array of [AggregateEvaluationResult](#) objects

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAggregateConfigRuleComplianceSummary

Returns the number of compliant and noncompliant rules for one or more accounts and regions in an aggregator.

## Note

The results can return an empty result page, but if you have a `nextToken`, the results are displayed on the next page.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Filters": {
    "AccountId": "string",
    "AwsRegion": "string"
  },
  "GroupByKey": "string",
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ -]+`

Required: Yes

## Filters

Filters the results based on the `ConfigRuleComplianceSummaryFilters` object.

Type: [ConfigRuleComplianceSummaryFilters](#) object

Required: No

## GroupByKey

Groups the result based on `ACCOUNT_ID` or `AWS_REGION`.

Type: String

Valid Values: `ACCOUNT_ID` | `AWS_REGION`

Required: No

## Limit

The maximum number of evaluation results returned on each page. The default is 1000. You cannot specify a number greater than 1000. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1000.

Required: No

## NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "AggregateComplianceCounts": [
    {
```

```

    "ComplianceSummary": {
      "ComplianceSummaryTimestamp": number,
      "CompliantResourceCount": {
        "CapExceeded": boolean,
        "CappedCount": number
      },
      "NonCompliantResourceCount": {
        "CapExceeded": boolean,
        "CappedCount": number
      }
    },
    "GroupName": "string"
  }
],
"GroupByKey": "string",
"NextToken": "string"
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregateComplianceCounts

Returns a list of `AggregateComplianceCounts` object.

Type: Array of [AggregateComplianceCount](#) objects

### GroupByKey

Groups the result based on ACCOUNT\_ID or AWS\_REGION.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String



## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.

- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAggregateConformancePackComplianceSummary

Returns the count of compliant and noncompliant conformance packs across all AWS accounts and AWS Regions in an aggregator. You can filter based on AWS account ID or AWS Region.

## Note

The results can return an empty result page, but if you have a `nextToken`, the results are displayed on the next page.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Filters": {
    "AccountId": "string",
    "AwsRegion": "string"
  },
  "GroupByKey": "string",
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ -]+`

Required: Yes

## Filters

Filters the results based on the `AggregateConformancePackComplianceSummaryFilters` object.

Type: [AggregateConformancePackComplianceSummaryFilters](#) object

Required: No

## GroupByKey

Groups the result based on AWS account ID or AWS Region.

Type: String

Valid Values: ACCOUNT\_ID | AWS\_REGION

Required: No

## Limit

The maximum number of results returned on each page. The default is maximum. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "AggregateConformancePackComplianceSummaries": [
    {
      "ComplianceSummary": {
```

```
        "CompliantConformancePackCount": number,
        "NonCompliantConformancePackCount": number
    },
    "GroupName": "string"
}
],
"GroupByKey": "string",
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregateConformancePackComplianceSummaries

Returns a list of `AggregateConformancePackComplianceSummary` object.

Type: Array of [AggregateConformancePackComplianceSummary](#) objects

### GroupByKey

Groups the result based on AWS account ID or AWS Region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchConfigurationAggregatorException**

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAggregateDiscoveredResourceCounts

Returns the resource counts across accounts and regions that are present in your AWS Config aggregator. You can request the resource counts by providing filters and GroupByKey.

For example, if the input contains accountID 12345678910 and region us-east-1 in filters, the API returns the count of resources in account ID 12345678910 and region us-east-1. If the input contains ACCOUNT\_ID as a GroupByKey, the API returns resource counts for all source accounts that are present in your aggregator.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Filters": {
    "AccountId": "string",
    "Region": "string",
    "ResourceType": "string"
  },
  "GroupByKey": "string",
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes



## Filters

Filters the results based on the `ResourceCountFilters` object.

Type: [ResourceCountFilters](#) object

Required: No

## GroupByKey

The key to group the resource counts.

Type: String

Valid Values: RESOURCE\_TYPE | ACCOUNT\_ID | AWS\_REGION

Required: No

## Limit

The maximum number of [GroupedResourceCount](#) objects returned on each page. The default is 1000. You cannot specify a number greater than 1000. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1000.

Required: No

## NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
```

```
"GroupByKey": "string",
"GroupedResourceCounts": [
  {
    "GroupName": "string",
    "ResourceCount": number
  }
],
"NextToken": "string",
"TotalDiscoveredResources": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### GroupByKey

The key passed into the request object. If GroupByKey is not provided, the result will be empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

### GroupedResourceCounts

Returns a list of GroupedResourceCount objects.

Type: Array of GroupedResourceCount objects

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### TotalDiscoveredResources

The total number of resources that are present in an aggregator with the filters that you provide.

Type: Long

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.

- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAggregateResourceConfig

Returns configuration item that is aggregated for your specific resource in a specific source account and region.

## Note

The API does not return results for deleted resources.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "ResourceIdentifier": {
    "ResourceId": "string",
    "ResourceName": "string",
    "ResourceType": "string",
    "SourceAccountId": "string",
    "SourceRegion": "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

## ResourceIdentifier

An object that identifies aggregate resource.

Type: [AggregateResourceIdentifier](#) object

Required: Yes

## Response Syntax

```
{
  "ConfigurationItem": {
    "accountId": "string",
    "arn": "string",
    "availabilityZone": "string",
    "awsRegion": "string",
    "configuration": "string",
    "configurationItemCaptureTime": number,
    "configurationItemDeliveryTime": number,
    "configurationItemMD5Hash": "string",
    "configurationItemStatus": "string",
    "configurationStateId": "string",
    "recordingFrequency": "string",
    "relatedEvents": [ "string" ],
    "relationships": [
      {
        "relationshipName": "string",
        "resourceId": "string",
        "resourceName": "string",
        "resourceType": "string"
      }
    ],
    "resourceCreationTime": number,
    "resourceId": "string",
    "resourceName": "string",
    "resourceType": "string",
    "supplementaryConfiguration": {
      "string" : "string"
    },
    "tags": {
      "string" : "string"
    },
    "version": "string"
  }
}
```

```
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationItem

Returns a `ConfigurationItem` object.

Type: [ConfigurationItem](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **NoSuchConfigurationAggregatorException**

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

### **OversizedConfigurationItemException**

The configuration item size is outside the allowable range.

HTTP Status Code: 400

### **ResourceNotDiscoveredException**

You have specified a resource that is either unknown or has not been discovered.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.

- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetComplianceDetailsByConfigRule

Returns the evaluation results for the specified AWS Config rule. The results indicate which AWS resources were evaluated by the rule, when each resource was last evaluated, and whether each resource complies with the rule.

## Request Syntax

```
{
  "ComplianceTypes": [ "string" ],
  "ConfigRuleName": "string",
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ComplianceTypes

Filters the results by compliance.

INSUFFICIENT\_DATA is a valid ComplianceType that is returned when an AWS Config rule cannot be evaluated. However, INSUFFICIENT\_DATA cannot be used as a ComplianceType for filtering results.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: COMPLIANT | NON\_COMPLIANT | NOT\_APPLICABLE | INSUFFICIENT\_DATA

Required: No

### ConfigRuleName

The name of the AWS Config rule for which you want compliance information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

### Limit

The maximum number of evaluation results returned on each page. The default is 10. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "EvaluationResults": [
    {
      "Annotation": "string",
      "ComplianceType": "string",
      "ConfigRuleInvokedTime": number,
      "EvaluationResultIdentifier": {
        "EvaluationResultQualifier": {
          "ConfigRuleName": "string",
          "EvaluationMode": "string",
          "ResourceId": "string",
          "ResourceType": "string"
        },
        "OrderingTimestamp": number,
        "ResourceEvaluationId": "string"
      },
      "ResultRecordedTime": number,
    }
  ]
}
```

```
    "ResultToken": "string"  
  }  
],  
"NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### EvaluationResults

Indicates whether the AWS resource complies with the specified AWS Config rule.

Type: Array of [EvaluationResult](#) objects

### NextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchConfigRuleException

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetComplianceDetailsByResource

Returns the evaluation results for the specified AWS resource. The results indicate which AWS Config rules were used to evaluate the resource, when each rule was last invoked, and whether the resource complies with each rule.

## Request Syntax

```
{
  "ComplianceTypes": [ "string" ],
  "NextToken": "string",
  "ResourceEvaluationId": "string",
  "ResourceId": "string",
  "ResourceType": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ComplianceTypes

Filters the results by compliance.

INSUFFICIENT\_DATA is a valid ComplianceType that is returned when an AWS Config rule cannot be evaluated. However, INSUFFICIENT\_DATA cannot be used as a ComplianceType for filtering results.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: COMPLIANT | NON\_COMPLIANT | NOT\_APPLICABLE | INSUFFICIENT\_DATA

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### ResourceEvaluationId

The unique ID of AWS resource execution for which you want to retrieve evaluation results.

#### **Note**

You need to only provide either a `ResourceEvaluationID` or a `ResourceID` and `ResourceType`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### ResourceId

The ID of the AWS resource for which you want compliance information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### ResourceType

The type of the AWS resource for which you want compliance information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Response Syntax

```
{
  "EvaluationResults": [
```

```
{
  "Annotation": "string",
  "ComplianceType": "string",
  "ConfigRuleInvokedTime": number,
  "EvaluationResultIdentifier": {
    "EvaluationResultQualifier": {
      "ConfigRuleName": "string",
      "EvaluationMode": "string",
      "ResourceId": "string",
      "ResourceType": "string"
    },
    "OrderingTimestamp": number,
    "ResourceEvaluationId": "string"
  },
  "ResultRecordedTime": number,
  "ResultToken": "string"
}
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### EvaluationResults

Indicates whether the specified AWS resource complies each AWS Config rule.

Type: Array of [EvaluationResult](#) objects

### NextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetComplianceSummaryByConfigRule

Returns the number of AWS Config rules that are compliant and noncompliant, up to a maximum of 25 for each.

## Response Syntax

```
{
  "ComplianceSummary": {
    "ComplianceSummaryTimestamp": number,
    "CompliantResourceCount": {
      "CapExceeded": boolean,
      "CappedCount": number
    },
    "NonCompliantResourceCount": {
      "CapExceeded": boolean,
      "CappedCount": number
    }
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ComplianceSummary

The number of AWS Config rules that are compliant and the number that are noncompliant, up to a maximum of 25 for each.

Type: [ComplianceSummary](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetComplianceSummaryByResourceType

Returns the number of resources that are compliant and the number that are noncompliant. You can specify one or more resource types to get these numbers for each resource type. The maximum number returned is 100.

## Request Syntax

```
{  
  "ResourceTypes": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ResourceTypes

Specify one or more resource types to get the number of resources that are compliant and the number that are noncompliant for each resource type.

For this request, you can specify an AWS resource type such as `AWS::EC2::Instance`. You can specify that the resource type is an AWS account by specifying `AWS:::Account`.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Response Syntax

```
{  
  "ComplianceSummariesByResourceType": [  
    {  
      "ComplianceSummary": {  
        "Compliant": 1,  
        "NonCompliant": 0,  
        "ResourceType": "AWS::EC2::Instance"  
      }  
    }  
  ]  
}
```

```
{
  "ComplianceSummary": {
    "ComplianceSummaryTimestamp": number,
    "CompliantResourceCount": {
      "CapExceeded": boolean,
      "CappedCount": number
    },
    "NonCompliantResourceCount": {
      "CapExceeded": boolean,
      "CappedCount": number
    }
  },
  "ResourceType": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ComplianceSummariesByResourceType

The number of resources that are compliant and the number that are noncompliant. If one or more resource types were provided with the request, the numbers are returned for each resource type. The maximum number returned is 100.

Type: Array of [ComplianceSummaryByResourceType](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetConformancePackComplianceDetails

Returns compliance details of a conformance pack for all AWS resources that are monitored by conformance pack.

## Request Syntax

```
{
  "ConformancePackName": "string",
  "Filters": {
    "ComplianceType": "string",
    "ConfigRuleNames": [ "string" ],
    "ResourceIds": [ "string" ],
    "ResourceType": "string"
  },
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConformancePackName

Name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z][-a-zA-Z0-9]\*

Required: Yes

### Filters

A ConformancePackEvaluationFilters object.

Type: [ConformancePackEvaluationFilters](#) object

Required: No

### Limit

The maximum number of evaluation results returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConformancePackName": "string",
  "ConformancePackRuleEvaluationResults": [
    {
      "Annotation": "string",
      "ComplianceType": "string",
      "ConfigRuleInvokedTime": number,
      "EvaluationResultIdentifier": {
        "EvaluationResultQualifier": {
          "ConfigRuleName": "string",
          "EvaluationMode": "string",
          "ResourceId": "string",
          "ResourceType": "string"
        },
        "OrderingTimestamp": number,
        "ResourceEvaluationId": "string"
      },
      "ResultRecordedTime": number
    }
  ]
}
```

```
  ],  
  "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConformancePackName

Name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

### ConformancePackRuleEvaluationResults

Returns a list of `ConformancePackEvaluationResult` objects.

Type: Array of [ConformancePackEvaluationResult](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

### NextToken

The `nextToken` string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400



## InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchConfigRuleInConformancePackException

AWS Config rule that you passed in the filter does not exist.

HTTP Status Code: 400

## NoSuchConformancePackException

You specified one or more conformance packs that do not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetConformancePackComplianceSummary

Returns compliance details for the conformance pack based on the cumulative compliance results of all the rules in that conformance pack.

## Request Syntax

```
{
  "ConformancePackNames": [ "string" ],
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConformancePackNames

Names of conformance packs.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

### Limit

The maximum number of conformance packs returned on each page.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

## [NextToken](#)

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConformancePackComplianceSummaryList": [
    {
      "ConformancePackComplianceStatus": "string",
      "ConformancePackName": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ConformancePackComplianceSummaryList](#)

A list of [ConformancePackComplianceSummary](#) objects.

Type: Array of [ConformancePackComplianceSummary](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

### [NextToken](#)

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### NoSuchConformancePackException

You specified one or more conformance packs that do not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetCustomRulePolicy

Returns the policy definition containing the logic for your AWS Config Custom Policy rule.

## Request Syntax

```
{  
  "ConfigRuleName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of your AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

## Response Syntax

```
{  
  "PolicyText": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## **PolicyText**

The policy definition containing the logic for your AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10000.

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **NoSuchConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetDiscoveredResourceCounts

Returns the resource types, the number of each resource type, and the total number of resources that AWS Config is recording in this region for your AWS account.

## Example

1. AWS Config is recording three resource types in the US East (Ohio) Region for your account: 25 EC2 instances, 20 IAM users, and 15 S3 buckets.
2. You make a call to the `GetDiscoveredResourceCounts` action and specify that you want all resource types.
3. AWS Config returns the following:
  - The resource types (EC2 instances, IAM users, and S3 buckets).
  - The number of each resource type (25, 20, and 15).
  - The total number of all resources (60).

The response is paginated. By default, AWS Config lists 100 [ResourceCount](#) objects on each page. You can customize this number with the `limit` parameter. The response includes a `nextToken` string. To get the next page of results, run the request again and specify the string for the `nextToken` parameter.

### Note

If you make a call to the [GetDiscoveredResourceCounts](#) action, you might not immediately receive resource counts in the following situations:

- You are a new AWS Config customer.
- You just enabled resource recording.

It might take a few minutes for AWS Config to record and count your resources. Wait a few minutes and then retry the [GetDiscoveredResourceCounts](#) action.

## Request Syntax

```
{
```



```
"limit": number,  
"nextToken": "string",  
"resourceTypes": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### limit

The maximum number of [ResourceCount](#) objects returned on each page. The default is 100. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### nextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### resourceTypes

The comma-separated list that specifies the resource types that you want AWS Config to return (for example, "AWS::EC2::Instance", "AWS::IAM::User").

If a value for resourceTypes is not specified, AWS Config returns all resource types that AWS Config is recording in the region for your account.

#### Note

If the configuration recorder is turned off, AWS Config returns an empty list of [ResourceCount](#) objects. If the configuration recorder is not recording a specific

resource type (for example, S3 buckets), that resource type is not returned in the list of [ResourceCount](#) objects.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Response Syntax

```
{
  "nextToken": "string",
  "resourceCounts": [
    {
      "count": number,
      "resourceType": "string"
    }
  ],
  "totalDiscoveredResources": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [nextToken](#)

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

### [resourceCounts](#)

The list of ResourceCount objects. Each object is listed in descending order by the number of resources.

Type: Array of [ResourceCount](#) objects

### **totalDiscoveredResources**

The total number of resources that AWS Config is recording in the region for your account. If you specify resource types in the request, AWS Config returns only the total number of resources for those resource types.

#### **Example**

1. AWS Config is recording three resource types in the US East (Ohio) Region for your account: 25 EC2 instances, 20 IAM users, and 15 S3 buckets, for a total of 60 resources.
2. You make a call to the `GetDiscoveredResourceCounts` action and specify the resource type, "AWS::EC2::Instances", in the request.
3. AWS Config returns 25 for `totalDiscoveredResources`.

Type: Long

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.

- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetOrganizationConfigRuleDetailedStatus

Returns detailed status for each member account within an organization for a given organization AWS Config rule.

## Request Syntax

```
{
  "Filters": {
    "AccountId": "string",
    "MemberAccountRuleStatus": "string"
  },
  "Limit": number,
  "NextToken": "string",
  "OrganizationConfigRuleName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filters

A `StatusDetailFilters` object.

Type: [StatusDetailFilters](#) object

Required: No

### Limit

The maximum number of `OrganizationConfigRuleDetailedStatus` returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## OrganizationConfigRuleName

The name of your organization AWS Config rule for which you want status details for member accounts.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9- _]+`

Required: Yes

## Response Syntax

```
{
  "NextToken": "string",
  "OrganizationConfigRuleDetailedStatus": [
    {
      "AccountId": "string",
      "ConfigRuleName": "string",
      "ErrorCode": "string",
      "ErrorMessage": "string",
      "LastUpdateTime": number,
      "MemberAccountRuleStatus": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### OrganizationConfigRuleDetailedStatus

A list of `MemberAccountStatus` objects.

Type: Array of [MemberAccountStatus](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchOrganizationConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an organization AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API

- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetOrganizationConformancePackDetailedStatus

Returns detailed status for each member account within an organization for a given organization conformance pack.

## Request Syntax

```
{
  "Filters": {
    "AccountId": "string",
    "Status": "string"
  },
  "Limit": number,
  "NextToken": "string",
  "OrganizationConformancePackName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filters

An `OrganizationResourceDetailedStatusFilters` object.

Type: [OrganizationResourceDetailedStatusFilters](#) object

Required: No

### Limit

The maximum number of `OrganizationConformancePackDetailedStatuses` returned on each page. If you do not specify a number, AWS Config uses the default. The default is 100.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## OrganizationConformancePackName

The name of organization conformance pack for which you want status details for member accounts.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

## Response Syntax

```
{
  "NextToken": "string",
  "OrganizationConformancePackDetailedStatuses": [
    {
      "AccountId": "string",
      "ConformancePackName": "string",
      "ErrorCode": "string",
      "ErrorMessage": "string",
      "LastUpdateTime": number,
      "Status": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### OrganizationConformancePackDetailedStatuses

A list of OrganizationConformancePackDetailedStatus objects.

Type: Array of OrganizationConformancePackDetailedStatus objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchOrganizationConformancePackException**

AWS Config organization conformance pack that you passed in the filter does not exist.

For DeleteOrganizationConformancePack, you tried to delete an organization conformance pack that does not exist.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For PutConfigurationAggregator API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetOrganizationCustomRulePolicy

Returns the policy definition containing the logic for your organization AWS Config Custom Policy rule.

## Request Syntax

```
{  
  "OrganizationConfigRuleName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### OrganizationConfigRuleName

The name of your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: Yes

## Response Syntax

```
{  
  "PolicyText": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## **PolicyText**

The policy definition containing the logic for your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10000.

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **NoSuchOrganizationConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an organization AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For PutConfigurationAggregator API, you can see this exception for the following reasons:

- No permission to call EnableAWSServiceAccess API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call ListDelegatedAdministrators API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all OrganizationConfigRule and OrganizationConformancePack APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetResourceConfigHistory

## Important

For accurate reporting on the compliance status, you must record the `AWS::Config::ResourceCompliance` resource type. For more information, see [Selecting Which Resources AWS Config Records](#).

Returns a list of `ConfigurationItems` for the specified resource. The list contains details about each state of the resource during the specified time interval. If you specified a retention period to retain your `ConfigurationItems` between a minimum of 30 days and a maximum of 7 years (2557 days), AWS Config returns the `ConfigurationItems` for the specified retention period.

The response is paginated. By default, AWS Config returns a limit of 10 configuration items per page. You can customize this number with the `limit` parameter. The response includes a `nextToken` string. To get the next page of results, run the request again and specify the string for the `nextToken` parameter.

## Note

Each call to the API is limited to span a duration of seven days. It is likely that the number of records returned is smaller than the specified `limit`. In such cases, you can make another call, using the `nextToken`.

## Request Syntax

```
{
  "chronologicalOrder": "string",
  "earlierTime": number,
  "laterTime": number,
  "limit": number,
  "nextToken": "string",
  "resourceId": "string",
  "resourceType": "string"
}
```



## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### chronologicalOrder

The chronological order for configuration items listed. By default, the results are listed in reverse chronological order.

Type: String

Valid Values: Reverse | Forward

Required: No

### earlierTime

The chronologically earliest time in the time range for which the history requested. If not specified, the action returns paginated results that contain configuration items that start when the first configuration item was recorded.

Type: Timestamp

Required: No

### laterTime

The chronologically latest time in the time range for which the history requested. If not specified, current time is taken.

Type: Timestamp

Required: No

### limit

The maximum number of configuration items returned on each page. The default is 10. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

## nextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## resourceId

The ID of the resource (for example, sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

## resourceType

The resource type.

Type: String

Valid Values: AWS::EC2::CustomerGateway | AWS::EC2::EIP | AWS::EC2::Host | AWS::EC2::Instance | AWS::EC2::InternetGateway | AWS::EC2::NetworkAcl | AWS::EC2::NetworkInterface | AWS::EC2::RouteTable | AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail | AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection | AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance | AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway | AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog | AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain | AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role | AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer | AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup | AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot | AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot | AWS::RDS::EventSubscription | AWS::S3::Bucket | AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster | AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |

AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup

| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |

AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig

| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream

| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTtwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider

| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
 AWS::IoT::TwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
 AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
 | AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
 | AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
 AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
 | AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
 | AWS::GroundStation::DataflowEndpointGroup |  
 AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
 | AWS::QuickSight::DataSource | AWS::QuickSight::Template  
 | AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
 AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
 | AWS::SSM::Document

Required: Yes

## Response Syntax

```
{
  "configurationItems": [
    {
      "accountId": "string",
      "arn": "string",
      "availabilityZone": "string",
      "awsRegion": "string",
      "configuration": "string",
      "configurationItemCaptureTime": number,
      "configurationItemDeliveryTime": number,
      "configurationItemMD5Hash": "string",
      "configurationItemStatus": "string",
      "configurationStateId": "string",
      "recordingFrequency": "string",
      "relatedEvents": [ "string" ],
      "relationships": [
        {
          "relationshipName": "string",
          "resourceId": "string",
          "resourceName": "string",
          "resourceType": "string"
        }
      ]
    }
  ]
}
```



```
    ],
    "resourceCreationTime": number,
    "resourceId": "string",
    "resourceName": "string",
    "resourceType": "string",
    "supplementaryConfiguration": {
      "string" : "string"
    },
    "tags": {
      "string" : "string"
    },
    "version": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### configurationItems

A list that contains the configuration history of one or more resources.

Type: Array of [ConfigurationItem](#) objects

### nextToken

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **InvalidTimeRangeException**

The specified time range is not valid. The earlier time is not chronologically before the later time.

HTTP Status Code: 400

### **NoAvailableConfigurationRecorderException**

There are no customer managed configuration recorders available to record your resources. Use the [PutConfigurationRecorder](#) operation to create the customer managed configuration recorder.

HTTP Status Code: 400

### **ResourceNotDiscoveredException**

You have specified a resource that is either unknown or has not been discovered.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.

- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetResourceEvaluationSummary

Returns a summary of resource evaluation for the specified resource evaluation ID from the proactive rules that were run. The results indicate which evaluation context was used to evaluate the rules, which resource details were evaluated, the evaluation mode that was run, and whether the resource details comply with the configuration of the proactive rules.

## Note

To see additional information about the evaluation result, such as which rule flagged a resource as NON\_COMPLIANT, use the [GetComplianceDetailsByResource](#) API. For more information, see the [Examples](#) section.

## Request Syntax

```
{  
  "ResourceEvaluationId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ResourceEvaluationId](#)

The unique ResourceEvaluationId of AWS resource execution for which you want to retrieve the evaluation summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

## Response Syntax

```
{
```

```
"Compliance": "string",
"EvaluationContext": {
  "EvaluationContextIdentifier": "string"
},
"EvaluationMode": "string",
"EvaluationStartTimestamp": number,
"EvaluationStatus": {
  "FailureReason": "string",
  "Status": "string"
},
"ResourceDetails": {
  "ResourceConfiguration": "string",
  "ResourceConfigurationSchemaType": "string",
  "ResourceId": "string",
  "ResourceType": "string"
},
"ResourceEvaluationId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Compliance

The compliance status of the resource evaluation summary.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | NOT\_APPLICABLE | INSUFFICIENT\_DATA

### EvaluationContext

Returns an EvaluationContext object.

Type: [EvaluationContext](#) object

### EvaluationMode

Lists results of the mode that you requested to retrieve the resource evaluation summary. The valid values are Detective or Proactive.

Type: String

Valid Values: DETECTIVE | PROACTIVE

### EvaluationStartTimestamp

The start timestamp when AWS Config rule starts evaluating compliance for the provided resource details.

Type: Timestamp

### EvaluationStatus

Returns an `EvaluationStatus` object.

Type: [EvaluationStatus](#) object

### ResourceDetails

Returns a `ResourceDetails` object.

Type: [ResourceDetails](#) object

### ResourceEvaluationId

The unique `ResourceEvaluationId` of AWS resource execution for which you want to retrieve the evaluation summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **ResourceNotFoundException**

You have specified a resource that does not exist.

HTTP Status Code: 400

## Examples

### Example

To see additional information about the evaluation result, such as which rule flagged a resource as `NON_COMPLIANT`, use the [GetComplianceDetailsByResource](#) API. For example:

```
aws configservice get-compliance-details-by-resource --resource-evaluation-id MY-EVALUATION-ID
{
  "EvaluationResults": [
    {
      "EvaluationResultIdentifier": {
        "EvaluationResultQualifier": {
          "ConfigRuleName": "s3-bucket-logging-enabled",
          "ResourceType": "AWS::S3::Bucket",
          "ResourceId": "MY-RESOURCE-ID",
          "EvaluationMode": "PROACTIVE"
        },
        "OrderingTimestamp": "2022-12-23T14:35:40.036000-05:00",
        "ResourceEvaluationId": "MY-EVALUATION-ID"
      },
      "ComplianceType": "NON_COMPLIANT",
      "ResultRecordedTime": "2022-12-23T14:35:11.213000-05:00",
      "ConfigRuleInvokedTime": "2022-12-23T14:35:10.978000-05:00"
    }
  ]
}
```

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetStoredQuery

Returns the details of a specific stored query.

## Request Syntax

```
{
  "QueryName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### QueryName

The name of the query.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9- _]+$`

Required: Yes

## Response Syntax

```
{
  "StoredQuery": {
    "Description": "string",
    "Expression": "string",
    "QueryArn": "string",
    "QueryId": "string",
    "QueryName": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [StoredQuery](#)

Returns a `StoredQuery` object.

Type: [StoredQuery](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **ResourceNotFoundException**

You have specified a resource that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListAggregateDiscoveredResources

Accepts a resource type and returns a list of resource identifiers that are aggregated for a specific resource type across accounts and regions. A resource identifier includes the resource type, ID, (if available) the custom resource name, source account, and source region. You can narrow the results to include only resources that have specific resource IDs, or a resource name, or source account ID, or source region.

For example, if the input consists of accountID 12345678910 and the region is us-east-1 for resource type `AWS::EC2::Instance` then the API returns all the EC2 instance identifiers of accountID 12345678910 and region us-east-1.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Filters": {
    "AccountId": "string",
    "Region": "string",
    "ResourceId": "string",
    "ResourceName": "string"
  },
  "Limit": number,
  "NextToken": "string",
  "ResourceType": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\-\ ]+`

Required: Yes

### Filters

Filters the results based on the `ResourceFilters` object.

Type: [ResourceFilters](#) object

Required: No

### Limit

The maximum number of resource identifiers returned on each page. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### ResourceType

The type of resources that you want AWS Config to list in the response.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` | `AWS::EC2::NatGateway` | `AWS::EC2::EgressOnlyInternetGateway` | `AWS::EC2::VPCEndpoint` | `AWS::EC2::VPCEndpointService` | `AWS::EC2::FlowLog` | `AWS::EC2::VPCPeeringConnection` | `AWS::Elasticsearch::Domain` | `AWS::IAM::Group` | `AWS::IAM::Policy` | `AWS::IAM::Role` |

AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan

| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace

| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |



AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoT TwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |

AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FwotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |

AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTtwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: Yes

## Response Syntax

```
{
  "NextToken": "string",
  "ResourceIdentifiers": [
    {
      "ResourceId": "string",
      "ResourceName": "string",
      "ResourceType": "string",
      "SourceAccountId": "string",
      "SourceRegion": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### ResourceIdentifiers

Returns a list of ResourceIdentifiers objects.

Type: Array of [AggregateResourceIdentifier](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **NoSuchConfigurationAggregatorException**

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# ListConfigurationRecorders

Returns a list of configuration recorders depending on the filters you specify.

## Request Syntax

```
{
  "Filters": [
    {
      "filterName": "string",
      "filterValue": [ "string" ]
    }
  ],
  "MaxResults": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filters

Filters the results based on a list of ConfigurationRecorderFilter objects that you specify.

Type: Array of [ConfigurationRecorderFilter](#) objects

Required: No

### MaxResults

The maximum number of results to include in the response.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

### NextToken

The NextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "ConfigurationRecorderSummaries": [
    {
      "arn": "string",
      "name": "string",
      "recordingScope": "string",
      "servicePrincipal": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ConfigurationRecorderSummaries](#)

A list of ConfigurationRecorderSummary objects that includes.

Type: Array of [ConfigurationRecorderSummary](#) objects

### [NextToken](#)

The NextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).



## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListConformancePackComplianceScores

Returns a list of conformance pack compliance scores. A compliance score is the percentage of the number of compliant rule-resource combinations in a conformance pack compared to the number of total possible rule-resource combinations in the conformance pack. This metric provides you with a high-level view of the compliance state of your conformance packs. You can use it to identify, investigate, and understand the level of compliance in your conformance packs.

## Note

Conformance packs with no evaluation results will have a compliance score of `INSUFFICIENT_DATA`.

## Request Syntax

```
{
  "Filters": {
    "ConformancePackNames": [ "string" ]
  },
  "Limit": number,
  "NextToken": "string",
  "SortBy": "string",
  "SortOrder": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filters

Filters the results based on the `ConformancePackComplianceScoresFilters`.

Type: [ConformancePackComplianceScoresFilters](#) object

Required: No

## Limit

The maximum number of conformance pack compliance scores returned on each page.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

## NextToken

The nextToken string in a prior request that you can use to get the paginated response for the next set of conformance pack compliance scores.

Type: String

Required: No

## SortBy

Sorts your conformance pack compliance scores in either ascending or descending order, depending on SortOrder.

By default, conformance pack compliance scores are sorted in alphabetical order by name of the conformance pack. Enter SCORE, to sort conformance pack compliance scores by the numerical value of the compliance score.

Type: String

Valid Values: SCORE

Required: No

## SortOrder

Determines the order in which conformance pack compliance scores are sorted. Either in ascending or descending order.

By default, conformance pack compliance scores are sorted in alphabetical order by name of the conformance pack. Conformance pack compliance scores are sorted in reverse alphabetical order if you enter DESCENDING.

You can sort conformance pack compliance scores by the numerical value of the compliance score by entering SCORE in the SortBy action. When compliance scores are sorted by SCORE, conformance packs with a compliance score of INSUFFICIENT\_DATA will be last when sorting by ascending order and first when sorting by descending order.

Type: String

Valid Values: ASCENDING | DESCENDING

Required: No

## Response Syntax

```
{
  "ConformancePackComplianceScores": [
    {
      "ConformancePackName": "string",
      "LastUpdatedTime": number,
      "Score": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConformancePackComplianceScores

A list of ConformancePackComplianceScore objects.

Type: Array of [ConformancePackComplianceScore](#) objects

### NextToken

The nextToken string that you can use to get the next page of results in a paginated response.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDiscoveredResources

Accepts a resource type and returns a list of resource identifiers for the resources of that type. A resource identifier includes the resource type, ID, and (if available) the custom resource name. The results consist of resources that AWS Config has discovered, including those that AWS Config is not currently recording. You can narrow the results to include only resources that have specific resource IDs or a resource name.

## Note

You can specify either resource IDs or a resource name, but not both, in the same request.

The response is paginated. By default, AWS Config lists 100 resource identifiers on each page. You can customize this number with the `limit` parameter. The response includes a `nextToken` string. To get the next page of results, run the request again and specify the string for the `nextToken` parameter.

## Request Syntax

```
{
  "includeDeletedResources": boolean,
  "limit": number,
  "nextToken": "string",
  "resourceIds": [ "string" ],
  "resourceName": "string",
  "resourceType": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [includeDeletedResources](#)

Specifies whether AWS Config includes deleted resources in the results. By default, deleted resources are not included.

Type: Boolean

Required: No

### limit

The maximum number of resource identifiers returned on each page. The default is 100. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### nextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### resourceIds

The IDs of only those resources that you want AWS Config to list in the response. If you do not specify this parameter, AWS Config lists all resources of the specified type that it has discovered. You can list a minimum of 1 resourceID and a maximum of 20 resourceIds.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### resourceName

The custom name of only those resources that you want AWS Config to list in the response. If you do not specify this parameter, AWS Config lists all resources of the specified type that it has discovered.

Type: String



Required: No

## resourceType

The type of resources that you want AWS Config to list in the response.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkACL` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` | `AWS::EC2::NatGateway` | `AWS::EC2::EgressOnlyInternetGateway` | `AWS::EC2::VPCEndpoint` | `AWS::EC2::VPCEndpointService` | `AWS::EC2::FlowLog` | `AWS::EC2::VPCPeeringConnection` | `AWS::Elasticsearch::Domain` | `AWS::IAM::Group` | `AWS::IAM::Policy` | `AWS::IAM::Role` | `AWS::IAM::User` | `AWS::ElasticLoadBalancingV2::LoadBalancer` | `AWS::ACM::Certificate` | `AWS::RDS::DBInstance` | `AWS::RDS::DBSubnetGroup` | `AWS::RDS::DBSecurityGroup` | `AWS::RDS::DBSnapshot` | `AWS::RDS::DBCluster` | `AWS::RDS::DBClusterSnapshot` | `AWS::RDS::EventSubscription` | `AWS::S3::Bucket` | `AWS::S3::AccountPublicAccessBlock` | `AWS::Redshift::Cluster` | `AWS::Redshift::ClusterSnapshot` | `AWS::Redshift::ClusterParameterGroup` | `AWS::Redshift::ClusterSecurityGroup` | `AWS::Redshift::ClusterSubnetGroup` | `AWS::Redshift::EventSubscription` | `AWS::SSM::ManagedInstanceInventory` | `AWS::CloudWatch::Alarm` | `AWS::CloudFormation::Stack` | `AWS::ElasticLoadBalancing::LoadBalancer` | `AWS::AutoScaling::AutoScalingGroup` | `AWS::AutoScaling::LaunchConfiguration` | `AWS::AutoScaling::ScalingPolicy` | `AWS::AutoScaling::ScheduledAction` | `AWS::DynamoDB::Table` | `AWS::CodeBuild::Project` | `AWS::WAF::RateBasedRule` | `AWS::WAF::Rule` | `AWS::WAF::RuleGroup` | `AWS::WAF::WebACL` | `AWS::WAFRegional::RateBasedRule` | `AWS::WAFRegional::Rule` | `AWS::WAFRegional::RuleGroup` | `AWS::WAFRegional::WebACL` | `AWS::CloudFront::Distribution` | `AWS::CloudFront::StreamingDistribution` | `AWS::Lambda::Function` | `AWS::NetworkFirewall::Firewall` | `AWS::NetworkFirewall::FirewallPolicy`

| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |

AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |

AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTTwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |

AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |

AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTTwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: Yes

## Response Syntax

```
{
  "nextToken": "string",
  "resourceIdentifiers": [
    {
      "resourceDeletionTime": number,
      "resourceId": "string",
      "resourceName": "string",
      "resourceType": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [nextToken](#)

The string that you use in a subsequent request to get the next page of results in a paginated response.

Type: String

### [resourceIdentifiers](#)

The details that identify a resource that is discovered by AWS Config, including the resource type, ID, and (if available) the custom resource name.

Type: Array of [ResourceIdentifier](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

## InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## NoAvailableConfigurationRecorderException

There are no customer managed configuration recorders available to record your resources. Use the [PutConfigurationRecorder](#) operation to create the customer managed configuration recorder.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.



- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListResourceEvaluations

Returns a list of proactive resource evaluations.

## Request Syntax

```
{
  "Filters": {
    "EvaluationContextIdentifier": "string",
    "EvaluationMode": "string",
    "TimeWindow": {
      "EndTime": number,
      "StartTime": number
    }
  },
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filters

Returns a ResourceEvaluationFilters object.

Type: [ResourceEvaluationFilters](#) object

Required: No

### Limit

The maximum number of evaluations returned on each page. The default is 10. You cannot specify a number greater than 100. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### [NextToken](#)

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "ResourceEvaluations": [
    {
      "EvaluationMode": "string",
      "EvaluationStartTimestamp": number,
      "ResourceEvaluationId": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [NextToken](#)

The `nextToken` string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

### [ResourceEvaluations](#)

Returns a `ResourceEvaluations` object.

Type: Array of [ResourceEvaluation](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### InvalidTimeRangeException

The specified time range is not valid. The earlier time is not chronologically before the later time.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListStoredQueries

Lists the stored queries for a single AWS account and a single AWS Region. The default is 100.

## Request Syntax

```
{  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### MaxResults

The maximum number of results to be returned with a single call.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{  
  "NextToken": "string",  
}
```

```
"StoredQueryMetadata": [  
  {  
    "Description": "string",  
    "QueryArn": "string",  
    "QueryId": "string",  
    "QueryName": "string"  
  }  
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [NextToken](#)

If the previous paginated request didn't return all of the remaining results, the response object's `NextToken` parameter value is set to a token. To retrieve the next set of results, call this operation again and assign that token to the request object's `NextToken` parameter. If there are no remaining results, the previous response object's `NextToken` parameter is set to `null`.

Type: String

### [StoredQueryMetadata](#)

A list of `StoredQueryMetadata` objects.

Type: Array of [StoredQueryMetadata](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### `InvalidNextTokenException`

The specified next token is not valid. Specify the `nextToken` string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)



- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

List the tags for AWS Config resource.

## Request Syntax

```
{  
  "Limit": number,  
  "NextToken": "string",  
  "ResourceArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Limit

The maximum number of tags returned on each page. The limit maximum is 50. You cannot specify a number greater than 50. If you specify 0, AWS Config uses the default.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

Required: No

### ResourceArn

The Amazon Resource Name (ARN) that identifies the resource for which to list the tags. The following resources are supported:

- ConfigurationRecorder
- ConfigRule
- OrganizationConfigRule
- ConformancePack
- OrganizationConformancePack
- ConfigurationAggregator
- AggregationAuthorization
- StoredQuery

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

## Response Syntax

```
{
  "NextToken": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned on a previous page that you use to get the next page of results in a paginated response.

Type: String

## Tags

The tags for the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

### **ResourceNotFoundException**

You have specified a resource that does not exist.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutAggregationAuthorization

Authorizes the aggregator account and region to collect data from the source account and region.

## Note

### Tags are added at creation and cannot be updated with this operation

PutAggregationAuthorization is an idempotent API. Subsequent requests won't create a duplicate resource if one was already created. If a following request has different tags values, AWS Config will ignore these differences and treat it as an idempotent request of the previous. In this case, tags will not be updated, even if they are different.

Use [TagResource](#) and [UntagResource](#) to update tags after creation.

## Request Syntax

```
{
  "AuthorizedAccountId": "string",
  "AuthorizedAwsRegion": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [AuthorizedAccountId](#)

The 12-digit account ID of the account authorized to aggregate data.

Type: String

Pattern: `\d{12}`

Required: Yes

### AuthorizedAwsRegion

The region authorized to collect aggregated data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

### Tags

An array of tag object.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## Response Syntax

```
{
  "AggregationAuthorization": {
    "AggregationAuthorizationArn": "string",
    "AuthorizedAccountId": "string",
    "AuthorizedAwsRegion": "string",
    "CreationTime": number
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AggregationAuthorization

Returns an AggregationAuthorization object.

Type: [AggregationAuthorization](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# PutConfigRule

Adds or updates an AWS Config rule to evaluate if your AWS resources comply with your desired configurations. For information on how many AWS Config rules you can have per account, see [Service Limits](#) in the *AWS Config Developer Guide*.

There are two types of rules: *AWS Config Managed Rules* and *AWS Config Custom Rules*. You can use `PutConfigRule` to create both AWS Config Managed Rules and AWS Config Custom Rules.

AWS Config Managed Rules are predefined, customizable rules created by AWS Config. For a list of managed rules, see [List of AWS Config Managed Rules](#). If you are adding an AWS Config managed rule, you must specify the rule's identifier for the `SourceIdentifier` key.

AWS Config Custom Rules are rules that you create from scratch. There are two ways to create AWS Config custom rules: with Lambda functions ([AWS Lambda Developer Guide](#)) and with Guard ([Guard GitHub Repository](#)), a policy-as-code language. AWS Config custom rules created with AWS Lambda are called *AWS Config Custom Lambda Rules* and AWS Config custom rules created with Guard are called *AWS Config Custom Policy Rules*.

If you are adding a new AWS Config Custom Lambda rule, you first need to create an AWS Lambda function that the rule invokes to evaluate your resources. When you use `PutConfigRule` to add a Custom Lambda rule to AWS Config, you must specify the Amazon Resource Name (ARN) that AWS Lambda assigns to the function. You specify the ARN in the `SourceIdentifier` key. This key is part of the `Source` object, which is part of the `ConfigRule` object.

For any new AWS Config rule that you add, specify the `ConfigRuleName` in the `ConfigRule` object. Do not specify the `ConfigRuleArn` or the `ConfigRuleId`. These values are generated by AWS Config for new rules.

If you are updating a rule that you added previously, you can specify the rule by `ConfigRuleName`, `ConfigRuleId`, or `ConfigRuleArn` in the `ConfigRule` data type that you use in this request.

For more information about developing and using AWS Config rules, see [Evaluating Resources with AWS Config Rules](#) in the *AWS Config Developer Guide*.

## Note

### **Tags are added at creation and cannot be updated with this operation**

`PutConfigRule` is an idempotent API. Subsequent requests won't create a duplicate resource if one was already created. If a following request has different tags values, AWS

Config will ignore these differences and treat it as an idempotent request of the previous. In this case, tags will not be updated, even if they are different. Use [TagResource](#) and [UntagResource](#) to update tags after creation.

## Request Syntax

```
{
  "ConfigRule": {
    "ConfigRuleArn": "string",
    "ConfigRuleId": "string",
    "ConfigRuleName": "string",
    "ConfigRuleState": "string",
    "CreatedBy": "string",
    "Description": "string",
    "EvaluationModes": [
      {
        "Mode": "string"
      }
    ],
    "InputParameters": "string",
    "MaximumExecutionFrequency": "string",
    "Scope": {
      "ComplianceResourceId": "string",
      "ComplianceResourceTypes": [ "string" ],
      "TagKey": "string",
      "TagValue": "string"
    },
    "Source": {
      "CustomPolicyDetails": {
        "EnableDebugLogDelivery": boolean,
        "PolicyRuntime": "string",
        "PolicyText": "string"
      },
      "Owner": "string",
      "SourceDetails": [
        {
          "EventSource": "string",
          "MaximumExecutionFrequency": "string",
          "MessageType": "string"
        }
      ]
    }
  }
}
```

```
    "SourceIdentifier": "string"
  }
},
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigRule](#)

The rule that you want to add to your account.

Type: [ConfigRule](#) object

Required: Yes

### [Tags](#)

An array of tag object.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InsufficientPermissionsException

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the config:Put\* action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM GetRole action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM GetRole action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call SSM:GetDocument.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM CreateServiceLinkedRole.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## MaxNumberOfConfigRulesExceededException

Failed to add the AWS Config rule because the account already contains the maximum number of 1000 rules. Consider deleting any deactivated rules before you add new rules.

HTTP Status Code: 400

## NoAvailableConfigurationRecorderException

There are no customer managed configuration recorders available to record your resources. Use the [PutConfigurationRecorder](#) operation to create the customer managed configuration recorder.

HTTP Status Code: 400

## ResourceInUseException

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.
- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutConfigurationAggregator

Creates and updates the configuration aggregator with the selected source accounts and regions. The source account can be individual account(s) or an organization.

accountIds that are passed will be replaced with existing accounts. If you want to add additional accounts into the aggregator, call DescribeConfigurationAggregators to get the previous accounts and then append new ones.

## Note

AWS Config should be enabled in source accounts and regions you want to aggregate. If your source type is an organization, you must be signed in to the management account or a registered delegated administrator and all the features must be enabled in your organization. If the caller is a management account, AWS Config calls EnableAwsServiceAccess API to enable integration between AWS Config and AWS Organizations. If the caller is a registered delegated administrator, AWS Config calls ListDelegatedAdministrators API to verify whether the caller is a valid delegated administrator.

To register a delegated administrator, see [Register a Delegated Administrator](#) in the *AWS Config developer guide*.

## Note

**Tags are added at creation and cannot be updated with this operation**

PutConfigurationAggregator is an idempotent API. Subsequent requests won't create a duplicate resource if one was already created. If a following request has different tags values, AWS Config will ignore these differences and treat it as an idempotent request of the previous. In this case, tags will not be updated, even if they are different.

Use [TagResource](#) and [UntagResource](#) to update tags after creation.

## Request Syntax

```
{
  "AccountAggregationSources": [
    {
```

```

    "AccountIds": [ "string" ],
    "AllAwsRegions": boolean,
    "AwsRegions": [ "string" ]
  }
],
"AggregatorFilters": {
  "ResourceType": {
    "Type": "string",
    "Value": [ "string" ]
  },
  "ServicePrincipal": {
    "Type": "string",
    "Value": [ "string" ]
  }
},
"ConfigurationAggregatorName": "string",
"OrganizationAggregationSource": {
  "AllAwsRegions": boolean,
  "AwsRegions": [ "string" ],
  "RoleArn": "string"
},
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
]
}

```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [AccountAggregationSources](#)

A list of AccountAggregationSource object.

Type: Array of [AccountAggregationSource](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

## AggregatorFilters

An object to filter configuration recorders in an aggregator. Either `ResourceType` or `ServicePrincipal` is required.

Type: [AggregatorFilters](#) object

Required: No

## ConfigurationAggregatorName

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

## OrganizationAggregationSource

An `OrganizationAggregationSource` object.

Type: [OrganizationAggregationSource](#) object

Required: No

## Tags

An array of tag object.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## Response Syntax

```
{
  "ConfigurationAggregator": {
    "AccountAggregationSources": [
      {
        "AccountIds": [ "string" ],

```



```

        "AllAwsRegions": boolean,
        "AwsRegions": [ "string" ]
    }
],
"AggregatorFilters": {
    "ResourceType": {
        "Type": "string",
        "Value": [ "string" ]
    },
    "ServicePrincipal": {
        "Type": "string",
        "Value": [ "string" ]
    }
},
"ConfigurationAggregatorArn": "string",
"ConfigurationAggregatorName": "string",
"CreatedBy": "string",
"CreationTime": number,
"LastUpdatedTime": number,
"OrganizationAggregationSource": {
    "AllAwsRegions": boolean,
    "AwsRegions": [ "string" ],
    "RoleArn": "string"
}
}
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfigurationAggregator

Returns a ConfigurationAggregator object.

Type: [ConfigurationAggregator](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## InvalidRoleException

You have provided a null or empty Amazon Resource Name (ARN) for the IAM role assumed by AWS Config and used by the customer managed configuration recorder.

HTTP Status Code: 400

## LimitExceededException

For `PutServiceLinkedConfigurationRecorder` API, this exception is thrown if the number of service-linked roles in the account exceeds the limit.

For `StartConfigRulesEvaluation` API, this exception is thrown if an evaluation is in progress or if you call the [StartConfigRulesEvaluation](#) API more than once per minute.

For `PutConfigurationAggregator` API, this exception is thrown if the number of accounts and aggregators exceeds the limit.

HTTP Status Code: 400

## NoAvailableOrganizationException

Organization is no longer available.

HTTP Status Code: 400

## OrganizationAccessDeniedException

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.

- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

### **OrganizationAllFeaturesNotEnabledException**

AWS Config resource cannot be created because your organization does not have all features enabled.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutConfigurationRecorder

Creates or updates the customer managed configuration recorder.

You can use this operation to create a new customer managed configuration recorder or to update the `roleARN` and the `recordingGroup` for an existing customer managed configuration recorder.

To start the customer managed configuration recorder and begin recording configuration changes for the resource types you specify, use the [StartConfigurationRecorder](#) operation.

For more information, see [Working with the Configuration Recorder](#) in the *AWS Config Developer Guide*.

## Note

### One customer managed configuration recorder per account per Region

You can create only one customer managed configuration recorder for each account for each AWS Region.

### Default is to record all supported resource types, excluding the global IAM resource types

If you have not specified values for the `recordingGroup` field, the default for the customer managed configuration recorder is to record all supported resource types, excluding the global IAM resource types: `AWS::IAM::Group`, `AWS::IAM::Policy`, `AWS::IAM::Role`, and `AWS::IAM::User`.

### Tags are added at creation and cannot be updated

`PutConfigurationRecorder` is an idempotent API. Subsequent requests won't create a duplicate resource if one was already created. If a following request has different tags values, AWS Config will ignore these differences and treat it as an idempotent request of the previous. In this case, tags will not be updated, even if they are different.

Use [TagResource](#) and [UntagResource](#) to update tags after creation.

## Request Syntax

```
{
  "ConfigurationRecorder": {
    "arn": "string",
    "name": "string",
```

```
"recordingGroup": {
  "allSupported": boolean,
  "exclusionByResourceTypes": {
    "resourceTypes": [ string ]
  },
  "includeGlobalResourceTypes": boolean,
  "recordingStrategy": {
    "useOnly": string
  },
  "resourceTypes": [ string ]
},
"recordingMode": {
  "recordingFrequency": string,
  "recordingModeOverrides": [
    {
      "description": string,
      "recordingFrequency": string,
      "resourceTypes": [ string ]
    }
  ]
},
"recordingScope": string,
"roleARN": string,
"servicePrincipal": string
},
"Tags": [
  {
    "Key": string,
    "Value": string
  }
]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationRecorder

An object for the configuration recorder. A configuration recorder records configuration changes for the resource types in scope.

Type: [ConfigurationRecorder](#) object

Required: Yes

## Tags

The tags for the customer managed configuration recorder. Each tag consists of a key and an optional value, both of which you define.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidConfigurationRecorderNameException

The configuration recorder name is not valid. The prefix "AWSConfigurationRecorderFor" is reserved for service-linked configuration recorders.

HTTP Status Code: 400

### InvalidRecordingGroupException

One of the following errors:

- You have provided a combination of parameter values that is not valid. For example:
  - Setting the `allSupported` field of [RecordingGroup](#) to `true`, but providing a non-empty list for the `resourceTypes` field of [RecordingGroup](#).
  - Setting the `allSupported` field of [RecordingGroup](#) to `true`, but also setting the `useOnly` field of [RecordingStrategy](#) to `EXCLUSION_BY_RESOURCE_TYPES`.
- Every parameter is either null, false, or empty.
- You have reached the limit of the number of resource types you can provide for the recording group.

- You have provided resource types or a recording strategy that are not valid.

HTTP Status Code: 400

### **InvalidRoleException**

You have provided a null or empty Amazon Resource Name (ARN) for the IAM role assumed by AWS Config and used by the customer managed configuration recorder.

HTTP Status Code: 400

### **MaxNumberOfConfigurationRecordersExceededException**

You have reached the limit of the number of configuration recorders you can create.

HTTP Status Code: 400

### **UnmodifiableEntityException**

The requested operation is not valid.

For [PutConfigurationRecorder](#), you will see this exception because you cannot use this operation to create a service-linked configuration recorder. Use the [PutServiceLinkedConfigurationRecorder](#) operation to create a service-linked configuration recorder.

For [DeleteConfigurationRecorder](#), you will see this exception because you cannot use this operation to delete a service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

For [StartConfigurationRecorder](#) and [StopConfigurationRecorder](#), you will see this exception because these operations do not affect service-linked configuration recorders. Service-linked configuration recorders are always recording. To stop recording, you must delete the service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)



- [AWS SDK for Ruby V3](#)

# PutConformancePack

Creates or updates a conformance pack. A conformance pack is a collection of AWS Config rules that can be easily deployed in an account and a region and across an organization. For information on how many conformance packs you can have per account, see [Service Limits](#) in the *AWS Config Developer Guide*.

This API creates a service-linked role `AWSServiceRoleForConfigConforms` in your account. The service-linked role is created only when the role does not exist in your account.

## Note

You must specify only one of the follow parameters: `TemplateS3Uri`, `TemplateBody` or `TemplateSSMDocumentDetails`.

## Request Syntax

```
{
  "ConformancePackInputParameters": [
    {
      "ParameterName": "string",
      "ParameterValue": "string"
    }
  ],
  "ConformancePackName": "string",
  "DeliveryS3Bucket": "string",
  "DeliveryS3KeyPrefix": "string",
  "TemplateBody": "string",
  "TemplateS3Uri": "string",
  "TemplateSSMDocumentDetails": {
    "DocumentName": "string",
    "DocumentVersion": "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

## ConformancePackInputParameters

A list of `ConformancePackInputParameter` objects.

Type: Array of [ConformancePackInputParameter](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

## ConformancePackName

The unique name of the conformance pack you want to deploy.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

## DeliveryS3Bucket

The name of the Amazon S3 bucket where AWS Config stores conformance pack templates.

### **Note**

This field is optional.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 63.

Required: No

## DeliveryS3KeyPrefix

The prefix for the Amazon S3 bucket.

### **Note**

This field is optional.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

### TemplateBody

A string containing the full conformance pack template body. The structure containing the template body has a minimum length of 1 byte and a maximum length of 51,200 bytes.

#### Note

You can use a YAML template with two resource types: AWS Config rule (`AWS::Config::ConfigRule`) and remediation action (`AWS::Config::RemediationConfiguration`).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 51200.

Required: No

### TemplateS3Uri

The location of the file containing the template body (`s3://bucketname/prefix`). The uri must point to a conformance pack template (max size: 300 KB) that is located in an Amazon S3 bucket in the same Region as the conformance pack.

#### Note

You must have access to read Amazon S3 bucket. In addition, in order to ensure a successful deployment, the template object must not be in an [archived storage class](#) if this parameter is passed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `s3://.*`

Required: No

### [TemplateSSMDocumentDetails](#)

An object of type `TemplateSSMDocumentDetails`, which contains the name or the Amazon Resource Name (ARN) of the AWS Systems Manager document (SSM document) and the version of the SSM document that is used to create a conformance pack.

Type: [TemplateSSMDocumentDetails](#) object

Required: No

## Response Syntax

```
{  
  "ConformancePackArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ConformancePackArn](#)

ARN of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **ConformancePackTemplateValidationException**

You have specified a template that is not valid or supported.

HTTP Status Code: 400

## InsufficientPermissionsException

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the `config:Put*` action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM `GetRole` action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM `GetRole` action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call `SSM:GetDocument`.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM `CreateServiceLinkedRole`.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## MaxNumberOfConformancePacksExceededException

You have reached the limit of the number of conformance packs you can create in an account. For more information, see [Service Limits](#) in the *AWS Config Developer Guide*.

HTTP Status Code: 400

## ResourceInUseException

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.

- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutDeliveryChannel

Creates or updates a delivery channel to deliver configuration information and other compliance information.

You can use this operation to create a new delivery channel or to update the Amazon S3 bucket and the Amazon SNS topic of an existing delivery channel.

For more information, see [Working with the Delivery Channel](#) in the *AWS Config Developer Guide*.

## Note

### One delivery channel per account per Region

You can have only one delivery channel for each account for each AWS Region.

## Request Syntax

```
{
  "DeliveryChannel": {
    "configSnapshotDeliveryProperties": {
      "deliveryFrequency": "string"
    },
    "name": "string",
    "s3BucketName": "string",
    "s3KeyPrefix": "string",
    "s3KmsKeyArn": "string",
    "snsTopicARN": "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### DeliveryChannel

An object for the delivery channel. A delivery channel sends notifications and updated configuration states.



Type: [DeliveryChannel](#) object

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InsufficientDeliveryPolicyException**

Your Amazon S3 bucket policy does not allow AWS Config to write to it.

HTTP Status Code: 400

### **InvalidDeliveryChannelNameException**

The specified delivery channel name is not valid.

HTTP Status Code: 400

### **InvalidS3KeyPrefixException**

The specified Amazon S3 key prefix is not valid.

HTTP Status Code: 400

### **InvalidS3KmsKeyArnException**

The specified Amazon KMS Key ARN is not valid.

HTTP Status Code: 400

### **InvalidSNSTopicARNException**

The specified Amazon SNS topic does not exist.

HTTP Status Code: 400

### **MaxNumberOfDeliveryChannelsExceededException**

You have reached the limit of the number of delivery channels you can create.

HTTP Status Code: 400

### **NoAvailableConfigurationRecorderException**

There are no customer managed configuration recorders available to record your resources. Use the [PutConfigurationRecorder](#) operation to create the customer managed configuration recorder.

HTTP Status Code: 400

### **NoSuchBucketException**

The specified Amazon S3 bucket does not exist.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutEvaluations

Used by an AWS Lambda function to deliver evaluation results to AWS Config. This operation is required in every AWS Lambda function that is invoked by an AWS Config rule.

## Request Syntax

```
{
  "Evaluations": [
    {
      "Annotation": "string",
      "ComplianceResourceId": "string",
      "ComplianceResourceType": "string",
      "ComplianceType": "string",
      "OrderingTimestamp": number
    }
  ],
  "ResultToken": "string",
  "TestMode": boolean
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Evaluations

The assessments that the AWS Lambda function performs. Each evaluation identifies an AWS resource and indicates whether it complies with the AWS Config rule that invokes the AWS Lambda function.

Type: Array of [Evaluation](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Required: No

### ResultToken

An encrypted token that associates an evaluation with an AWS Config rule. Identifies the rule and the event that triggered the evaluation.

Type: String

Required: Yes

### TestMode

Use this parameter to specify a test run for PutEvaluations. You can verify whether your AWS Lambda function will deliver evaluation results to AWS Config. No updates occur to your existing evaluations, and evaluation results are not sent to AWS Config.

#### Note

When TestMode is true, PutEvaluations doesn't require a valid value for the ResultToken parameter, but the value cannot be null.

Type: Boolean

Required: No

## Response Syntax

```
{
  "FailedEvaluations": [
    {
      "Annotation": "string",
      "ComplianceResourceId": "string",
      "ComplianceResourceType": "string",
      "ComplianceType": "string",
      "OrderingTimestamp": number
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [FailedEvaluations](#)

Requests that failed because of a client or server error.

Type: Array of [Evaluation](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **InvalidResultTokenException**

The specified ResultToken is not valid.

HTTP Status Code: 400

### **NoSuchConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutExternalEvaluation

Add or updates the evaluations for process checks. This API checks if the rule is a process check when the name of the AWS Config rule is provided.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "ExternalEvaluation": {
    "Annotation": "string",
    "ComplianceResourceId": "string",
    "ComplianceResourceType": "string",
    "ComplianceType": "string",
    "OrderingTimestamp": number
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

### ExternalEvaluation

An ExternalEvaluation object that provides details about compliance.

Type: [ExternalEvaluation](#) object

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **NoSuchConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# PutOrganizationConfigRule

Adds or updates an AWS Config rule for your entire organization to evaluate if your AWS resources comply with your desired configurations. For information on how many organization AWS Config rules you can have per account, see [Service Limits](#) in the *AWS Config Developer Guide*.

Only a management account and a delegated administrator can create or update an organization AWS Config rule. When calling this API with a delegated administrator, you must ensure AWS Organizations `ListDelegatedAdministrators` permissions are added. An organization can have up to 3 delegated administrators.

This API enables organization service access through the `EnableAWSServiceAccess` action and creates a service-linked role `AWSServiceRoleForConfigMultiAccountSetup` in the management or delegated administrator account of your organization. The service-linked role is created only when the role does not exist in the caller account. AWS Config verifies the existence of role with `GetRole` action.

To use this API with delegated administrator, register a delegated administrator by calling AWS Organization `register-delegated-administrator` for `config-multiaccountsetup.amazonaws.com`.

There are two types of rules: *AWS Config Managed Rules* and *AWS Config Custom Rules*. You can use `PutOrganizationConfigRule` to create both AWS Config Managed Rules and AWS Config Custom Rules.

AWS Config Managed Rules are predefined, customizable rules created by AWS Config. For a list of managed rules, see [List of AWS Config Managed Rules](#). If you are adding an AWS Config managed rule, you must specify the rule's identifier for the `RuleIdentifier` key.

AWS Config Custom Rules are rules that you create from scratch. There are two ways to create AWS Config custom rules: with Lambda functions ([AWS Lambda Developer Guide](#)) and with Guard ([Guard GitHub Repository](#)), a policy-as-code language. AWS Config custom rules created with AWS Lambda are called *AWS Config Custom Lambda Rules* and AWS Config custom rules created with Guard are called *AWS Config Custom Policy Rules*.

If you are adding a new AWS Config Custom Lambda rule, you first need to create an AWS Lambda function in the management account or a delegated administrator that the rule invokes to evaluate your resources. You also need to create an IAM role in the managed account that can be assumed

by the Lambda function. When you use `PutOrganizationConfigRule` to add a Custom Lambda rule to AWS Config, you must specify the Amazon Resource Name (ARN) that AWS Lambda assigns to the function.

### Note

Prerequisite: Ensure you call `EnableAllFeatures` API to enable all features in an organization.

Make sure to specify one of either `OrganizationCustomPolicyRuleMetadata` for Custom Policy rules, `OrganizationCustomRuleMetadata` for Custom Lambda rules, or `OrganizationManagedRuleMetadata` for managed rules.

## Request Syntax

```
{
  "ExcludedAccounts": [ "string" ],
  "OrganizationConfigRuleName": "string",
  "OrganizationCustomPolicyRuleMetadata": {
    "DebugLogDeliveryAccounts": [ "string" ],
    "Description": "string",
    "InputParameters": "string",
    "MaximumExecutionFrequency": "string",
    "OrganizationConfigRuleTriggerTypes": [ "string" ],
    "PolicyRuntime": "string",
    "PolicyText": "string",
    "ResourceIdScope": "string",
    "ResourceTypesScope": [ "string" ],
    "TagKeyScope": "string",
    "TagValueScope": "string"
  },
  "OrganizationCustomRuleMetadata": {
    "Description": "string",
    "InputParameters": "string",
    "LambdaFunctionArn": "string",
    "MaximumExecutionFrequency": "string",
    "OrganizationConfigRuleTriggerTypes": [ "string" ],
    "ResourceIdScope": "string",
    "ResourceTypesScope": [ "string" ],
    "TagKeyScope": "string",
    "TagValueScope": "string"
  }
}
```

```
},
  "OrganizationManagedRuleMetadata": {
    "Description": "string",
    "InputParameters": "string",
    "MaximumExecutionFrequency": "string",
    "ResourceIdScope": "string",
    "ResourceTypesScope": [ "string" ],
    "RuleIdentifier": "string",
    "TagKeyScope": "string",
    "TagValueScope": "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ExcludedAccounts

A comma-separated list of accounts that you want to exclude from an organization AWS Config rule.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Pattern: `\d{12}`

Required: No

### OrganizationConfigRuleName

The name that you assign to an organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9-_-]+`

Required: Yes

## OrganizationCustomPolicyRuleMetadata

An `OrganizationCustomPolicyRuleMetadata` object. This object specifies metadata for your organization's AWS Config Custom Policy rule. The metadata includes the runtime system in use, which accounts have debug logging enabled, and other custom rule metadata, such as resource type, resource ID of AWS resource, and organization trigger types that initiate AWS Config to evaluate AWS resources against a rule.

Type: [OrganizationCustomPolicyRuleMetadata](#) object

Required: No

## OrganizationCustomRuleMetadata

An `OrganizationCustomRuleMetadata` object. This object specifies organization custom rule metadata such as resource type, resource ID of AWS resource, Lambda function ARN, and organization trigger types that trigger AWS Config to evaluate your AWS resources against a rule. It also provides the frequency with which you want AWS Config to run evaluations for the rule if the trigger type is periodic.

Type: [OrganizationCustomRuleMetadata](#) object

Required: No

## OrganizationManagedRuleMetadata

An `OrganizationManagedRuleMetadata` object. This object specifies organization managed rule metadata such as resource type and ID of AWS resource along with the rule identifier. It also provides the frequency with which you want AWS Config to run evaluations for the rule if the trigger type is periodic.

Type: [OrganizationManagedRuleMetadata](#) object

Required: No

## Response Syntax

```
{
  "OrganizationConfigRuleArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### OrganizationConfigRuleArn

The Amazon Resource Name (ARN) of an organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InsufficientPermissionsException**

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the config:Put\* action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM GetRole action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM GetRole action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call SSM:GetDocument.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM CreateServiceLinkedRole.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## MaxNumberOfOrganizationConfigRulesExceededException

You have reached the limit of the number of organization AWS Config rules you can create. For more information, see see [Service Limits](#) in the *AWS Config Developer Guide*.

HTTP Status Code: 400

## NoAvailableOrganizationException

Organization is no longer available.

HTTP Status Code: 400

## OrganizationAccessDeniedException

For PutConfigurationAggregator API, you can see this exception for the following reasons:

- No permission to call EnableAWSServiceAccess API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call ListDelegatedAdministrators API. Ensure that the management account registers delagated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all OrganizationConfigRule and OrganizationConformancePack APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

## OrganizationAllFeaturesNotEnabledException

AWS Config resource cannot be created because your organization does not have all features enabled.

HTTP Status Code: 400

## ResourceInUseException

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.
- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.

- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# PutOrganizationConformancePack

Deploys conformance packs across member accounts in an AWS Organization. For information on how many organization conformance packs and how many AWS Config rules you can have per account, see [Service Limits](#) in the *AWS Config Developer Guide*.

Only a management account and a delegated administrator can call this API. When calling this API with a delegated administrator, you must ensure AWS Organizations `ListDelegatedAdministrator` permissions are added. An organization can have up to 3 delegated administrators.

This API enables organization service access for `config-multiaccountsetup.amazonaws.com` through the `EnableAWSServiceAccess` action and creates a service-linked role `AWSServiceRoleForConfigMultiAccountSetup` in the management or delegated administrator account of your organization. The service-linked role is created only when the role does not exist in the caller account. To use this API with delegated administrator, register a delegated administrator by calling AWS Organization `register-delegate-admin` for `config-multiaccountsetup.amazonaws.com`.

## Note

Prerequisite: Ensure you call `EnableAllFeatures` API to enable all features in an organization.

You must specify either the `TemplateS3Uri` or the `TemplateBody` parameter, but not both. If you provide both AWS Config uses the `TemplateS3Uri` parameter and ignores the `TemplateBody` parameter.

AWS Config sets the state of a conformance pack to `CREATE_IN_PROGRESS` and `UPDATE_IN_PROGRESS` until the conformance pack is created or updated. You cannot update a conformance pack while it is in this state.

## Request Syntax

```
{
  "ConformancePackInputParameters": [
    {
      "ParameterName": "string",
      "ParameterValue": "string"
    }
  ]
}
```

```
    }  
  ],  
  "DeliveryS3Bucket": "string",  
  "DeliveryS3KeyPrefix": "string",  
  "ExcludedAccounts": [ "string" ],  
  "OrganizationConformancePackName": "string",  
  "TemplateBody": "string",  
  "TemplateS3Uri": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConformancePackInputParameters](#)

A list of `ConformancePackInputParameter` objects.

Type: Array of [ConformancePackInputParameter](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

### [DeliveryS3Bucket](#)

The name of the Amazon S3 bucket where AWS Config stores conformance pack templates.

#### Note

This field is optional. If used, it must be prefixed with `awsconfigconforms`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 63.

Required: No

### [DeliveryS3KeyPrefix](#)

The prefix for the Amazon S3 bucket.

**Note**

This field is optional.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

**ExcludedAccounts**

A list of AWS accounts to be excluded from an organization conformance pack while deploying a conformance pack.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Pattern: `\d{12}`

Required: No

**OrganizationConformancePackName**

Name of the organization conformance pack you want to create.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

**TemplateBody**

A string containing full conformance pack template body. Structure containing the template body with a minimum length of 1 byte and a maximum length of 51,200 bytes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 51200.

Required: No

### TemplateS3Uri

Location of file containing the template body. The uri must point to the conformance pack template (max size: 300 KB).

#### Note

You must have access to read Amazon S3 bucket. In addition, in order to ensure a successful deployment, the template object must not be in an [archived storage class](#) if this parameter is passed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `s3://.*`

Required: No

## Response Syntax

```
{  
  "OrganizationConformancePackArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### OrganizationConformancePackArn

ARN of the organization conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InsufficientPermissionsException**

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the `config:Put*` action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM `GetRole` action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM `GetRole` action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call `SSM:GetDocument`.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM `CreateServiceLinkedRole`.

HTTP Status Code: 400

### **MaxNumberOfOrganizationConformancePacksExceededException**

You have reached the limit of the number of organization conformance packs you can create in an account. For more information, see [Service Limits](#) in the *AWS Config Developer Guide*.

HTTP Status Code: 400

### **NoAvailableOrganizationException**

Organization is no longer available.

HTTP Status Code: 400

### **OrganizationAccessDeniedException**

For `PutConfigurationAggregator` API, you can see this exception for the following reasons:

- No permission to call `EnableAWSServiceAccess` API
- The configuration aggregator cannot be updated because your AWS Organization management account or the delegated administrator role changed. Delete this aggregator and create a new one with the current AWS Organization.
- The configuration aggregator is associated with a previous AWS Organization and AWS Config cannot aggregate data with current AWS Organization. Delete this aggregator and create a new one with the current AWS Organization.
- You are not a registered delegated administrator for AWS Config with permissions to call `ListDelegatedAdministrators` API. Ensure that the management account registers delegated administrator for AWS Config service principal name before the delegated administrator creates an aggregator.

For all `OrganizationConfigRule` and `OrganizationConformancePack` APIs, AWS Config throws an exception if APIs are called from member accounts. All APIs must be called from organization management account.

HTTP Status Code: 400

### **OrganizationAllFeaturesNotEnabledException**

AWS Config resource cannot be created because your organization does not have all features enabled.

HTTP Status Code: 400

### **OrganizationConformancePackTemplateValidationException**

You have specified a template that is not valid or supported.

HTTP Status Code: 400

### **ResourceInUseException**

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.
- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.

- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# PutRemediationConfigurations

Adds or updates the remediation configuration with a specific AWS Config rule with the selected target or action. The API creates the `RemediationConfiguration` object for the AWS Config rule. The AWS Config rule must already exist for you to add a remediation configuration. The target (SSM document) must exist and have permissions to use the target.

## Note

### Be aware of backward incompatible changes

If you make backward incompatible changes to the SSM document, you must call this again to ensure the remediations can run.

This API does not support adding remediation configurations for service-linked AWS Config Rules such as Organization AWS Config rules, the rules deployed by conformance packs, and rules deployed by AWS Security Hub.

## Note

### Required fields

For manual remediation configuration, you need to provide a value for `automationAssumeRole` or use a value in the `assumeRole` field to remediate your resources. The SSM automation document can use either as long as it maps to a valid parameter.

However, for automatic remediation configuration, the only valid `assumeRole` field value is `AutomationAssumeRole` and you need to provide a value for `AutomationAssumeRole` to remediate your resources.

## Note

### Auto remediation can be initiated even for compliant resources

If you enable auto remediation for a specific AWS Config rule using the [PutRemediationConfigurations](#) API or the AWS Config console, it initiates the remediation process for all non-compliant resources for that specific rule. The auto remediation process relies on the compliance data snapshot which is captured on a periodic basis. Any non-

compliant resource that is updated between the snapshot schedule will continue to be remediated based on the last known compliance data snapshot.

This means that in some cases auto remediation can be initiated even for compliant resources, since the bootstrap processor uses a database that can have stale evaluation results based on the last known compliance data snapshot.

## Request Syntax

```
{
  "RemediationConfigurations": [
    {
      "Arn": "string",
      "Automatic": boolean,
      "ConfigRuleName": "string",
      "CreatedByService": "string",
      "ExecutionControls": {
        "SsmControls": {
          "ConcurrentExecutionRatePercentage": number,
          "ErrorPercentage": number
        }
      },
      "MaximumAutomaticAttempts": number,
      "Parameters": {
        "string" : {
          "ResourceValue": {
            "Value": "string"
          },
          "StaticValue": {
            "Values": [ "string" ]
          }
        }
      },
      "ResourceType": "string",
      "RetryAttemptSeconds": number,
      "TargetId": "string",
      "TargetType": "string",
      "TargetVersion": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [RemediationConfigurations](#)

A list of remediation configuration objects.

Type: Array of [RemediationConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Required: Yes

## Response Syntax

```
{
  "FailedBatches": [
    {
      "FailedItems": [
        {
          "Arn": "string",
          "Automatic": boolean,
          "ConfigRuleName": "string",
          "CreatedByService": "string",
          "ExecutionControls": {
            "SsmControls": {
              "ConcurrentExecutionRatePercentage": number,
              "ErrorPercentage": number
            }
          },
          "MaximumAutomaticAttempts": number,
          "Parameters": {
            "string" : {
              "ResourceValue": {
                "Value": "string"
              },
              "StaticValue": {
                "Values": [ "string" ]
              }
            }
          }
        }
      ]
    }
  ]
}
```

```
    },
    "ResourceType": "string",
    "RetryAttemptSeconds": number,
    "TargetId": "string",
    "TargetType": "string",
    "TargetVersion": "string"
  }
],
"FailureMessage": "string"
}
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### FailedBatches

Returns a list of failed remediation batch objects.

Type: Array of [FailedRemediationBatch](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InsufficientPermissionsException**

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the config:Put\* action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM GetRole action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:

- You do not have permission to call IAM `GetRole` action or create a service-linked role.
- You do not have permission to read Amazon S3 bucket or call `SSM:GetDocument`.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: `IAM CreateServiceLinkedRole`.

HTTP Status Code: 400

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutRemediationExceptions

A remediation exception is when a specified resource is no longer considered for auto-remediation. This API adds a new exception or updates an existing exception for a specified resource with a specified AWS Config rule.

## Note

### **Exceptions block auto remediation**

AWS Config generates a remediation exception when a problem occurs running a remediation action for a specified resource. Remediation exceptions blocks auto-remediation until the exception is cleared.

## Note

### **Manual remediation is recommended when placing an exception**

When placing an exception on an AWS resource, it is recommended that remediation is set as manual remediation until the given AWS Config rule for the specified resource evaluates the resource as `NON_COMPLIANT`. Once the resource has been evaluated as `NON_COMPLIANT`, you can add remediation exceptions and change the remediation type back from Manual to Auto if you want to use auto-remediation. Otherwise, using auto-remediation before a `NON_COMPLIANT` evaluation result can delete resources before the exception is applied.

## Note

### **Exceptions can only be performed on non-compliant resources**

Placing an exception can only be performed on resources that are `NON_COMPLIANT`. If you use this API for `COMPLIANT` resources or resources that are `NOT_APPLICABLE`, a remediation exception will not be generated. For more information on the conditions that initiate the possible AWS Config evaluation results, see [Concepts | AWS Config Rules](#) in the *AWS Config Developer Guide*.

**Note****Exceptions cannot be placed on service-linked remediation actions**

You cannot place an exception on service-linked remediation actions, such as remediation actions put by an organizational conformance pack.

**Note****Auto remediation can be initiated even for compliant resources**

If you enable auto remediation for a specific AWS Config rule using the [PutRemediationConfigurations](#) API or the AWS Config console, it initiates the remediation process for all non-compliant resources for that specific rule. The auto remediation process relies on the compliance data snapshot which is captured on a periodic basis. Any non-compliant resource that is updated between the snapshot schedule will continue to be remediated based on the last known compliance data snapshot.

This means that in some cases auto remediation can be initiated even for compliant resources, since the bootstrap processor uses a database that can have stale evaluation results based on the last known compliance data snapshot.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "ExpirationTime": number,
  "Message": "string",
  "ResourceKeys": [
    {
      "ResourceId": "string",
      "ResourceType": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The name of the AWS Config rule for which you want to create remediation exception.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: .\*\\S.\*

Required: Yes

### ExpirationTime

The exception is automatically deleted after the expiration date.

Type: Timestamp

Required: No

### Message

The message contains an explanation of the exception.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

### ResourceKeys

An exception list of resource exception keys to be processed with the current request. AWS Config adds exception for each resource key. For example, AWS Config adds 3 exceptions for 3 resource keys.

Type: Array of [RemediationExceptionResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes



## Response Syntax

```
{
  "FailedBatches": [
    {
      "FailedItems": [
        {
          "ConfigRuleName": "string",
          "ExpirationTime": number,
          "Message": "string",
          "ResourceId": "string",
          "ResourceType": "string"
        }
      ],
      "FailureMessage": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### FailedBatches

Returns a list of failed remediation exceptions batch objects. Each object in the batch consists of a list of failed items and failure messages.

Type: Array of [FailedRemediationExceptionBatch](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InsufficientPermissionsException**

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the config:Put\* action.

- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM GetRole action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM GetRole action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call SSM:GetDocument.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM CreateServiceLinkedRole.

HTTP Status Code: 400

### InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutResourceConfig

Records the configuration state for the resource provided in the request. The configuration state of a resource is represented in AWS Config as Configuration Items. Once this API records the configuration item, you can retrieve the list of configuration items for the custom resource type using existing AWS Config APIs.

## Note

The custom resource type must be registered with AWS CloudFormation. This API accepts the configuration item registered with AWS CloudFormation.

When you call this API, AWS Config only stores configuration state of the resource provided in the request. This API does not change or remediate the configuration of the resource.

Write-only schema properties are not recorded as part of the published configuration item.

## Request Syntax

```
{
  "Configuration": "string",
  "ResourceId": "string",
  "ResourceName": "string",
  "ResourceType": "string",
  "SchemaVersionId": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Configuration

The configuration object of the resource in valid JSON format. It must match the schema registered with AWS CloudFormation.

**Note**

The configuration JSON must not exceed 64 KB.

Type: String

Required: Yes

**ResourceId**

Unique identifier of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

**ResourceName**

Name of the resource.

Type: String

Required: No

**ResourceType**

The type of the resource. The custom resource type must be registered with AWS CloudFormation.

**Note**

You cannot use the organization names "amzn", "amazon", "alexa", "custom" with custom resource types. It is the first part of the ResourceType up to the first ::.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 196.

Required: Yes

## SchemaVersionId

Version of the schema registered for the ResourceType in AWS CloudFormation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [A-Za-z0-9-]+

Required: Yes

## Tags

Tags associated with the resource.

### Note

This field is not to be confused with the AWS-wide tag feature for AWS resources. Tags for PutResourceConfig are tags that you supply for the configuration items of your custom resources.

Type: String to string map

Required: No

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InsufficientPermissionsException

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the config:Put\* action.

- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM GetRole action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM GetRole action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call SSM:GetDocument.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM CreateServiceLinkedRole.

HTTP Status Code: 400

### **MaxActiveResourcesExceededException**

You have reached the limit of active custom resource types in your account. There is a limit of 100,000. Delete unused resources using [DeleteResourceConfig](#) .

HTTP Status Code: 400

### **NoRunningConfigurationRecorderException**

There is no configuration recorder running.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.

- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutRetentionConfiguration

Creates and updates the retention configuration with details about retention period (number of days) that AWS Config stores your historical information. The API creates the `RetentionConfiguration` object and names the object as **default**. When you have a `RetentionConfiguration` object named **default**, calling the API modifies the default object.

## Note

Currently, AWS Config supports only one retention configuration per region in your account.

## Request Syntax

```
{
  "RetentionPeriodInDays": number
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### RetentionPeriodInDays

Number of days AWS Config stores your historical information.

## Note

Currently, only applicable to the configuration item history.

Type: Integer

Valid Range: Minimum value of 30. Maximum value of 2557.

Required: Yes



## Response Syntax

```
{
  "RetentionConfiguration": {
    "Name": "string",
    "RetentionPeriodInDays": number
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### RetentionConfiguration

Returns a retention configuration object.

Type: [RetentionConfiguration](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **MaxNumberOfRetentionConfigurationsExceedededException**

Failed to add the retention configuration because a retention configuration with that name already exists.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutServiceLinkedConfigurationRecorder

Creates a service-linked configuration recorder that is linked to a specific AWS service based on the `ServicePrincipal` you specify.

The configuration recorder's name, `recordingGroup`, `recordingMode`, and `recordingScope` is set by the service that is linked to the configuration recorder.

For more information, see [Working with the Configuration Recorder](#) in the *AWS Config Developer Guide*.

This API creates a service-linked role `AWSServiceRoleForConfig` in your account. The service-linked role is created only when the role does not exist in your account.

## Note

### The recording scope determines if you receive configuration items

The recording scope is set by the service that is linked to the configuration recorder and determines whether you receive configuration items (CIs) in the delivery channel. If the recording scope is internal, you will not receive CIs in the delivery channel.

### Tags are added at creation and cannot be updated with this operation

Use [TagResource](#) and [UntagResource](#) to update tags after creation.

## Request Syntax

```
{
  "ServicePrincipal": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ServicePrincipal

The service principal of the AWS service for the service-linked configuration recorder that you want to create.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`

Required: Yes

### Tags

The tags for a service-linked configuration recorder. Each tag consists of a key and an optional value, both of which you define.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## Response Syntax

```
{
  "Arn": "string",
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Arn

The Amazon Resource Name (ARN) of the specified configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

## Name

The name of the specified configuration recorder.

For service-linked configuration recorders, AWS Config automatically assigns a name that has the prefix "AWSConfigurationRecorderFor" to the new service-linked configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### ConflictException

For [PutServiceLinkedConfigurationRecorder](#), you cannot create a service-linked recorder because a service-linked recorder already exists for the specified service.

For [DeleteServiceLinkedConfigurationRecorder](#), you cannot delete the service-linked recorder because it is currently in use by the linked AWS service.

For [DeleteDeliveryChannel](#), you cannot delete the specified delivery channel because the customer managed configuration recorder is running. Use the [StopConfigurationRecorder](#) operation to stop the customer managed configuration recorder.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- For service-linked configuration recorders, the configuration recorder is not in use by the service. No association or dissociation of resource types is permitted.
- For service-linked configuration recorders, your requested change to the configuration recorder has been denied by its linked AWS service.

HTTP Status Code: 400

### InsufficientPermissionsException

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the `config:Put*` action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM `GetRole` action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM `GetRole` action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call `SSM:GetDocument`.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM `CreateServiceLinkedRole`.

HTTP Status Code: 400

### LimitExceededException

For `PutServiceLinkedConfigurationRecorder` API, this exception is thrown if the number of service-linked roles in the account exceeds the limit.

For `StartConfigRulesEvaluation` API, this exception is thrown if an evaluation is in progress or if you call the [StartConfigRulesEvaluation](#) API more than once per minute.

For `PutConfigurationAggregator` API, this exception is thrown if the number of accounts and aggregators exceeds the limit.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutStoredQuery

Saves a new query or updates an existing saved query. The `QueryName` must be unique for a single AWS account and a single AWS Region. You can create up to 300 queries in a single AWS account and a single AWS Region.

## Note

### Tags are added at creation and cannot be updated

`PutStoredQuery` is an idempotent API. Subsequent requests won't create a duplicate resource if one was already created. If a following request has different tags values, AWS Config will ignore these differences and treat it as an idempotent request of the previous. In this case, tags will not be updated, even if they are different.

## Request Syntax

```
{
  "StoredQuery": {
    "Description": "string",
    "Expression": "string",
    "QueryArn": "string",
    "QueryId": "string",
    "QueryName": "string"
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.



## [StoredQuery](#)

A list of `StoredQuery` objects. The mandatory fields are `QueryName` and `Expression`.

### Note

When you are creating a query, you must provide a query name and an expression. When you are updating a query, you must provide a query name but updating the description is optional.

Type: [StoredQuery](#) object

Required: Yes

## [Tags](#)

A list of `Tags` object.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

## Response Syntax

```
{
  "QueryArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [QueryArn](#)

Amazon Resource Name (ARN) of the query. For example, `arn:partition:service:region:account-id:resource-type/resource-name/resource-id`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Pattern: `^arn:aws[a-z\-\ ]*:config:[a-z\-\d]+:\d+:stored-query/[a-zA-Z0-9-_\ ]+/query-[a-zA-Z\d-_\ ]+$`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### ResourceConcurrentModificationException

Two users are trying to modify the same query at the same time. Wait for a moment and try again.

HTTP Status Code: 400

### TooManyTagsException

You have reached the limit of the number of tags you can use. For more information, see [Service Limits](#) in the *AWS Config Developer Guide*.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# SelectAggregateResourceConfig

Accepts a structured query language (SQL) SELECT command and an aggregator to query configuration state of AWS resources across multiple accounts and regions, performs the corresponding search, and returns resource configurations matching the properties.

For more information about query components, see the [Query Components](#) section in the *AWS Config Developer Guide*.

## Note

If you run an aggregation query (i.e., using GROUP BY or using aggregate functions such as COUNT; e.g., `SELECT resourceId, COUNT(*) WHERE resourceType = 'AWS::IAM::Role' GROUP BY resourceId`) and do not specify the `MaxResults` or the `Limit` query parameters, the default page size is set to 500.

If you run a non-aggregation query (i.e., not using GROUP BY or aggregate function; e.g., `SELECT * WHERE resourceType = 'AWS::IAM::Role'`) and do not specify the `MaxResults` or the `Limit` query parameters, the default page size is set to 25.

## Request Syntax

```
{
  "ConfigurationAggregatorName": "string",
  "Expression": "string",
  "Limit": number,
  "MaxResults": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigurationAggregatorName](#)

The name of the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

### Expression

The SQL query SELECT command.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

### Limit

The maximum number of query results returned on each page.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### MaxResults

The maximum number of query results returned on each page. AWS Config also allows the Limit request parameter.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "QueryInfo": {
    "SelectFields": [
      {
        "Name": "string"
      }
    ]
  },
  "Results": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

### QueryInfo

Details about the query.

Type: [QueryInfo](#) object

### Results

Returns the results for the SQL query.

Type: Array of strings

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InvalidExpressionException

The syntax of the query is incorrect.

HTTP Status Code: 400

## InvalidLimitException

The specified limit is outside the allowable range.

HTTP Status Code: 400

## InvalidNextTokenException

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## NoSuchConfigurationAggregatorException

You have specified a configuration aggregator that does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# SelectResourceConfig

Accepts a structured query language (SQL) SELECT command, performs the corresponding search, and returns resource configurations matching the properties.

For more information about query components, see the [Query Components](#) section in the *AWS Config Developer Guide*.

## Request Syntax

```
{
  "Expression": "string",
  "Limit": number,
  "NextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Expression

The SQL query SELECT command.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

### Limit

The maximum number of query results returned on each page.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No



## [NextToken](#)

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "QueryInfo": {
    "SelectFields": [
      {
        "Name": "string"
      }
    ]
  },
  "Results": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [NextToken](#)

The nextToken string returned in a previous request that you use to request the next page of results in a paginated response.

Type: String

### [QueryInfo](#)

Returns the QueryInfo object.

Type: [QueryInfo](#) object

## **Results**

Returns the results for the SQL query.

Type: Array of strings

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidExpressionException**

The syntax of the query is incorrect.

HTTP Status Code: 400

### **InvalidLimitException**

The specified limit is outside the allowable range.

HTTP Status Code: 400

### **InvalidNextTokenException**

The specified next token is not valid. Specify the nextToken string that was returned in the previous response to get the next page of results.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartConfigRulesEvaluation

Runs an on-demand evaluation for the specified AWS Config rules against the last known configuration state of the resources. Use `StartConfigRulesEvaluation` when you want to test that a rule you updated is working as expected. `StartConfigRulesEvaluation` does not re-record the latest configuration state for your resources. It re-runs an evaluation against the last known state of your resources.

You can specify up to 25 AWS Config rules per request.

An existing `StartConfigRulesEvaluation` call for the specified rules must complete before you can call the API again. If you chose to have AWS Config stream to an Amazon SNS topic, you will receive a `ConfigRuleEvaluationStarted` notification when the evaluation starts.

## Note

You don't need to call the `StartConfigRulesEvaluation` API to run an evaluation for a new rule. When you create a rule, AWS Config evaluates your resources against the rule automatically.

The `StartConfigRulesEvaluation` API is useful if you want to run on-demand evaluations, such as the following example:

1. You have a custom rule that evaluates your IAM resources every 24 hours.
2. You update your Lambda function to add additional conditions to your rule.
3. Instead of waiting for the next periodic evaluation, you call the `StartConfigRulesEvaluation` API.
4. AWS Config invokes your Lambda function and evaluates your IAM resources.
5. Your custom rule will still run periodic evaluations every 24 hours.

## Request Syntax

```
{
  "ConfigRuleNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleNames

The list of names of AWS Config rules that you want to run evaluations for.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

### **LimitExceededException**

For `PutServiceLinkedConfigurationRecorder` API, this exception is thrown if the number of service-linked roles in the account exceeds the limit.

For `StartConfigRulesEvaluation` API, this exception is thrown if an evaluation is in progress or if you call the [StartConfigRulesEvaluation](#) API more than once per minute.

For `PutConfigurationAggregator` API, this exception is thrown if the number of accounts and aggregators exceeds the limit.

HTTP Status Code: 400

### **NoSuchConfigRuleException**

The AWS Config rule in the request is not valid. Verify that the rule is an AWS Config Process Check rule, that the rule name is correct, and that valid Amazon Resource Names (ARNs) are used before trying again.

HTTP Status Code: 400

### **ResourceInUseException**

You see this exception in the following cases:

- For `DeleteConfigRule`, AWS Config is deleting this rule. Try your request again later.
- For `DeleteConfigRule`, the rule is deleting your evaluation results. Try your request again later.
- For `DeleteConfigRule`, a remediation action is associated with the rule and AWS Config cannot delete this rule. Delete the remediation action associated with the rule before deleting the rule and try your request again later.
- For `PutConfigOrganizationRule`, organization AWS Config rule deletion is in progress. Try your request again later.
- For `DeleteOrganizationConfigRule`, organization AWS Config rule creation is in progress. Try your request again later.
- For `PutConformancePack` and `PutOrganizationConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.
- For `DeleteConformancePack`, a conformance pack creation, update, and deletion is in progress. Try your request again later.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartConfigurationRecorder

Starts the customer managed configuration recorder. The customer managed configuration recorder will begin recording configuration changes for the resource types you specify.

You must have created a delivery channel to successfully start the customer managed configuration recorder. You can use the [PutDeliveryChannel](#) operation to create a delivery channel.

## Request Syntax

```
{
  "ConfigurationRecorderName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ConfigurationRecorderName](#)

The name of the customer managed configuration recorder that you want to start.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InvalidConfigurationRecorderNameException

The configuration recorder name is not valid. The prefix "AWSConfigurationRecorderFor" is reserved for service-linked configuration recorders.



HTTP Status Code: 400

### **NoAvailableDeliveryChannelException**

There is no delivery channel available to record configurations.

HTTP Status Code: 400

### **NoSuchConfigurationRecorderException**

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

### **UnmodifiableEntityException**

The requested operation is not valid.

For [PutConfigurationRecorder](#), you will see this exception because you cannot use this operation to create a service-linked configuration recorder. Use the [PutServiceLinkedConfigurationRecorder](#) operation to create a service-linked configuration recorder.

For [DeleteConfigurationRecorder](#), you will see this exception because you cannot use this operation to delete a service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

For [StartConfigurationRecorder](#) and [StopConfigurationRecorder](#), you will see this exception because these operations do not affect service-linked configuration recorders. Service-linked configuration recorders are always recording. To stop recording, you must delete the service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

HTTP Status Code: 400

### **ValidationException**

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.

- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartRemediationExecution

Runs an on-demand remediation for the specified AWS Config rules against the last known remediation configuration. It runs an execution against the current state of your resources. Remediation execution is asynchronous.

You can specify up to 100 resource keys per request. An existing StartRemediationExecution call for the specified resource keys must complete before you can call the API again.

## Request Syntax

```
{
  "ConfigRuleName": "string",
  "ResourceKeys": [
    {
      "resourceId": "string",
      "resourceType": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigRuleName

The list of names of AWS Config rules that you want to run remediation execution for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

### ResourceKeys

A list of resource keys to be processed with the current request. Each element in the list consists of the resource type and resource ID.

Type: Array of [ResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes

## Response Syntax

```
{
  "FailedItems": [
    {
      "resourceId": "string",
      "resourceType": "string"
    }
  ],
  "FailureMessage": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [FailedItems](#)

For resources that have failed to start execution, the API returns a resource key object.

Type: Array of [ResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

### [FailureMessage](#)

Returns a failure message. For example, the resource is already compliant.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## InsufficientPermissionsException

Indicates one of the following errors:

- For [PutConfigRule](#), the rule cannot be created because the IAM role assigned to AWS Config lacks permissions to perform the `config:Put*` action.
- For [PutConfigRule](#), the AWS Lambda function cannot be invoked. Check the function ARN, and check the function's permissions.
- For [PutOrganizationConfigRule](#), organization AWS Config rule cannot be created because you do not have permissions to call IAM `GetRole` action or create a service-linked role.
- For [PutConformancePack](#) and [PutOrganizationConformancePack](#), a conformance pack cannot be created because you do not have the following permissions:
  - You do not have permission to call IAM `GetRole` action or create a service-linked role.
  - You do not have permission to read Amazon S3 bucket or call `SSM:GetDocument`.
- For [PutServiceLinkedConfigurationRecorder](#), a service-linked configuration recorder cannot be created because you do not have the following permissions: IAM `CreateServiceLinkedRole`.

HTTP Status Code: 400

## InvalidParameterValueException

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## NoSuchRemediationConfigurationException

You specified an AWS Config rule without a remediation configuration.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartResourceEvaluation

Runs an on-demand evaluation for the specified resource to determine whether the resource details will comply with configured AWS Config rules. You can also use it for evaluation purposes. AWS Config recommends using an evaluation context. It runs an execution against the resource details with all of the AWS Config rules in your account that match with the specified proactive mode and resource type.

## Note

Ensure you have the `cloudformation:DescribeType` role setup to validate the resource type schema.

You can find the [Resource type schema](#) in "AWS public extensions" within the AWS CloudFormation registry or with the following CLI command: `aws cloudformation describe-type --type-name "AWS::S3::Bucket" --type RESOURCE`.

For more information, see [Managing extensions through the AWS CloudFormation registry](#) and [AWS resource and property types reference](#) in the AWS CloudFormation User Guide.

## Request Syntax

```
{
  "ClientToken": "string",
  "EvaluationContext": {
    "EvaluationContextIdentifier": "string"
  },
  "EvaluationMode": "string",
  "EvaluationTimeout": number,
  "ResourceDetails": {
    "ResourceConfiguration": "string",
    "ResourceConfigurationSchemaType": "string",
    "ResourceId": "string",
    "ResourceType": "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClientToken

A client token is a unique, case-sensitive string of up to 64 ASCII characters. To make an idempotent API request using one of these actions, specify a client token in the request.

#### Note

Avoid reusing the same client token for other API requests. If you retry a request that completed successfully using the same client token and the same parameters, the retry succeeds without performing any further actions. If you retry a successful request using the same client token, but one or more of the parameters are different, other than the Region or Availability Zone, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Length Constraints: Minimum length of 64. Maximum length of 256.

Required: No

### EvaluationContext

Returns an `EvaluationContext` object.

Type: [EvaluationContext](#) object

Required: No

### EvaluationMode

The mode of an evaluation. The valid values for this API are `DETECTIVE` and `PROACTIVE`.

Type: String

Valid Values: `DETECTIVE` | `PROACTIVE`

Required: Yes

### EvaluationTimeout

The timeout for an evaluation. The default is 900 seconds. You cannot specify a number greater than 3600. If you specify 0, AWS Config uses the default.



Type: Integer

Valid Range: Minimum value of 0. Maximum value of 3600.

Required: No

### ResourceDetails

Returns a ResourceDetails object.

Type: [ResourceDetails](#) object

Required: Yes

## Response Syntax

```
{
  "ResourceEvaluationId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ResourceEvaluationId

A unique ResourceEvaluationId that is associated with a single execution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **IdempotentParameterMismatch**

Using the same client token with one or more different parameters. Specify a new client token with the parameter changes and try again.

HTTP Status Code: 400

## **InvalidParameterValueException**

One or more of the specified parameters are not valid. Verify that your parameters are valid and try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopConfigurationRecorder

Stops the customer managed configuration recorder. The customer managed configuration recorder will stop recording configuration changes for the resource types you have specified.

## Request Syntax

```
{  
  "ConfigurationRecorderName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ConfigurationRecorderName

The name of the customer managed configuration recorder that you want to stop.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InvalidConfigurationRecorderNameException**

The configuration recorder name is not valid. The prefix "AWSConfigurationRecorderFor" is reserved for service-linked configuration recorders.

HTTP Status Code: 400

## NoSuchConfigurationRecorderException

You have specified a configuration recorder that does not exist.

HTTP Status Code: 400

## UnmodifiableEntityException

The requested operation is not valid.

For [PutConfigurationRecorder](#), you will see this exception because you cannot use this operation to create a service-linked configuration recorder. Use the [PutServiceLinkedConfigurationRecorder](#) operation to create a service-linked configuration recorder.

For [DeleteConfigurationRecorder](#), you will see this exception because you cannot use this operation to delete a service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

For [StartConfigurationRecorder](#) and [StopConfigurationRecorder](#), you will see this exception because these operations do not affect service-linked configuration recorders. Service-linked configuration recorders are always recording. To stop recording, you must delete the service-linked configuration recorder. Use the [DeleteServiceLinkedConfigurationRecorder](#) operation to delete a service-linked configuration recorder.

HTTP Status Code: 400

## ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.

- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Associates the specified tags to a resource with the specified ResourceArn. If existing tags on a resource are not specified in the request parameters, they are not changed. If existing tags are specified, however, then their values will be updated. When a resource is deleted, the tags associated with that resource are deleted as well.

## Request Syntax

```
{
  "ResourceArn": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ResourceArn

The Amazon Resource Name (ARN) that identifies the resource for which to list the tags. The following resources are supported:

- ConfigurationRecorder
- ConfigRule
- OrganizationConfigRule
- ConformancePack
- OrganizationConformancePack
- ConfigurationAggregator
- AggregationAuthorization
- StoredQuery

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

## Tags

An array of tag object.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### ResourceNotFoundException

You have specified a resource that does not exist.

HTTP Status Code: 400

### TooManyTagsException

You have reached the limit of the number of tags you can use. For more information, see [Service Limits](#) in the *AWS Config Developer Guide*.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.

- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# UntagResource

Deletes specified tags from a resource.

## Request Syntax

```
{  
  "ResourceArn": "string",  
  "TagKeys": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ResourceArn

The Amazon Resource Name (ARN) that identifies the resource for which to list the tags. The following resources are supported:

- ConfigurationRecorder
- ConfigRule
- OrganizationConfigRule
- ConformancePack
- OrganizationConformancePack
- ConfigurationAggregator
- AggregationAuthorization
- StoredQuery

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### TagKeys

The keys of the tags to be removed.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### ResourceNotFoundException

You have specified a resource that does not exist.

HTTP Status Code: 400

### ValidationException

The requested operation is not valid. You will see this exception if there are missing required fields or if the input value fails the validation.

For [PutStoredQuery](#), one of the following errors:

- There are missing required fields.
- The input value fails the validation.
- You are trying to create more than 300 queries.

For [DescribeConfigurationRecorders](#) and [DescribeConfigurationRecorderStatus](#), one of the following errors:

- You have specified more than one configuration recorder.
- You have provided a service principal for service-linked configuration recorder that is not valid.

For [AssociateResourceTypes](#) and [DisassociateResourceTypes](#), one of the following errors:

- Your configuration recorder has a recording strategy that does not allow the association or disassociation of resource types.
- One or more of the specified resource types are already associated or disassociated with the configuration recorder.
- For service-linked configuration recorders, the configuration recorder does not record one or more of the specified resource types.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Config API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AccountAggregationSource](#)
- [AggregateComplianceByConfigRule](#)
- [AggregateComplianceByConformancePack](#)
- [AggregateComplianceCount](#)
- [AggregateConformancePackCompliance](#)
- [AggregateConformancePackComplianceCount](#)
- [AggregateConformancePackComplianceFilters](#)
- [AggregateConformancePackComplianceSummary](#)
- [AggregateConformancePackComplianceSummaryFilters](#)
- [AggregatedSourceStatus](#)
- [AggregateEvaluationResult](#)
- [AggregateResourceIdentifier](#)
- [AggregationAuthorization](#)
- [AggregatorFilterResourceType](#)
- [AggregatorFilters](#)
- [AggregatorFilterServicePrincipal](#)
- [BaseConfigurationItem](#)
- [Compliance](#)
- [ComplianceByConfigRule](#)
- [ComplianceByResource](#)

- [ComplianceContributorCount](#)
- [ComplianceSummary](#)
- [ComplianceSummaryByResourceType](#)
- [ConfigExportDeliveryInfo](#)
- [ConfigRule](#)
- [ConfigRuleComplianceFilters](#)
- [ConfigRuleComplianceSummaryFilters](#)
- [ConfigRuleEvaluationStatus](#)
- [ConfigSnapshotDeliveryProperties](#)
- [ConfigStreamDeliveryInfo](#)
- [ConfigurationAggregator](#)
- [ConfigurationItem](#)
- [ConfigurationRecorder](#)
- [ConfigurationRecorderFilter](#)
- [ConfigurationRecorderStatus](#)
- [ConfigurationRecorderSummary](#)
- [ConformancePackComplianceFilters](#)
- [ConformancePackComplianceScore](#)
- [ConformancePackComplianceScoresFilters](#)
- [ConformancePackComplianceSummary](#)
- [ConformancePackDetail](#)
- [ConformancePackEvaluationFilters](#)
- [ConformancePackEvaluationResult](#)
- [ConformancePackInputParameter](#)
- [ConformancePackRuleCompliance](#)
- [ConformancePackStatusDetail](#)
- [CustomPolicyDetails](#)
- [DeliveryChannel](#)
- [DeliveryChannelStatus](#)
- [DescribeConfigRulesFilters](#)

- [Evaluation](#)
- [EvaluationContext](#)
- [EvaluationModeConfiguration](#)
- [EvaluationResult](#)
- [EvaluationResultIdentifier](#)
- [EvaluationResultQualifier](#)
- [EvaluationStatus](#)
- [ExclusionByResourceTypes](#)
- [ExecutionControls](#)
- [ExternalEvaluation](#)
- [FailedDeleteRemediationExceptionsBatch](#)
- [FailedRemediationBatch](#)
- [FailedRemediationExceptionBatch](#)
- [FieldInfo](#)
- [GroupedResourceCount](#)
- [MemberAccountStatus](#)
- [OrganizationAggregationSource](#)
- [OrganizationConfigRule](#)
- [OrganizationConfigRuleStatus](#)
- [OrganizationConformancePack](#)
- [OrganizationConformancePackDetailedStatus](#)
- [OrganizationConformancePackStatus](#)
- [OrganizationCustomPolicyRuleMetadata](#)
- [OrganizationCustomPolicyRuleMetadataNoPolicy](#)
- [OrganizationCustomRuleMetadata](#)
- [OrganizationManagedRuleMetadata](#)
- [OrganizationResourceDetailedStatusFilters](#)
- [PendingAggregationRequest](#)
- [QueryInfo](#)
- [RecordingGroup](#)

- [RecordingMode](#)
- [RecordingModeOverride](#)
- [RecordingStrategy](#)
- [Relationship](#)
- [RemediationConfiguration](#)
- [RemediationException](#)
- [RemediationExceptionResourceKey](#)
- [RemediationExecutionStatus](#)
- [RemediationExecutionStep](#)
- [RemediationParameterValue](#)
- [ResourceCount](#)
- [ResourceCountFilters](#)
- [ResourceDetails](#)
- [ResourceEvaluation](#)
- [ResourceEvaluationFilters](#)
- [ResourceFilters](#)
- [ResourceIdentifier](#)
- [ResourceKey](#)
- [ResourceValue](#)
- [RetentionConfiguration](#)
- [Scope](#)
- [Source](#)
- [SourceDetail](#)
- [SsmControls](#)
- [StaticValue](#)
- [StatusDetailFilters](#)
- [StoredQuery](#)
- [StoredQueryMetadata](#)
- [Tag](#)
- [TemplateSSMDocumentDetails](#)

- [TimeWindow](#)



# AccountAggregationSource

A collection of accounts and regions.

## Contents

### AccountIds

The 12-digit account ID of the account being aggregated.

Type: Array of strings

Array Members: Minimum number of 1 item.

Pattern: `\d{12}`

Required: Yes

### AllAwsRegions

If true, aggregate existing AWS Config regions and future regions.

Type: Boolean

Required: No

### AwsRegions

The source regions being aggregated.

Type: Array of strings

Array Members: Minimum number of 1 item.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# AggregateComplianceByConfigRule

Indicates whether an AWS Config rule is compliant based on account ID, region, compliance, and rule name.

A rule is compliant if all of the resources that the rule evaluated comply with it. It is noncompliant if any of these resources do not comply.

## Contents

### AccountId

The 12-digit account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### AwsRegion

The source region from where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### Compliance

Indicates whether an AWS resource or AWS Config rule is compliant and provides the number of contributors that affect the compliance.

Type: [Compliance](#) object

Required: No

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateComplianceByConformancePack

Provides aggregate compliance of the conformance pack. Indicates whether a conformance pack is compliant based on the name of the conformance pack, account ID, and region.

A conformance pack is compliant if all of the rules in a conformance packs are compliant. It is noncompliant if any of the rules are not compliant. The compliance status of a conformance pack is `INSUFFICIENT_DATA` only if all rules within a conformance pack cannot be evaluated due to insufficient data. If some of the rules in a conformance pack are compliant but the compliance status of other rules in that same conformance pack is `INSUFFICIENT_DATA`, the conformance pack shows compliant.

## Contents

### AccountId

The 12-digit AWS account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### AwsRegion

The source AWS Region from where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### Compliance

The compliance status of the conformance pack.

Type: [AggregateConformancePackCompliance](#) object

Required: No

### ConformancePackName

The name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z][-a-zA-Z0-9]\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateComplianceCount

Returns the number of compliant and noncompliant rules for one or more accounts and regions in an aggregator.

## Contents

### ComplianceSummary

The number of compliant and noncompliant AWS Config rules.

Type: [ComplianceSummary](#) object

Required: No

### GroupName

The 12-digit account ID or region based on the GroupByKey value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateConformancePackCompliance

Provides the number of compliant and noncompliant rules within a conformance pack. Also provides the compliance status of the conformance pack and the total rule count which includes compliant rules, noncompliant rules, and rules that cannot be evaluated due to insufficient data.

A conformance pack is compliant if all of the rules in a conformance packs are compliant. It is noncompliant if any of the rules are not compliant. The compliance status of a conformance pack is `INSUFFICIENT_DATA` only if all rules within a conformance pack cannot be evaluated due to insufficient data. If some of the rules in a conformance pack are compliant but the compliance status of other rules in that same conformance pack is `INSUFFICIENT_DATA`, the conformance pack shows compliant.

## Contents

### ComplianceType

The compliance status of the conformance pack.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `INSUFFICIENT_DATA`

Required: No

### CompliantRuleCount

The number of compliant AWS Config Rules.

Type: Integer

Required: No

### NonCompliantRuleCount

The number of noncompliant AWS Config Rules.

Type: Integer

Required: No

### TotalRuleCount

Total number of compliant rules, noncompliant rules, and the rules that do not have any applicable resources to evaluate upon resulting in insufficient data.



Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateConformancePackComplianceCount

The number of conformance packs that are compliant and noncompliant.

## Contents

### CompliantConformancePackCount

Number of compliant conformance packs.

Type: Integer

Required: No

### NonCompliantConformancePackCount

Number of noncompliant conformance packs.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateConformancePackComplianceFilters

Filters the conformance packs based on an account ID, region, compliance type, and the name of the conformance pack.

## Contents

### AccountId

The 12-digit AWS account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### AwsRegion

The source AWS Region from where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ComplianceType

The compliance status of the conformance pack.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `INSUFFICIENT_DATA`

Required: No

### ConformancePackName

The name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateConformancePackComplianceSummary

Provides a summary of compliance based on either account ID or region.

## Contents

### ComplianceSummary

Returns an `AggregateConformancePackComplianceCount` object.

Type: [AggregateConformancePackComplianceCount](#) object

Required: No

### GroupName

Groups the result based on AWS account ID or AWS Region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateConformancePackComplianceSummaryFilters

Filters the results based on account ID and region.

## Contents

### AccountId

The 12-digit AWS account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### AwsRegion

The source AWS Region from where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregatedSourceStatus

The current sync status between the source and the aggregator account.

## Contents

### AwsRegion

The region authorized to collect aggregated data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### LastErrorCode

The error code that AWS Config returned when the source account aggregation last failed.

Type: String

Required: No

### LastErrorMessage

The message indicating that the source account aggregation failed due to an error.

Type: String

Required: No

### LastUpdateStatus

Filters the last updated status type.

- Valid value FAILED indicates errors while moving data.
- Valid value SUCCEEDED indicates the data was successfully moved.
- Valid value OUTDATED indicates the data is not the most recent.

Type: String

Valid Values: FAILED | SUCCEEDED | OUTDATED

Required: No

## LastUpdateTime

The time of the last update.

Type: Timestamp

Required: No

## SourceId

The source account ID or an organization.

Type: String

Required: No

## SourceType

The source account or an organization.

Type: String

Valid Values: ACCOUNT | ORGANIZATION

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# AggregateEvaluationResult

The details of an AWS Config evaluation for an account ID and region in an aggregator. Provides the AWS resource that was evaluated, the compliance of the resource, related time stamps, and supplementary information.

## Contents

### AccountId

The 12-digit account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### Annotation

Supplementary information about how the aggregate evaluation determined the compliance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### AwsRegion

The source region from where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ComplianceType

The resource compliance status.

For the `AggregationEvaluationResult` data type, AWS Config supports only the `COMPLIANT` and `NON_COMPLIANT`. AWS Config does not support the `NOT_APPLICABLE` and `INSUFFICIENT_DATA` value.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | NOT\_APPLICABLE | INSUFFICIENT\_DATA

Required: No

### **ConfigRuleInvokedTime**

The time when the AWS Config rule evaluated the AWS resource.

Type: Timestamp

Required: No

### **EvaluationResultIdentifier**

Uniquely identifies the evaluation result.

Type: [EvaluationResultIdentifier](#) object

Required: No

### **ResultRecordedTime**

The time when AWS Config recorded the aggregate evaluation result.

Type: Timestamp

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateResourceIdentifier

The details that identify a resource that is collected by AWS Config aggregator, including the resource type, ID, (if available) the custom resource name, the source account, and source region.

## Contents

### ResourceId

The ID of the AWS resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

### ResourceType

The type of the AWS resource.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` | `AWS::EC2::NatGateway` | `AWS::EC2::EgressOnlyInternetGateway` | `AWS::EC2::VPCEndpoint` | `AWS::EC2::VPCEndpointService` | `AWS::EC2::FlowLog` | `AWS::EC2::VPCPeeringConnection` | `AWS::Elasticsearch::Domain` | `AWS::IAM::Group` | `AWS::IAM::Policy` | `AWS::IAM::Role` | `AWS::IAM::User` | `AWS::ElasticLoadBalancingV2::LoadBalancer` | `AWS::ACM::Certificate` | `AWS::RDS::DBInstance` | `AWS::RDS::DBSubnetGroup` | `AWS::RDS::DBSecurityGroup` | `AWS::RDS::DBSnapshot` | `AWS::RDS::DBCluster` | `AWS::RDS::DBClusterSnapshot` | `AWS::RDS::EventSubscription` | `AWS::S3::Bucket` | `AWS::S3::AccountPublicAccessBlock` | `AWS::Redshift::Cluster` | `AWS::Redshift::ClusterSnapshot` | `AWS::Redshift::ClusterParameterGroup` | `AWS::Redshift::ClusterSecurityGroup` | `AWS::Redshift::ClusterSubnetGroup`

| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |

AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |

AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |

AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration

| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTThingMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FirmwareTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |



AWS::IoTtwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: Yes

### **SourceAccountId**

The 12-digit account ID of the source account.

Type: String

Pattern: \d{12}

Required: Yes

### **SourceRegion**

The source region where data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

### **ResourceName**

The name of the AWS resource.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregationAuthorization

An object that represents the authorizations granted to aggregator accounts and regions.

## Contents

### AggregationAuthorizationArn

The Amazon Resource Name (ARN) of the aggregation object.

Type: String

Required: No

### AuthorizedAccountId

The 12-digit account ID of the account authorized to aggregate data.

Type: String

Pattern: `\d{12}`

Required: No

### AuthorizedAwsRegion

The region authorized to collect aggregated data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### CreationTime

The time stamp when the aggregation authorization was created.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregatorFilterResourceType

An object to filter the configuration recorders based on the resource types in scope for recording.

## Contents

### Type

The type of resource type filter to apply. INCLUDE specifies that the list of resource types in the `Value` field will be aggregated and no other resource types will be filtered.

Type: String

Valid Values: INCLUDE

Required: No

### Value

Comma-separated list of resource types to filter your aggregated configuration recorders.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9]{2,64}::[a-zA-Z0-9]{2,64}::[a-zA-Z0-9]{2,64}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregatorFilters

An object to filter the data you specify for an aggregator.

## Contents

### ResourceType

An object to filter the configuration recorders based on the resource types in scope for recording.

Type: [AggregatorFilterResourceType](#) object

Required: No

### ServicePrincipal

An object to filter service-linked configuration recorders in an aggregator based on the linked AWS service.

Type: [AggregatorFilterServicePrincipal](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregatorFilterServicePrincipal

An object to filter service-linked configuration recorders in an aggregator based on the linked AWS service.

## Contents

### Type

The type of service principal filter to apply. INCLUDE specifies that the list of service principals in the Value field will be aggregated and no other service principals will be filtered.

Type: String

Valid Values: INCLUDE

Required: No

### Value

Comma-separated list of service principals for the linked AWS services to filter your aggregated service-linked configuration recorders.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# BaseConfigurationItem

The detailed configurations of a specified resource.

## Contents

### **accountId**

The 12-digit AWS account ID associated with the resource.

Type: String

Pattern: `\d{12}`

Required: No

### **arn**

The Amazon Resource Name (ARN) of the resource.

Type: String

Required: No

### **availabilityZone**

The Availability Zone associated with the resource.

Type: String

Required: No

### **awsRegion**

The region where the resource resides.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### **configuration**

The description of the resource configuration.

Type: String



Required: No

### **configurationItemCaptureTime**

The time when the recording of configuration changes was initiated for the resource.

Type: Timestamp

Required: No

### **configurationItemDeliveryTime**

The time when configuration changes for the resource were delivered.

#### **Note**

This field is optional and is not guaranteed to be present in a configuration item (CI). If you are using daily recording, this field will be populated. However, if you are using continuous recording, this field will be omitted since the delivery time is instantaneous as the CI is available right away. For more information on daily recording and continuous recording, see [Recording Frequency](#) in the *AWS Config Developer Guide*.

Type: Timestamp

Required: No

### **configurationItemStatus**

The configuration item status. Valid values include:

- OK – The resource configuration has been updated.
- ResourceDiscovered – The resource was newly discovered.
- ResourceNotRecorded – The resource was discovered, but its configuration was not recorded since the recorder doesn't record resources of this type.
- ResourceDeleted – The resource was deleted
- ResourceDeletedNotRecorded – The resource was deleted, but its configuration was not recorded since the recorder doesn't record resources of this type.

Type: String

Valid Values: OK | ResourceDiscovered | ResourceNotRecorded | ResourceDeleted | ResourceDeletedNotRecorded

Required: No

### **configurationStateId**

An identifier that indicates the ordering of the configuration items of a resource.

Type: String

Required: No

### **recordingFrequency**

The recording frequency that AWS Config uses to record configuration changes for the resource.

Type: String

Valid Values: CONTINUOUS | DAILY

Required: No

### **resourceCreationTime**

The time stamp when the resource was created.

Type: Timestamp

Required: No

### **resourceId**

The ID of the resource (for example., sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### **resourceName**

The custom name of the resource, if available.

Type: String

Required: No

### **resourceType**

The type of AWS resource.

**Type:** String

Valid Values: AWS::EC2::CustomerGateway | AWS::EC2::EIP | AWS::EC2::Host | AWS::EC2::Instance | AWS::EC2::InternetGateway | AWS::EC2::NetworkAcl | AWS::EC2::NetworkInterface | AWS::EC2::RouteTable | AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail | AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection | AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance | AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway | AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog | AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain | AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role | AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer | AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup | AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot | AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot | AWS::RDS::EventSubscription | AWS::S3::Bucket | AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster | AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup | AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup | AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory | AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack | AWS::ElasticLoadBalancing::LoadBalancer | AWS::AutoScaling::AutoScalingGroup | AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy | AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table | AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule | AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule | AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup | AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution | AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function | AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy | AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application | AWS::ElasticBeanstalk::ApplicationVersion | AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL | AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet | AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |

AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre

| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |

AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTTwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule

| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint

| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTThingMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FwotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTThingMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## supplementaryConfiguration

Configuration attributes that AWS Config returns for certain resource types to supplement the information returned for the configuration parameter.



Type: String to string map

Required: No

### **version**

The version number of the resource configuration.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Compliance

Indicates whether an AWS resource or AWS Config rule is compliant and provides the number of contributors that affect the compliance.

## Contents

### ComplianceContributorCount

The number of AWS resources or AWS Config rules that cause a result of `NON_COMPLIANT`, up to a maximum number.

Type: [ComplianceContributorCount](#) object

Required: No

### ComplianceType

Indicates whether an AWS resource or AWS Config rule is compliant.

A resource is compliant if it complies with all of the AWS Config rules that evaluate it. A resource is noncompliant if it does not comply with one or more of these rules.

A rule is compliant if all of the resources that the rule evaluates comply with it. A rule is noncompliant if any of these resources do not comply.

AWS Config returns the `INSUFFICIENT_DATA` value when no evaluation results are available for the AWS resource or AWS Config rule.

For the `Compliance` data type, AWS Config supports only `COMPLIANT`, `NON_COMPLIANT`, and `INSUFFICIENT_DATA` values. AWS Config does not support the `NOT_APPLICABLE` value for the `Compliance` data type.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `NOT_APPLICABLE` | `INSUFFICIENT_DATA`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComplianceByConfigRule

Indicates whether an AWS Config rule is compliant. A rule is compliant if all of the resources that the rule evaluated comply with it. A rule is noncompliant if any of these resources do not comply.

## Contents

### Compliance

Indicates whether the AWS Config rule is compliant.

Type: [Compliance](#) object

Required: No

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComplianceByResource

Indicates whether an AWS resource that is evaluated according to one or more AWS Config rules is compliant. A resource is compliant if it complies with all of the rules that evaluate it. A resource is noncompliant if it does not comply with one or more of these rules.

## Contents

### Compliance

Indicates whether the AWS resource complies with all of the AWS Config rules that evaluated it.

Type: [Compliance](#) object

Required: No

### ResourceId

The ID of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### ResourceType

The type of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComplianceContributorCount

The number of AWS resources or AWS Config rules responsible for the current compliance of the item, up to a maximum number.

## Contents

### CapExceeded

Indicates whether the maximum count is reached.

Type: Boolean

Required: No

### CappedCount

The number of AWS resources or AWS Config rules responsible for the current compliance of the item.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComplianceSummary

The number of AWS Config rules or AWS resources that are compliant and noncompliant.

## Contents

### ComplianceSummaryTimestamp

The time that AWS Config created the compliance summary.

Type: Timestamp

Required: No

### CompliantResourceCount

The number of AWS Config rules or AWS resources that are compliant, up to a maximum of 25 for rules and 100 for resources.

Type: [ComplianceContributorCount](#) object

Required: No

### NonCompliantResourceCount

The number of AWS Config rules or AWS resources that are noncompliant, up to a maximum of 25 for rules and 100 for resources.

Type: [ComplianceContributorCount](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ComplianceSummaryByResourceType

The number of AWS resources of a specific type that are compliant or noncompliant, up to a maximum of 100 for each.

## Contents

### ComplianceSummary

The number of AWS resources that are compliant or noncompliant, up to a maximum of 100 for each.

Type: [ComplianceSummary](#) object

Required: No

### ResourceType

The type of AWS resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigExportDeliveryInfo

Provides status of the delivery of the snapshot or the configuration history to the specified Amazon S3 bucket. Also provides the status of notifications about the Amazon S3 delivery to the specified Amazon SNS topic.

## Contents

### lastAttemptTime

The time of the last attempted delivery.

Type: Timestamp

Required: No

### lastErrorCode

The error code from the last attempted delivery.

Type: String

Required: No

### lastErrorMessage

The error message from the last attempted delivery.

Type: String

Required: No

### lastStatus

Status of the last attempted delivery.

Type: String

Valid Values: Success | Failure | Not\_Applicable

Required: No

### lastSuccessfulTime

The time of the last successful delivery.

Type: Timestamp

Required: No

### **nextDeliveryTime**

The time that the next delivery occurs.

Type: Timestamp

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigRule

AWS Config rules evaluate the configuration settings of your AWS resources. A rule can run when AWS Config detects a configuration change to an AWS resource or at a periodic frequency that you choose (for example, every 24 hours). There are two types of rules: *AWS Config Managed Rules* and *AWS Config Custom Rules*.

AWS Config Managed Rules are predefined, customizable rules created by AWS Config. For a list of managed rules, see [List of AWS Config Managed Rules](#).

AWS Config Custom Rules are rules that you create from scratch. There are two ways to create AWS Config custom rules: with Lambda functions ([AWS Lambda Developer Guide](#)) and with Guard ([Guard GitHub Repository](#)), a policy-as-code language. AWS Config custom rules created with AWS Lambda are called *AWS Config Custom Lambda Rules* and AWS Config custom rules created with Guard are called *AWS Config Custom Policy Rules*.

For more information about developing and using AWS Config rules, see [Evaluating Resource with AWS Config Rules](#) in the *AWS Config Developer Guide*.

## Note

You can use the AWS CLI and AWS SDKs if you want to create a rule that triggers evaluations for your resources when AWS Config delivers the configuration snapshot. For more information, see [ConfigSnapshotDeliveryProperties](#).

## Contents

### Source

Provides the rule owner ( `AWS` for managed rules, `CUSTOM_POLICY` for Custom Policy rules, and `CUSTOM_LAMBDA` for Custom Lambda rules), the rule identifier, and the notifications that cause the function to evaluate your AWS resources.

Type: [Source](#) object

Required: Yes

### ConfigRuleArn

The Amazon Resource Name (ARN) of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **ConfigRuleId**

The ID of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### **ConfigRuleName**

The name that you assign to the AWS Config rule. The name is required if you are adding a new rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

### **ConfigRuleState**

Indicates whether the AWS Config rule is active or is currently being deleted by AWS Config. It can also indicate the evaluation status for the AWS Config rule.

AWS Config sets the state of the rule to `EVALUATING` temporarily after you use the `StartConfigRulesEvaluation` request to evaluate your resources against the AWS Config rule.

AWS Config sets the state of the rule to `DELETING_RESULTS` temporarily after you use the `DeleteEvaluationResults` request to delete the current evaluation results for the AWS Config rule.

AWS Config temporarily sets the state of a rule to `DELETING` after you use the `DeleteConfigRule` request to delete the rule. After AWS Config deletes the rule, the rule and all of its evaluations are erased and are no longer available.

Type: String

Valid Values: ACTIVE | DELETING | DELETING\_RESULTS | EVALUATING

Required: No

### CreatedBy

Service principal name of the service that created the rule.

#### Note

The field is populated only if the service-linked rule is created by a service. The field is empty if you create your own rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### Description

The description that you provide for the AWS Config rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### EvaluationModes

The modes the AWS Config rule can be evaluated in. The valid values are distinct objects. By default, the value is Detective evaluation mode only.

Type: Array of [EvaluationModeConfiguration](#) objects

Required: No

### InputParameters

A string, in JSON format, that is passed to the AWS Config rule Lambda function.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

## MaximumExecutionFrequency

The maximum frequency with which AWS Config runs evaluations for a rule. You can specify a value for `MaximumExecutionFrequency` when:

- This is for an AWS Config managed rule that is triggered at a periodic frequency.
- Your custom rule is triggered when AWS Config delivers the configuration snapshot. For more information, see [ConfigSnapshotDeliveryProperties](#).

### Note

By default, rules with a periodic trigger are evaluated every 24 hours. To change the frequency, specify a valid value for the `MaximumExecutionFrequency` parameter.

Type: String

Valid Values: `One_Hour` | `Three_Hours` | `Six_Hours` | `Twelve_Hours` | `TwentyFour_Hours`

Required: No

## Scope

Defines which resources can trigger an evaluation for the rule. The scope can include one or more resource types, a combination of one resource type and one resource ID, or a combination of a tag key and value. Specify a scope to constrain the resources that can trigger an evaluation for the rule. If you do not specify a scope, evaluations are triggered when any resource in the recording group changes.

### Note

Scope is only supported for change-triggered rules. Scope is not supported for periodic or hybrid rules.

Type: [Scope](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConfigRuleComplianceFilters

Filters the compliance results based on account ID, region, compliance type, and rule name.

## Contents

### AccountId

The 12-digit account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### AwsRegion

The source region where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ComplianceType

The rule compliance status.

For the `ConfigRuleComplianceFilters` data type, AWS Config supports only `COMPLIANT` and `NON_COMPLIANT`. AWS Config does not support the `NOT_APPLICABLE` and the `INSUFFICIENT_DATA` values.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `NOT_APPLICABLE` | `INSUFFICIENT_DATA`

Required: No

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigRuleComplianceSummaryFilters

Filters the results based on the account IDs and regions.

## Contents

### AccountId

The 12-digit account ID of the source account.

Type: String

Pattern: `\d{12}`

Required: No

### AwsRegion

The source region where the data is aggregated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigRuleEvaluationStatus

Status information for your AWS Config Managed rules and AWS Config Custom Policy rules. The status includes information such as the last time the rule ran, the last time it failed, and the related error for the last failure.

This operation does not return status information about AWS Config Custom Lambda rules.

## Contents

### ConfigRuleArn

The Amazon Resource Name (ARN) of the AWS Config rule.

Type: String

Required: No

### ConfigRuleId

The ID of the AWS Config rule.

Type: String

Required: No

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

### FirstActivatedTime

The time that you first activated the AWS Config rule.

Type: Timestamp

Required: No

## **FirstEvaluationStarted**

Indicates whether AWS Config has evaluated your resources against the rule at least once.

- `true` - AWS Config has evaluated your AWS resources against the rule at least once.
- `false` - AWS Config has not finished evaluating your AWS resources against the rule at least once.

Type: Boolean

Required: No

## **LastDeactivatedTime**

The time that you last turned off the AWS Config rule.

Type: Timestamp

Required: No

## **LastDebugLogDeliveryStatus**

The status of the last attempted delivery of a debug log for your AWS Config Custom Policy rules. Either `Successful` or `Failed`.

Type: String

Required: No

## **LastDebugLogDeliveryStatusReason**

The reason AWS Config was not able to deliver a debug log. This is for the last failed attempt to retrieve a debug log for your AWS Config Custom Policy rules.

Type: String

Required: No

## **LastDebugLogDeliveryTime**

The time AWS Config last attempted to deliver a debug log for your AWS Config Custom Policy rules.

Type: Timestamp

Required: No

**LastErrorCode**

The error code that AWS Config returned when the rule last failed.

Type: String

Required: No

**LastErrorMessage**

The error message that AWS Config returned when the rule last failed.

Type: String

Required: No

**LastFailedEvaluationTime**

The time that AWS Config last failed to evaluate your AWS resources against the rule.

Type: Timestamp

Required: No

**LastFailedInvocationTime**

The time that AWS Config last failed to invoke the AWS Config rule to evaluate your AWS resources.

Type: Timestamp

Required: No

**LastSuccessfulEvaluationTime**

The time that AWS Config last successfully evaluated your AWS resources against the rule.

Type: Timestamp

Required: No

**LastSuccessfulInvocationTime**

The time that AWS Config last successfully invoked the AWS Config rule to evaluate your AWS resources.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigSnapshotDeliveryProperties

Provides options for how often AWS Config delivers configuration snapshots to the Amazon S3 bucket in your delivery channel.

The frequency for a rule that triggers evaluations for your resources when AWS Config delivers the configuration snapshot is set by one of two values, depending on which is less frequent:

- The value for the `deliveryFrequency` parameter within the delivery channel configuration, which sets how often AWS Config delivers configuration snapshots. This value also sets how often AWS Config invokes evaluations for AWS Config rules.
- The value for the `MaximumExecutionFrequency` parameter, which sets the maximum frequency with which AWS Config invokes evaluations for the rule. For more information, see [ConfigRule](#).

If the `deliveryFrequency` value is less frequent than the `MaximumExecutionFrequency` value for a rule, AWS Config invokes the rule only as often as the `deliveryFrequency` value.

1. For example, you want your rule to run evaluations when AWS Config delivers the configuration snapshot.
2. You specify the `MaximumExecutionFrequency` value for `Six_Hours`.
3. You then specify the delivery channel `deliveryFrequency` value for `TwentyFour_Hours`.
4. Because the value for `deliveryFrequency` is less frequent than `MaximumExecutionFrequency`, AWS Config invokes evaluations for the rule every 24 hours.

You should set the `MaximumExecutionFrequency` value to be at least as frequent as the `deliveryFrequency` value. You can view the `deliveryFrequency` value by using the `DescribeDeliveryChannels` action.

To update the `deliveryFrequency` with which AWS Config delivers your configuration snapshots, use the `PutDeliveryChannel` action.

## Contents

### `deliveryFrequency`

The frequency with which AWS Config delivers configuration snapshots.



Type: String

Valid Values: One\_Hour | Three\_Hours | Six\_Hours | Twelve\_Hours |  
TwentyFour\_Hours

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigStreamDeliveryInfo

A list that contains the status of the delivery of the configuration stream notification to the Amazon SNS topic.

## Contents

### lastErrorCode

The error code from the last attempted delivery.

Type: String

Required: No

### lastErrorMessage

The error message from the last attempted delivery.

Type: String

Required: No

### lastStatus

Status of the last attempted delivery.

**Note** Providing an SNS topic on a [DeliveryChannel](#) for AWS Config is optional. If the SNS delivery is turned off, the last status will be **Not\_Applicable**.

Type: String

Valid Values: Success | Failure | Not\_Applicable

Required: No

### lastStatusChangeTime

The time from the last status change.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationAggregator

The details about the configuration aggregator, including information about source accounts, regions, and metadata of the aggregator.

## Contents

### AccountAggregationSources

Provides a list of source accounts and regions to be aggregated.

Type: Array of [AccountAggregationSource](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

### AggregatorFilters

An object to filter the data you specify for an aggregator.

Type: [AggregatorFilters](#) object

Required: No

### ConfigurationAggregatorArn

The Amazon Resource Name (ARN) of the aggregator.

Type: String

Pattern: `arn:aws[a-z\-*]:config:[a-z\-\d]+:\d+:config-aggregator/config-aggregator-[a-z\d]+`

Required: No

### ConfigurationAggregatorName

The name of the aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\-\-]+`

Required: No

### **CreatedBy**

AWS service that created the configuration aggregator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **CreationTime**

The time stamp when the configuration aggregator was created.

Type: Timestamp

Required: No

### **LastUpdatedTime**

The time of the last update.

Type: Timestamp

Required: No

### **OrganizationAggregationSource**

Provides an organization and list of regions to be aggregated.

Type: [OrganizationAggregationSource](#) object

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConfigurationItem

A list that contains detailed configurations of a specified resource.

## Contents

### **accountId**

The 12-digit AWS account ID associated with the resource.

Type: String

Pattern: `\d{12}`

Required: No

### **arn**

Amazon Resource Name (ARN) associated with the resource.

Type: String

Required: No

### **availabilityZone**

The Availability Zone associated with the resource.

Type: String

Required: No

### **awsRegion**

The region where the resource resides.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### **configuration**

The description of the resource configuration.

Type: String

Required: No

### **configurationItemCaptureTime**

The time when the recording of configuration changes was initiated for the resource.

Type: Timestamp

Required: No

### **configurationItemDeliveryTime**

The time when configuration changes for the resource were delivered.

#### **Note**

This field is optional and is not guaranteed to be present in a configuration item (CI). If you are using daily recording, this field will be populated. However, if you are using continuous recording, this field will be omitted since the delivery time is instantaneous as the CI is available right away. For more information on daily recording and continuous recording, see [Recording Frequency](#) in the *AWS Config Developer Guide*.

Type: Timestamp

Required: No

### **configurationItemMD5Hash**

Unique MD5 hash that represents the configuration item's state.

You can use MD5 hash to compare the states of two or more configuration items that are associated with the same resource.

Type: String

Required: No

### **configurationItemStatus**

The configuration item status. Valid values include:

- OK – The resource configuration has been updated
- ResourceDiscovered – The resource was newly discovered



- **ResourceNotRecorded** – The resource was discovered but its configuration was not recorded since the recorder doesn't record resources of this type
- **ResourceDeleted** – The resource was deleted
- **ResourceDeletedNotRecorded** – The resource was deleted but its configuration was not recorded since the recorder doesn't record resources of this type

Type: String

Valid Values: OK | ResourceDiscovered | ResourceNotRecorded | ResourceDeleted | ResourceDeletedNotRecorded

Required: No

### **configurationStateId**

An identifier that indicates the ordering of the configuration items of a resource.

Type: String

Required: No

### **recordingFrequency**

The recording frequency that AWS Config uses to record configuration changes for the resource.

Type: String

Valid Values: CONTINUOUS | DAILY

Required: No

### **relatedEvents**

A list of CloudTrail event IDs.

A populated field indicates that the current configuration was initiated by the events recorded in the CloudTrail log. For more information about CloudTrail, see [What Is AWS CloudTrail](#).

An empty field indicates that the current configuration was not initiated by any event. As of Version 1.3, the relatedEvents field is empty. You can access the [LookupEvents API](#) in the *AWS CloudTrail API Reference* to retrieve the events for the resource.

Type: Array of strings

Required: No

## relationships

A list of related AWS resources.

Type: Array of [Relationship](#) objects

Required: No

## resourceCreationTime

The time stamp when the resource was created.

Type: Timestamp

Required: No

## resourceId

The ID of the resource (for example, sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

## resourceName

The custom name of the resource, if available.

Type: String

Required: No

## resourceType

The type of AWS resource.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` | `AWS::EC2::NatGateway` | `AWS::EC2::EgressOnlyInternetGateway` |

AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog  
| AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain  
| AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role |  
AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |

AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList

| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |

AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image

| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTtwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |

AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoT TwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

### supplementaryConfiguration

Configuration attributes that AWS Config returns for certain resource types to supplement the information returned for the configuration parameter.

Type: String to string map

Required: No

### tags

A mapping of key value tags associated with the resource.

Type: String to string map



Required: No

### **version**

The version number of the resource configuration.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationRecorder

Records configuration changes to the resource types in scope.

For more information about the configuration recorder, see [Working with the Configuration Recorder](#) in the *AWS Config Developer Guide*.

## Contents

### arn

The Amazon Resource Name (ARN) of the specified configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### name

The name of the configuration recorder.

For customer managed configuration recorders, AWS Config automatically assigns the name of "default" when creating a configuration recorder if you do not specify a name at creation time.

For service-linked configuration recorders, AWS Config automatically assigns a name that has the prefix "AWSConfigurationRecorderFor" to a new service-linked configuration recorder.

#### Note

##### **Changing the name of a configuration recorder**

To change the name of the customer managed configuration recorder, you must delete it and create a new customer managed configuration recorder with a new name.

You cannot change the name of a service-linked configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## recordingGroup

Specifies which resource types are in scope for the configuration recorder to record.

### Note

#### High Number of AWS Config Evaluations

You might notice increased activity in your account during your initial month recording with AWS Config when compared to subsequent months. During the initial bootstrapping process, AWS Config runs evaluations on all the resources in your account that you have selected for AWS Config to record.

If you are running ephemeral workloads, you may see increased activity from AWS Config as it records configuration changes associated with creating and deleting these temporary resources. An *ephemeral workload* is a temporary use of computing resources that are loaded and run when needed. Examples include Amazon Elastic Compute Cloud (Amazon EC2) Spot Instances, Amazon EMR jobs, and AWS Auto Scaling.

If you want to avoid the increased activity from running ephemeral workloads, you can set up the configuration recorder to exclude these resource types from being recorded, or run these types of workloads in a separate account with AWS Config turned off to avoid increased configuration recording and rule evaluations.

Type: [RecordingGroup](#) object

Required: No

## recordingMode

Specifies the default recording frequency for the configuration recorder. AWS Config supports *Continuous recording* and *Daily recording*.

- Continuous recording allows you to record configuration changes continuously whenever a change occurs.
- Daily recording allows you to receive a configuration item (CI) representing the most recent state of your resources over the last 24-hour period, only if it's different from the previous CI recorded.

### Note

**Some resource types require continuous recording**

AWS Firewall Manager depends on continuous recording to monitor your resources. If you are using Firewall Manager, it is recommended that you set the recording frequency to Continuous.

You can also override the recording frequency for specific resource types.

Type: [RecordingMode](#) object

Required: No

### recordingScope

Specifies whether the [ConfigurationItems](#) in scope for the specified configuration recorder are recorded for free (INTERNAL) or if it impacts the costs to your bill (PAID).

Type: String

Valid Values: INTERNAL | PAID

Required: No

### roleARN

The Amazon Resource Name (ARN) of the IAM role assumed by AWS Config and used by the specified configuration recorder.

#### Note

##### **The server will reject a request without a defined roleARN for the configuration recorder**

While the API model does not require this field, the server will reject a request without a defined roleARN for the configuration recorder.

##### **Policies and compliance results**

[IAM policies](#) and [other policies managed in AWS Organizations](#) can impact whether AWS Config has permissions to record configuration changes for your resources. Additionally, rules directly evaluate the configuration of a resource and rules don't take into account these policies when running evaluations. Make sure that the policies in effect align with how you intend to use AWS Config.

##### **Keep Minimum Permissions When Reusing an IAM role**

If you use an AWS service that uses AWS Config, such as AWS Security Hub or AWS Control Tower, and an IAM role has already been created, make sure that the IAM role

that you use when setting up AWS Config keeps the same minimum permissions as the pre-existing IAM role. You must do this to ensure that the other AWS service continues to run as expected.

For example, if AWS Control Tower has an IAM role that allows AWS Config to read S3 objects, make sure that the same permissions are granted to the IAM role you use when setting up AWS Config. Otherwise, it may interfere with how AWS Control Tower operates.

**The service-linked IAM role for AWS Config must be used for service-linked configuration recorders**

For service-linked configuration recorders, you must use the service-linked IAM role for AWS Config: [AWSServiceRoleForConfig](#).

Type: String

Required: No

**servicePrincipal**

For service-linked configuration recorders, specifies the linked AWS service for the configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationRecorderFilter

Filters configuration recorders by recording scope.

## Contents

### filterName

The name of the type of filter. Currently, only `recordingScope` is supported.

Type: String

Valid Values: `recordingScope`

Required: No

### filterValue

The value of the filter. For `recordingScope`, valid values include: `INTERNAL` and `PAID`.

`INTERNAL` indicates that the [ConfigurationItems](#) in scope for the configuration recorder are recorded for free.

`PAID` indicates that the [ConfigurationItems](#) in scope for the configuration recorder impact the costs to your bill.

Type: Array of strings

Pattern: `^[0-9a-zA-Z\\*\\.\\|\\?\\-]*$`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationRecorderStatus

The current status of the configuration recorder.

For a detailed status of recording events over time, add your AWS Config events to CloudWatch metrics and use CloudWatch metrics.

## Contents

### **arn**

The Amazon Resource Name (ARN) of the configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### **lastErrorCode**

The latest error code from when the recorder last failed.

Type: String

Required: No

### **lastErrorMessage**

The latest error message from when the recorder last failed.

Type: String

Required: No

### **lastStartTime**

The time the recorder was last started.

Type: Timestamp

Required: No

### **lastStatus**

The status of the latest recording event processed by the recorder.

Type: String

Valid Values: Pending | Success | Failure | NotApplicable

Required: No

### **lastStatusChangeTime**

The time of the latest change in status of an recording event processed by the recorder.

Type: Timestamp

Required: No

### **lastStopTime**

The time the recorder was last stopped.

Type: Timestamp

Required: No

### **name**

The name of the configuration recorder.

Type: String

Required: No

### **recording**

Specifies whether or not the recorder is currently recording.

Type: Boolean

Required: No

### **servicePrincipal**

For service-linked configuration recorders, the service principal of the linked AWS service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`



Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigurationRecorderSummary

A summary of a configuration recorder, including the `arn`, `name`, `servicePrincipal`, and `recordingScope`.

## Contents

### **arn**

The Amazon Resource Name (ARN) of the configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### **name**

The name of the configuration recorder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### **recordingScope**

Indicates whether the [ConfigurationItems](#) in scope for the configuration recorder are recorded for free (INTERNAL) or if you are charged a service fee for recording (PAID).

Type: String

Valid Values: INTERNAL | PAID

Required: Yes

### **servicePrincipal**

For service-linked configuration recorders, indicates which AWS service the configuration recorder is linked to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@- ]+`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackComplianceFilters

Filters the conformance pack by compliance types and AWS Config rule names.

## Contents

### ComplianceType

Filters the results by compliance.

The allowed values are COMPLIANT and NON\_COMPLIANT. INSUFFICIENT\_DATA is not supported.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | INSUFFICIENT\_DATA

Required: No

### ConfigRuleNames

Filters the results by AWS Config rule names.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackComplianceScore

A compliance score is the percentage of the number of compliant rule-resource combinations in a conformance pack compared to the number of total possible rule-resource combinations in the conformance pack. This metric provides you with a high-level view of the compliance state of your conformance packs. You can use it to identify, investigate, and understand the level of compliance in your conformance packs.

## Contents

### ConformancePackName

The name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: No

### LastUpdatedTime

The time that the conformance pack compliance score was last updated.

Type: Timestamp

Required: No

### Score

Compliance score for the conformance pack. Conformance packs with no evaluation results will have a compliance score of `INSUFFICIENT_DATA`.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackComplianceScoresFilters

A list of filters to apply to the conformance pack compliance score result set.

## Contents

### ConformancePackNames

The names of the conformance packs whose compliance scores you want to include in the conformance pack compliance score result set. You can include up to 25 conformance packs in the `ConformancePackNames` array of strings, each with a character limit of 256 characters for the conformance pack name.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackComplianceSummary

Summary includes the name and status of the conformance pack.

## Contents

### ConformancePackComplianceStatus

The status of the conformance pack.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | INSUFFICIENT\_DATA

Required: Yes

### ConformancePackName

The name of the conformance pack name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConformancePackDetail

Returns details of a conformance pack. A conformance pack is a collection of AWS Config rules and remediation actions that can be easily deployed in an account and a region.

## Contents

### ConformancePackArn

Amazon Resource Name (ARN) of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

### ConformancePackId

ID of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

### ConformancePackName

Name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

### ConformancePackInputParameters

A list of `ConformancePackInputParameter` objects.

Type: Array of [ConformancePackInputParameter](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

### **CreatedBy**

The AWS service that created the conformance pack.


Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **DeliveryS3Bucket**

The name of the Amazon S3 bucket where AWS Config stores conformance pack templates.

 **Note**

This field is optional.


Type: String

Length Constraints: Minimum length of 0. Maximum length of 63.

Required: No

### **DeliveryS3KeyPrefix**

The prefix for the Amazon S3 bucket.

 **Note**

This field is optional.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

## LastUpdateRequestedTime

The last time a conformation pack update was requested.

Type: Timestamp

Required: No

## TemplateSSMDocumentDetails

An object that contains the name or Amazon Resource Name (ARN) of the AWS Systems Manager document (SSM document) and the version of the SSM document that is used to create a conformance pack.

Type: [TemplateSSMDocumentDetails](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackEvaluationFilters

Filters a conformance pack by AWS Config rule names, compliance types, AWS resource types, and resource IDs.

## Contents

### ComplianceType

Filters the results by compliance.

The allowed values are COMPLIANT and NON\_COMPLIANT. INSUFFICIENT\_DATA is not supported.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | INSUFFICIENT\_DATA

Required: No

### ConfigRuleNames

Filters the results by AWS Config rule names.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ResourceIds

Filters the results by resource IDs.

#### Note

This is valid only when you provide resource type. If there is no resource type, you will see an error.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### ResourceType

Filters the results by the resource type (for example, "AWS::EC2::Instance").

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackEvaluationResult

The details of a conformance pack evaluation. Provides AWS Config rule and AWS resource type that was evaluated, the compliance of the conformance pack, related time stamps, and supplementary information.

## Contents

### ComplianceType

The compliance type. The allowed values are COMPLIANT and NON\_COMPLIANT. INSUFFICIENT\_DATA is not supported.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | INSUFFICIENT\_DATA

Required: Yes

### ConfigRuleInvokedTime

The time when AWS Config rule evaluated AWS resource.

Type: Timestamp

Required: Yes

### EvaluationResultIdentifier

Uniquely identifies an evaluation result.

Type: [EvaluationResultIdentifier](#) object

Required: Yes

### ResultRecordedTime

The time when AWS Config recorded the evaluation result.

Type: Timestamp

Required: Yes

### Annotation

Supplementary information about how the evaluation determined the compliance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackInputParameter

Input parameters in the form of key-value pairs for the conformance pack, both of which you define. Keys can have a maximum character length of 255 characters, and values can have a maximum length of 4096 characters.

## Contents

### ParameterName

One part of a key-value pair.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: Yes

### ParameterValue

Another part of the key-value pair.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConformancePackRuleCompliance

Compliance information of one or more AWS Config rules within a conformance pack. You can filter using AWS Config rule names and compliance types.

## Contents

### ComplianceType

Compliance of the AWS Config rule.

Type: String

Valid Values: COMPLIANT | NON\_COMPLIANT | INSUFFICIENT\_DATA

Required: No

### ConfigRuleName

Name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

### Controls

Controls for the conformance pack. A control is a process to prevent or detect problems while meeting objectives. A control can align with a specific compliance regime or map to internal controls defined by an organization.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConformancePackStatusDetail

Status details of a conformance pack.

## Contents

### ConformancePackArn

Amazon Resource Name (ARN) of conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

### ConformancePackId

ID of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

### ConformancePackName

Name of the conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

### ConformancePackState

Indicates deployment status of conformance pack.

AWS Config sets the state of the conformance pack to:

- `CREATE_IN_PROGRESS` when a conformance pack creation is in progress for an account.

- `CREATE_COMPLETE` when a conformance pack has been successfully created in your account.
- `CREATE_FAILED` when a conformance pack creation failed in your account.
- `DELETE_IN_PROGRESS` when a conformance pack deletion is in progress.
- `DELETE_FAILED` when a conformance pack deletion failed in your account.

Type: String

Valid Values: `CREATE_IN_PROGRESS` | `CREATE_COMPLETE` | `CREATE_FAILED` | `DELETE_IN_PROGRESS` | `DELETE_FAILED`

Required: Yes

### **LastUpdateRequestedTime**

Last time when conformation pack creation and update was requested.

Type: Timestamp

Required: Yes

### **StackArn**

Amazon Resource Name (ARN) of AWS CloudFormation stack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

### **ConformancePackStatusReason**

The reason of conformance pack creation failure.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Required: No

### **LastUpdateCompletedTime**

Last time when conformation pack creation and update was successful.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CustomPolicyDetails

Provides the runtime system, policy definition, and whether debug logging enabled. You can specify the following CustomPolicyDetails parameter values only for AWS Config Custom Policy rules.

## Contents

### PolicyRuntime

The runtime system for your AWS Config Custom Policy rule. Guard is a policy-as-code language that allows you to write policies that are enforced by AWS Config Custom Policy rules. For more information about Guard, see the [Guard GitHub Repository](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `guard\-[0-9]\.x\.x`

Required: Yes

### PolicyText

The policy definition containing the logic for your AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10000.

Required: Yes

### EnableDebugLogDelivery

The boolean expression for enabling debug logging for your AWS Config Custom Policy rule. The default value is `false`.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DeliveryChannel

The channel through which AWS Config delivers notifications and updated configuration states.

## Contents

### **configSnapshotDeliveryProperties**

The options for how often AWS Config delivers configuration snapshots to the Amazon S3 bucket.

Type: [ConfigSnapshotDeliveryProperties](#) object

Required: No

### **name**

The name of the delivery channel. By default, AWS Config assigns the name "default" when creating the delivery channel. To change the delivery channel name, you must use the `DeleteDeliveryChannel` action to delete your current delivery channel, and then you must use the `PutDeliveryChannel` command to create a delivery channel that has the desired name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **s3BucketName**

The name of the Amazon S3 bucket to which AWS Config delivers configuration snapshots and configuration history files.

If you specify a bucket that belongs to another AWS account, that bucket must have policies that grant access permissions to AWS Config. For more information, see [Permissions for the Amazon S3 Bucket](#) in the *AWS Config Developer Guide*.

Type: String

Required: No

### **s3KeyPrefix**

The prefix for the specified Amazon S3 bucket.



Type: String

Required: No

### **s3KmsKeyArn**

The Amazon Resource Name (ARN) of the AWS Key Management Service (AWS KMS ) AWS KMS key (KMS key) used to encrypt objects delivered by AWS Config. Must belong to the same Region as the destination S3 bucket.

Type: String

Required: No

### **snsTopicARN**

The Amazon Resource Name (ARN) of the Amazon SNS topic to which AWS Config sends notifications about configuration changes.

If you choose a topic from another account, the topic must have policies that grant access permissions to AWS Config. For more information, see [Permissions for the Amazon SNS Topic](#) in the *AWS Config Developer Guide*.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DeliveryChannelStatus

The status of a specified delivery channel.

Valid values: `Success` | `Failure`

## Contents

### **configHistoryDeliveryInfo**

A list that contains the status of the delivery of the configuration history to the specified Amazon S3 bucket.

Type: [ConfigExportDeliveryInfo](#) object

Required: No

### **configSnapshotDeliveryInfo**

A list containing the status of the delivery of the snapshot to the specified Amazon S3 bucket.

Type: [ConfigExportDeliveryInfo](#) object

Required: No

### **configStreamDeliveryInfo**

A list containing the status of the delivery of the configuration stream notification to the specified Amazon SNS topic.

Type: [ConfigStreamDeliveryInfo](#) object

Required: No

### **name**

The name of the delivery channel.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DescribeConfigRulesFilters

Returns a filtered list of Detective or Proactive AWS Config rules. By default, if the filter is not defined, this API returns an unfiltered list. For more information on Detective or Proactive AWS Config rules, see [Evaluation Mode](#) in the *AWS Config Developer Guide*.

## Contents

### EvaluationMode

The mode of an evaluation. The valid values are Detective or Proactive.

Type: String

Valid Values: DETECTIVE | PROACTIVE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Evaluation

Identifies an AWS resource and indicates whether it complies with the AWS Config rule that it was evaluated against.

## Contents

### ComplianceResourceId

The ID of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

### ComplianceResourceType

The type of AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### ComplianceType

Indicates whether the AWS resource complies with the AWS Config rule that it was evaluated against.

For the `Evaluation` data type, AWS Config supports only the `COMPLIANT`, `NON_COMPLIANT`, and `NOT_APPLICABLE` values. AWS Config does not support the `INSUFFICIENT_DATA` value for this data type.

Similarly, AWS Config does not accept `INSUFFICIENT_DATA` as the value for `ComplianceType` from a `PutEvaluations` request. For example, an AWS Lambda function for a custom AWS Config rule cannot pass an `INSUFFICIENT_DATA` value to AWS Config.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `NOT_APPLICABLE` | `INSUFFICIENT_DATA`

Required: Yes

## OrderingTimestamp

The time of the event in AWS Config that triggered the evaluation. For event-based evaluations, the time indicates when AWS Config created the configuration item that triggered the evaluation. For periodic evaluations, the time indicates when AWS Config triggered the evaluation at the frequency that you specified (for example, every 24 hours).

Type: Timestamp

Required: Yes

## Annotation

Supplementary information about how the evaluation determined the compliance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EvaluationContext

Use EvaluationContext to group independently initiated proactive resource evaluations. For example, CFN Stack. If you want to check just a resource definition, you do not need to provide evaluation context.

## Contents

### EvaluationContextIdentifier

A unique EvaluationContextIdentifier ID for an EvaluationContext.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EvaluationModeConfiguration

The configuration object for AWS Config rule evaluation mode. The supported valid values are Detective or Proactive.

## Contents

### Mode

The mode of an evaluation. The valid values are Detective or Proactive.

Type: String

Valid Values: DETECTIVE | PROACTIVE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# EvaluationResult

The details of an AWS Config evaluation. Provides the AWS resource that was evaluated, the compliance of the resource, related time stamps, and supplementary information.

## Contents

### Annotation

Supplementary information about how the evaluation determined the compliance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### ComplianceType

Indicates whether the AWS resource complies with the AWS Config rule that evaluated it.

For the `EvaluationResult` data type, AWS Config supports only the `COMPLIANT`, `NON_COMPLIANT`, and `NOT_APPLICABLE` values. AWS Config does not support the `INSUFFICIENT_DATA` value for the `EvaluationResult` data type.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `NOT_APPLICABLE` | `INSUFFICIENT_DATA`

Required: No

### ConfigRuleInvokedTime

The time when the AWS Config rule evaluated the AWS resource.

Type: Timestamp

Required: No

### EvaluationResultIdentifier

Uniquely identifies the evaluation result.

Type: [EvaluationResultIdentifier](#) object

Required: No

### **ResultRecordedTime**

The time when AWS Config recorded the evaluation result.

Type: Timestamp

Required: No

### **ResultToken**

An encrypted token that associates an evaluation with an AWS Config rule. The token identifies the rule, the AWS resource being evaluated, and the event that triggered the evaluation.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EvaluationResultIdentifier

Uniquely identifies an evaluation result.

## Contents

### EvaluationResultQualifier

Identifies an AWS Config rule used to evaluate an AWS resource, and provides the type and ID of the evaluated resource.

Type: [EvaluationResultQualifier](#) object

Required: No

### OrderingTimestamp

The time of the event that triggered the evaluation of your AWS resources. The time can indicate when AWS Config delivered a configuration item change notification, or it can indicate when AWS Config delivered the configuration snapshot, depending on which event triggered the evaluation.

Type: Timestamp

Required: No

### ResourceEvaluationId

A Unique ID for an evaluation result.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EvaluationResultQualifier

Identifies an AWS Config rule that evaluated an AWS resource, and provides the type and ID of the resource that the rule evaluated.

## Contents

### ConfigRuleName

The name of the AWS Config rule that was used in the evaluation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: No

### EvaluationMode

The mode of an evaluation. The valid values are Detective or Proactive.

Type: String

Valid Values: DETECTIVE | PROACTIVE

Required: No

### ResourceId

The ID of the evaluated AWS resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### ResourceType

The type of AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EvaluationStatus

Returns status details of an evaluation.

## Contents

### Status

The status of an execution. The valid values are In\_Progress, Succeeded or Failed.

Type: String

Valid Values: IN\_PROGRESS | FAILED | SUCCEEDED

Required: Yes

### FailureReason

An explanation for failed execution status.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ExclusionByResourceTypes

Specifies whether the configuration recorder excludes certain resource types from being recorded. Use the `resourceTypes` field to enter a comma-separated list of resource types you want to exclude from recording.

By default, when AWS Config adds support for a new resource type in the Region where you set up the configuration recorder, including global resource types, AWS Config starts recording resources of that type automatically.

## Note

### How to use the exclusion recording strategy

To use this option, you must set the `useOnly` field of [RecordingStrategy](#) to `EXCLUSION_BY_RESOURCE_TYPES`.

AWS Config will then record configuration changes for all supported resource types, except the resource types that you specify to exclude from being recorded.

### Global resource types and the exclusion recording strategy

Unless specifically listed as exclusions, `AWS::RDS::GlobalCluster` will be recorded automatically in all supported AWS Config Regions where the configuration recorder is enabled.

IAM users, groups, roles, and customer managed policies will be recorded in the Region where you set up the configuration recorder if that is a Region where AWS Config was available before February 2022. You cannot record the global IAM resource types in Regions supported by AWS Config after February 2022. For a list of those Regions, see [Recording AWS Resources | Global Resources](#).

## Contents

### resourceTypes

A comma-separated list of resource types to exclude from recording by the configuration recorder.

Type: Array of strings

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAc1`



| AWS::EC2::NetworkInterface | AWS::EC2::RouteTable |  
AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail  
| AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection  
| AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance |  
AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway |  
AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog  
| AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain  
| AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role |  
AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance

| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile

| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel

| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork

| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType

| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTTwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ExecutionControls

The controls that AWS Config uses for executing remediations.

## Contents

### SsmControls

A SsmControls object.

Type: [SsmControls](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ExternalEvaluation

Identifies an AWS resource and indicates whether it complies with the AWS Config rule that it was evaluated against.

## Contents

### ComplianceResourceId

The evaluated compliance resource ID. AWS Config accepts only AWS account ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

### ComplianceResourceType

The evaluated compliance resource type. AWS Config accepts `AWS::Account` resource type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### ComplianceType

The compliance of the AWS resource. The valid values are `COMPLIANT`, `NON_COMPLIANT`, and `NOT_APPLICABLE`.

Type: String

Valid Values: `COMPLIANT` | `NON_COMPLIANT` | `NOT_APPLICABLE` | `INSUFFICIENT_DATA`

Required: Yes

### OrderingTimestamp

The time when the compliance was recorded.

Type: Timestamp

Required: Yes

## Annotation

Supplementary information about the reason of compliance. For example, this task was completed on a specific date.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FailedDeleteRemediationExceptionsBatch

List of each of the failed delete remediation exceptions with specific reasons.

## Contents

### FailedItems

Returns remediation exception resource key object of the failed items.

Type: Array of [RemediationExceptionResourceKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: No

### FailureMessage

Returns a failure message for delete remediation exception. For example, AWS Config creates an exception due to an internal error.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FailedRemediationBatch

List of each of the failed remediations with specific reasons.

## Contents

### FailedItems

Returns remediation configurations of the failed items.

Type: Array of [RemediationConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Required: No

### FailureMessage

Returns a failure message. For example, the resource is already compliant.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FailedRemediationExceptionBatch

List of each of the failed remediation exceptions with specific reasons.

## Contents

### FailedItems

Returns remediation exception resource key object of the failed items.

Type: Array of [RemediationException](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Required: No

### FailureMessage

Returns a failure message. For example, the auto-remediation has failed.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FieldInfo

Details about the fields such as name of the field.

## Contents

### Name

Name of the field.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GroupedResourceCount

The count of resources that are grouped by the group name.

## Contents

### GroupName

The name of the group that can be region, account ID, or resource type. For example, region1, region2 if the region was chosen as GroupByKey.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### ResourceCount

The number of resources in the group.

Type: Long

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MemberAccountStatus

Organization AWS Config rule creation or deletion status in each member account. This includes the name of the rule, the status, error code and error message when the rule creation or deletion failed.

## Contents

### AccountId

The 12-digit account ID of a member account.

Type: String

Pattern: `\d{12}`

Required: Yes

### ConfigRuleName

The name of AWS Config rule deployed in the member account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

### MemberAccountRuleStatus

Indicates deployment status for AWS Config rule in the member account. When management account calls `PutOrganizationConfigRule` action for the first time, AWS Config rule status is created in the member account. When management account calls `PutOrganizationConfigRule` action for the second time, AWS Config rule status is updated in the member account. AWS Config rule status is deleted when the management account deletes `OrganizationConfigRule` and disables service access for `config-multiaccountsetup.amazonaws.com`.

AWS Config sets the state of the rule to:

- `CREATE_SUCCESSFUL` when AWS Config rule has been created in the member account.
- `CREATE_IN_PROGRESS` when AWS Config rule is being created in the member account.



- `CREATE_FAILED` when AWS Config rule creation has failed in the member account.
- `DELETE_FAILED` when AWS Config rule deletion has failed in the member account.
- `DELETE_IN_PROGRESS` when AWS Config rule is being deleted in the member account.
- `DELETE_SUCCESSFUL` when AWS Config rule has been deleted in the member account.
- `UPDATE_SUCCESSFUL` when AWS Config rule has been updated in the member account.
- `UPDATE_IN_PROGRESS` when AWS Config rule is being updated in the member account.
- `UPDATE_FAILED` when AWS Config rule deletion has failed in the member account.

Type: String

Valid Values: `CREATE_SUCCESSFUL` | `CREATE_IN_PROGRESS` | `CREATE_FAILED`  
| `DELETE_SUCCESSFUL` | `DELETE_FAILED` | `DELETE_IN_PROGRESS` |  
`UPDATE_SUCCESSFUL` | `UPDATE_IN_PROGRESS` | `UPDATE_FAILED`

Required: Yes

### **ErrorCode**

An error code that is returned when AWS Config rule creation or deletion failed in the member account.

Type: String

Required: No

### **ErrorMessage**

An error message indicating that AWS Config rule account creation or deletion has failed due to an error in the member account.

Type: String

Required: No

### **LastUpdateTime**

The timestamp of the last status update.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationAggregationSource

This object contains regions to set up the aggregator and an IAM role to retrieve organization details.

## Contents

### RoleArn

ARN of the IAM role used to retrieve AWS Organization details associated with the aggregator account.

Type: String

Required: Yes

### AllAwsRegions

If true, aggregate existing AWS Config regions and future regions.

Type: Boolean

Required: No

### AwsRegions

The source regions being aggregated.

Type: Array of strings

Array Members: Minimum number of 1 item.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# OrganizationConfigRule

An organization AWS Config rule that has information about AWS Config rules that AWS Config creates in member accounts.

## Contents

### OrganizationConfigRuleArn

Amazon Resource Name (ARN) of organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### OrganizationConfigRuleName

The name that you assign to organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9- \_]+

Required: Yes

### ExcludedAccounts

A comma-separated list of accounts excluded from organization AWS Config rule.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Pattern: \d{12}

Required: No

### LastUpdateTime

The timestamp of the last update.

Type: Timestamp

Required: No

### **OrganizationCustomPolicyRuleMetadata**

An object that specifies metadata for your organization's AWS Config Custom Policy rule. The metadata includes the runtime system in use, which accounts have debug logging enabled, and other custom rule metadata, such as resource type, resource ID of AWS resource, and organization trigger types that initiate AWS Config to evaluate AWS resources against a rule.

Type: [OrganizationCustomPolicyRuleMetadataNoPolicy](#) object

Required: No

### **OrganizationCustomRuleMetadata**

An OrganizationCustomRuleMetadata object.

Type: [OrganizationCustomRuleMetadata](#) object

Required: No

### **OrganizationManagedRuleMetadata**

An OrganizationManagedRuleMetadata object.

Type: [OrganizationManagedRuleMetadata](#) object

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationConfigRuleStatus

Returns the status for an organization AWS Config rule in an organization.

## Contents

### OrganizationConfigRuleName

The name that you assign to organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9-_-]+`

Required: Yes

### OrganizationRuleStatus

Indicates deployment status of an organization AWS Config rule. When management account calls `PutOrganizationConfigRule` action for the first time, AWS Config rule status is created in all the member accounts. When management account calls `PutOrganizationConfigRule` action for the second time, AWS Config rule status is updated in all the member accounts. Additionally, AWS Config rule status is updated when one or more member accounts join or leave an organization. AWS Config rule status is deleted when the management account deletes `OrganizationConfigRule` in all the member accounts and disables service access for `config-multiaccountsetup.amazonaws.com`.

AWS Config sets the state of the rule to:

- `CREATE_SUCCESSFUL` when an organization AWS Config rule has been successfully created in all the member accounts.
- `CREATE_IN_PROGRESS` when an organization AWS Config rule creation is in progress.
- `CREATE_FAILED` when an organization AWS Config rule creation failed in one or more member accounts within that organization.
- `DELETE_FAILED` when an organization AWS Config rule deletion failed in one or more member accounts within that organization.
- `DELETE_IN_PROGRESS` when an organization AWS Config rule deletion is in progress.

- `DELETE_SUCCESSFUL` when an organization AWS Config rule has been successfully deleted from all the member accounts.
- `UPDATE_SUCCESSFUL` when an organization AWS Config rule has been successfully updated in all the member accounts.
- `UPDATE_IN_PROGRESS` when an organization AWS Config rule update is in progress.
- `UPDATE_FAILED` when an organization AWS Config rule update failed in one or more member accounts within that organization.

Type: String

Valid Values: `CREATE_SUCCESSFUL` | `CREATE_IN_PROGRESS` | `CREATE_FAILED` | `DELETE_SUCCESSFUL` | `DELETE_FAILED` | `DELETE_IN_PROGRESS` | `UPDATE_SUCCESSFUL` | `UPDATE_IN_PROGRESS` | `UPDATE_FAILED`

Required: Yes

### **ErrorCode**

An error code that is returned when organization AWS Config rule creation or deletion has failed.

Type: String

Required: No

### **ErrorMessage**

An error message indicating that organization AWS Config rule creation or deletion failed due to an error.

Type: String

Required: No

### **LastUpdateTime**

The timestamp of the last update.

Type: Timestamp

Required: No



## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationConformancePack

An organization conformance pack that has information about conformance packs that AWS Config creates in member accounts.

## Contents

### LastUpdateTime

Last time when organization conformation pack was updated.

Type: Timestamp

Required: Yes

### OrganizationConformancePackArn

Amazon Resource Name (ARN) of organization conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### OrganizationConformancePackName

The name you assign to an organization conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

### ConformancePackInputParameters

A list of `ConformancePackInputParameter` objects.


Type: Array of [ConformancePackInputParameter](#) objects

Array Members: Minimum number of 0 items. Maximum number of 60 items.

Required: No

### **DeliveryS3Bucket**

The name of the Amazon S3 bucket where AWS Config stores conformance pack templates.

 **Note**

This field is optional.


Type: String

Length Constraints: Minimum length of 0. Maximum length of 63.

Required: No

### **DeliveryS3KeyPrefix**

Any folder structure you want to add to an Amazon S3 bucket.

 **Note**

This field is optional.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

### **ExcludedAccounts**

A comma-separated list of accounts excluded from organization conformance pack.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Pattern: `\d{12}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationConformancePackDetailedStatus

Organization conformance pack creation or deletion status in each member account. This includes the name of the conformance pack, the status, error code and error message when the conformance pack creation or deletion failed.

## Contents

### AccountId

The 12-digit account ID of a member account.

Type: String

Pattern: `\d{12}`

Required: Yes

### ConformancePackName

The name of conformance pack deployed in the member account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### Status

Indicates deployment status for conformance pack in a member account. When management account calls `PutOrganizationConformancePack` action for the first time, conformance pack status is created in the member account. When management account calls `PutOrganizationConformancePack` action for the second time, conformance pack status is updated in the member account. Conformance pack status is deleted when the management account deletes `OrganizationConformancePack` and disables service access for `config-multiaccountsetup.amazonaws.com`.

AWS Config sets the state of the conformance pack to:

- `CREATE_SUCCESSFUL` when conformance pack has been created in the member account.
- `CREATE_IN_PROGRESS` when conformance pack is being created in the member account.

- `CREATE_FAILED` when conformance pack creation has failed in the member account.
- `DELETE_FAILED` when conformance pack deletion has failed in the member account.
- `DELETE_IN_PROGRESS` when conformance pack is being deleted in the member account.
- `DELETE_SUCCESSFUL` when conformance pack has been deleted in the member account.
- `UPDATE_SUCCESSFUL` when conformance pack has been updated in the member account.
- `UPDATE_IN_PROGRESS` when conformance pack is being updated in the member account.
- `UPDATE_FAILED` when conformance pack deletion has failed in the member account.

Type: String

Valid Values: `CREATE_SUCCESSFUL` | `CREATE_IN_PROGRESS` | `CREATE_FAILED`  
| `DELETE_SUCCESSFUL` | `DELETE_FAILED` | `DELETE_IN_PROGRESS` |  
`UPDATE_SUCCESSFUL` | `UPDATE_IN_PROGRESS` | `UPDATE_FAILED`

Required: Yes

### **ErrorCode**

An error code that is returned when conformance pack creation or deletion failed in the member account.

Type: String

Required: No

### **ErrorMessage**

An error message indicating that conformance pack account creation or deletion has failed due to an error in the member account.

Type: String

Required: No

### **LastUpdateTime**

The timestamp of the last status update.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationConformancePackStatus

Returns the status for an organization conformance pack in an organization.

## Contents

### OrganizationConformancePackName

The name that you assign to organization conformance pack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z][-a-zA-Z0-9]*`

Required: Yes

### Status

Indicates deployment status of an organization conformance pack. When management account calls `PutOrganizationConformancePack` for the first time, conformance pack status is created in all the member accounts. When management account calls `PutOrganizationConformancePack` for the second time, conformance pack status is updated in all the member accounts.

Additionally, conformance pack status is updated when one or more member accounts join or leave an organization. Conformance pack status is deleted when the management account deletes `OrganizationConformancePack` in all the member accounts and disables service access for `config-multiaccountsetup.amazonaws.com`.

AWS Config sets the state of the conformance pack to:

- `CREATE_SUCCESSFUL` when an organization conformance pack has been successfully created in all the member accounts.
- `CREATE_IN_PROGRESS` when an organization conformance pack creation is in progress.
- `CREATE_FAILED` when an organization conformance pack creation failed in one or more member accounts within that organization.
- `DELETE_FAILED` when an organization conformance pack deletion failed in one or more member accounts within that organization.
- `DELETE_IN_PROGRESS` when an organization conformance pack deletion is in progress.



- `DELETE_SUCCESSFUL` when an organization conformance pack has been successfully deleted from all the member accounts.
- `UPDATE_SUCCESSFUL` when an organization conformance pack has been successfully updated in all the member accounts.
- `UPDATE_IN_PROGRESS` when an organization conformance pack update is in progress.
- `UPDATE_FAILED` when an organization conformance pack update failed in one or more member accounts within that organization.

Type: String

Valid Values: `CREATE_SUCCESSFUL` | `CREATE_IN_PROGRESS` | `CREATE_FAILED` | `DELETE_SUCCESSFUL` | `DELETE_FAILED` | `DELETE_IN_PROGRESS` | `UPDATE_SUCCESSFUL` | `UPDATE_IN_PROGRESS` | `UPDATE_FAILED`

Required: Yes

### **ErrorCode**

An error code that is returned when organization conformance pack creation or deletion has failed in a member account.

Type: String

Required: No

### **ErrorMessage**

An error message indicating that organization conformance pack creation or deletion failed due to an error.

Type: String

Required: No

### **LastUpdateTime**

The timestamp of the last update.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationCustomPolicyRuleMetadata

An object that specifies metadata for your organization's AWS Config Custom Policy rule. The metadata includes the runtime system in use, which accounts have debug logging enabled, and other custom rule metadata, such as resource type, resource ID of AWS resource, and organization trigger types that initiate AWS Config to evaluate AWS resources against a rule.

## Contents

### PolicyRuntime

The runtime system for your organization AWS Config Custom Policy rules. Guard is a policy-as-code language that allows you to write policies that are enforced by AWS Config Custom Policy rules. For more information about Guard, see the [Guard GitHub Repository](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `guard\-[0-9]\.[0-9]\.[0-9]`

Required: Yes

### PolicyText

The policy definition containing the logic for your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10000.

Required: Yes

### DebugLogDeliveryAccounts

A list of accounts that you can enable debug logging for your organization AWS Config Custom Policy rule. List is null when debug logging is enabled for all accounts.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Pattern: `\d{12}`

Required: No

## Description

The description that you provide for your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## InputParameters

A string, in JSON format, that is passed to your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## MaximumExecutionFrequency

The maximum frequency with which AWS Config runs evaluations for a rule. Your AWS Config Custom Policy rule is triggered when AWS Config delivers the configuration snapshot. For more information, see [ConfigSnapshotDeliveryProperties](#).

Type: String

Valid Values: One\_Hour | Three\_Hours | Six\_Hours | Twelve\_Hours |  
TwentyFour\_Hours

Required: No

## OrganizationConfigRuleTriggerTypes

The type of notification that initiates AWS Config to run an evaluation for a rule. For AWS Config Custom Policy rules, AWS Config supports change-initiated notification types:

- `ConfigurationItemChangeNotification` - Initiates an evaluation when AWS Config delivers a configuration item as a result of a resource change.
- `OversizedConfigurationItemChangeNotification` - Initiates an evaluation when AWS Config delivers an oversized configuration item. AWS Config may generate this notification type when a resource changes and the notification exceeds the maximum size allowed by Amazon SNS.

Type: Array of strings

Valid Values: ConfigurationItemChangeNotification | OversizedConfigurationItemChangeNotification

Required: No

### **ResourceIdScope**

The ID of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### **ResourceTypesScope**

The type of the AWS resource that was evaluated.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **TagKeyScope**

One part of a key-value pair that make up a tag. A key is a general label that acts like a category for more specific tag values.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### **TagValueScope**

The optional part of a key-value pair that make up a tag. A value acts as a descriptor within a tag category (key).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationCustomPolicyRuleMetadataNoPolicy

metadata for your organization AWS Config Custom Policy rule including the runtime system in use, which accounts have debug logging enabled, and other custom rule metadata such as resource type, resource ID of AWS resource, and organization trigger types that trigger AWS Config to evaluate AWS resources against a rule.

## Contents

### DebugLogDeliveryAccounts

A list of accounts that you can enable debug logging for your organization AWS Config Custom Policy rule. List is null when debug logging is enabled for all accounts.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1000 items.

Pattern: `\d{12}`

Required: No

### Description

The description that you provide for your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### InputParameters

A string, in JSON format, that is passed to your organization AWS Config Custom Policy rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## MaximumExecutionFrequency

The maximum frequency with which AWS Config runs evaluations for a rule. Your AWS Config Custom Policy rule is triggered when AWS Config delivers the configuration snapshot. For more information, see [ConfigSnapshotDeliveryProperties](#).

Type: String

Valid Values: One\_Hour | Three\_Hours | Six\_Hours | Twelve\_Hours | TwentyFour\_Hours

Required: No

## OrganizationConfigRuleTriggerTypes

The type of notification that triggers AWS Config to run an evaluation for a rule. For AWS Config Custom Policy rules, AWS Config supports change triggered notification types:

- `ConfigurationItemChangeNotification` - Triggers an evaluation when AWS Config delivers a configuration item as a result of a resource change.
- `OversizedConfigurationItemChangeNotification` - Triggers an evaluation when AWS Config delivers an oversized configuration item. AWS Config may generate this notification type when a resource changes and the notification exceeds the maximum size allowed by Amazon SNS.

Type: Array of strings

Valid Values: `ConfigurationItemChangeNotification` | `OversizedConfigurationItemChangeNotification`

Required: No

## PolicyRuntime

The runtime system for your organization AWS Config Custom Policy rules. Guard is a policy-as-code language that allows you to write policies that are enforced by AWS Config Custom Policy rules. For more information about Guard, see the [Guard GitHub Repository](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `guard\ -2\.x\.x`



Required: No

### **ResourceIdScope**

The ID of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### **ResourceTypesScope**

The type of the AWS resource that was evaluated.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **TagKeyScope**

One part of a key-value pair that make up a tag. A key is a general label that acts like a category for more specific tag values.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### **TagValueScope**

The optional part of a key-value pair that make up a tag. A value acts as a descriptor within a tag category (key).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationCustomRuleMetadata

An object that specifies organization custom rule metadata such as resource type, resource ID of AWS resource, Lambda function ARN, and organization trigger types that trigger AWS Config to evaluate your AWS resources against a rule. It also provides the frequency with which you want AWS Config to run evaluations for the rule if the trigger type is periodic.

## Contents

### LambdaFunctionArn

The lambda function ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### OrganizationConfigRuleTriggerTypes

The type of notification that triggers AWS Config to run an evaluation for a rule. You can specify the following notification types:

- `ConfigurationItemChangeNotification` - Triggers an evaluation when AWS Config delivers a configuration item as a result of a resource change.
- `OversizedConfigurationItemChangeNotification` - Triggers an evaluation when AWS Config delivers an oversized configuration item. AWS Config may generate this notification type when a resource changes and the notification exceeds the maximum size allowed by Amazon SNS.
- `ScheduledNotification` - Triggers a periodic evaluation at the frequency specified for `MaximumExecutionFrequency`.

Type: Array of strings

Valid Values: `ConfigurationItemChangeNotification` | `OversizedConfigurationItemChangeNotification` | `ScheduledNotification`

Required: Yes

### Description

The description that you provide for your organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### **InputParameters**

A string, in JSON format, that is passed to your organization AWS Config rule Lambda function.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

### **MaximumExecutionFrequency**

The maximum frequency with which AWS Config runs evaluations for a rule. Your custom rule is triggered when AWS Config delivers the configuration snapshot. For more information, see [ConfigSnapshotDeliveryProperties](#).

#### **Note**

By default, rules with a periodic trigger are evaluated every 24 hours. To change the frequency, specify a valid value for the `MaximumExecutionFrequency` parameter.

Type: String

Valid Values: `One_Hour` | `Three_Hours` | `Six_Hours` | `Twelve_Hours` | `TwentyFour_Hours`

Required: No

### **ResourceIdScope**

The ID of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

## ResourceTypesScope

The type of the AWS resource that was evaluated.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## TagKeyScope

One part of a key-value pair that make up a tag. A key is a general label that acts like a category for more specific tag values.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

## TagValueScope

The optional part of a key-value pair that make up a tag. A value acts as a descriptor within a tag category (key).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# OrganizationManagedRuleMetadata

An object that specifies organization managed rule metadata such as resource type and ID of AWS resource along with the rule identifier. It also provides the frequency with which you want AWS Config to run evaluations for the rule if the trigger type is periodic.

## Contents

### RuleIdentifier

For organization config managed rules, a predefined identifier from a list. For example, IAM\_PASSWORD\_POLICY is a managed rule. To reference a managed rule, see [Using AWS Config managed rules](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### Description

The description that you provide for your organization AWS Config rule.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### InputParameters

A string, in JSON format, that is passed to your organization AWS Config rule Lambda function.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

### MaximumExecutionFrequency

The maximum frequency with which AWS Config runs evaluations for a rule. This is for an AWS Config managed rule that is triggered at a periodic frequency.

**Note**

By default, rules with a periodic trigger are evaluated every 24 hours. To change the frequency, specify a valid value for the `MaximumExecutionFrequency` parameter.

Type: String

Valid Values: `One_Hour` | `Three_Hours` | `Six_Hours` | `Twelve_Hours` | `TwentyFour_Hours`

Required: No

**ResourceIdScope**

The ID of the AWS resource that was evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

**ResourceTypesScope**

The type of the AWS resource that was evaluated.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

**TagKeyScope**

One part of a key-value pair that make up a tag. A key is a general label that acts like a category for more specific tag values.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No



## TagValueScope

The optional part of a key-value pair that make up a tag. A value acts as a descriptor within a tag category (key).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OrganizationResourceDetailedStatusFilters

Status filter object to filter results based on specific member account ID or status type for an organization conformance pack.

## Contents

### AccountId

The 12-digit account ID of the member account within an organization.

Type: String

Pattern: `\d{12}`

Required: No

### Status

Indicates deployment status for conformance pack in a member account. When management account calls `PutOrganizationConformancePack` action for the first time, conformance pack status is created in the member account. When management account calls `PutOrganizationConformancePack` action for the second time, conformance pack status is updated in the member account. Conformance pack status is deleted when the management account deletes `OrganizationConformancePack` and disables service access for `config-multiaccountsetup.amazonaws.com`.

AWS Config sets the state of the conformance pack to:

- `CREATE_SUCCESSFUL` when conformance pack has been created in the member account.
- `CREATE_IN_PROGRESS` when conformance pack is being created in the member account.
- `CREATE_FAILED` when conformance pack creation has failed in the member account.
- `DELETE_FAILED` when conformance pack deletion has failed in the member account.
- `DELETE_IN_PROGRESS` when conformance pack is being deleted in the member account.
- `DELETE_SUCCESSFUL` when conformance pack has been deleted in the member account.
- `UPDATE_SUCCESSFUL` when conformance pack has been updated in the member account.
- `UPDATE_IN_PROGRESS` when conformance pack is being updated in the member account.
- `UPDATE_FAILED` when conformance pack deletion has failed in the member account.

Type: String

Valid Values: CREATE\_SUCCESSFUL | CREATE\_IN\_PROGRESS | CREATE\_FAILED  
| DELETE\_SUCCESSFUL | DELETE\_FAILED | DELETE\_IN\_PROGRESS |  
UPDATE\_SUCCESSFUL | UPDATE\_IN\_PROGRESS | UPDATE\_FAILED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PendingAggregationRequest

An object that represents the account ID and region of an aggregator account that is requesting authorization but is not yet authorized.

## Contents

### RequesterAccountId

The 12-digit account ID of the account requesting to aggregate data.

Type: String

Pattern: `\d{12}`

Required: No

### RequesterAwsRegion

The region requesting to aggregate data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# QueryInfo

Details about the query.

## Contents

### SelectFields

Returns a `FieldInfo` object.

Type: Array of [FieldInfo](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecordingGroup

Specifies which resource types AWS Config records for configuration changes. By default, AWS Config records configuration changes for all current and future supported resource types in the AWS Region where you have enabled AWS Config, excluding the global IAM resource types: IAM users, groups, roles, and customer managed policies.

In the recording group, you specify whether you want to record all supported current and future supported resource types or to include or exclude specific resources types. For a list of supported resource types, see [Supported Resource Types](#) in the *AWS Config developer guide*.

If you don't want AWS Config to record all current and future supported resource types (excluding the global IAM resource types), use one of the following recording strategies:

1. **Record all current and future resource types with exclusions** (EXCLUSION\_BY\_RESOURCE\_TYPES), or
2. **Record specific resource types** (INCLUSION\_BY\_RESOURCE\_TYPES).

If you use the recording strategy to **Record all current and future resource types** (ALL\_SUPPORTED\_RESOURCE\_TYPES), you can use the flag `includeGlobalResourceTypes` to include the global IAM resource types in your recording.

## Important

### **Aurora global clusters are recorded in all enabled Regions**

The `AWS::RDS::GlobalCluster` resource type will be recorded in all supported AWS Config Regions where the configuration recorder is enabled.

If you do not want to record `AWS::RDS::GlobalCluster` in all enabled Regions, use the `EXCLUSION_BY_RESOURCE_TYPES` or `INCLUSION_BY_RESOURCE_TYPES` recording strategy.


## Contents

### allSupported

Specifies whether AWS Config records configuration changes for all supported resource types, excluding the global IAM resource types.

If you set this field to `true`, when AWS Config adds support for a new resource type, AWS Config starts recording resources of that type automatically.

If you set this field to `true`, you cannot enumerate specific resource types to record in the `resourceTypes` field of [RecordingGroup](#), or to exclude in the `resourceTypes` field of [ExclusionByResourceTypes](#).

 **Note**

**Region availability**


Check [Resource Coverage by Region Availability](#) to see if a resource type is supported in the AWS Region where you set up AWS Config.

Type: Boolean

Required: No

### **exclusionByResourceTypes**

An object that specifies how AWS Config excludes resource types from being recorded by the configuration recorder.

 **Note**

**Required fields**

To use this option, you must set the `useOnly` field of [RecordingStrategy](#) to `EXCLUSION_BY_RESOURCE_TYPES`.

Type: [ExclusionByResourceTypes](#) object

Required: No

### **includeGlobalResourceTypes**

This option is a bundle which only applies to the global IAM resource types: IAM users, groups, roles, and customer managed policies. These global IAM resource types can only be recorded by AWS Config in Regions where AWS Config was available before February 2022. You cannot be record the global IAM resource types in Regions supported by AWS Config after February 2022. For a list of those Regions, see [Recording AWS Resources | Global Resources](#).

**⚠ Important****Aurora global clusters are recorded in all enabled Regions**

The `AWS::RDS::GlobalCluster` resource type will be recorded in all supported AWS Config Regions where the configuration recorder is enabled, even if `includeGlobalResourceTypes` is set `false`. The `includeGlobalResourceTypes` option is a bundle which only applies to IAM users, groups, roles, and customer managed policies.

If you do not want to record `AWS::RDS::GlobalCluster` in all enabled Regions, use one of the following recording strategies:

**1. Record all current and future resource types with exclusions**

(`EXCLUSION_BY_RESOURCE_TYPES`), or

**2. Record specific resource types (`INCLUSION_BY_RESOURCE_TYPES`).**

For more information, see [Selecting Which Resources are Recorded](#) in the *AWS Config developer guide*.

**⚠ Important****`includeGlobalResourceTypes` and the exclusion recording strategy**

The `includeGlobalResourceTypes` field has no impact on the `EXCLUSION_BY_RESOURCE_TYPES` recording strategy. This means that the global IAM resource types (IAM users, groups, roles, and customer managed policies) will not be automatically added as exclusions for `exclusionByResourceTypes` when `includeGlobalResourceTypes` is set to `false`.

The `includeGlobalResourceTypes` field should only be used to modify the `AllSupported` field, as the default for the `AllSupported` field is to record configuration changes for all supported resource types excluding the global IAM resource types. To include the global IAM resource types when `AllSupported` is set to `true`, make sure to set `includeGlobalResourceTypes` to `true`.

To exclude the global IAM resource types for the `EXCLUSION_BY_RESOURCE_TYPES` recording strategy, you need to manually add them to the `resourceTypes` field of `exclusionByResourceTypes`.



**Note****Required and optional fields**

Before you set this field to `true`, set the `allSupported` field of [RecordingGroup](#) to `true`. Optionally, you can set the `useOnly` field of [RecordingStrategy](#) to `ALL_SUPPORTED_RESOURCE_TYPES`.

**Note****Overriding fields**

If you set this field to `false` but list global IAM resource types in the `resourceTypes` field of [RecordingGroup](#), AWS Config will still record configuration changes for those specified resource types *regardless* of if you set the `includeGlobalResourceTypes` field to `false`.

If you do not want to record configuration changes to the global IAM resource types (IAM users, groups, roles, and customer managed policies), make sure to not list them in the `resourceTypes` field in addition to setting the `includeGlobalResourceTypes` field to `false`.

Type: Boolean

Required: No

**recordingStrategy**

An object that specifies the recording strategy for the configuration recorder.

- If you set the `useOnly` field of [RecordingStrategy](#) to `ALL_SUPPORTED_RESOURCE_TYPES`, AWS Config records configuration changes for all supported resource types, excluding the global IAM resource types. You also must set the `allSupported` field of [RecordingGroup](#) to `true`. When AWS Config adds support for a new resource type, AWS Config automatically starts recording resources of that type.
- If you set the `useOnly` field of [RecordingStrategy](#) to `INCLUSION_BY_RESOURCE_TYPES`, AWS Config records configuration changes for only the resource types you specify in the `resourceTypes` field of [RecordingGroup](#).
- If you set the `useOnly` field of [RecordingStrategy](#) to `EXCLUSION_BY_RESOURCE_TYPES`, AWS Config records configuration changes for all supported resource types except the

resource types that you specify to exclude from being recorded in the `resourceTypes` field of [ExclusionByResourceTypes](#).

**Note**

**Required and optional fields**

The `recordingStrategy` field is optional when you set the `allSupported` field of [RecordingGroup](#) to `true`.

The `recordingStrategy` field is optional when you list resource types in the `resourceTypes` field of [RecordingGroup](#).

The `recordingStrategy` field is required if you list resource types to exclude from recording in the `resourceTypes` field of [ExclusionByResourceTypes](#).

**Note**

**Overriding fields**

If you choose `EXCLUSION_BY_RESOURCE_TYPES` for the recording strategy, the `exclusionByResourceTypes` field will override other properties in the request. For example, even if you set `includeGlobalResourceTypes` to `false`, global IAM resource types will still be automatically recorded in this option unless those resource types are specifically listed as exclusions in the `resourceTypes` field of `exclusionByResourceTypes`.

**Note**

**Global resources types and the resource exclusion recording strategy**

By default, if you choose the `EXCLUSION_BY_RESOURCE_TYPES` recording strategy, when AWS Config adds support for a new resource type in the Region where you set up the configuration recorder, including global resource types, AWS Config starts recording resources of that type automatically.

Unless specifically listed as exclusions, `AWS::RDS::GlobalCluster` will be recorded automatically in all supported AWS Config Regions where the configuration recorder is enabled.

IAM users, groups, roles, and customer managed policies will be recorded in the Region where you set up the configuration recorder if that is a Region where AWS Config was

available before February 2022. You cannot record the global IAM resource types in Regions supported by AWS Config after February 2022. For a list of those Regions, see [Recording AWS Resources | Global Resources](#).

Type: [RecordingStrategy](#) object

Required: No

## resourceTypes

A comma-separated list that specifies which resource types AWS Config records.

For a list of valid `resourceTypes` values, see the **Resource Type Value** column in [Supported AWS resource Types](#) in the *AWS Config developer guide*.

### Note

#### Required and optional fields

Optionally, you can set the `useOnly` field of [RecordingStrategy](#) to `INCLUSION_BY_RESOURCE_TYPES`.

To record all configuration changes, set the `allSupported` field of [RecordingGroup](#) to `true`, and either omit this field or don't specify any resource types in this field. If you set the `allSupported` field to `false` and specify values for `resourceTypes`, when AWS Config adds support for a new type of resource, it will not record resources of that type unless you manually add that type to your recording group.

### Note

#### Region availability

Before specifying a resource type for AWS Config to track, check [Resource Coverage by Region Availability](#) to see if the resource type is supported in the AWS Region where you set up AWS Config. If a resource type is supported by AWS Config in at least one Region, you can enable the recording of that resource type in all Regions supported by AWS Config, even if the specified resource type is not supported in the AWS Region where you set up AWS Config.

Type: Array of strings

Valid Values: AWS::EC2::CustomerGateway | AWS::EC2::EIP | AWS::EC2::Host | AWS::EC2::Instance | AWS::EC2::InternetGateway | AWS::EC2::NetworkAcl | AWS::EC2::NetworkInterface | AWS::EC2::RouteTable | AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail | AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection | AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance | AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway | AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog | AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain | AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role | AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer | AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup | AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot | AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot | AWS::RDS::EventSubscription | AWS::S3::Bucket | AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster | AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup | AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup | AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory | AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack | AWS::ElasticLoadBalancing::LoadBalancer | AWS::AutoScaling::AutoScalingGroup | AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy | AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table | AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule | AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule | AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup | AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution | AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function | AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy | AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application | AWS::ElasticBeanstalk::ApplicationVersion | AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL | AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet | AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |

AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre

| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |

AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTTwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule



| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint



| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FwotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTTwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecordingMode

Specifies the default recording frequency that AWS Config uses to record configuration changes. AWS Config supports *Continuous recording* and *Daily recording*.

- Continuous recording allows you to record configuration changes continuously whenever a change occurs.
- Daily recording allows you to receive a configuration item (CI) representing the most recent state of your resources over the last 24-hour period, only if it's different from the previous CI recorded.

## Note

AWS Firewall Manager depends on continuous recording to monitor your resources. If you are using Firewall Manager, it is recommended that you set the recording frequency to Continuous.

You can also override the recording frequency for specific resource types.

## Contents

### recordingFrequency

The default recording frequency that AWS Config uses to record configuration changes.

## Important

Daily recording cannot be specified for the following resource types:

- `AWS::Config::ResourceCompliance`
- `AWS::Config::ConformancePackCompliance`
- `AWS::Config::ConfigurationRecorder`

For the **allSupported** (`ALL_SUPPORTED_RESOURCE_TYPES`) recording strategy, these resource types will be set to Continuous recording.

Type: String

Valid Values: CONTINUOUS | DAILY

Required: Yes

## **recordingModeOverrides**

An array of `recordingModeOverride` objects for you to specify your overrides for the recording mode. The `recordingModeOverride` object in the `recordingModeOverrides` array consists of three fields: a description, the new `recordingFrequency`, and an array of `resourceTypes` to override.

Type: Array of [RecordingModeOverride](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecordingModeOverride

An object for you to specify your overrides for the recording mode.

## Contents

### recordingFrequency

The recording frequency that will be applied to all the resource types specified in the override.

- Continuous recording allows you to record configuration changes continuously whenever a change occurs.
- Daily recording allows you to receive a configuration item (CI) representing the most recent state of your resources over the last 24-hour period, only if it's different from the previous CI recorded.

#### Note

AWS Firewall Manager depends on continuous recording to monitor your resources. If you are using Firewall Manager, it is recommended that you set the recording frequency to Continuous.

Type: String

Valid Values: CONTINUOUS | DAILY

Required: Yes

### resourceTypes

A comma-separated list that specifies which resource types AWS Config includes in the override.

#### Important

Daily recording cannot be specified for the following resource types:

- `AWS::Config::ResourceCompliance`
- `AWS::Config::ConformancePackCompliance`
- `AWS::Config::ConfigurationRecorder`

Type: Array of strings

Valid Values: AWS::EC2::CustomerGateway | AWS::EC2::EIP | AWS::EC2::Host | AWS::EC2::Instance | AWS::EC2::InternetGateway | AWS::EC2::NetworkAcl | AWS::EC2::NetworkInterface | AWS::EC2::RouteTable | AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail | AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection | AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance | AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway | AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog | AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain | AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role | AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer | AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup | AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot | AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot | AWS::RDS::EventSubscription | AWS::S3::Bucket | AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster | AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup | AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup | AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory | AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack | AWS::ElasticLoadBalancing::LoadBalancer | AWS::AutoScaling::AutoScalingGroup | AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy | AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table | AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule | AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule | AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup | AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution | AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function | AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy | AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application | AWS::ElasticBeanstalk::ApplicationVersion | AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL | AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet | AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |

AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre

| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |



AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTTwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule

| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint

| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTTwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: Yes

## description

A description that you provide for the override.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecordingStrategy

Specifies the recording strategy of the configuration recorder.

## Contents

### useOnly

The recording strategy for the configuration recorder.

- If you set this option to `ALL_SUPPORTED_RESOURCE_TYPES`, AWS Config records configuration changes for all supported resource types, excluding the global IAM resource types. You also must set the `allSupported` field of [RecordingGroup](#) to `true`. When AWS Config adds support for a new resource type, AWS Config automatically starts recording resources of that type. For a list of supported resource types, see [Supported Resource Types](#) in the *AWS Config developer guide*.
- If you set this option to `INCLUSION_BY_RESOURCE_TYPES`, AWS Config records configuration changes for only the resource types that you specify in the `resourceTypes` field of [RecordingGroup](#).
- If you set this option to `EXCLUSION_BY_RESOURCE_TYPES`, AWS Config records configuration changes for all supported resource types, except the resource types that you specify to exclude from being recorded in the `resourceTypes` field of [ExclusionByResourceTypes](#).

#### Note

##### Required and optional fields

The `recordingStrategy` field is optional when you set the `allSupported` field of [RecordingGroup](#) to `true`.


The `recordingStrategy` field is optional when you list resource types in the `resourceTypes` field of [RecordingGroup](#).

The `recordingStrategy` field is required if you list resource types to exclude from recording in the `resourceTypes` field of [ExclusionByResourceTypes](#).

#### Note

##### Overriding fields

If you choose `EXCLUSION_BY_RESOURCE_TYPES` for the recording strategy, the `exclusionByResourceTypes` field will override other properties in the request. For example, even if you set `includeGlobalResourceTypes` to `false`, global IAM resource types will still be automatically recorded in this option unless those resource types are specifically listed as exclusions in the `resourceTypes` field of `exclusionByResourceTypes`.

 **Note**

**Global resource types and the exclusion recording strategy**

By default, if you choose the `EXCLUSION_BY_RESOURCE_TYPES` recording strategy, when AWS Config adds support for a new resource type in the Region where you set up the configuration recorder, including global resource types, AWS Config starts recording resources of that type automatically.

Unless specifically listed as exclusions, `AWS::RDS::GlobalCluster` will be recorded automatically in all supported AWS Config Regions where the configuration recorder is enabled.

IAM users, groups, roles, and customer managed policies will be recorded in the Region where you set up the configuration recorder if that is a Region where AWS Config was available before February 2022. You cannot record the global IAM resource types in Regions supported by AWS Config after February 2022. This list where you cannot record the global IAM resource types includes the following Regions:

- Asia Pacific (Hyderabad)
- Asia Pacific (Melbourne)
- Canada West (Calgary)
- Europe (Spain)
- Europe (Zurich)
- Israel (Tel Aviv)
- Middle East (UAE)

Type: String

Valid Values: `ALL_SUPPORTED_RESOURCE_TYPES` | `INCLUSION_BY_RESOURCE_TYPES` | `EXCLUSION_BY_RESOURCE_TYPES`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Relationship

The relationship of the related resource to the main resource.

## Contents

### **relationshipName**

The type of relationship with the related resource.

Type: String

Required: No

### **resourceId**

The ID of the related resource (for example, sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### **resourceName**

The custom name of the related resource, if available.

Type: String

Required: No

### **resourceType**

The resource type of the related resource.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` | `AWS::EC2::NatGateway` | `AWS::EC2::EgressOnlyInternetGateway` |



AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog  
| AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain  
| AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role |  
AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |

AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList

| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |

AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image

| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTtwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |

AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoT TwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RemediationConfiguration

An object that represents the details about the remediation configuration that includes the remediation action, parameters, and data to execute the action.

## Contents

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

### TargetId

Target ID is the name of the SSM document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### TargetType

The type of the target. Target executes remediation. For example, SSM document.

Type: String

Valid Values: SSM\_DOCUMENT

Required: Yes

### Arn

Amazon Resource Name (ARN) of remediation configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

### **Automatic**

The remediation is triggered automatically.

Type: Boolean

Required: No

### **CreatedByService**

Name of the service that owns the service-linked rule, if applicable.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

### **ExecutionControls**

An ExecutionControls object.

Type: [ExecutionControls](#) object

Required: No

### **MaximumAutomaticAttempts**

The maximum number of failed attempts for auto-remediation. If you do not select a number, the default is 5.

For example, if you specify MaximumAutomaticAttempts as 5 with RetryAttemptSeconds as 50 seconds, AWS Config will put a RemediationException on your behalf for the failing resource after the 5th failed attempt within 50 seconds.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 25.

Required: No

### **Parameters**

An object of the RemediationParameterValue.



Type: String to [RemediationParameterValue](#) object map

Map Entries: Minimum number of 0 items. Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### ResourceType

The type of a resource.

Type: String

Required: No

### RetryAttemptSeconds

Time window to determine whether or not to add a remediation exception to prevent infinite remediation attempts. If `MaximumAutomaticAttempts` remediation attempts have been made under `RetryAttemptSeconds`, a remediation exception will be added to the resource. If you do not select a number, the default is 60 seconds.

For example, if you specify `RetryAttemptSeconds` as 50 seconds and `MaximumAutomaticAttempts` as 5, AWS Config will run auto-remediations 5 times within 50 seconds before adding a remediation exception to the resource.

Type: Long

Valid Range: Minimum value of 1. Maximum value of 2678000.

Required: No

### TargetVersion

Version of the target. For example, version of the SSM document.

#### Note

If you make backward incompatible changes to the SSM document, you must call `PutRemediationConfiguration` API again to ensure the remediations can run.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RemediationException

An object that represents the details about the remediation exception. The details include the rule name, an explanation of an exception, the time when the exception will be deleted, the resource ID, and resource type.

## Contents

### ConfigRuleName

The name of the AWS Config rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*\S.*`

Required: Yes

### ResourceId

The ID of the resource (for example, `sg-xxxxxx`).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

### ResourceType

The type of a resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### ExpirationTime

The time when the remediation exception will be deleted.

Type: Timestamp

Required: No

## Message

An explanation of an remediation exception.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RemediationExceptionResourceKey

The details that identify a resource within AWS Config, including the resource type and resource ID.

## Contents

### ResourceId

The ID of the resource (for example, sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

### ResourceType

The type of a resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RemediationExecutionStatus

Provides details of the current status of the invoked remediation action for that resource.

## Contents

### InvocationTime

Start time when the remediation was executed.

Type: Timestamp

Required: No

### LastUpdatedTime

The time when the remediation execution was last updated.

Type: Timestamp

Required: No

### ResourceKey

The details that identify a resource within AWS Config, including the resource type and resource ID.

Type: [ResourceKey](#) object

Required: No

### State

ENUM of the values.

Type: String

Valid Values: QUEUED | IN\_PROGRESS | SUCCEEDED | FAILED

Required: No

### StepDetails

Details of every step.

Type: Array of [RemediationExecutionStep](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RemediationExecutionStep

Name of the step from the SSM document.

## Contents

### ErrorMessage

An error message if the step was interrupted during execution.

Type: String

Required: No

### Name

The details of the step.

Type: String

Required: No

### StartTime

The time when the step started.

Type: Timestamp

Required: No

### State

The valid status of the step.

Type: String

Valid Values: SUCCEEDED | PENDING | FAILED

Required: No

### StopTime

The time when the step stopped.

Type: Timestamp



Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RemediationParameterValue

The value is either a dynamic (resource) value or a static value. You must select either a dynamic value or a static value.

## Contents

### ResourceValue

The value is dynamic and changes at run-time.

Type: [ResourceValue](#) object

Required: No

### StaticValue

The value is static and does not change at run-time.

Type: [StaticValue](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ResourceCount

An object that contains the resource type and the number of resources.

## Contents

### count

The number of resources.

Type: Long

Required: No

### resourceType

The resource type (for example, "AWS::EC2::Instance").

Type: String

Valid Values: AWS::EC2::CustomerGateway | AWS::EC2::EIP | AWS::EC2::Host | AWS::EC2::Instance | AWS::EC2::InternetGateway | AWS::EC2::NetworkACL | AWS::EC2::NetworkInterface | AWS::EC2::RouteTable | AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail | AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection | AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance | AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway | AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog | AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain | AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role | AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer | AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup | AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot | AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot | AWS::RDS::EventSubscription | AWS::S3::Bucket | AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster | AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup | AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup | AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory | AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |

AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint

| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |

AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |

AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |

AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTThingMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FirmwareTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTThingMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer



| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ResourceCountFilters

Filters the resource count based on account ID, region, and resource type.

## Contents

### AccountId

The 12-digit ID of the account.

Type: String

Pattern: `\d{12}`

Required: No

### Region

The region where the account is located.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ResourceType

The type of the AWS resource.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkACL` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` | `AWS::EC2::NatGateway` | `AWS::EC2::EgressOnlyInternetGateway` | `AWS::EC2::VPCEndpoint` | `AWS::EC2::VPCEndpointService` | `AWS::EC2::FlowLog` | `AWS::EC2::VPCPeeringConnection` | `AWS::Elasticsearch::Domain` | `AWS::IAM::Group` | `AWS::IAM::Policy` | `AWS::IAM::Role` | `AWS::IAM::User` | `AWS::ElasticLoadBalancingV2::LoadBalancer` |

AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |

AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe

| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession

| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application

| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTtwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |

AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTtwinmaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ResourceDetails

Returns information about the resource being evaluated.

## Contents

### ResourceConfiguration

The resource definition to be evaluated as per the resource configuration schema type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 51200.

Required: Yes

### ResourceId

A unique resource ID for an evaluation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

### ResourceType

The type of resource being evaluated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### ResourceConfigurationSchemaType

The schema type of the resource configuration.

#### Note

You can find the [Resource type schema](#), or CFN\_RESOURCE\_SCHEMA, in "AWS *public extensions*" within the AWS CloudFormation registry or with the following

```
CLI command: aws cloudformation describe-type --type-name  
"AWS::S3::Bucket" --type RESOURCE.
```

For more information, see [Managing extensions through the AWS CloudFormation registry](#) and [AWS resource and property types reference](#) in the AWS CloudFormation User Guide.

Type: String

Valid Values: CFN\_RESOURCE\_SCHEMA

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ResourceEvaluation

Returns details of a resource evaluation.

## Contents

### EvaluationMode

The mode of an evaluation. The valid values are Detective or Proactive.

Type: String

Valid Values: DETECTIVE | PROACTIVE

Required: No

### EvaluationStartTimestamp

The starting time of an execution.

Type: Timestamp

Required: No

### ResourceEvaluationId

The ResourceEvaluationId of a evaluation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ResourceEvaluationFilters

Returns details of a resource evaluation based on the selected filter.

## Contents

### EvaluationContextIdentifier

Filters evaluations for a given infrastructure deployment. For example: CFN Stack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### EvaluationMode

Filters all resource evaluations results based on an evaluation mode.

#### Important

Currently, DETECTIVE is not supported as a valid value. Ignore other documentation stating otherwise.

Type: String

Valid Values: DETECTIVE | PROACTIVE

Required: No

### TimeWindow

Returns a TimeWindow object.

Type: [TimeWindow](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ResourceFilters

Filters the results by resource account ID, region, resource ID, and resource name.

## Contents

### AccountId

The 12-digit source account ID.

Type: String

Pattern: `\d{12}`

Required: No

### Region

The source region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

### ResourceId

The ID of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### ResourceName

The name of the resource.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ResourceIdentifier

The details that identify a resource that is discovered by AWS Config, including the resource type, ID, and (if available) the custom resource name.

## Contents

### resourceDeletionTime

The time that the resource was deleted.

Type: Timestamp

Required: No

### resourceId

The ID of the resource (for example, sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### resourceName

The custom name of the resource (if available).

Type: String

Required: No

### resourceType

The type of resource.

Type: String

Valid Values: `AWS::EC2::CustomerGateway` | `AWS::EC2::EIP` | `AWS::EC2::Host` | `AWS::EC2::Instance` | `AWS::EC2::InternetGateway` | `AWS::EC2::NetworkAcl` | `AWS::EC2::NetworkInterface` | `AWS::EC2::RouteTable` | `AWS::EC2::SecurityGroup` | `AWS::EC2::Subnet` | `AWS::CloudTrail::Trail` | `AWS::EC2::Volume` | `AWS::EC2::VPC` | `AWS::EC2::VPNConnection` | `AWS::EC2::VPNGateway` | `AWS::EC2::RegisteredHAInstance` |

AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway |  
AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog  
| AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain  
| AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role |  
AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer |  
AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup  
| AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot  
| AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot  
| AWS::RDS::EventSubscription | AWS::S3::Bucket |  
AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster |  
AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup |  
AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup  
| AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory  
| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct

| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |  
AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |

AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive  
| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application

| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |  
AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoT TwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |

AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement  
| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FirmwareTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |

AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTtwinMaker::SyncJob | AWS::KafkaConnect::Connector |  
AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ResourceKey

The details that identify a resource within AWS Config, including the resource type and resource ID.

## Contents

### resourceId

The ID of the resource (for example, sg-xxxxxx).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: Yes

### resourceType

The resource type.

Type: String

Valid Values: AWS::EC2::CustomerGateway | AWS::EC2::EIP | AWS::EC2::Host | AWS::EC2::Instance | AWS::EC2::InternetGateway | AWS::EC2::NetworkACL | AWS::EC2::NetworkInterface | AWS::EC2::RouteTable | AWS::EC2::SecurityGroup | AWS::EC2::Subnet | AWS::CloudTrail::Trail | AWS::EC2::Volume | AWS::EC2::VPC | AWS::EC2::VPNConnection | AWS::EC2::VPNGateway | AWS::EC2::RegisteredHAInstance | AWS::EC2::NatGateway | AWS::EC2::EgressOnlyInternetGateway | AWS::EC2::VPCEndpoint | AWS::EC2::VPCEndpointService | AWS::EC2::FlowLog | AWS::EC2::VPCPeeringConnection | AWS::Elasticsearch::Domain | AWS::IAM::Group | AWS::IAM::Policy | AWS::IAM::Role | AWS::IAM::User | AWS::ElasticLoadBalancingV2::LoadBalancer | AWS::ACM::Certificate | AWS::RDS::DBInstance | AWS::RDS::DBSubnetGroup | AWS::RDS::DBSecurityGroup | AWS::RDS::DBSnapshot | AWS::RDS::DBCluster | AWS::RDS::DBClusterSnapshot | AWS::RDS::EventSubscription | AWS::S3::Bucket | AWS::S3::AccountPublicAccessBlock | AWS::Redshift::Cluster | AWS::Redshift::ClusterSnapshot | AWS::Redshift::ClusterParameterGroup | AWS::Redshift::ClusterSecurityGroup | AWS::Redshift::ClusterSubnetGroup | AWS::Redshift::EventSubscription | AWS::SSM::ManagedInstanceInventory



| AWS::CloudWatch::Alarm | AWS::CloudFormation::Stack |  
AWS::ElasticLoadBalancing::LoadBalancer |  
AWS::AutoScaling::AutoScalingGroup |  
AWS::AutoScaling::LaunchConfiguration | AWS::AutoScaling::ScalingPolicy  
| AWS::AutoScaling::ScheduledAction | AWS::DynamoDB::Table |  
AWS::CodeBuild::Project | AWS::WAF::RateBasedRule | AWS::WAF::Rule |  
AWS::WAF::RuleGroup | AWS::WAF::WebACL | AWS::WAFRegional::RateBasedRule  
| AWS::WAFRegional::Rule | AWS::WAFRegional::RuleGroup |  
AWS::WAFRegional::WebACL | AWS::CloudFront::Distribution |  
AWS::CloudFront::StreamingDistribution | AWS::Lambda::Function |  
AWS::NetworkFirewall::Firewall | AWS::NetworkFirewall::FirewallPolicy  
| AWS::NetworkFirewall::RuleGroup | AWS::ElasticBeanstalk::Application  
| AWS::ElasticBeanstalk::ApplicationVersion |  
AWS::ElasticBeanstalk::Environment | AWS::WAFv2::WebACL  
| AWS::WAFv2::RuleGroup | AWS::WAFv2::IPSet |  
AWS::WAFv2::RegexPatternSet | AWS::WAFv2::ManagedRuleSet |  
AWS::XRay::EncryptionConfig | AWS::SSM::AssociationCompliance  
| AWS::SSM::PatchCompliance | AWS::Shield::Protection |  
AWS::ShieldRegional::Protection | AWS::Config::ConformancePackCompliance  
| AWS::Config::ResourceCompliance | AWS::ApiGateway::Stage  
| AWS::ApiGateway::RestApi | AWS::ApiGatewayV2::Stage  
| AWS::ApiGatewayV2::Api | AWS::CodePipeline::Pipeline  
| AWS::ServiceCatalog::CloudFormationProvisionedProduct  
| AWS::ServiceCatalog::CloudFormationProduct |  
AWS::ServiceCatalog::Portfolio | AWS::SQS::Queue | AWS::KMS::Key  
| AWS::QLDB::Ledger | AWS::SecretsManager::Secret |  
AWS::SNS::Topic | AWS::SSM::FileData | AWS::Backup::BackupPlan  
| AWS::Backup::BackupSelection | AWS::Backup::BackupVault |  
AWS::Backup::RecoveryPoint | AWS::ECR::Repository | AWS::ECS::Cluster  
| AWS::ECS::Service | AWS::ECS::TaskDefinition | AWS::EFS::AccessPoint  
| AWS::EFS::FileSystem | AWS::EKS::Cluster | AWS::OpenSearch::Domain  
| AWS::EC2::TransitGateway | AWS::Kinesis::Stream |  
AWS::Kinesis::StreamConsumer | AWS::CodeDeploy::Application |  
AWS::CodeDeploy::DeploymentConfig | AWS::CodeDeploy::DeploymentGroup  
| AWS::EC2::LaunchTemplate | AWS::ECR::PublicRepository |  
AWS::GuardDuty::Detector | AWS::EMR::SecurityConfiguration |

AWS::SageMaker::CodeRepository | AWS::Route53Resolver::ResolverEndpoint  
| AWS::Route53Resolver::ResolverRule |  
AWS::Route53Resolver::ResolverRuleAssociation |  
AWS::DMS::ReplicationSubnetGroup | AWS::DMS::EventSubscription  
| AWS::MSK::Cluster | AWS::StepFunctions::Activity |  
AWS::WorkSpaces::Workspace | AWS::WorkSpaces::ConnectionAlias  
| AWS::SageMaker::Model | AWS::ElasticLoadBalancingV2::Listener  
| AWS::StepFunctions::StateMachine | AWS::Batch::JobQueue |  
AWS::Batch::ComputeEnvironment | AWS::AccessAnalyzer::Analyzer  
| AWS::Athena::WorkGroup | AWS::Athena::DataCatalog |  
AWS::Detective::Graph | AWS::GlobalAccelerator::Accelerator |  
AWS::GlobalAccelerator::EndpointGroup | AWS::GlobalAccelerator::Listener  
| AWS::EC2::TransitGatewayAttachment |  
AWS::EC2::TransitGatewayRouteTable | AWS::DMS::Certificate  
| AWS::AppConfig::Application | AWS::AppSync::GraphQLApi |  
AWS::DataSync::LocationSMB | AWS::DataSync::LocationFSxLustre  
| AWS::DataSync::LocationS3 | AWS::DataSync::LocationEFS  
| AWS::DataSync::Task | AWS::DataSync::LocationNFS |  
AWS::EC2::NetworkInsightsAccessScopeAnalysis | AWS::EKS::FargateProfile  
| AWS::Glue::Job | AWS::GuardDuty::ThreatIntelSet  
| AWS::GuardDuty::IPSet | AWS::SageMaker::Workteam  
| AWS::SageMaker::NotebookInstanceLifecycleConfig |  
AWS::ServiceDiscovery::Service |  
AWS::ServiceDiscovery::PublicDnsNamespace | AWS::SES::ContactList  
| AWS::SES::ConfigurationSet | AWS::Route53::HostedZone  
| AWS::IoTEvents::Input | AWS::IoTEvents::DetectorModel |  
AWS::IoTEvents::AlarmModel | AWS::ServiceDiscovery::HttpNamespace  
| AWS::Events::EventBus | AWS::ImageBuilder::ContainerRecipe  
| AWS::ImageBuilder::DistributionConfiguration |  
AWS::ImageBuilder::InfrastructureConfiguration |  
AWS::DataSync::LocationObjectStorage | AWS::DataSync::LocationHDFS  
| AWS::Glue::Classifier | AWS::Route53RecoveryReadiness::Cell  
| AWS::Route53RecoveryReadiness::ReadinessCheck |  
AWS::ECR::RegistryPolicy | AWS::Backup::ReportPlan |  
AWS::Lightsail::Certificate | AWS::RUM::AppMonitor |  
AWS::Events::Endpoint | AWS::SES::ReceiptRuleSet | AWS::Events::Archive

| AWS::Events::ApiDestination | AWS::Lightsail::Disk |  
AWS::FIS::ExperimentTemplate | AWS::DataSync::LocationFSxWindows |  
AWS::SES::ReceiptFilter | AWS::GuardDuty::Filter | AWS::SES::Template  
| AWS::AmazonMQ::Broker | AWS::AppConfig::Environment |  
AWS::AppConfig::ConfigurationProfile | AWS::Cloud9::EnvironmentEC2  
| AWS::EventSchemas::Registry | AWS::EventSchemas::RegistryPolicy  
| AWS::EventSchemas::Discoverer | AWS::FraudDetector::Label |  
AWS::FraudDetector::EntityType | AWS::FraudDetector::Variable  
| AWS::FraudDetector::Outcome | AWS::IoT::Authorizer |  
AWS::IoT::SecurityProfile | AWS::IoT::RoleAlias | AWS::IoT::Dimension  
| AWS::IoTAnalytics::Datastore | AWS::Lightsail::Bucket |  
AWS::Lightsail::StaticIp | AWS::MediaPackage::PackagingGroup  
| AWS::Route53RecoveryReadiness::RecoveryGroup |  
AWS::ResilienceHub::ResiliencyPolicy | AWS::Transfer::Workflow  
| AWS::EKS::IdentityProviderConfig | AWS::EKS::Addon  
| AWS::Glue::MLTransform | AWS::IoT::Policy |  
AWS::IoT::MitigationAction | AWS::IoTTwinMaker::Workspace  
| AWS::IoTTwinMaker::Entity | AWS::IoTAnalytics::Dataset  
| AWS::IoTAnalytics::Pipeline | AWS::IoTAnalytics::Channel  
| AWS::IoTSiteWise::Dashboard | AWS::IoTSiteWise::Project  
| AWS::IoTSiteWise::Portal | AWS::IoTSiteWise::AssetModel  
| AWS::IVS::Channel | AWS::IVS::RecordingConfiguration |  
AWS::IVS::PlaybackKeyPair | AWS::KinesisAnalyticsV2::Application  
| AWS::RDS::GlobalCluster | AWS::S3::MultiRegionAccessPoint |  
AWS::DeviceFarm::TestGridProject | AWS::Budgets::BudgetsAction  
| AWS::Lex::Bot | AWS::CodeGuruReviewer::RepositoryAssociation |  
AWS::IoT::CustomMetric | AWS::Route53Resolver::FirewallDomainList |  
AWS::RoboMaker::RobotApplicationVersion | AWS::EC2::TrafficMirrorSession  
| AWS::IoTSiteWise::Gateway | AWS::Lex::BotAlias |  
AWS::LookoutMetrics::Alert | AWS::IoT::AccountAuditConfiguration  
| AWS::EC2::TrafficMirrorTarget | AWS::S3::StorageLens  
| AWS::IoT::ScheduledAudit | AWS::Events::Connection |  
AWS::EventSchemas::Schema | AWS::MediaPackage::PackagingConfiguration  
| AWS::KinesisVideo::SignalingChannel | AWS::AppStream::DirectoryConfig  
| AWS::LookoutVision::Project | AWS::Route53RecoveryControl::Cluster |  
AWS::Route53RecoveryControl::SafetyRule |

AWS::Route53RecoveryControl::ControlPanel |  
AWS::Route53RecoveryControl::RoutingControl |  
AWS::Route53RecoveryReadiness::ResourceSet |  
AWS::RoboMaker::SimulationApplication | AWS::RoboMaker::RobotApplication  
| AWS::HealthLake::FHIRDatastore | AWS::Pinpoint::Segment  
| AWS::Pinpoint::ApplicationSettings | AWS::Events::Rule  
| AWS::EC2::DHCPOptions | AWS::EC2::NetworkInsightsPath  
| AWS::EC2::TrafficMirrorFilter | AWS::EC2::IPAM |  
AWS::IoTtwinMaker::Scene |  
AWS::NetworkManager::TransitGatewayRegistration |  
AWS::CustomerProfiles::Domain | AWS::AutoScaling::WarmPool |  
AWS::Connect::PhoneNumber | AWS::AppConfig::DeploymentStrategy  
| AWS::AppFlow::Flow | AWS::AuditManager::Assessment |  
AWS::CloudWatch::MetricStream | AWS::DeviceFarm::InstanceProfile  
| AWS::DeviceFarm::Project | AWS::EC2::EC2Fleet |  
AWS::EC2::SubnetRouteTableAssociation | AWS::ECR::PullThroughCacheRule  
| AWS::GroundStation::Config | AWS::ImageBuilder::ImagePipeline  
| AWS::IoT::FleetMetric | AWS::IoTWireless::ServiceProfile |  
AWS::NetworkManager::Device | AWS::NetworkManager::GlobalNetwork  
| AWS::NetworkManager::Link | AWS::NetworkManager::Site  
| AWS::Panorama::Package | AWS::Pinpoint::App |  
AWS::Redshift::ScheduledAction |  
AWS::Route53Resolver::FirewallRuleGroupAssociation |  
AWS::SageMaker::AppImageConfig | AWS::SageMaker::Image  
| AWS::ECS::TaskSet | AWS::Cassandra::Keyspace |  
AWS::Signer::SigningProfile | AWS::Amplify::App |  
AWS::AppMesh::VirtualNode | AWS::AppMesh::VirtualService |  
AWS::AppRunner::VpcConnector | AWS::AppStream::Application  
| AWS::CodeArtifact::Repository | AWS::EC2::PrefixList |  
AWS::EC2::SpotFleet | AWS::Evidently::Project | AWS::Forecast::Dataset  
| AWS::IAM::SAMLProvider | AWS::IAM::ServerCertificate  
| AWS::Pinpoint::Campaign | AWS::Pinpoint::InAppTemplate  
| AWS::SageMaker::Domain | AWS::Transfer::Agreement |  
AWS::Transfer::Connector | AWS::KinesisFirehose::DeliveryStream  
| AWS::Amplify::Branch | AWS::AppIntegrations::EventIntegration  
| AWS::AppMesh::Route | AWS::Athena::PreparedStatement

| AWS::EC2::IPAMScope | AWS::Evidently::Launch |  
AWS::Forecast::DatasetGroup | AWS::GreengrassV2::ComponentVersion |  
AWS::GroundStation::MissionProfile | AWS::MediaConnect::FlowEntitlement  
| AWS::MediaConnect::FlowVpcInterface |  
AWS::MediaTailor::PlaybackConfiguration | AWS::MSK::Configuration  
| AWS::Personalize::Dataset | AWS::Personalize::Schema |  
AWS::Personalize::Solution | AWS::Pinpoint::EmailTemplate  
| AWS::Pinpoint::EventStream | AWS::ResilienceHub::App |  
AWS::ACMPCA::CertificateAuthority |  
AWS::AppConfig::HostedConfigurationVersion |  
AWS::AppMesh::VirtualGateway | AWS::AppMesh::VirtualRouter |  
AWS::AppRunner::Service | AWS::CustomerProfiles::ObjectType  
| AWS::DMS::Endpoint | AWS::EC2::CapacityReservation  
| AWS::EC2::ClientVpnEndpoint | AWS::Kendra::Index  
| AWS::KinesisVideo::Stream | AWS::Logs::Destination  
| AWS::Pinpoint::EmailChannel | AWS::S3::AccessPoint  
| AWS::NetworkManager::CustomerGatewayAssociation |  
AWS::NetworkManager::LinkAssociation | AWS::IoTWireless::MulticastGroup  
| AWS::Personalize::DatasetGroup | AWS::IoTTwinMaker::ComponentType  
| AWS::CodeBuild::ReportGroup | AWS::SageMaker::FeatureGroup  
| AWS::MSK::BatchScramSecret | AWS::AppStream::Stack |  
AWS::IoT::JobTemplate | AWS::IoTWireless::FuotaTask |  
AWS::IoT::ProvisioningTemplate | AWS::InspectorV2::Filter |  
AWS::Route53Resolver::ResolverQueryLoggingConfigAssociation |  
AWS::ServiceDiscovery::Instance | AWS::Transfer::Certificate |  
AWS::MediaConnect::FlowSource | AWS::APS::RuleGroupsNamespace |  
AWS::CodeGuruProfiler::ProfilingGroup |  
AWS::Route53Resolver::ResolverQueryLoggingConfig |  
AWS::Batch::SchedulingPolicy |  
AWS::ACMPCA::CertificateAuthorityActivation | AWS::AppMesh::GatewayRoute  
| AWS::AppMesh::Mesh | AWS::Connect::Instance |  
AWS::Connect::QuickConnect | AWS::EC2::CarrierGateway |  
AWS::EC2::IPAMPool | AWS::EC2::TransitGatewayConnect |  
AWS::EC2::TransitGatewayMulticastDomain | AWS::ECS::CapacityProvider  
| AWS::IAM::InstanceProfile | AWS::IoT::CACertificate |  
AWS::IoTTwinMaker::SyncJob | AWS::KafkaConnect::Connector |

AWS::Lambda::CodeSigningConfig | AWS::NetworkManager::ConnectPeer  
| AWS::ResourceExplorer2::Index | AWS::AppStream::Fleet  
| AWS::Cognito::UserPool | AWS::Cognito::UserPoolClient |  
AWS::Cognito::UserPoolGroup | AWS::EC2::NetworkInsightsAccessScope  
| AWS::EC2::NetworkInsightsAnalysis | AWS::Grafana::Workspace  
| AWS::GroundStation::DataflowEndpointGroup |  
AWS::ImageBuilder::ImageRecipe | AWS::KMS::Alias | AWS::M2::Environment  
| AWS::QuickSight::DataSource | AWS::QuickSight::Template  
| AWS::QuickSight::Theme | AWS::RDS::OptionGroup |  
AWS::Redshift::EndpointAccess | AWS::Route53Resolver::FirewallRuleGroup  
| AWS::SSM::Document

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ResourceValue

The dynamic value of the resource.

## Contents

### Value

The value is a resource ID.

Type: String

Valid Values: RESOURCE\_ID

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RetentionConfiguration

An object with the name of the retention configuration and the retention period in days. The object stores the configuration for data retention in AWS Config.

## Contents

### Name

The name of the retention configuration object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\ - ]+`

Required: Yes

### RetentionPeriodInDays

Number of days AWS Config stores your historical information.

 **Note**

Currently, only applicable to the configuration item history.

Type: Integer

Valid Range: Minimum value of 30. Maximum value of 2557.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)



- [AWS SDK for Ruby V3](#)

# Scope

Defines which resources trigger an evaluation for an AWS Config rule. The scope can include one or more resource types, a combination of a tag key and value, or a combination of one resource type and one resource ID. Specify a scope to constrain which resources trigger an evaluation for a rule. Otherwise, evaluations for the rule are triggered when any resource in your recording group changes in configuration.

## Contents

### **ComplianceResourceId**

The ID of the only AWS resource that you want to trigger an evaluation for the rule. If you specify a resource ID, you must specify one resource type for `ComplianceResourceTypes`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Required: No

### **ComplianceResourceTypes**

The resource types of only those AWS resources that you want to trigger an evaluation for the rule. You can only specify one type if you also specify a resource ID for `ComplianceResourceId`.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **TagKey**

The tag key that is applied to only those AWS resources that you want to trigger an evaluation for the rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

## TagValue

The tag value applied to only those AWS resources that you want to trigger an evaluation for the rule. If you specify a value for `TagValue`, you must also specify a value for `TagKey`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

## Source

Provides the CustomPolicyDetails, the rule owner ( `AWS` for managed rules, `CUSTOM_POLICY` for Custom Policy rules, and `CUSTOM_LAMBDA` for Custom Lambda rules), the rule identifier, and the events that cause the evaluation of your AWS resources.

## Contents

### Owner

Indicates whether AWS or the customer owns and manages the AWS Config rule.

AWS Config Managed Rules are predefined rules owned by AWS. For more information, see [AWS Config Managed Rules](#) in the *AWS Config developer guide*.

AWS Config Custom Rules are rules that you can develop either with Guard (`CUSTOM_POLICY`) or AWS Lambda (`CUSTOM_LAMBDA`). For more information, see [AWS Config Custom Rules](#) in the *AWS Config developer guide*.

Type: String

Valid Values: `CUSTOM_LAMBDA` | `AWS` | `CUSTOM_POLICY`

Required: Yes

### CustomPolicyDetails

Provides the runtime system, policy definition, and whether debug logging is enabled. Required when owner is set to `CUSTOM_POLICY`.

Type: [CustomPolicyDetails](#) object

Required: No

### SourceDetails

Provides the source and the message types that cause AWS Config to evaluate your AWS resources against a rule. It also provides the frequency with which you want AWS Config to run evaluations for the rule if the trigger type is periodic.

If the owner is set to `CUSTOM_POLICY`, the only acceptable values for the AWS Config rule trigger message type are `ConfigurationItemChangeNotification` and `OversizedConfigurationItemChangeNotification`.

Type: Array of [SourceDetail](#) objects

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Required: No

### SourceIdentifier

For AWS Config Managed rules, a predefined identifier from a list. For example, IAM\_PASSWORD\_POLICY is a managed rule. To reference a managed rule, see [List of AWS Config Managed Rules](#).

For AWS Config Custom Lambda rules, the identifier is the Amazon Resource Name (ARN) of the rule's AWS Lambda function, such as `arn:aws:lambda:us-east-2:123456789012:function:custom_rule_name`.

For AWS Config Custom Policy rules, this field will be ignored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SourceDetail

Provides the source and the message types that trigger AWS Config to evaluate your AWS resources against a rule. It also provides the frequency with which you want AWS Config to run evaluations for the rule if the trigger type is periodic. You can specify the parameter values for `SourceDetail` only for custom rules.

## Contents

### EventSource

The source of the event, such as an AWS service, that triggers AWS Config to evaluate your AWS resources.

Type: String

Valid Values: `aws.config`

Required: No

### MaximumExecutionFrequency

The frequency at which you want AWS Config to run evaluations for a custom rule with a periodic trigger. If you specify a value for `MaximumExecutionFrequency`, then `MessageType` must use the `ScheduledNotification` value.

#### Note

By default, rules with a periodic trigger are evaluated every 24 hours. To change the frequency, specify a valid value for the `MaximumExecutionFrequency` parameter. Based on the valid value you choose, AWS Config runs evaluations once for each valid value. For example, if you choose `Three_Hours`, AWS Config runs evaluations once every three hours. In this case, `Three_Hours` is the frequency of this rule.

Type: String

Valid Values: `One_Hour` | `Three_Hours` | `Six_Hours` | `Twelve_Hours` | `TwentyFour_Hours`

Required: No

## MessageType

The type of notification that triggers AWS Config to run an evaluation for a rule. You can specify the following notification types:

- `ConfigurationItemChangeNotification` - Triggers an evaluation when AWS Config delivers a configuration item as a result of a resource change.
- `OversizedConfigurationItemChangeNotification` - Triggers an evaluation when AWS Config delivers an oversized configuration item. AWS Config may generate this notification type when a resource changes and the notification exceeds the maximum size allowed by Amazon SNS.
- `ScheduledNotification` - Triggers a periodic evaluation at the frequency specified for `MaximumExecutionFrequency`.
- `ConfigurationSnapshotDeliveryCompleted` - Triggers a periodic evaluation when AWS Config delivers a configuration snapshot.

If you want your custom rule to be triggered by configuration changes, specify two `SourceDetail` objects, one for `ConfigurationItemChangeNotification` and one for `OversizedConfigurationItemChangeNotification`.

Type: String

Valid Values: `ConfigurationItemChangeNotification` | `ConfigurationSnapshotDeliveryCompleted` | `ScheduledNotification` | `OversizedConfigurationItemChangeNotification`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SsmControls

AWS Systems Manager (SSM) specific remediation controls.

## Contents

### ConcurrentExecutionRatePercentage

The maximum percentage of remediation actions allowed to run in parallel on the non-compliant resources for that specific rule. You can specify a percentage, such as 10%. The default value is 10.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### ErrorPercentage

The percentage of errors that are allowed before SSM stops running automations on non-compliant resources for that specific rule. You can specify a percentage of errors, for example 10%. If you do not specify a percentage, the default is 50%. For example, if you set the ErrorPercentage to 40% for 10 non-compliant resources, then SSM stops running the automations when the fifth error is received.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)





# StaticValue

The static value of the resource.

## Contents

### Values

A list of values. For example, the ARN of the assumed role.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StatusDetailFilters

Status filter object to filter results based on specific member account ID or status type for an organization AWS Config rule.

## Contents

### AccountId

The 12-digit account ID of the member account within an organization.

Type: String

Pattern: `\d{12}`

Required: No

### MemberAccountRuleStatus

Indicates deployment status for AWS Config rule in the member account. When management account calls `PutOrganizationConfigRule` action for the first time, AWS Config rule status is created in the member account. When management account calls `PutOrganizationConfigRule` action for the second time, AWS Config rule status is updated in the member account. AWS Config rule status is deleted when the management account deletes `OrganizationConfigRule` and disables service access for `config-multiaccountsetup.amazonaws.com`.

AWS Config sets the state of the rule to:

- `CREATE_SUCCESSFUL` when AWS Config rule has been created in the member account.
- `CREATE_IN_PROGRESS` when AWS Config rule is being created in the member account.
- `CREATE_FAILED` when AWS Config rule creation has failed in the member account.
- `DELETE_FAILED` when AWS Config rule deletion has failed in the member account.
- `DELETE_IN_PROGRESS` when AWS Config rule is being deleted in the member account.
- `DELETE_SUCCESSFUL` when AWS Config rule has been deleted in the member account.
- `UPDATE_SUCCESSFUL` when AWS Config rule has been updated in the member account.
- `UPDATE_IN_PROGRESS` when AWS Config rule is being updated in the member account.
- `UPDATE_FAILED` when AWS Config rule deletion has failed in the member account.

Type: String

Valid Values: CREATE\_SUCCESSFUL | CREATE\_IN\_PROGRESS | CREATE\_FAILED  
| DELETE\_SUCCESSFUL | DELETE\_FAILED | DELETE\_IN\_PROGRESS |  
UPDATE\_SUCCESSFUL | UPDATE\_IN\_PROGRESS | UPDATE\_FAILED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StoredQuery

Provides the details of a stored query.

## Contents

### QueryName

The name of the query.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-_$]`

Required: Yes

### Description

A unique description for the query.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[\s\S]*`

Required: No

### Expression

The expression of the query. For example, `SELECT resourceId, resourceType, supplementaryConfiguration.BucketVersioningConfiguration.status WHERE resourceType = 'AWS::S3::Bucket' AND supplementaryConfiguration.BucketVersioningConfiguration.status = 'Off'`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\s\S]*`

Required: No

## QueryArn

Amazon Resource Name (ARN) of the query. For example, arn:partition:service:region:account-id:resource-type/resource-name/resource-id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Pattern: `^arn:aws[a-z\-*]:config:[a-z\-\d]+\d+:stored-query/[a-zA-Z0-9-_\d-_/]+/query-[a-zA-Z\d-_/]+$`

Required: No

## QueryId

The ID of the query.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `^\S+$`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StoredQueryMetadata

Returns details of a specific query.

## Contents

### QueryArn

Amazon Resource Name (ARN) of the query. For example, `arn:partition:service:region:account-id:resource-type/resource-name/resource-id`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Pattern: `^arn:aws[a-z\-*]:config:[a-z\-\d]+:\d+:stored-query/[a-zA-Z0-9-_\d-_/]+/query-[a-zA-Z\d-_/]+$`

Required: Yes

### QueryId

The ID of the query.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `^\S+$`

Required: Yes

### QueryName

The name of the query.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-_\d-_/]+$`

Required: Yes

## Description

A unique description for the query.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[\s\S]*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# Tag

The tags for the resource. The metadata that you apply to a resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define. Tag keys can have a maximum character length of 128 characters, and tag values can have a maximum length of 256 characters.

## Contents

### Key

One part of a key-value pair that make up a tag. A key is a general label that acts like a category for more specific tag values.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### Value

The optional part of a key-value pair that make up a tag. A value acts as a descriptor within a tag category (key).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TemplateSSMDocumentDetails

This API allows you to create a conformance pack template with an AWS Systems Manager document (SSM document). To deploy a conformance pack using an SSM document, first create an SSM document with conformance pack content, and then provide the `DocumentName` in the [PutConformancePack API](#). You can also provide the `DocumentVersion`.

The `TemplateSSMDocumentDetails` object contains the name of the SSM document and the version of the SSM document.

## Contents

### DocumentName

The name or Amazon Resource Name (ARN) of the SSM document to use to create a conformance pack. If you use the document name, AWS Config checks only your account and AWS Region for the SSM document.

Type: String

Pattern: `^[a-zA-Z0-9_\-. :/]{3,200}$`

Required: Yes

### DocumentVersion

The version of the SSM document to use to create a conformance pack. By default, AWS Config uses the latest version.

 **Note**

This field is optional.

Type: String

Pattern: `([ $\$$ ]LATEST|[ $\$$ ]DEFAULT|^[1-9][0-9]* $\$$ )`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TimeWindow

Filters evaluation results based on start and end times.

## Contents

### EndTime

The end time of an execution. The end time must be after the start date.

Type: Timestamp

Required: No

### StartTime

The start time of an execution.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-Date**

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 400

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 400

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **InvalidAction**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

## **InvalidClientTokenId**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 400

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403



**RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

**ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

**ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

**ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400