

Jalur ECR

Jalur SageMaker ECR Amazon



Jalur SageMaker ECR Amazon: Jalur ECR

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Merek dagang dan tampilan dagang Amazon tidak boleh digunakan sehubungan dengan produk atau layanan apa pun yang bukan milik Amazon, dengan cara apa pun yang dapat menyebabkan kebingungan di antara pelanggan, atau dengan cara apa pun yang menghina atau mendiskreditkan Amazon. Semua merek dagang lain yang tidak dimiliki oleh Amazon merupakan kekayaan masing-masing pemiliknya, yang mungkin atau mungkin tidak berafiliasi, terkait dengan, atau disponsori oleh Amazon.

Table of Contents

Jalur Registri Docker dan Kode Contoh	1
AS Timur (Ohio)	3
AutoGluon	5
BlazingText	7
Chainer	8
Klarifikasi	9
DJL DeepSpeed	9
Data Wrangler	10
Debugger	11
Peramalan DeepAR	11
Mesin Faktorisasi	12
Hugging Face	12
Wawasan IP	18
Klasifikasi gambar	19
Inferensia MxNet	19
Inferensia PyTorch	20
K-Berarti	21
KNN	21
LDA	22
Linear Learner	22
MXNet	23
Pelatih MxNet	30
Model Monitor	31
NTM	31
Klasifikasi Gambar Neo	32
Neo MxNet	32
Neo PyTorch	33
Neo Tensorflow	35
Neo XGBoost	36
Deteksi Objek	36
Object2Vec	37
PCA	37
PyTorch	38
PyTorch Neuron	49

PyTorch Kompiler Pelatihan	49
Random Cut Forest	50
Ray PyTorch	51
Scikit-belajar	51
Segmentasi Semantik	53
Seq2Seq	54
Spark	54
Penyajian SparkML	55
Tensorflow	56
Pelatih Tensorflow	81
Inferensia Tensorflow	83
Sinar Tensorflow	84
VW	86
XGBoost	87
AS Timur (Virginia Utara)	91
AutoGluon	93
BlazingText	96
Chainer	96
Klarifikasi	97
DJL DeepSpeed	98
Data Wrangler	99
Debugger	100
Peramalan DeepAR	100
Mesin Faktorisasi	101
Hugging Face	101
Wawasan IP	107
Klasifikasi gambar	108
Inferensia MxNet	108
Inferensia PyTorch	109
K-Berarti	110
KNN	111
LDA	111
Linear Learner	112
MXNet	112
Pelatih MxNet	119
Model Monitor	120

NTM	121
Klasifikasi Gambar Neo	121
Neo MxNet	122
Neo PyTorch	122
Neo Tensorflow	124
Neo XGBoost	125
Deteksi Objek	126
Object2Vec	126
PCA	127
PyTorch	127
PyTorch Neuron	138
PyTorch Kompiler Pelatihan	139
Random Cut Forest	140
Ray PyTorch	140
Scikit-belajar	141
Segmentasi Semantik	143
Seq2Seq	144
Spark	144
Penyajian SparkML	145
Tensorflow	146
Pelatih Tensorflow	171
Inferensia Tensorflow	173
Sinar Tensorflow	174
VW	176
XGBoost	177
AS Barat (California Utara)	181
AutoGluon	183
BlazingText	186
Chainer	186
Klarifikasi	187
DJL DeepSpeed	188
Data Wrangler	189
Debugger	190
Peramalan DeepAR	190
Mesin Faktorisasi	190
Hugging Face	191

Wawasan IP	197
Klasifikasi gambar	197
Inferensia MxNet	198
Inferensia PyTorch	198
K-Berarti	199
KNN	200
LDA	200
Linear Learner	201
MXNet	201
Pelatih MxNet	208
Model Monitor	209
NTM	210
Klasifikasi Gambar Neo	210
Neo MxNet	210
Neo PyTorch	211
Neo Tensorflow	213
Neo XGBoost	214
Deteksi Objek	214
Object2Vec	215
PCA	215
PyTorch	216
PyTorch Neuron	226
PyTorch Kompiler Pelatihan	227
Random Cut Forest	228
Ray PyTorch	228
Scikit-belajar	229
Segmentasi Semantik	231
Seq2Seq	232
Spark	232
Penyajian SparkML	233
Tensorflow	234
Pelatih Tensorflow	259
Inferensia Tensorflow	261
Sinar Tensorflow	262
VW	264
XGBoost	265

AS Barat (Oregon)	269
AutoGluon	271
BlazingText	274
Chainer	274
Klarifikasi	275
DJI DeepSpeed	275
Data Wrangler	276
Debugger	277
Peramalan DeepAR	278
Mesin Faktorisasi	278
Hugging Face	278
Wawasan IP	284
Klasifikasi gambar	285
Inferensia MxNet	285
Inferensia PyTorch	286
K-Berarti	287
KNN	287
LDA	288
Linear Learner	288
MXNet	289
Pelatih MxNet	296
Model Monitor	297
NTM	297
Klasifikasi Gambar Neo	298
Neo MxNet	298
Neo PyTorch	299
Neo Tensorflow	301
Neo XGBoost	302
Deteksi Objek	302
Object2Vec	303
PCA	303
PyTorch	304
PyTorch Neuron	315
PyTorch Kompiler Pelatihan	315
Random Cut Forest	316
Ray PyTorch	317

Scikit-belajar	317
Segmentasi Semantik	319
Seq2Seq	320
Spark	320
Penyajian SparkML	321
Tensorflow	322
Pelatih Tensorflow	347
Inferensia Tensorflow	349
Sinar Tensorflow	350
VW	352
XGBoost	353
Afrika (Cape Town)	357
AutoGluon	359
BlazingText	361
Chainer	362
Klarifikasi	363
DJI DeepSpeed	363
Data Wrangler	364
Debugger	365
Peramalan DeepAR	365
Mesin Faktorisasi	366
Hugging Face	366
Wawasan IP	372
Klasifikasi gambar	373
Inferensia MxNet	373
Inferensia PyTorch	374
K-Berarti	375
KNN	375
Linear Learner	376
MXNet	376
Pelatih MxNet	383
Model Monitor	384
NTM	385
Klasifikasi Gambar Neo	385
Neo MxNet	386
Neo PyTorch	386

Neo Tensorflow	388
Neo XGBoost	389
Deteksi Objek	390
Object2Vec	390
PCA	390
PyTorch	391
PyTorch Neuron	401
PyTorch Kompiler Pelatihan	402
Random Cut Forest	403
Scikit-belajar	403
Segmentasi Semantik	405
Seq2Seq	406
Spark	406
Penyajian SparkML	407
Tensorflow	408
Pelatih Tensorflow	433
Inferensia Tensorflow	435
Sinar Tensorflow	436
XGBoost	437
Asia Pasifik (Hong Kong)	441
AutoGluon	443
BlazingText	446
Chainer	446
Klarifikasi	447
DJL DeepSpeed	448
Data Wrangler	449
Debugger	450
Peramalan DeepAR	450
Mesin Faktorisasi	450
Hugging Face	451
Wawasan IP	457
Klasifikasi gambar	457
Inferensia MxNet	458
Inferensia PyTorch	458
K-Berarti	459
KNN	460

Linear Learner	460
MXNet	461
Pelatih MxNet	468
Model Monitor	469
NTM	469
Klasifikasi Gambar Neo	470
Neo MxNet	470
Neo PyTorch	471
Neo Tensorflow	473
Neo XGBoost	474
Deteksi Objek	474
Object2Vec	475
PCA	475
PyTorch	476
PyTorch Neuron	486
PyTorch Kompiler Pelatihan	487
Random Cut Forest	488
Scikit-belajar	488
Segmentasi Semantik	490
Seq2Seq	491
Spark	491
Penyajian SparkML	492
Tensorflow	493
Pelatih Tensorflow	518
Inferensia Tensorflow	520
Sinar Tensorflow	521
XGBoost	522
Asia Pasifik (Hyderabad)	526
AutoGluon	527
BlazingText	529
Peramalan DeepAR	530
Mesin Faktorisasi	530
Hugging Face	531
Wawasan IP	536
Klasifikasi gambar	537
K-Berarti	537

KNN	538
Linear Learner	538
MXNet	539
NTM	542
Deteksi Objek	542
Object2Vec	543
PCA	543
PyTorch	544
PyTorch Neuron	552
PyTorch Kompiler Pelatihan	553
Random Cut Forest	553
Scikit-belajar	554
Segmentasi Semantik	556
Seq2Seq	556
Tensorflow	557
XGBoost	576
Asia Pasifik (Jakarta)	580
AutoGluon	581
BlazingText	584
Klarifikasi	585
DJI DeepSpeed	585
Peramalan DeepAR	586
Mesin Faktorisasi	587
Hugging Face	587
Wawasan IP	594
Klasifikasi gambar	594
K-Berarti	595
KNN	595
Linear Learner	596
MXNet	596
Model Monitor	599
NTM	600
Deteksi Objek	600
Object2Vec	601
PCA	601
PyTorch	602

Random Cut Forest	611
Scikit-belajar	612
Segmentasi Semantik	614
Seq2Seq	614
Spark	615
Penyajian SparkML	616
Tensorflow	616
XGBoost	635
Asia Pasifik (Melbourne)	640
AutoGluon	641
BlazingText	644
Peramalan DeepAR	645
Mesin Faktorisasi	645
Hugging Face	645
Wawasan IP	652
Klasifikasi gambar	652
K-Berarti	653
KNN	653
Linear Learner	654
MXNet	654
NTM	657
Deteksi Objek	658
Object2Vec	658
PCA	659
PyTorch	659
PyTorch Neuron	669
PyTorch Kompiler Pelatihan	669
Random Cut Forest	670
Scikit-belajar	671
Segmentasi Semantik	673
Seq2Seq	673
Tensorflow	674
XGBoost	693
Asia Pasifik (Mumbai)	697
AutoGluon	699
BlazingText	702

Chainer	702
Klarifikasi	703
DJL DeepSpeed	704
Data Wrangler	705
Debugger	706
Peramalan DeepAR	706
Mesin Faktorisasi	706
Hugging Face	707
Wawasan IP	713
Klasifikasi gambar	713
Inferensia MxNet	714
Inferensia PyTorch	714
K-Berarti	715
KNN	716
LDA	716
Linear Learner	717
MXNet	717
Pelatih MxNet	724
Model Monitor	725
NTM	726
Klasifikasi Gambar Neo	726
Neo MxNet	727
Neo PyTorch	727
Neo Tensorflow	729
Neo XGBoost	730
Deteksi Objek	731
Object2Vec	731
PCA	731
PyTorch	732
PyTorch Neuron	743
PyTorch Kompiler Pelatihan	743
Random Cut Forest	744
Ray PyTorch	745
Scikit-belajar	745
Segmentasi Semantik	747
Seq2Seq	748

Spark	748
Penyajian SparkML	749
Tensorflow	750
Pelatih Tensorflow	775
Inferensia Tensorflow	777
Sinar Tensorflow	778
VW	780
XGBoost	781
Asia Pasifik (Osaka)	785
AutoGluon	787
BlazingText	790
Klarifikasi	790
DJI DeepSpeed	791
Data Wrangler	792
Debugger	793
Peramalan DeepAR	793
Mesin Faktorisasi	793
Hugging Face	794
Wawasan IP	801
Klasifikasi gambar	801
Inferensia MxNet	801
Inferensia PyTorch	802
K-Berarti	803
KNN	804
Linear Learner	804
MXNet	805
Model Monitor	809
NTM	809
Klasifikasi Gambar Neo	809
Neo MxNet	810
Neo PyTorch	810
Neo Tensorflow	812
Neo XGBoost	813
Deteksi Objek	814
Object2Vec	814
PCA	815

PyTorch	815
PyTorch Neuron	824
PyTorch Kompiler Pelatihan	825
Random Cut Forest	826
Scikit-belajar	826
Segmentasi Semantik	828
Seq2Seq	829
Penyajian SparkML	829
Tensorflow	830
Inferensia Tensorflow	849
XGBoost	850
Asia Pasifik (Seoul)	854
AutoGluon	856
BlazingText	859
Chainer	860
Klarifikasi	861
DJL DeepSpeed	861
Data Wrangler	862
Debugger	863
Peramalan DeepAR	863
Mesin Faktorisasi	864
Hugging Face	864
Wawasan IP	871
Klasifikasi gambar	871
Inferensia MxNet	872
Inferensia PyTorch	873
K-Berarti	874
KNN	874
LDA	875
Linear Learner	875
MXNet	876
Pelatih MxNet	883
Model Monitor	884
NTM	885
Klasifikasi Gambar Neo	885
Neo MxNet	885

Neo PyTorch	886
Neo Tensorflow	888
Neo XGBoost	889
Deteksi Objek	889
Object2Vec	890
PCA	890
PyTorch	891
PyTorch Neuron	902
PyTorch Kompiler Pelatihan	903
Random Cut Forest	904
Ray PyTorch	904
Scikit-belajar	905
Segmentasi Semantik	907
Seq2Seq	908
Spark	908
Penyajian SparkML	909
Tensorflow	910
Pelatih Tensorflow	936
Inferensia Tensorflow	938
Sinar Tensorflow	938
VW	941
XGBoost	941
Asia Pasifik (Singapura)	945
AutoGluon	947
BlazingText	950
Chainer	951
Klarifikasi	952
DJI DeepSpeed	952
Data Wrangler	953
Debugger	954
Peramalan DeepAR	954
Mesin Faktorisasi	955
Hugging Face	955
Wawasan IP	962
Klasifikasi gambar	962
Inferensia MxNet	963

Inferensia PyTorch	964
K-Berarti	965
KNN	965
LDA	966
Linear Learner	966
MXNet	967
Pelatih MxNet	974
Model Monitor	975
NTM	976
Klasifikasi Gambar Neo	976
Neo MxNet	976
Neo PyTorch	977
Neo Tensorflow	979
Neo XGBoost	980
Deteksi Objek	980
Object2Vec	981
PCA	981
PyTorch	982
PyTorch Neuron	993
PyTorch Kompiler Pelatihan	993
Random Cut Forest	994
Ray PyTorch	995
Scikit-belajar	996
Segmentasi Semantik	998
Seq2Seq	998
Spark	999
Penyajian SparkML	1000
Tensorflow	1001
Pelatih Tensorflow	1026
Inferensia Tensorflow	1028
Sinar Tensorflow	1029
VW	1032
XGBoost	1032
Asia Pasifik (Sydney)	1037
AutoGluon	1038
BlazingText	1041

Chainer	1042
Klarifikasi	1043
DJL DeepSpeed	1043
Data Wrangler	1044
Debugger	1045
Peramalan DeepAR	1045
Mesin Faktorisasi	1046
Hugging Face	1046
Wawasan IP	1053
Klasifikasi gambar	1053
Inferensia MxNet	1054
Inferensia PyTorch	1055
K-Berarti	1056
KNN	1056
LDA	1057
Linear Learner	1057
MXNet	1058
Pelatih MxNet	1065
Model Monitor	1066
NTM	1067
Klasifikasi Gambar Neo	1067
Neo MxNet	1067
Neo PyTorch	1068
Neo Tensorflow	1070
Neo XGBoost	1071
Deteksi Objek	1071
Object2Vec	1072
PCA	1072
PyTorch	1073
PyTorch Neuron	1084
PyTorch Kompiler Pelatihan	1084
Random Cut Forest	1085
Ray PyTorch	1086
Scikit-belajar	1087
Segmentasi Semantik	1089
Seq2Seq	1089

Spark	1090
Penyajian SparkML	1091
Tensorflow	1092
Pelatih Tensorflow	1117
Inferensia Tensorflow	1119
Sinar Tensorflow	1120
VW	1123
XGBoost	1123
Asia Pasifik (Tokyo)	1128
AutoGluon	1129
BlazingText	1132
Chainer	1133
Klarifikasi	1134
DJI DeepSpeed	1134
Data Wrangler	1135
Debugger	1136
Peramalan DeepAR	1136
Mesin Faktorisasi	1137
Hugging Face	1137
Wawasan IP	1144
Klasifikasi gambar	1144
Inferensia MxNet	1145
Inferensia PyTorch	1146
K-Berarti	1147
KNN	1147
LDA	1148
Linear Learner	1148
MXNet	1149
Pelatih MxNet	1156
Model Monitor	1157
NTM	1158
Klasifikasi Gambar Neo	1158
Neo MxNet	1158
Neo PyTorch	1159
Neo Tensorflow	1161
Neo XGBoost	1162

Deteksi Objek	1162
Object2Vec	1163
PCA	1163
PyTorch	1164
PyTorch Neuron	1175
PyTorch Kompiler Pelatihan	1176
Random Cut Forest	1177
Ray PyTorch	1177
Scikit-belajar	1178
Segmentasi Semantik	1180
Seq2Seq	1181
Spark	1181
Penyajian SparkML	1182
Tensorflow	1183
Pelatih Tensorflow	1209
Inferensia Tensorflow	1211
Sinar Tensorflow	1211
VW	1214
XGBoost	1214
Kanada (Pusat)	1218
AutoGluon	1220
BlazingText	1223
Chainer	1223
Klarifikasi	1224
DJL DeepSpeed	1225
Data Wrangler	1226
Debugger	1227
Peramalan DeepAR	1227
Mesin Faktorisasi	1227
Hugging Face	1228
Wawasan IP	1234
Klasifikasi gambar	1234
Inferensia MxNet	1235
Inferensia PyTorch	1235
K-Berarti	1236
KNN	1237

LDA	1237
Linear Learner	1238
MXNet	1238
Pelatih MxNet	1245
Model Monitor	1246
NTM	1247
Klasifikasi Gambar Neo	1247
Neo MxNet	1248
Neo PyTorch	1248
Neo Tensorflow	1250
Neo XGBoost	1251
Deteksi Objek	1252
Object2Vec	1252
PCA	1252
PyTorch	1253
PyTorch Neuron	1264
PyTorch Kompiler Pelatihan	1264
Random Cut Forest	1265
Ray PyTorch	1266
Scikit-belajar	1266
Segmentasi Semantik	1268
Seq2Seq	1269
Spark	1269
Penyajian SparkML	1270
Tensorflow	1271
Pelatih Tensorflow	1296
Inferensia Tensorflow	1298
Sinar Tensorflow	1299
VW	1301
XGBoost	1302
Tiongkok (Beijing)	1306
AutoGluon	1307
BlazingText	1309
Chainer	1309
Klarifikasi	1310
DJI DeepSpeed	1311

Data Wrangler	1312
Debugger	1313
Peramalan DeepAR	1313
Mesin Faktorisasi	1313
Hugging Face	1314
Wawasan IP	1320
Klasifikasi gambar	1320
Inferensia MxNet	1321
Inferensia PyTorch	1321
K-Berarti	1322
KNN	1323
Linear Learner	1323
MXNet	1324
Pelatih MxNet	1331
Model Monitor	1332
NTM	1332
Klasifikasi Gambar Neo	1333
Neo MxNet	1333
Neo PyTorch	1334
Neo Tensorflow	1336
Neo XGBoost	1337
Deteksi Objek	1337
Object2Vec	1338
PCA	1338
PyTorch	1339
PyTorch Neuron	1349
Random Cut Forest	1350
Scikit-belajar	1350
Segmentasi Semantik	1352
Seq2Seq	1353
Spark	1353
Penyajian SparkML	1354
Tensorflow	1355
Pelatih Tensorflow	1380
Inferensia Tensorflow	1382
Sinar Tensorflow	1383

XGBoost	1384
Tiongkok (Ningxia)	1388
AutoGluon	1390
BlazingText	1392
Chainer	1392
Klarifikasi	1393
DJL DeepSpeed	1394
Data Wrangler	1395
Debugger	1396
Peramalan DeepAR	1396
Mesin Faktorisasi	1397
Hugging Face	1397
Wawasan IP	1403
Klasifikasi gambar	1404
Inferensia MxNet	1404
Inferensia PyTorch	1405
K-Berarti	1406
KNN	1406
Linear Learner	1407
MXNet	1407
Pelatih MxNet	1415
Model Monitor	1415
NTM	1416
Klasifikasi Gambar Neo	1416
Neo MxNet	1417
Neo PyTorch	1417
Neo Tensorflow	1420
Neo XGBoost	1420
Deteksi Objek	1421
Object2Vec	1421
PCA	1422
PyTorch	1422
PyTorch Neuron	1433
Random Cut Forest	1433
Scikit-belajar	1434
Segmentasi Semantik	1436

Seq2Seq	1437
Spark	1437
Penyajian SparkML	1438
Tensorflow	1439
Pelatih Tensorflow	1465
Inferensia Tensorflow	1467
Sinar Tensorflow	1468
XGBoost	1469
Eropa (Frankfurt)	1475
AutoGluon	1476
BlazingText	1479
Chainer	1480
Klarifikasi	1480
DJI DeepSpeed	1481
Data Wrangler	1482
Debugger	1483
Peramalan DeepAR	1483
Mesin Faktorisasi	1484
Hugging Face	1484
Wawasan IP	1490
Klasifikasi gambar	1491
Inferensia MxNet	1491
Inferensia PyTorch	1492
K-Berarti	1493
KNN	1493
LDA	1494
Linear Learner	1494
MXNet	1495
Pelatih MxNet	1502
Model Monitor	1503
NTM	1503
Klasifikasi Gambar Neo	1504
Neo MxNet	1504
Neo PyTorch	1505
Neo Tensorflow	1507
Neo XGBoost	1508

Deteksi Objek	1508
Object2Vec	1509
PCA	1509
PyTorch	1510
PyTorch Neuron	1521
PyTorch Kompiler Pelatihan	1521
Random Cut Forest	1522
Ray PyTorch	1523
Scikit-belajar	1523
Segmentasi Semantik	1525
Seq2Seq	1526
Spark	1526
Penyajian SparkML	1527
Tensorflow	1528
Pelatih Tensorflow	1553
Inferensia Tensorflow	1555
Sinar Tensorflow	1556
VW	1558
XGBoost	1559
Eropa (Irlandia)	1563
AutoGluon	1564
BlazingText	1567
Chainer	1568
Klarifikasi	1568
DJL DeepSpeed	1569
Data Wrangler	1570
Debugger	1571
Peramalan DeepAR	1571
Mesin Faktorisasi	1572
Hugging Face	1572
Wawasan IP	1578
Klasifikasi gambar	1579
Inferensia MxNet	1579
Inferensia PyTorch	1580
K-Berarti	1581
KNN	1581

LDA	1582
Linear Learner	1582
MXNet	1583
Pelatih MxNet	1590
Model Monitor	1591
NTM	1591
Klasifikasi Gambar Neo	1592
Neo MxNet	1592
Neo PyTorch	1593
Neo Tensorflow	1595
Neo XGBoost	1596
Deteksi Objek	1596
Object2Vec	1597
PCA	1597
PyTorch	1598
PyTorch Neuron	1609
PyTorch Kompiler Pelatihan	1609
Random Cut Forest	1610
Ray PyTorch	1611
Scikit-belajar	1611
Segmentasi Semantik	1613
Seq2Seq	1614
Spark	1614
Penyajian SparkML	1615
Tensorflow	1616
Pelatih Tensorflow	1641
Inferensia Tensorflow	1643
Sinar Tensorflow	1644
VW	1646
XGBoost	1647
Eropa (London)	1651
AutoGluon	1653
BlazingText	1656
Chainer	1656
Klarifikasi	1657
DJL DeepSpeed	1657

Data Wrangler	1658
Debugger	1659
Peramalan DeepAR	1660
Mesin Faktorisasi	1660
Hugging Face	1660
Wawasan IP	1666
Klasifikasi gambar	1667
Inferensia MxNet	1667
Inferensia PyTorch	1668
K-Berarti	1669
KNN	1669
LDA	1670
Linear Learner	1670
MXNet	1671
Pelatih MxNet	1678
Model Monitor	1679
NTM	1679
Klasifikasi Gambar Neo	1680
Neo MxNet	1680
Neo PyTorch	1681
Neo Tensorflow	1683
Neo XGBoost	1684
Deteksi Objek	1684
Object2Vec	1685
PCA	1685
PyTorch	1686
PyTorch Neuron	1696
PyTorch Kompiler Pelatihan	1697
Random Cut Forest	1698
Ray PyTorch	1698
Scikit-belajar	1699
Segmentasi Semantik	1701
Seq2Seq	1702
Spark	1702
Penyajian SparkML	1703
Tensorflow	1704

Pelatih Tensorflow	1729
Inferensia Tensorflow	1731
Sinar Tensorflow	1732
VW	1734
XGBoost	1735
Eropa (Milan)	1739
AutoGluon	1741
BlazingText	1743
Chainer	1744
Klarifikasi	1745
DJI DeepSpeed	1745
Data Wrangler	1746
Debugger	1747
Peramalan DeepAR	1747
Mesin Faktorisasi	1748
Hugging Face	1748
Wawasan IP	1754
Klasifikasi gambar	1755
Inferensia MxNet	1755
Inferensia PyTorch	1756
K-Berarti	1757
KNN	1757
Linear Learner	1758
MXNet	1758
Pelatih MxNet	1765
Model Monitor	1766
NTM	1767
Klasifikasi Gambar Neo	1767
Neo MxNet	1768
Neo PyTorch	1768
Neo Tensorflow	1770
Neo XGBoost	1771
Deteksi Objek	1772
Object2Vec	1772
PCA	1772
PyTorch	1773

PyTorch Neuron	1783
PyTorch Kompiler Pelatihan	1784
Random Cut Forest	1785
Scikit-belajar	1785
Segmentasi Semantik	1787
Seq2Seq	1788
Spark	1788
Penyajian SparkML	1789
Tensorflow	1790
Pelatih Tensorflow	1815
Inferensia Tensorflow	1817
Sinar Tensorflow	1818
XGBoost	1819
Eropa (Paris)	1823
AutoGluon	1825
BlazingText	1828
Chainer	1828
Klarifikasi	1829
DJL DeepSpeed	1830
Data Wrangler	1831
Debugger	1832
Peramalan DeepAR	1832
Mesin Faktorisasi	1832
Hugging Face	1833
Wawasan IP	1839
Klasifikasi gambar	1839
Inferensia MxNet	1840
Inferensia PyTorch	1840
K-Berarti	1841
KNN	1842
Linear Learner	1842
MXNet	1843
Pelatih MxNet	1850
Model Monitor	1851
NTM	1851
Klasifikasi Gambar Neo	1852

Neo MxNet	1852
Neo PyTorch	1853
Neo Tensorflow	1855
Neo XGBoost	1856
Deteksi Objek	1856
Object2Vec	1857
PCA	1857
PyTorch	1858
PyTorch Neuron	1868
PyTorch Kompiler Pelatihan	1869
Random Cut Forest	1870
Scikit-belajar	1870
Segmentasi Semantik	1872
Seq2Seq	1873
Spark	1873
Penyajian SparkML	1874
Tensorflow	1875
Pelatih Tensorflow	1900
Inferensia Tensorflow	1902
Sinar Tensorflow	1903
XGBoost	1904
Eropa (Spanyol)	1908
AutoGluon	1909
BlazingText	1911
Peramalan DeepAR	1912
Mesin Faktorisasi	1912
Hugging Face	1913
Wawasan IP	1918
Klasifikasi gambar	1919
K-Berarti	1919
KNN	1920
Linear Learner	1920
MXNet	1921
NTM	1924
Deteksi Objek	1924
Object2Vec	1925

PCA	1925
PyTorch	1926
PyTorch Neuron	1934
PyTorch Kompiler Pelatihan	1935
Random Cut Forest	1935
Scikit-belajar	1936
Segmentasi Semantik	1938
Seq2Seq	1938
Tensorflow	1939
XGBoost	1958
Eropa (Stockholm)	1962
AutoGluon	1964
BlazingText	1967
Chainer	1967
Klarifikasi	1968
DJI DeepSpeed	1969
Data Wrangler	1970
Debugger	1971
Peramalan DeepAR	1971
Mesin Faktorisasi	1971
Hugging Face	1972
Wawasan IP	1978
Klasifikasi gambar	1978
Inferensia MxNet	1979
Inferensia PyTorch	1979
K-Berarti	1980
KNN	1981
Linear Learner	1981
MXNet	1982
Pelatih MxNet	1989
Model Monitor	1990
NTM	1990
Klasifikasi Gambar Neo	1991
Neo MxNet	1991
Neo PyTorch	1992
Neo Tensorflow	1994

Neo XGBoost	1995
Deteksi Objek	1995
Object2Vec	1996
PCA	1996
PyTorch	1997
PyTorch Neuron	2008
PyTorch Kompiler Pelatihan	2008
Random Cut Forest	2009
Scikit-belajar	2010
Segmentasi Semantik	2012
Seq2Seq	2012
Spark	2013
Penyajian SparkML	2014
Tensorflow	2015
Pelatih Tensorflow	2039
Inferensia Tensorflow	2041
Sinar Tensorflow	2042
XGBoost	2043
Eropa (Zürich)	2048
AutoGluon	2049
BlazingText	2051
Peramalan DeepAR	2051
Mesin Faktorisasi	2051
Hugging Face	2052
Wawasan IP	2058
Klasifikasi gambar	2058
K-Berarti	2058
KNN	2059
Linear Learner	2059
MXNet	2060
NTM	2063
Deteksi Objek	2063
Object2Vec	2064
PCA	2064
PyTorch	2065
PyTorch Neuron	2073

PyTorch Kompiler Pelatihan	2074
Random Cut Forest	2074
Scikit-belajar	2075
Segmentasi Semantik	2077
Seq2Seq	2077
Tensorflow	2078
XGBoost	2096
Timur Tengah (Bahrain)	2100
AutoGluon	2102
BlazingText	2105
Chainer	2105
Klarifikasi	2106
DJL DeepSpeed	2107
Data Wrangler	2108
Debugger	2109
Peramalan DeepAR	2109
Mesin Faktorisasi	2109
Hugging Face	2110
Wawasan IP	2116
Klasifikasi gambar	2116
Inferensia MxNet	2117
Inferensia PyTorch	2117
K-Berarti	2118
KNN	2119
Linear Learner	2119
MXNet	2120
Pelatih MxNet	2127
Model Monitor	2128
NTM	2128
Klasifikasi Gambar Neo	2129
Neo MxNet	2129
Neo PyTorch	2130
Neo Tensorflow	2132
Neo XGBoost	2133
Deteksi Objek	2133
Object2Vec	2134

PCA	2134
PyTorch	2135
PyTorch Neuron	2145
PyTorch Kompiler Pelatihan	2146
Random Cut Forest	2147
Scikit-belajar	2147
Segmentasi Semantik	2149
Seq2Seq	2150
Spark	2150
Penyajian SparkML	2151
Tensorflow	2152
Pelatih Tensorflow	2177
Inferensia Tensorflow	2179
Sinar Tensorflow	2180
XGBoost	2181
Timur Tengah (UEA)	2185
AutoGluon	2186
BlazingText	2188
Peramalan DeepAR	2189
Mesin Faktorisasi	2189
Hugging Face	2190
Wawasan IP	2196
Klasifikasi gambar	2196
K-Berarti	2196
KNN	2197
Linear Learner	2197
MXNet	2198
NTM	2201
Deteksi Objek	2201
Object2Vec	2202
PCA	2202
PyTorch	2203
Random Cut Forest	2210
Scikit-belajar	2210
Segmentasi Semantik	2212
Seq2Seq	2213

Tensorflow	2213
XGBoost	2230
Amerika Selatan (Sao Paulo)	2234
AutoGluon	2235
BlazingText	2238
Chainer	2239
Klarifikasi	2239
DJI DeepSpeed	2240
Data Wrangler	2241
Debugger	2242
Peramalan DeepAR	2242
Mesin Faktorisasi	2243
Hugging Face	2243
Wawasan IP	2249
Klasifikasi gambar	2250
Inferensia MxNet	2250
Inferensia PyTorch	2251
K-Berarti	2252
KNN	2252
Linear Learner	2253
MXNet	2253
Pelatih MxNet	2260
Model Monitor	2261
NTM	2262
Klasifikasi Gambar Neo	2262
Neo MxNet	2263
Neo PyTorch	2263
Neo Tensorflow	2265
Neo XGBoost	2266
Deteksi Objek	2267
Object2Vec	2267
PCA	2267
PyTorch	2268
PyTorch Neuron	2278
PyTorch Kompiler Pelatihan	2279
Random Cut Forest	2280

Scikit-belajar	2280
Segmentasi Semantik	2282
Seq2Seq	2283
Spark	2283
Penyajian SparkML	2284
Tensorflow	2285
Pelatih Tensorflow	2310
Inferensia Tensorflow	2312
Sinar Tensorflow	2313
XGBoost	2314
AWS GovCloud (AS-Timur)	2318
AutoGluon	2319
BlazingText	2322
Peramalan DeepAR	2323
Mesin Faktorisasi	2323
Hugging Face	2323
Wawasan IP	2329
Klasifikasi gambar	2330
K-Berarti	2330
KNN	2331
Linear Learner	2331
MXNet	2332
NTM	2335
Deteksi Objek	2335
Object2Vec	2336
PCA	2336
PyTorch	2337
PyTorch Neuron	2345
Random Cut Forest	2346
Scikit-belajar	2346
Segmentasi Semantik	2348
Seq2Seq	2349
Tensorflow	2349
XGBoost	2368
AWS GovCloud (AS-Barat)	2372
AutoGluon	2374

BlazingText	2376
Chainer	2377
Klarifikasi	2378
Debugger	2378
Peramalan DeepAR	2379
Mesin Faktorisasi	2379
Hugging Face	2380
Wawasan IP	2386
Klasifikasi gambar	2386
Inferensia MxNet	2387
Inferensia PyTorch	2387
K-Berarti	2388
KNN	2389
LDA	2389
Linear Learner	2390
MXNet	2390
Pelatih MxNet	2397
NTM	2398
Klasifikasi Gambar Neo	2399
Neo MxNet	2399
Neo PyTorch	2400
Neo Tensorflow	2402
Neo XGBoost	2403
Deteksi Objek	2403
Object2Vec	2404
PCA	2404
PyTorch	2405
PyTorch Neuron	2415
Random Cut Forest	2416
Scikit-belajar	2416
Segmentasi Semantik	2418
Seq2Seq	2419
Spark	2419
Penyajian SparkML	2420
Tensorflow	2421
Pelatih Tensorflow	2446

Inferensia Tensorflow	2448
Sinar Tensorflow	2449
XGBoost	2450
.....	mmcdlv

Jalur Registri Docker dan Kode Contoh

Topik berikut mencantumkan jalur registri Docker dan parameter lainnya untuk setiap algoritme yang SageMaker disediakan Amazon dan Deep Learning Containers (DLC). Untuk informasi selengkapnya, lihat [Menggunakan gambar SageMaker Docker yang dibuat sebelumnya](#).

Gunakan jalur sebagai berikut:

- Untuk membuat pekerjaan pelatihan ([create_training_job](#)), tentukan jalur registri Docker (TrainingImage) dan mode input pelatihan () untuk gambar pelatihan. TrainingInputMode Anda membuat pekerjaan pelatihan untuk melatih model menggunakan kumpulan data tertentu.
- Untuk membuat model ([create_model](#)), tentukan jalur registri Docker (Image) untuk image inferensi (). PrimaryContainer Image SageMaker meluncurkan instance komputasi pembelajaran mesin yang didasarkan pada konfigurasi titik akhir dan menyebarkan model, yang mencakup artefak (hasil pelatihan model).
- Untuk membuat monitor model, pilih AWS Region, lalu pilih Model Monitor (algoritma). Untuk informasi selengkapnya, lihat [Container bawaan Amazon SageMaker Model Monitor](#).

Note

Untuk jalur registri, gunakan tag :1 versi untuk memastikan bahwa Anda menggunakan versi stabil dari algoritme/DLC. Anda dapat meng-host model yang dilatih dengan andal menggunakan gambar dengan :1 tag pada gambar inferensi yang memiliki tag. :1 Menggunakan :latest tag di jalur registri memberi Anda up-to-date versi algoritme/DLC terbanyak, tetapi dapat menyebabkan masalah dengan kompatibilitas mundur. Hindari menggunakan :latest tag untuk tujuan produksi.

Important

Saat Anda mengambil URI gambar SageMaker XGBoost, jangan gunakan :latest atau :1 untuk tag URI gambar. Anda harus menentukan salah satu [versi yang Didukung](#) untuk memilih kontainer XGBoost SageMaker -managed dengan versi paket XGBoost asli yang ingin Anda gunakan. Untuk menemukan versi paket yang dimigrasikan ke wadah SageMaker XGBoost, pilih Wilayah AWS lalu navigasikan ke bagian XGBoost (algoritma).

Untuk menemukan jalur registri, pilih AWS Region, lalu pilih algoritma atau DLC.

Topik

- [Jalur Registri Docker dan Kode Contoh untuk US East \(Ohio\) \(us-east-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk AS Timur \(Virginia N.\) \(us-east-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk AS Barat \(California Utara\) \(us-west-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk AS Barat \(Oregon\) \(us-west-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Afrika \(Cape Town\) \(af-south-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Hong Kong\) \(ap-east-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Hyderabad\) \(ap-south-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Jakarta\) \(ap-southeast-3\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Melbourne\) \(ap-southeast-4\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Mumbai\) \(ap-south-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Osaka\) \(ap-northeast-3\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Seoul\) \(ap-northeast-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Singapura\) \(ap-southeast-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Sydney\) \(ap-southeast-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik \(Tokyo\) \(ap-northeast-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Kanada \(Tengah\) \(ca-central-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk China \(Beijing\) \(cn-north-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk China \(Ningxia\) \(cn-northwest-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Frankfurt\) \(eu-central-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Irlandia\) \(eu-west-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(London\) \(eu-west-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Milan\) \(eu-south-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Paris\) \(eu-west-3\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Spanyol\) \(eu-south-2\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Stockholm\) \(eu-north-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Eropa \(Zurich\) \(eu-central-2\)](#)

- [Jalur Registri Docker dan Kode Contoh untuk Timur Tengah \(Bahrain\) \(me-south-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Timur Tengah \(UEA\) \(me-central-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk Amerika Selatan \(São Paulo\) \(sa-east-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk AWS GovCloud \(AS-timur\) \(us-gov-east-1\)](#)
- [Jalur Registri Docker dan Kode Contoh untuk AWS GovCloud \(AS-barat\) \(us-gov-west-1\)](#)

Jalur Registri Docker dan Kode Contoh untuk US East (Ohio) (us-east-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)

- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)

- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='us-
east-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='blazingtext', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
825641698319.dkr.ecr.us-east-2.amazonaws.com/blazingtext:<tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='us-east-2', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='us-east-2', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
211330385671.dkr.ecr.us-east-2.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='us-east-2')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
415577184552.dkr.ecr.us-east-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
415577184552.dkr.ecr.us-east-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
915447279597.dkr.ecr.us-east-2.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='forecasting-deepar', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
566113047672.dkr.ecr.us-east-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='us-east-2', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingfa	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-pytorch-inference: <tag>				
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training:<tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training:<tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-pytorch-training:<tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.us-east-2.amazonaws.com/huggingface-tensorflow-training:<tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='us-east-2')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/ipinsights:<tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
825641698319.dkr.ecr.us-east-2.amazonaws.com/image-classification:<tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='us-east-2', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='us-east-2', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
999911452149.dkr.ecr.us-east-2.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/linear-lea- rner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='us-east-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-east-2.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351884.dkr.ecr.us-east-2.amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351884.dkr.ecr.us-	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-2.amazons.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.us-east-2.amazons.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazons.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazons.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazons.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ mxnet-inference- eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='us-east-2',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih0 .11.0- <tag>				
520713654 638.dkr.ecr.us- east-2.amazo naws.com/ sagemaker-rl- mxnet:pelatih0 .11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
777275614652.dkr.e cr.us-east-2.amazo naws.com/sagemaker -model-monitor-ana lyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
007439368137.dkr.ecr.us-east-2.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='us-east-2', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='us-east-2',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
007439368 137.dkr.ecr.us-east-2.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='us-east-2', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
007439368137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
007439368137.dkr.ecr.us-east-2.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
825641698319.dkr.ecr.us-east-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='us-east-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-east-2.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.us-east-2.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351884.dkr.ecr.us-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-2.amazons.com/ pytorch-training: <tag>				
763104351 884.dkr.ecr.us-east-2.amazons.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-2.amazons.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-2.amazons.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazons.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-east-2.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351884.dkr.ecr.us-east-2.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='randomcutforest',
    region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
404615174143.dkr.ecr.us-east-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='us-east-2', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='us-east-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
825641698319.dkr.ecr.us-east-2.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='us-east-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
825641698319.dkr.ecr.us-east-2.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='us-east-2', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
314815235551.dkr.ecr.us-east-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
314815235551.dkr.ecr.us-east-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
314815235551.dkr.ecr.us-east-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
314815235551.dkr.ecr.us-east-2.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='us-east-2', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257758044811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-sparkml-serving:<tag>	3.3	inferensi		
257758044811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-sparkml-serving:<tag>	2.4	inferensi		
257758044811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-sparkml-serving:<tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='us-east-2',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-east-2.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-inference: <tag>				
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='us-east-2', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='us-east-2', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
007439368 137.dkr.ecr.us-east-2.amazonaws.com/	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				
007439368 137.dkr.ecr.us-east-2.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='us-east-2',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-ray-container: ray-1.6.0-tf-<tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765 813.dkr.ecr.us-	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>				
462105765813.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:ray 0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:ray 0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='vw',
    region='us-east-2',
    version='8.7.0',
    image_scope='training')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.us-east-2.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='us-east-2', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
825641698 319.dkr.ecr.us-east-2.amazonaws.com/xgboost:<tag>	1	0,72	inferensi
825641698 319.dkr.ecr.us-east-2.amazonaws.com/xgboost:<tag>	1	0,72	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost:<tag>	0,90-2	0,90	inferensi
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost:<tag>	0,90-2	0,90	pelatihan
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost:<tag>	0,90-1	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
257758044 811.dkr.ecr.us-east-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk AS Timur (Virginia N.) (us-east-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)

- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)

- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='us-east-1', image_scope='inference', version='0.4')

# Output path
'763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference:0.4-cpu-py38'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/autogluon-training: <tag>				
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='us-east-1')

# Output path
'811284229777.dkr.ecr.us-east-1.amazonaws.com/blazingtext:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
811284229777.dkr.ecr.us-east-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='us-east-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')

# Output path
'520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-chainer:5.0.0-cpu-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.us-east-1.amazonaws.com/	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-chainer: <tag>				
520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='us-east-1', version='1.0', image_scope='processing')

# Output path
'205585389593.dkr.ecr.us-east-1.amazonaws.com/sagemaker-clarify-processing:1.0'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
205585389593.dkr.ecr.us-east-1.amazonaws.com/sagemaker	1.0	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-clarify-processing: <tag>				

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')

# Output path
'763104351884.dkr.ecr.us-west-2.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/djl-infer	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ence:0.20.0-deeppsp eed0.7.5-cu116- <tag>				
763104351884.dkr.e cr.us-east-1.amazo naws.com/djl-infer ence:0.19.0-deeppsp eed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='us-east-1')

# Output path
'663277389841.dkr.ecr.us-east-1.amazonaws.com/sagemaker-data-wrangler-container:1.x'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
663277389841.dkr.e cr.us-east-1.amazo naws.com/sagemaker -data-wrangler-con tainer: <tag>	2.x	pengolahan		
663277389841.dkr.e cr.us-east-1.amazo naws.com/sagemaker	1.x	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-data-wrangler-con tainer: <tag>				

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='us-east-1')

# Output path
'503895931360.dkr.ecr.us-east-1.amazonaws.com/sagemaker-debugger-rules:latest'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503895931360.dkr.e cr.us-east-1.amazo naws.com/sagemaker -debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='us-east-1')

# Output path
'522234722520.dkr.ecr.us-east-1.amazonaws.com/forecasting-deepar:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
522234722520.dkr.ecr.us-east-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/factorization-machines:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='us-east-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')

# Output path
'763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training:2.4.1-transformers4.4.2-gpu-py37'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingfa	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-pytorch-inference: <tag>				
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.us-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/ipinsights:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='us-east-1')

# Output path
'811284229777.dkr.ecr.us-east-1.amazonaws.com/image-classification:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
811284229777.dkr.ecr.us-east-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='us-east-1', version='1.5.1', instance_type='ml.inf1.6xlarge')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-mxnet:1.5.1-inf-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='us-east-1', version='1.9', py_version='py3')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-pytorch:1.9-inf-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
785573368 785.dkr.ecr.us-east-1.amazonaws.com/	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-pytorch: <tag>				
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/kmeans:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/kmeans: <tag>				

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/knn:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='us-east-1')

# Output path
'766337827248.dkr.ecr.us-east-1.amazonaws.com/lda:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
766337827248.dkr.ecr.us-east-1.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/linear-learner:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='us-east-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')

# Output path
'763104351884.dkr.ecr.us-east-1.amazonaws.com/mxnet-inference:1.4.1-cpu-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.us-east-1.amazonaws.com/mxnet-training:<tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='coach-mxnet',
    region='us-east-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')

# Output path
'520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-mxnet:coach0.11-cpu-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='model-monitor',
    region='us-east-1')

# Output path
'156813124566.dkr.ecr.us-east-1.amazonaws.com/sagemaker-model-monitor-analyzer'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
156813124566.dkr.ecr.us-east-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/ntm:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='us-east-1')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/image-classification-neo:latest'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
785573368785.dkr.ecr.us-east-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```

from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-mxnet',
    region='us-east-1',
    version='1.8',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-mxnet:1.8-cpu-py3'
    
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.


```

from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='us-east-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-pytorch:1.6-cpu-py3'
    
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
785573368 785.dkr.ecr.us-east-1.amazo	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
naws.com/ sagemaker -inference- pytorch: <tag>				
785573368 785.dkr.ecr.us- east-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.6	inferensi	CPU, GPU	py3
785573368 785.dkr.ecr.us- east-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
785573368 785.dkr.ecr.us- east-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```

from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='us-
east-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-tensorflow:1.15.3-
cpu-py3'

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
785573368 785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```

from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='us-east-1')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/xgboost-neo:latest'

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
785573368785.dkr.ecr.us-east-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='us-east-1')

# Output path
'811284229777.dkr.ecr.us-east-1.amazonaws.com/object-detection:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
811284229777.dkr.ecr.us-east-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/object2vec:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.e cr.us-east-1.amazo naws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/pca:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.e cr.us-east-1.amazo naws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch', region='us-
east-1', version='1.8.0', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')

# Output path
'763104351884.dkr.ecr.us-east-1.amazonaws.com/pytorch-inference:1.8.0-cpu-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-1.amazonaws.com/	1.13.1	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pytorch-training: <tag>				
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')

# Output path
'763104351884.dkr.ecr.us-west-2.amazonaws.com/pytorch-neuron:1.10.2-neuron-py37-
sdk1.19.0-ubuntu18.04'
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
                    version='py38')

# Output path
'763104351884.dkr.ecr.us-west-2.amazonaws.com/pytorch-trcomp-training:1.12.0-gpu-py38-cu113-ubuntu20.04-sagemaker'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.us-east-1.amazo	1.12.0	pelatihan	GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
naws.com/ pytorch-trcomp- training: <tag>				

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='us-east-1')

# Output path
'382416733822.dkr.ecr.us-east-1.amazonaws.com/randomcutforest:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
382416733822.dkr.ecr.us-east-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='us-east-1', version='0.8.5', instance_type='ml.c5.4xlarge')

# Output path
'462105765813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-ray-container:ray-0.8.5-torch-cpu-py36'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='us-east-1', version='0.23-1', image_scope='inference')

# Output path
'683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn:0.23-1-cpu-py3'
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='us-east-1')
```

```
# Output path
'811284229777.dkr.ecr.us-east-1.amazonaws.com/semantic-segmentation:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
811284229777.dkr.ecr.us-east-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='us-east-1')

# Output path
'811284229777.dkr.ecr.us-east-1.amazonaws.com/seq2seq:1'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
811284229777.dkr.ecr.us-east-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='us-east-1', version='3.0', image_scope='processing')
```

```
# Output path
'173754725891.dkr.ecr.us-east-1.amazonaws.com/sagemaker-spark-processing:3.0-cpu'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
173754725891.dkr.ecr.us-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
173754725891.dkr.ecr.us-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
173754725891.dkr.ecr.us-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
173754725891.dkr.ecr.us-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='us-east-1', version='2.4')
```

```
# Output path
'683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-sparkml-serving:2.4'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='us-east-1', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')

# Output path
'520713654638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-serving:1.12.0-cpu'
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-trainin g: <tag>				
763104351 884.dkr.ecr.us- east-1.amazo naws.com/ tensorflow- inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us- east-1.amazo naws.com/ tensorflow-trainin g: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us- east-1.amazo naws.com/ tensorflow- inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us- east-1.amazo naws.com/ tensorflow- inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.us-east-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='us-east-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')

# Output path
'462105765813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-coach-container:coach-1.0.0-tf-cpu-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='us-east-1', version='1.15.0', instance_type='ml.inf1.6xlarge')

# Output path
'785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-tensorflow:1.15.0-inf-py3'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
785573368 785.dkr.ecr.us-	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>				
785573368785.dkr.ecr.us-east-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```

from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='us-east-1', version='0.8.5', instance_type='ml.c5.4xlarge')

# Output path
'462105765813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-ray-container:ray-0.8.5-tf-cpu-py36'
    
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-	1.6.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
ray-container: ray-1.6.0-tf- <tag>				
462105765 813.dkr.ecr.us-east-1.amazons.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.us-east-1.amazons.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654 638.dkr.ecr.us-east-1.amazons.com/sagemaker-rl-tensorflow:ray-0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray 0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray 0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray 0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='us-east-1', version='8.7.0', image_scope='training')

# Output path
```

```
'462105765813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0-cpu'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.us-east-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='us-east-1', version='1.5-1')

# Output path
'683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost:1.5-1'
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
683313688378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi	
683313688378.dkr.ecr.us-east-1.amazonaws.com/	1,7-1	1.7.4	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-xgboost: <tag>			
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
811284229 777.dkr.ecr.us-east-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
811284229 777.dkr.ecr.us-east-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
683313688 378.dkr.ecr.us-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk AS Barat (California Utara) (us-west-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='us-
west-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.


```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='us-
west-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='us-
west-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
740489534195.dkr.ecr.us-west-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazo	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
763104351884.dkr.ecr.us-west-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
926135532090.dkr.ecr.us-west-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
926135532090.dkr.ecr.us-west-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
685455198987.dkr.ecr.us-west-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='us-west-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingfa	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-tensorflow-inference: <tag>				
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference:<tag>	4.17.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazo	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='us-west-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
710691900526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inferentia-pytorch',region='us-west-1',version='1.9',py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans',region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='us-west-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-1.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351884.dkr.ecr.us-	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-1.amazonaws.com/ mxnet-inference: <tag>				
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/mxnet-training:<tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/mxnet-inference:<tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.us-west-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.us-west-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/ sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/ sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='us-west-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
890145073186.dkr.ecr.us-west-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
710691900526.dkr.ecr.us-west-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='neo-mxnet', region='us-
west-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='us-
west-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us- west-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
710691900 526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='us-west-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us-west-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
710691900526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
710691900526.dkr.ecr.us-west-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='us-west-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.us-west-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351884.dkr.ecr.us-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-1.amazons.com/ pytorch-training: <tag>				
763104351 884.dkr.ecr.us-west-1.amazons.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-1.amazons.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-1.amazons.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazons.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='us-west-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor-<tag>	1.6.0	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='us-west-1',
    version='0.23-1',
    image_scope='inference')

```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/	1.2-1	1.2.1	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
632365934929.dkr.ecr.us-west-1.amazonaws.com	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/semantic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='us-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
632365934929.dkr.ecr.us-west-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='us-west-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
667973535471.dkr.ecr.us-west-1.amazonaws.com/sagemaker	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-spark-processing: <tag>				
667973535471.dkr.ecr.us-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
667973535471.dkr.ecr.us-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
667973535471.dkr.ecr.us-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='us-west-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
746614075791.dkr.ecr.us-west-1.amazonaws.com/sagemaker	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-sparkml-serving: <tag>				
746614075791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
746614075791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='us-west-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='us-west-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='us-west-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
710691900 526.dkr.ecr.us-west-1.amazonaws.com/	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				
710691900526.dkr.ecr.us-west-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='us-west-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-ray-container:ray-1.6.0-tf-<tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765813.dkr.ecr.us-	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-1.amazons.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>				
462105765813.dkr.ecr.us-west-1.amazons.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654638.dkr.ecr.us-west-1.amazons.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.us-west-1.amazons.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:ray 0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-tensorflow:ray 0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='vw',
    region='us-west-1',
    version='8.7.0',
    image_scope='training')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.us-west-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='us-west-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
746614075 791.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
746614075 791.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	inferensi
746614075 791.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	pelatihan
746614075 791.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
746614075 791.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
632365934 929.dkr.ecr.us-west-1.amazonaws.com/xgboost:<tag>	1	0,72	inferensi
632365934 929.dkr.ecr.us-west-1.amazonaws.com/xgboost:<tag>	1	0,72	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost:<tag>	0,90-2	0,90	inferensi
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost:<tag>	0,90-2	0,90	pelatihan
746614075 791.dkr.ecr.us-west-1.amazonaws.com/sagemaker-xgboost:<tag>	0,90-1	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
746614075 791.dkr.ecr.us- west-1.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk AS Barat (Oregon) (us-west-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)

- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)

- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='us-
west-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/autogluon-training: <tag>				
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
433757028032.dkr.ecr.us-west-2.amazonaws.com/blazingtext:<tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='us-west-2', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-chainer:<tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.us-west-2.amazo	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
naws.com/sagemaker-chainer: <tag>				
520713654638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='us-west-2',
    version='1.0',
    image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
306415355426.dkr.ecr.us-west-2.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174368400705.dkr.ecr.us-west-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
174368400705.dkr.ecr.us-west-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
895741380848.dkr.ecr.us-west-2.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
156387875391.dkr.ecr.us-west-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='huggingface',
    region='us-west-2',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazo	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/huggingface-pytorch-inference: <tag>				
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training:<tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training:<tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-pytorch-training:<tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.us-west-2.amazonaws.com/huggingface-tensorflow-training:<tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/ipinsights:<tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
433757028032.dkr.ecr.us-west-2.amazonaws.com/image-classification:<tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='us-west-2', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='us-west-2', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
266724342769.dkr.ecr.us-west-2.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/linear-le arner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='us-west-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-2.amazonaws.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351884.dkr.ecr.us-west-2.amazonaws.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
763104351884.dkr.ecr.us-	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-2.amazons.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.us-west-2.amazons.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazons.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazons.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazons.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ mxnet-inference- eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='us-west-2', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
159807026194.dkr.ecr.us-west-2.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
301217895009.dkr.ecr.us-west-2.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='us-west-2', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='us-west-2', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
301217895 009.dkr.ecr.us-west-2.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
301217895 009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='us-west-2', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
301217895009.dkr.ecr.us-west-2.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
433757028032.dkr.ecr.us-west-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='us-west-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-2.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.us-west-2.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351884.dkr.ecr.us-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-2.amazons.com/ pytorch-training: <tag>				
763104351 884.dkr.ecr.us-west-2.amazons.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-2.amazons.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-2.amazons.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazons.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-2.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351884.dkr.ecr.us-west-2.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
174872318107.dkr.ecr.us-west-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='us-
west-2', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us- west-2.amazo naws.com/ sagemaker-rl- ray-container: sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.us- west-2.amazo naws.com/ sagemaker-rl- ray-container: sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='us-
west-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
433757028032.dkr.ecr.us-west-2.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='us-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
433757028032.dkr.ecr.us-west-2.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='us-west-2', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
153931337802.dkr.ecr.us-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
153931337802.dkr.ecr.us-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
153931337802.dkr.ecr.us-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
153931337802.dkr.ecr.us-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='us-west-2', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
246618743249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
246618743249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
246618743249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='us-west-2',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.us-west-2.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-inference: <tag>				
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.us-west-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='us-west-2', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='us-west-2',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
301217895 009.dkr.ecr.us-west-2.amazonaws.com/	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				
301217895009.dkr.ecr.us-west-2.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='us-west-2',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-ray-container:ray-1.6.0-tf-<tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765813.dkr.ecr.us-	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-2.amazons.com/sagemaker-rl-ray-container:sinar-0.8.5-tf-<tag>				
462105765813.dkr.ecr.us-west-2.amazons.com/sagemaker-rl-ray-container:sinar-0.8.2-tf-<tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654638.dkr.ecr.us-west-2.amazons.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.us-west-2.amazons.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='vw',
    region='us-west-2',
    version='8.7.0',
    image_scope='training')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.us-west-2.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='us-west-2', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
433757028 032.dkr.ecr.us-west-2.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
433757028 032.dkr.ecr.us-west-2.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
246618743 249.dkr.ecr.us-west-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
246618743 249.dkr.ecr.us- west-2.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Afrika (Cape Town) (af-south-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)

- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='af-
south-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/autogluon-inference: <tag>				
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='blazingtext',region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer',region='af-south-1',version='5.0.0',py_version='py3',image_scope='inference',instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
313743910680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='af-south-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
811711786498.dkr.ecr.af-south-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
143210264188.dkr.ecr.af-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
143210264188.dkr.ecr.af-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
314341159256.dkr.ecr.af-south-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='forecasting-deepar', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='af-south-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingf	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ace-pytorch-inference: <tag>				
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.5.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.5.0	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.4.2	pelatihan		
626614931356.dkr.ecr.af-south-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='af-south-1', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='af-south-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='af-south-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-training:<tag>	1.4.1	pelatihan	CPU, GPU	py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet:<tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='coach-mxnet', region='af-south-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-mxnet:pelatih 0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-mxnet:pelatih 0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
875698925577.dkr.ecr.af-south-1.amazonaws.com/sagemake		pemantauan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
r-model-monitor-analyzer: <tag>				

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
774647643957.dkr.ecr.af-south-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='af-
south-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af- south-1.amaz onaws.com/ sagemaker- inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='af-
south-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af- south-1.amaz onaws.com/	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
774647643957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
774647643957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
774647643957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.6	inferensi	CPU, GPU	py3
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.5	inferensi	CPU, GPU	py3
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='af-south-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
774647643957.dkr.ecr.af-south-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='af-south-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931356.dkr.ecr.af-south-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
626614931356.dkr.ecr.af-south-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com /pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
626614931 356.dkr.ecr.af-south-1.amazonaws.com/	1.12.0	pelatihan	GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pytorch-trcomp-training: <tag>				

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='af-south-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
510948584623.dkr.ecr.af-south-1.amazonaws.com	1.2-1	1.2.1	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
onaws.com/ sagemaker-scikit-learn: <tag>			
510948584 623.dkr.ecr.af-south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
510948584 623.dkr.ecr.af-south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
510948584 623.dkr.ecr.af-south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
510948584 623.dkr.ecr.af-south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
510948584 623.dkr.ecr.af- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	inferensi
510948584 623.dkr.ecr.af- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	pelatihan
510948584 623.dkr.ecr.af- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	inferensi
510948584 623.dkr.ecr.af- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve/framework='semantic-segmentation', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='af-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
455444449433.dkr.ecr.af-south-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='af-south-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
309385258863.dkr.ecr.af-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
309385258863.dkr.ecr.af-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
309385258863.dkr.ecr.af-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
309385258863.dkr.ecr.af-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='af-south-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
510948584623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
510948584623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
510948584623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='af-south-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931356.dkr.ecr.af-south-1.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-infer nce: <tag>				
626614931 356.dkr.ecr.af- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.12.0	pelatihan	CPU, GPU	py310
626614931 356.dkr.ecr.af- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
626614931 356.dkr.ecr.af-south-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='af-south-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:pe	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
latih0.10.1- <tag>				
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:pe latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='af-south-1',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
774647643 957.dkr.ecr.af-south-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
774647643 957.dkr.ecr.af-south-1.amaz	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
onaws.com/sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='af-south-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
313743910680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
313743910 680.dkr.ecr.af-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='af-south-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
455444449 433.dkr.ecr.af-south-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
455444449 433.dkr.ecr.af-south-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
510948584 623.dkr.ecr.af-south-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Hong Kong) (ap-east-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
east-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazo	0.7.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/autogluon-inference: <tag>				
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/blazingtext:<tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='chainer',
    region='ap-east-1',
    version='5.0.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='ap-east-1',
    version='1.0',
    image_scope='processing')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
098760798382.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-clarify-processing:<tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118-<tag>	0.22.1	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117-<tag>	0.21.0	inferensi		
871362719292.dkr.ecr.ap-east-1.amazo	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
871362719292.dkr.ecr.ap-east-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
707077482487.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
707077482487.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
199566480951.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='factorization-machines',region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='ap-east-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingfa	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-tensorflow-inference: <tag>				
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.17.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.17.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference:<tag>	4.17.0	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
871362719292.dkr.ecr.ap-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazo	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='ap-east-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
110948597952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='inference-pytorch', region='ap-
east-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597 952.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3
110948597 952.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-neo- pytorch: <tag>	1.8	inferensi	inf	py3
110948597 952.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-neo- pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/linear-le arner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='ap-east-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazons.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazons.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazons.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ mxnet-inference- eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='ap-east-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih0.11.0- <tag>				
057415533634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
001633400207.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
110948597952.dkr.ecr.ap-east-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='ap-east-1', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='ap-east-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
110948597952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
110948597952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
110948597952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='ap-east-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
110948597952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
110948597952.dkr.ecr.ap-east-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='object-detection', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-east-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719292.dkr.ecr.ap-east-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
871362719292.dkr.ecr.ap-east-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
871362719292.dkr.ecr.ap-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-1.amazons.com/pytorch-training: <tag>				
871362719292.dkr.ecr.ap-east-1.amazons.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
871362719292.dkr.ecr.ap-east-1.amazons.com/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
871362719292.dkr.ecr.ap-east-1.amazons.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
871362719292.dkr.ecr.ap-east-1.amazons.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker- pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='ap-east-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
651117190479.dkr.ecr.ap-east-1.amazo	1.2-1	1.2.1	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
naws.com/ sagemaker-scikit-l earn: <tag>			
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	inferensi
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	pelatihan
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	inferensi_graviton
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
286214385809.dkr.ecr.ap-east-1.amazonaws.com	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/semantic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
286214385809.dkr.ecr.ap-east-1.amazonaws.com/seq2seq:<tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-east-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
732049463269.dkr.ecr.ap-east-1.amazonaws.com/sagemaker	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-spark-processing: <tag>				
732049463269.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
732049463269.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
732049463269.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-east-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-sparkml-serving: <tag>				
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-east-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
871362719 292.dkr.ecr.ap-east-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='ap-east-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-tensorflow:latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inferentia-tensorflow',
    region='ap-east-1',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
110948597 952.dkr.ecr.ap-east-1.amazonaws.com/	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='ap-east-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-rl-tensorflow:ray 0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
057415533 634.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-rl-tensorflow:ray 0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
057415533 634.dkr.ecr.ap-	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>				
057415533634.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-east-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
651117190479.dkr.ecr.ap-	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
east-1.amazonaws.com/sagemaker-xgboost: <tag>			
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
651117190479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/ sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
651117190 479.dkr.ecr.ap-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
286214385 809.dkr.ecr.ap-east-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
286214385 809.dkr.ecr.ap-east-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	inferensi
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	pelatihan
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	inferensi
651117190 479.dkr.ecr.ap- east-1.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Hyderabad) (ap-south-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='autogluon',
    region='ap-south-2',
    image_scope='inference',
    version='0.4')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/autogluon-training: <tag>				
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/blazingt ext: <tag>	1	inferensi, pelatihan		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/factorization-machines: <tag>				

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='huggingface',
    region='ap-south-2',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com	4.17.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/huggingface-tensorflow-training: <tag>				
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
772153158452.dkr.ecr.ap-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='ap-south-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
772153158452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
772153158452.dkr.ecr.ap-south-2.amazonaws.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/ntm:<tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-south-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158452.dkr.ecr.ap-south-2.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
772153158452.dkr.ecr.ap-south-2.amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com /pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='ap-south-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
628508329040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
628508329040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
628508329040.dkr.ecr.ap-south-2.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
628508329040.dkr.ecr.ap-south-2.amazonaws.com/seq2seq:<tag>	1	inferensi, pelatihan		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='ap-south-2', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference:<tag>	2.12.1	inferensi	CPU, GPU	-
772153158452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference:<tag>	2.11.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
772153158 452.dkr.ecr.ap-south-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='xgboost',
    region='ap-south-2',
    version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
628508329 040.dkr.ecr.ap-	1,5-1	1.5.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
south-2.amaz onaws.com/ sagemaker- xgboost: <tag>			
628508329 040.dkr.ecr.ap- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	pelatihan
628508329 040.dkr.ecr.ap- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
628508329 040.dkr.ecr.ap- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	inferensi
628508329 040.dkr.ecr.ap- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
628508329 040.dkr.ecr.ap-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Jakarta) (ap-southeast-3)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)

- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
southeast-3', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/auto gluon-training: <tag>	0.7.0	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ autogluon-inference: <tag>	0.7.0	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/auto gluon-training: <tag>	0.6.2	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ autogluon-inference: <tag>	0.6.2	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/auto gluon-training: <tag>	0.6.1	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ autogluon-inference: <tag>	0.6.1	inferensi		
907027046896.dkr.e cr.ap-southeast-3.	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/auto gluon-training: <tag>				
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ autogluon-inference: <tag>	0.5.2	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/auto gluon-training: <tag>	0.4.3	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ autogluon-inference: <tag>	0.4.3	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/auto gluon-training: <tag>	0.4.2	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ autogluon-inference: <tag>	0.4.2	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/auto gluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/autogluon-inference:<tag>	0.4.0	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/autogluon-training:<tag>	0.3.2	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/autogluon-inference:<tag>	0.3.2	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/autogluon-training:<tag>	0.3.1	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/autogluon-inference:<tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='ap-southeast-3', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
705930551576.dkr.ecr.ap-southeast-3.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ap-southeast-3')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='ap-southeast-3', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ huggingface-pytorch- training: <tag>	4.26.0	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.26.0	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.26.0	inferensi		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ huggingface-pytorch- training: <tag>	4.17.0	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.17.0	pelatihan		
907027046896.dkr.e cr.ap-southeast-3. amazonaws.com/	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-pytorch-inference: <tag>				
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='image-classification', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/knn:<tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/linear-learner:<tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet', region='ap-southeast-3', version='1.4.1',
    py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669540362728.dkr.ecr.ap-southeast-3.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/pca: <tag>				

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-southeast-3',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
907027046 896.dkr.ecr.ap-southeast-3.	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
amazonaws.com/pytorch-training: <tag>				
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
907027046896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/ramcutforest: <tag>				

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='ap-southeast-3',
    version='0.23-1',
    image_scope='inference')

```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan	
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
951798379 941.dkr.ecr.ap- southeast-3. amazonaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
951798379941.dkr.e cr.ap-southeast-3. amazonaws.com/ semantic-segm entation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-southeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.e cr.ap-southeast-3. amazonaws.com/seq2 seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-
southeast-3', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
732049463269.dkr.e cr.ap-southeast-3. amazonaws.com/sage maker-spark-proces sing: <tag>	3.2	pengolahan		
732049463269.dkr.e cr.ap-southeast-3. amazonaws.com/sage maker-spark-proces sing: <tag>	3.1	pengolahan		
732049463269.dkr.e cr.ap-southeast-3. amazonaws.com/sage maker-spark-proces sing: <tag>	3.0	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
732049463269.dkr.ecr.ap-southeast-3.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-southeast-3', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
951798379941.dkr.ecr.ap-southeast-3.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='ap-southeast-3', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/tensorflow-training: <tag>				
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
907027046 896.dkr.ecr.ap-southeast-3. amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve( framework='xgboost', region='ap-southeast-3', version='1.5-1' )
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,7-1	1.7.4	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,7-1	1.7.4	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/	1,5-1	1.5.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-xgb oost: <tag>			
951798379 941.dkr.ecr.ap- southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi
951798379 941.dkr.ecr.ap- southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
951798379 941.dkr.ecr.ap- southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
951798379 941.dkr.ecr.ap- southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
951798379 941.dkr.ecr.ap-southeast-3. amazonaws.com/ sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
951798379 941.dkr.ecr.ap- southeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Melbourne) (ap-southeast-4)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)

- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='autogluon',
    region='ap-southeast-4',
    image_scope='inference',
    version='0.4')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.	0.6.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/auto gluon-training: <tag>				
457447274322.dkr.e cr.ap-southeast-4. amazonaws.com/ autogluon-inference: <tag>	0.6.2	inferensi		
457447274322.dkr.e cr.ap-southeast-4. amazonaws.com/auto gluon-training: <tag>	0.6.1	pelatihan		
457447274322.dkr.e cr.ap-southeast-4. amazonaws.com/ autogluon-inference: <tag>	0.6.1	inferensi		
457447274322.dkr.e cr.ap-southeast-4. amazonaws.com/auto gluon-training: <tag>	0.5.2	pelatihan		
457447274322.dkr.e cr.ap-southeast-4. amazonaws.com/ autogluon-inference: <tag>	0.5.2	inferensi		
457447274322.dkr.e cr.ap-southeast-4. amazonaws.com/auto gluon-training: <tag>	0.4.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='huggingface',
    region='ap-southeast-4',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-aws-ecr-inference: <tag>	4.10.2	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-aws-ecr-inference: <tag>	4.10.2	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='image-classification', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/knn:<tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/linear-learner:<tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet', region='ap-southeast-4',
    version='1.4.1', py_version='py3', image_scope='inference',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.e cr.ap-southeast-4. amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.e cr.ap-southeast-4. amazonaws.com/obje ct-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ap-southeast-4')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch', region='ap-southeast-4',
    version='1.8.0', py_version='py3', image_scope='inference',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
457447274 322.dkr.ecr.ap-southeast-4. amazonaws	1.13.1	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/pytorch-training: <tag>				
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws .com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws .com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/ramcutforest: <tag>				

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='ap-southeast-4',
    version='0.23-1',
    image_scope='inference')

```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan	
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
106583098589.dkr.e cr.ap-southeast-4. amazonaws.com/ semantic-segm entation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-southeast-4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
106583098589.dkr.ecr.ap-southeast-4.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='ap-southeast-4', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
457447274322.dkr.ecr.ap-southeast-4.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
457447274322.dkr.ecr.ap-southeast-4.	2.11.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
amazonaws .com/tensorflow- inference: <tag>				
457447274 322.dkr.ecr.ap- southeast-4. amazonaws .com/tensorflow- inference: <tag>	2.11.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap- southeast-4. amazonaws .com/tensorflow- training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
457447274 322.dkr.ecr.ap- southeast-4. amazonaws .com/tensorflow- inference: <tag>	2.10.1	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap- southeast-4. amazonaws .com/tensorflow- training: <tag>	2.10.1	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
457447274 322.dkr.ecr.ap-southeast-4. amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-southeast-4', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
106583098 589.dkr.ecr.ap-	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>			
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi_graviton
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi
106583098 589.dkr.ecr.ap-southeast-4. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	inferensi
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	pelatihan
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	inferensi
106583098 589.dkr.ecr.ap- southeast-4. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Mumbai) (ap-south-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
south-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='ap-
south-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='ap-
south-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
452307495513.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amaz	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
763104351884.dkr.ecr.ap-south-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
089933028263.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
089933028263.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
904829902805.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='factorization-machines',region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='ap-south-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingf	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ace-tensorflow-inf erence: <tag>				
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference:<tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amaz	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='ap-south-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
763008648453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='inference-pytorch', region='ap-
south-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648 453.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3
763008648 453.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-neo- pytorch: <tag>	1.8	inferensi	inf	py3
763008648 453.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-neo- pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='ap-south-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/mxnet-training:<tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/ sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='coach-mxnet', region='ap-south-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-mxnet:pelatih 0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-mxnet:pelatih 0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
126357580389.dkr.ecr.ap-south-1.amazonaws.com/sagemake		pemantauan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
r-model-monitor-an alyzer: <tag>				

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.e cr.ap-south-1.amaz onaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763008648453.dkr.e cr.ap-south-1.amaz onaws.com/image- classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='ap-
south-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648 453.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ap-
south-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648 453.dkr.ecr.ap- south-1.amaz onaws.com/	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
763008648453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
763008648453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
763008648453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.6	inferensi	CPU, GPU	py3
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.5	inferensi	CPU, GPU	py3
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='ap-south-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763008648453.dkr.ecr.ap-south-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-south-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-south-1.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.ap-south-1.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com /pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='ap-
south-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- ray-container: sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- ray-container :sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='ap-
south-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
991648021394.dkr.ecr.ap-south-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-south-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
105495057255.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
105495057255.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
105495057255.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
105495057255.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-south-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
720646828776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
720646828776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
720646828776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-south-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-south-1.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-infer nce: <tag>				
763104351 884.dkr.ecr.ap- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.ap-south-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='ap-south-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow:pe latih0.11- <tag>				
520713654 638.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- tensorflow:pe latih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- tensorflow:pe latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='ap-
south-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
763008648 453.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='ap-south-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-ray-container	1.6.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
:ray-1.6.0-tf- <tag>				
462105765 813.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- ray-container :sinar-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- ray-container :sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654 638.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker-rl- tensorflow:ra y0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='ap-south-1', version='8.7.0', image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-south-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
720646828776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi	
720646828776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan	
720646828776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
onaws.com/ sagemaker- xgboost: <tag>			
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	pelatihan
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	inferensi
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
991648021 394.dkr.ecr.ap-south-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
991648021 394.dkr.ecr.ap-south-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
720646828 776.dkr.ecr.ap-south-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	pelatihan
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	inferensi
720646828 776.dkr.ecr.ap- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Osaka) (ap-northeast-3)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)

- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)

- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
northeast-3', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.7.0	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.7.0	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.6.2	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.6.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.6.1	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.6.1	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.5.2	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.5.2	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.4.3	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.4.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.4.2	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.4.2	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.4.0	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.4.0	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.3.2	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.3.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/auto gluon-training: <tag>	0.3.1	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.e cr.ap-northeast-3. amazonaws.com/blaz ingtext: <tag>	1	inferensi, pelatihan		

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='ap-
northeast-3', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
912233562940.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
364406365360.dkr.ecr.ap-northeast-3.	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
913387583493.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
913387583493.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
479947661362.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='ap-northeast-3',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-tensorflow-inference: <tag>				
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.12.3	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.12.3	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.12.3	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-pytorch- training: <tag>	4.11.0	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.11.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.10.2	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.6.1	inferensi		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-pytorch- training: <tag>	4.5.0	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.5.0	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-pytorch- training: <tag>	4.4.2	pelatihan		
364406365360.dkr.e cr.ap-northeast-3. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inferentia-mxnet', region='ap-
northeast-3', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
925152966 179.dkr.ecr.ap- northeast-3. amazonaws .com/sage maker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
925152966 179.dkr.ecr.ap- northeast-3. amazonaws .com/sage maker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-pytorch', region='ap-
northeast-3', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
925152966 179.dkr.ecr.ap-	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
northeast-3. amazonaws .com/sage maker-neo- pytorch: <tag>				
925152966 179.dkr.ecr.ap- northeast-3. amazonaws .com/sage maker-neo- pytorch: <tag>	1.8	inferensi	inf	py3
925152966 179.dkr.ecr.ap- northeast-3. amazonaws .com/sage maker-neo- pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.e cr.ap-northeast-3. amazonaws.com/ kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.e cr.ap-northeast-3. amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.e cr.ap-northeast-3.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/line ar-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='ap-northeast-3',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3. amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3. amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3. amazonaws	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
990339680094.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='image-classification-neo',region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
925152966179.dkr.ecr.ap-northeast-3.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet',region='ap-northeast-3',version='1.8',py_version='py3',image_scope='inference',instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
925152966179.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.


```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ap-
northeast-3', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sage	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
maker-inference-pytorch: <tag>				
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
925152966 179.dkr.ecr.ap-northeast-3. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='neo-tensorflow',
    region='ap-northeast-3',
    version='1.15.3',
    py_version='py3',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
925152966179.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-inference-tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
925152966179.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='xgboost-neo',
    region='ap-northeast-3')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
925152966179.dkr.ecr.ap-northeast-3.	terbaru	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/xgboost-neo: <tag>				

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch', region='ap-northeast-3', version='1.8.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
364406365360.dkr.ecr.ap-	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
northeast-3. amazonaws .com/pytorch- inference-grav iton: <tag>				
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/pytorch- training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/pytorch- inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/pytorch- training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/pytorch- inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
364406365 360.dkr.ecr.ap-northeast-3.amazonaws	1.12.0	pelatihan	GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/pytorch-trcomp-training: <tag>				

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='ap-northeast-3', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
867004704886.dkr.ecr.ap-	1.2-1	1.2.1	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
northeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>			
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	inferensi
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	pelatihan
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	inferensi
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-northeast-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-northeast-3', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-northeast-3',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
364406365360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
364406365360.dkr.ecr.ap-	2.11.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
northeast-3. amazonaws .com/tensorflow- inference: <tag>				
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/tensorflow- inference: <tag>	2.11.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/tensorflow- training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/tensorflow- inference: <tag>	2.10.1	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap- northeast-3. amazonaws .com/tensorflow- training: <tag>	2.10.1	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
364406365 360.dkr.ecr.ap-northeast-3.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-tensorflow', region='ap-northeast-3', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
925152966 179.dkr.ecr.ap-northeast-3.amazonaws.com/sage	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
maker-neo-tensorflow: <tag>				
925152966179.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-northeast-3', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
867004704886.dkr.ecr.ap-northeast-3.amazonaws.com/	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-xgb oost: <tag>			
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi_graviton
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi
867004704 886.dkr.ecr.ap- northeast-3. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	inferensi
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	pelatihan
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	inferensi
867004704 886.dkr.ecr.ap-northeast-3. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Seoul) (ap-northeast-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
northeast-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/auto gluon-training: <tag>	0.7.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference:<tag>	0.4.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training:<tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference:<tag>	0.3.2	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-training:<tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/autogluon-inference:<tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
306986355934.dkr.ecr.ap-northeast-2.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='chainer',
    region='ap-northeast-2',
    version='5.0.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-chainer:<tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='ap-northeast-2',
    version='1.0',
    image_scope='processing'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
263625296855.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-clarify-processing:<tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
131546521161.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
131546521161.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
578805364391.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='forecasting-deepar', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
204372634319.dkr.ecr.ap-northeast-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.ecr.ap-northeast-2.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='ap-northeast-2', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.26.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-pytorch-inference: <tag>				
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		
763104351884.dkr.e cr.ap-northeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-aws-ecr-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-aws-ecr-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-aws-ecr-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.ecr.ap-northeast-2.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='image-classification',region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
306986355934.dkr.ecr.ap-northeast-2.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet',region='ap-northeast-2',version='1.5.1',instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
151534178276.dkr.ecr.ap-northeast-2.amazonaws.com/sage	1.5.1	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
maker-neo-mxnet: <tag>				

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-pytorch',
    region='ap-northeast-2',
    version='1.9',
    py_version='py3')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178-276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
151534178-276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
151534178-276.dkr.ecr.ap-	1.7	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
northeast-2. amazonaws .com/sage maker-neo- pytorch: <tag>				

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.e cr.ap-northeast-2. amazonaws.com/ kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-northeast-2')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.e cr.ap-northeast-2. amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
293181348795.dkr.e cr.ap-northeast-2. amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.e cr.ap-northeast-2.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/line ar-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='ap-northeast-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet-serving-eia:<tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet-eia:<tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='ap-northeast-2',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-rl-mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
709848358524.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.ecr.ap-northeast-2.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
151534178276.dkr.ecr.ap-northeast-2.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='neo-mxnet', region='ap-
northeast-2', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178 276.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-inference- mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ap-
northeast-2', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178 276.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-inference- pytorch: <tag>	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-tensorflow',
    region='ap-northeast-2',
    version='1.15.3',
    py_version='py3',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178 276.dkr.ecr.ap-northeast-2.amazonaws.com	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-inference-tensorflow: <tag>				
151534178276.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
151534178276.dkr.ecr.ap-northeast-2.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
306986355934.dkr.ecr.ap-northeast-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.ecr.ap-northeast-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='ap-northeast-2')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.ecr.ap-northeast-2.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-northeast-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-pytorch:<tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-pytorch:<tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-neuron',
    region='us-west-2',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com	1.11.0	pelatihan	TRN	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/pytorch-training-neuron: <tag>				

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835164637446.dkr.ecr.ap-northeast-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='ap-northeast-2', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor-<tag>	1.6.0	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='ap-northeast-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
366743142 698.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
366743142 698.dkr.ecr.ap-northeast-2.amazonaws.com/	1.2-1	1.2.1	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
306986355934.dkr.ecr.ap-northeast-2. amazonaws.com/	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
semantic-segm entation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-northeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
306986355934.dkr.ecr.ap-northeast-2.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-northeast-2', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
860869212795.dkr.ecr.ap-northeast-2.amazonaws.com/sage	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
maker-spark-proces sing: <tag>				
860869212795.dkr.e cr.ap-northeast-2. amazonaws.com/sage maker-spark-proces sing: <tag>	3.1	pengolahan		
860869212795.dkr.e cr.ap-northeast-2. amazonaws.com/sage maker-spark-proces sing: <tag>	3.0	pengolahan		
860869212795.dkr.e cr.ap-northeast-2. amazonaws.com/sage maker-spark-proces sing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-northeast-2', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
366743142698.dkr.e cr.ap-northeast-2. amazonaws.com/sage	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
maker-sparkml-serving: <tag>				
366743142698.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
366743142698.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-northeast-2',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow-serving:<tag>	1.11.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow-scripemode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-tenorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflo: <tag>	1.9.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflo: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflo: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflo: <tag>	1.8.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-tensorflow',
    region='ap-northeast-2',
    version='1.0.0',
    image_scope='training',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflo w:pelatih0.11.0- <tag>				
520713654 638.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-rl- tensorflo w:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-rl- tensorflo w:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-rl- tensorflo w:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='ap-northeast-2',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
151534178 276.dkr.ecr.ap-northeast-2. amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
151534178 276.dkr.ecr.ap-northeast-2. amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='ap-northeast-2',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-ray-container:ray-1.6.0-tf- <tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765 813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654 638.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-	0.6.5	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflo w:ray0.6.5- <tag>				
520713654 638.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-rl- tensorflo w:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-rl- tensorflo w:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-2. amazonaws .com/sage maker-rl- tensorflo w:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='ap-
northeast-2', version='8.7.0', image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-rl-vw-containers:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-northeast-2', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
366743142698.dkr.ecr.ap-northeast-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi	
366743142698.dkr.ecr.ap-	1,7-1	1.7.4	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>			
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi_graviton
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan
366743142 698.dkr.ecr.ap-northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan
306986355 934.dkr.ecr.ap- northeast-2. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi
306986355 934.dkr.ecr.ap- northeast-2. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	inferensi
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	pelatihan
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	inferensi
366743142 698.dkr.ecr.ap- northeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Singapura) (ap-southeast-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
southeast-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/auto gluon-training: <tag>	0.7.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference:<tag>	0.4.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training:<tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference:<tag>	0.3.2	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-training:<tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/autogluon-inference:<tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='chainer',
    region='ap-southeast-1',
    version='5.0.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap- southeast-1. amazonaws .com/sage maker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='ap-
southeast-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
834264404009.dkr.e cr.ap-southeast-1. amazonaws.com/sage maker-clarify-proc essing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-
west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
119527597002.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
119527597002.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
972752614525.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='forecasting-deepar', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='ap-southeast-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.26.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-pytorch-inference: <tag>				
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.6.1	inferensi		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.5.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='image-classification',region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet',region='ap-southeast-1',version='1.5.1',instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816169.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
324986816169.dkr.ecr.ap-southeast-1.amazonaws.com/sage	1.5.1	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
maker-neo-mxnet: <tag>				

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-pytorch',
    region='ap-southeast-1',
    version='1.9',
    py_version='py3'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
324986816 169.dkr.ecr.ap-	1.7	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
southeast-1. amazonaws .com/sage maker-neo- pytorch: <tag>				

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.e cr.ap-southeast-1. amazonaws.com/ kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.e cr.ap-southeast-1. amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.e cr.ap-southeast-1. amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.e cr.ap-southeast-1.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/line ar-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='ap-southeast-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='ap-southeast-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-rl-mxnet:latih0.11.0- <tag>				
520713654638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-mxnet:latih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
245545462676.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
324986816169.dkr.ecr.ap-southeast-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='neo-mxnet', region='ap-
southeast-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap- southeast-1. amazonaws .com/sage maker-inference- mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ap-
southeast-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap- southeast-1. amazonaws .com/sage maker-inference- pytorch: <tag>	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='ap-southeast-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap-southeast-1. amazonaws	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-inference-tensorflow: <tag>				
324986816169.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
324986816169.dkr.ecr.ap-southeast-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-southeast-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='randomcutforest',
    region='ap-southeast-1')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/ramcutforest: <tag>				

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-pytorch',
    region='ap-southeast-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor-<tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765813.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-ray-container:sina	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
r-0.8.5-obj- <tag>				

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='ap-southeast-1',
    version='0.23-1',
    image_scope='inference')

```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/	1.0-1	1.0.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
475088953585.dkr.ecr.ap-southeast-1. amazonaws.com/ semantic-segmentation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-southeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
475088953585.dkr.ecr.ap-southeast-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-southeast-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
759080221371.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
759080221371.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
759080221371.dkr.ecr.ap-southeast-1.	3.0	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/sagemaker-spark-processing: <tag>				
759080221371.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-southeast-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
121021644041.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
121021644041.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
121021644041.dkr.ecr.ap-southeast-1.	2.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/sagemaker-sparkml-serving: <tag>				

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-southeast-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
763104351884.dkr.ecr.ap-southeast-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351884.dkr.ecr.ap-southeast-1.amazonaws	2.11.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/tensorflow-inference: <tag>				
763104351 884.dkr.ecr.ap-southeast-1. amazonaws .com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws .com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-southeast-1. amazonaws .com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws .com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-1. amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-scripemode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-scripemode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='ap-
southeast-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1.	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>				
520713654638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inferentia-tensorflow', region='ap-southeast-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
324986816 169.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='ap-southeast-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-	1.6.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
southeast-1. amazonaws .com/sage maker-rl-ray- container:ray- 1.6.0-tf- <tag>				
462105765 813.dkr.ecr.ap- southeast-1. amazonaws .com/sage maker-rl-ray- container:sina r-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ap- southeast-1. amazonaws .com/sage maker-rl-ray- container:sina r-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-1. amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='ap-southeast-1', version='8.7.0', image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.ap-southeast-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-southeast-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,7-1	1.7.4	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,7-1	1.7.4	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan
475088953 585.dkr.ecr.ap-southeast-1. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
475088953 585.dkr.ecr.ap-southeast-1. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	pelatihan
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	inferensi
121021644 041.dkr.ecr.ap-southeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Sydney) (ap-southeast-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)

- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
southeast-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/auto gluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/auto gluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/auto gluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.e cr.ap-southeast-2.	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/auto gluon-training: <tag>				
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/auto gluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/auto gluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/auto gluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/autogluon-inference:<tag>	0.4.0	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/autogluon-training:<tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/autogluon-inference:<tag>	0.3.2	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/autogluon-training:<tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/autogluon-inference:<tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve/framework='blazingtext', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
544295431143.dkr.ecr.ap-southeast-2.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='chainer',
    region='ap-southeast-2',
    version='5.0.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-chainer:<tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='ap-southeast-2',
    version='1.0',
    image_scope='processing'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
007051062584.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-clarify-processing:<tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
422173101802.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
422173101802.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
184798709955.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='forecasting-deepar', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
514117268639.dkr.ecr.ap-southeast-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.ecr.ap-southeast-2.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='ap-southeast-2', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.26.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-pytorch-inference: <tag>				
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.6.1	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-pytorch- training: <tag>	4.5.0	pelatihan		
763104351884.dkr.e cr.ap-southeast-2. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.ecr.ap-southeast-2.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='image-classification',region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
544295431143.dkr.ecr.ap-southeast-2.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet',region='ap-southeast-2',version='1.5.1',instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
355873309152.dkr.ecr.ap-southeast-2.amazonaws.com/sage	1.5.1	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
maker-neo-mxnet: <tag>				

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-pytorch',
    region='ap-southeast-2',
    version='1.9',
    py_version='py3')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
355873309 152.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
355873309 152.dkr.ecr.ap-	1.7	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
southeast-2. amazonaws .com/sage maker-neo- pytorch: <tag>				

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.e cr.ap-southeast-2. amazonaws.com/ kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.e cr.ap-southeast-2. amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
297031611018.dkr.e cr.ap-southeast-2. amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.e cr.ap-southeast-2.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/line ar-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='ap-southeast-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet-serving-eia:<tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-mxnet:<tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='ap-southeast-2', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-rl-mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
563025443158.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.ecr.ap-southeast-2.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
355873309152.dkr.ecr.ap-southeast-2.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='neo-mxnet', region='ap-
southeast-2', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap- southeast-2. amazonaws .com/sage maker-inference- mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ap-
southeast-2', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap- southeast-2. amazonaws .com/sage maker-inference- pytorch: <tag>	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-tensorflow',
    region='ap-southeast-2',
    version='1.15.3',
    py_version='py3',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-inference-tensorflow: <tag>				
355873309152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
355873309152.dkr.ecr.ap-southeast-2.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
544295431143.dkr.ecr.ap-southeast-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.ecr.ap-southeast-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.ecr.ap-southeast-2.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-southeast-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-pytorch:<tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-pytorch:<tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-pytorch:<tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-pytorch:<tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='randomcutforest',
    region='ap-southeast-2')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
712309505854.dkr.ecr.ap-southeast-2.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/ramcutforest: <tag>				

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-pytorch',
    region='ap-southeast-2',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor-<tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765813.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-ray-container:sina	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
r-0.8.5-obj- <tag>				

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='ap-southeast-2',
    version='0.23-1',
    image_scope='inference')

```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/	1.0-1	1.0.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
544295431143.dkr.ecr.ap-southeast-2. amazonaws.com/ semantic-segmentation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-southeast-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
544295431143.dkr.ecr.ap-southeast-2.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-southeast-2', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
440695851116.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
440695851116.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
440695851116.dkr.ecr.ap-southeast-2.	3.0	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/sagemaker-spark-processing: <tag>				
440695851116.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-southeast-2', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
783357654285.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
783357654285.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
783357654285.dkr.ecr.ap-southeast-2.	2.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/sagemaker-sparkml-serving: <tag>				

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-southeast-2',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
763104351884.dkr.ecr.ap-southeast-2.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351884.dkr.ecr.ap-southeast-2.amazonaws	2.11.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/tensorflow-inference: <tag>				
763104351 884.dkr.ecr.ap-southeast-2. amazonaws .com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws .com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-southeast-2. amazonaws .com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws .com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.ap-southeast-2. amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-tenorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654-638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-tenorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-
520713654-638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-tenorflow-scripemode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-ten sorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-ten sorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-ten sorflow-scripemode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='ap-southeast-2', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2.	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>				
520713654638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inferentia-tensorflow', region='ap-southeast-2', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
355873309 152.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='ap-southeast-2', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-	1.6.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
southeast-2. amazonaws .com/sage maker-rl-ray- container:ray- 1.6.0-tf- <tag>				
462105765 813.dkr.ecr.ap- southeast-2. amazonaws .com/sage maker-rl-ray- container:sina r-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ap- southeast-2. amazonaws .com/sage maker-rl-ray- container:sina r-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-southeast-2. amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='vw',
    region='ap-southeast-2',
    version='8.7.0',
    image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.ap-southeast-2.amazonaws.com/sagemaker-rl-vw-containers:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='xgboost',
    region='ap-southeast-2',
    version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,7-1	1.7.4	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,7-1	1.7.4	pelatihan
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
783357654 285.dkr.ecr.ap-southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan
544295431 143.dkr.ecr.ap-southeast-2. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
544295431 143.dkr.ecr.ap- southeast-2. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan
783357654 285.dkr.ecr.ap- southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	inferensi
783357654 285.dkr.ecr.ap- southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	pelatihan
783357654 285.dkr.ecr.ap- southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	inferensi
783357654 285.dkr.ecr.ap- southeast-2. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Asia Pasifik (Tokyo) (ap-northeast-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)

- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ap-
northeast-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/auto gluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/auto gluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/auto gluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.e cr.ap-northeast-1.	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/auto gluon-training: <tag>				
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/auto gluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/auto gluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/auto gluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/autogluon-inference:<tag>	0.4.0	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/autogluon-training:<tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/autogluon-inference:<tag>	0.3.2	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/autogluon-training:<tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/autogluon-inference:<tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
501404015308.dkr.ecr.ap-northeast-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='chainer',
    region='ap-northeast-1',
    version='5.0.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='ap-
northeast-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
377024640650.dkr.e cr.ap-northeast-1. amazonaws.com/sage maker-clarify-proc essing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-
west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
649008135260.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
649008135260.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
430734990657.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='forecasting-deepar', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
633353088612.dkr.ecr.ap-northeast-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.ecr.ap-northeast-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='ap-northeast-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.26.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-pytorch-inference: <tag>				
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-pytorch- inference: <tag>	4.6.1	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-t ensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-pytorch- training: <tag>	4.5.0	pelatihan		
763104351884.dkr.e cr.ap-northeast-1. amazonaws.com/ huggingface-t ensorflow-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.ecr.ap-northeast-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='image-classification',region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
501404015308.dkr.ecr.ap-northeast-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet',region='ap-northeast-1',version='1.5.1',instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
941853720454.dkr.ecr.ap-northeast-1.amazonaws.com/sage	1.5.1	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
maker-neo-mxnet: <tag>				

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-pytorch',
    region='ap-northeast-1',
    version='1.9',
    py_version='py3')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
941853720 454.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
941853720 454.dkr.ecr.ap-	1.7	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
northeast-1. amazonaws .com/sage maker-neo- pytorch: <tag>				

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.e cr.ap-northeast-1. amazonaws.com/ kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.e cr.ap-northeast-1. amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
258307448986.dkr.e cr.ap-northeast-1. amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.e cr.ap-northeast-1.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/line ar-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='ap-
northeast-1', version='1.4.1', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap- northeast-1. amazonaws .com/mxnet- training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap- northeast-1. amazonaws .com/mxnet- inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap- northeast-1. amazonaws	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet-serving-eia:<tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet-eia:<tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-mxnet:<tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='ap-northeast-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1. amazonaws	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-rl-mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
574779866223.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.e cr.ap-northeast-1. amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
941853720454.dkr.e cr.ap-northeast-1. amazonaws.com/imag e-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='neo-mxnet', region='ap-
northeast-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-inference- mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ap-
northeast-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-inference- pytorch: <tag>	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-tensorflow',
    region='ap-northeast-1',
    version='1.15.3',
    py_version='py3',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap-northeast-1.amazonaws.com	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/sagemaker-inference-tensorflow: <tag>				
941853720454.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
941853720454.dkr.ecr.ap-northeast-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```



```
image_uris.retrieve(framework='object-detection',region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
501404015308.dkr.ecr.ap-northeast-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.ecr.ap-northeast-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.ecr.ap-northeast-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ap-northeast-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-pytorch:<tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-pytorch:<tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-pytorch:<tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-pytorch:<tag>	1.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-pytorch:<tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-pytorch:<tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com	1.11.0	pelatihan	TRN	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com/pytorch-training-neuron: <tag>				

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
351501993468.dkr.ecr.ap-northeast-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='ap-northeast-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor-<tag>	1.6.0	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='ap-northeast-1',
    version='0.23-1',
    image_scope='inference')

```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
354813040 037.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
354813040 037.dkr.ecr.ap-northeast-1.amazonaws.com/	1.2-1	1.2.1	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
501404015308.dkr.ecr.ap-northeast-1. amazonaws.com/	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
semantic-segm entation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ap-northeast-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
501404015308.dkr.ecr.ap-northeast-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ap-northeast-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
411782140378.dkr.ecr.ap-northeast-1.amazonaws.com/sage	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
maker-spark-proces sing: <tag>				
411782140378.dkr.e cr.ap-northeast-1. amazonaws.com/sage maker-spark-proces sing: <tag>	3.1	pengolahan		
411782140378.dkr.e cr.ap-northeast-1. amazonaws.com/sage maker-spark-proces sing: <tag>	3.0	pengolahan		
411782140378.dkr.e cr.ap-northeast-1. amazonaws.com/sage maker-spark-proces sing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ap-northeast-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
354813040037.dkr.e cr.ap-northeast-1. amazonaws.com/sage	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
maker-sparkml-serving: <tag>				
354813040037.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
354813040037.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ap-northeast-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ap-northeast-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ap-northeast-1. amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.ap-northeast-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-ten sorflow-scripemode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-ten sorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-ten sorflow-serving:<tag>	1.11.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tenorflow-scripemode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tenorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tenorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-tenorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-ten sorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-tensorflow',
    region='ap-northeast-1',
    version='1.0.0',
    image_scope='training',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflo w:pelatih0.11.0- <tag>				
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-rl- tensorflo w:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-rl- tensorflo w:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-rl- tensorflo w:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-tensorflow', region='ap-
northeast-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
941853720 454.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-neo- tensorflow: <tag>	2.5.2	inferensi	inf	py3
941853720 454.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-neo- tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='ap-
northeast-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-ray-container:ray-1.6.0-tf- <tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765 813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654 638.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-	0.6.5	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflo w:ray0.6.5- <tag>				
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-rl- tensorflo w:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-rl- tensorflo w:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ap- northeast-1. amazonaws .com/sage maker-rl- tensorflo w:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='ap-
northeast-1', version='8.7.0', image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-rl-vw-containers:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ap-northeast-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
354813040037.dkr.ecr.ap-northeast-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi	
354813040037.dkr.ecr.ap-	1,7-1	1.7.4	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>			
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	pelatihan
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1,5-1	1.5.2	inferensi_graviton
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-xgb oost: <tag>	1.3-1	1.3.3	pelatihan
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-xgb oost: <tag>	1.3-1	1.3.3	inferensi_graviton
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-xgb oost: <tag>	1.2-2	1.2.0	inferensi
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-xgb oost: <tag>	1.2-2	1.2.0	pelatihan
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/sagemaker-xgb oost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.2-1	1.2.0	pelatihan
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	inferensi
354813040 037.dkr.ecr.ap-northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	1.0-1	1.0.0	pelatihan
501404015 308.dkr.ecr.ap-northeast-1. amazonaws.com/ xgboost: <tag>	1	0,72	inferensi
501404015 308.dkr.ecr.ap-northeast-1. amazonaws.com/ xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	inferensi
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-2	0,90	pelatihan
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	inferensi
354813040 037.dkr.ecr.ap- northeast-1. amazonaws.com/ sagemaker-xgb oost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Kanada (Tengah) (ca-central-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='ca-
central-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='chainer',
    region='ca-central-1',
    version='5.0.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='ca-central-1',
    version='1.0',
    image_scope='processing'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
675030665977.dkr.e cr.ca-central-1.am azonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ca-central-1.am azonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.e cr.ca-central-1.am azonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.e cr.ca-central-1.am	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
azonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
763104351884.dkr.ecr.ca-central-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
557239378090.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
557239378090.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
519511493484.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='ca-central-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/hugging	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
gface-tensorflow-inference: <tag>				
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.ca-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.ca-central-1.am azonaws.com/huggin gface-tensorflow-t raining: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am azonaws.com/ipinsi ghts: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='ca-central-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inferentia-pytorch',region='ca-central-1',version='1.9',py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans',region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am azonaws.com/kmeans : <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am azonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
azonaws.com/lda: <tag>				

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='ca-central-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ca-	1.9.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
central-1.am azonaws.com/ mxnet-training: <tag>				
763104351 884.dkr.ecr.ca- central-1.am azonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca- central-1.am azonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca- central-1.am azonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.ca- central-1.am azonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-inference:<tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-inference-eia:<tag>	1.7.0	eia	CPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-training:<tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-inference:<tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet:<tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='coach-mxnet',
    region='ca-central-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge'
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-rl-mxnet:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='model-monitor',
    region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
536280801234.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>		pemantauan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ker-model-monitor-analyzer: <tag>				

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/ntm:<tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
464438896020.dkr.ecr.ca-central-1.amazonaws.com/image-classification-neo:<tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='ca-
central-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896 020.dkr.ecr.ca- central-1.am azonaws.com/ sagemaker-infer- ence-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='ca-
central-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896 020.dkr.ecr.ca- central-1.am azonaws.com/	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.6	inferensi	CPU, GPU	py3
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.5	inferensi	CPU, GPU	py3
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='ca-central-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-tensorflow:<tag>	2.9.2	inferensi	CPU, GPU	py3
464438896020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-inference-tensorflow:<tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
464438896020.dkr.ecr.ca-central-1.amazonaws.com/xgboost-neo:<tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.ecr.ca-central-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='ca-central-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ca-central-1.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.ca-central-1.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-pytor ch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-pytor ch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-pytor ch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-pytor ch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-pytor ch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.am azonaws.com/ pytorch-training- neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.am azonaws.com/ pytorch-trcomp- training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.ca-central-1.am azonaws.com/ pytorch-trcomp- training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am azonaws.com/random cutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-pytorch',
    region='ca-central-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker-rl- ray-container: sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ca-central-1.am azonaws.com/ sagemaker- rl-ray-contain er:sinar-0.8.5- obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='sklearn',
    region='ca-central-1',
    version='0.23-1',
    image_scope='inference')

```


Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
om/sagemaker-scikit-learn: <tag>			
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
469771592824.dkr.ecr.ca-central-1.amazonaws.com/semant	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='ca-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
469771592824.dkr.e cr.ca-central-1.am azonaws.com/seq2se q: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='ca-  
central-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446299261295.dkr.e cr.ca-central-1.am azonaws.com/sagema	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ker-spark-processing: <tag>				
446299261295.dkr.e cr.ca-central-1.am azonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
446299261295.dkr.e cr.ca-central-1.am azonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
446299261295.dkr.e cr.ca-central-1.am azonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='ca-central-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
341280168497.dkr.e cr.ca-central-1.am azonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ker-sparkml-serving: <tag>				
341280168497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
341280168497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='ca-central-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.ca-central-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='ca-central-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0- tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-tensorflow:	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pelatih0.11- <tag>				
520713654 638.dkr.ecr.ca- central-1.am azonaws.com/ sagemaker- rl-tensorflow: pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca- central-1.am azonaws.com/ sagemaker- rl-tensorflow: pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-tensorflow', region='ca-
central-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
464438896 020.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='ca-central-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-ray-contain	1.6.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
er:ray-1.6.0-tf- <tag>				
462105765 813.dkr.ecr.ca- central-1.am azonaws.com/ sagemaker- rl-ray-contain er:sinar-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.ca- central-1.am azonaws.com/ sagemaker- rl-ray-contain er:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654 638.dkr.ecr.ca- central-1.am azonaws.com/ sagemaker- rl-tensorflow: ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='ca-central-1', version='8.7.0', image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
462105765813.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='ca-central-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
341280168497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
341280168497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
341280168497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
469771592 824.dkr.ecr.ca-central-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
469771592 824.dkr.ecr.ca-central-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
341280168 497.dkr.ecr.ca-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk China (Beijing) (cn-north-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)

- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='cn-
north-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.e cr.cn-north-1.amaz	0.7.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com.cn/autog luon-inference: <tag>				
727897471807.dkr.e cr.cn-north-1.amaz onaws.com.cn/autog luon-inference: <tag>	0.6.2	inferensi		
727897471807.dkr.e cr.cn-north-1.amaz onaws.com.cn/autog luon-inference: <tag>	0.6.1	inferensi		
727897471807.dkr.e cr.cn-north-1.amaz onaws.com.cn/autog luon-inference: <tag>	0.5.2	inferensi		
727897471807.dkr.e cr.cn-north-1.amaz onaws.com.cn/autog luon-inference: <tag>	0.4.3	inferensi		
727897471807.dkr.e cr.cn-north-1.amaz onaws.com.cn/autog luon-inference: <tag>	0.4.2	inferensi		
727897471807.dkr.e cr.cn-north-1.amaz onaws.com.cn/autog luon-inference: <tag>	0.4.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/autogluon-inference: <tag>	0.3.2	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='cn-north-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='cn-north-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
122526803553.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
727897471807.dkr.ecr.cn-north-1.amaz	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com.cn/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
245909111842.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
245909111842.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
618459771430.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='cn-north-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggi	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ngface-tensorflow-inference: <tag>				
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com.cn/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='cn-north-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris

```

```
image_uris.retrieve(framework='inferentia-pytorch',region='cn-north-1',version='1.9',py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans',region='cn-north-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/knn: <tag>	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com.cn/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='cn-north-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
727897471 807.dkr.ecr.cn- north-1.amaz onaws.com.cn/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
727897471 807.dkr.ecr.cn- north-1.amaz onaws.com.cn/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn- north-1.amaz onaws.com.cn/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn- north-1.amaz onaws.com.cn/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='cn-north-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
rl-mxnet:pelatih0.11.0- <tag>				
422961961927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-rl-mxnet:pelatih0.11-<tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
453000072557.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
472730292857.dkr.ecr.cn-north-1.amazonaws.com.cn/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='cn-north-1', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='cn-north-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-pytorch:<tag>	1.5	inferensi	CPU, GPU	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-pytorch:<tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='cn-north-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
472730292857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
472730292857.dkr.ecr.cn-north-1.amazonaws.com.cn/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='cn-north-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='cn-north-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training:<tag>	2.0.0	pelatihan	CPU, GPU	py310
727897471807.dkr.ecr.cn-	1.13.1	inferensi	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
north-1.amazonaws.com.cn/pytorch-inference: <tag>				
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training:<tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-pytorch:<tag>	1.1.0	inferensi	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-pytorch:<tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-pytorch:<tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-pyto rch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-pyto rch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-pyto rch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='cn-north-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	inferensi
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	pelatihan
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	inferensi
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='cn-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
390948362332.dkr.ecr.cn-north-1.amazonaws.com.cn/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='cn-north-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
671472414489.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-spark-processing: <tag>	3.2	pengolahan		
671472414489.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-spark-processing: <tag>	3.1	pengolahan		
671472414489.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-spark-processing: <tag>	3.0	pengolahan		
671472414489.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='cn-north-1', version='2.4')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
450853457545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-sparkml-serving:<tag>	3.3	inferensi		
450853457545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-sparkml-serving:<tag>	2.4	inferensi		
450853457545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-sparkml-serving:<tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='cn-north-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471807.dkr.ecr.cn-north-1.amazonaws.com.cn/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-inference: <tag>				
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-north-1.amazonaws.com.cn/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-tensorflow',
    region='cn-north-1',
    version='1.0.0',
    image_scope='training',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-rl-tensorflow	0.11.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
:pelatih0.11.1- <tag>				
422961961 927.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker- rl-tensorflow :pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
422961961 927.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker- rl-tensorflow :pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
422961961 927.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker- rl-tensorflow :pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961 927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='cn-north-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
472730292 857.dkr.ecr.cn-north-1.amazonaws.com.cn/	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='cn-north-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
422961961-927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
422961961-927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
422961961-927.dkr.ecr.cn-	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
north-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.5.3- <tag>				
422961961927.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.5-<tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='cn-north-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
450853457545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
450853457545.dkr.ecr.cn-	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>			
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1,5-1	1.5.2	inferensi
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1,5-1	1.5.2	pelatihan
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1,5-1	1.5.2	inferensi_graviton
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1.3-1	1.3.3	pelatihan
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1.3-1	1.3.3	inferensi_graviton
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1.2-2	1.2.0	inferensi
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1.2-2	1.2.0	pelatihan
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
450853457 545.dkr.ecr.cn-north-1.amazonaws.com.cn/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
390948362 332.dkr.ecr.cn-north-1.amazonaws.com.cn/xgboost: <tag>	1	0,72	inferensi
390948362 332.dkr.ecr.cn-north-1.amazonaws.com.cn/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	0,90-2	0,90	inferensi
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	0,90-2	0,90	pelatihan
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	0,90-1	0,90	inferensi
450853457 545.dkr.ecr.cn- north-1.amaz onaws.com.cn/ sagemaker-xgbo ost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk China (Ningxia) (cn-northwest-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)

- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='autogluon',
    region='cn-northwest-1',
    image_scope='inference',
    version='0.4')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/autogluon-inference: <tag>	0.7.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/	0.6.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
autogluon-inference: <tag>				
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ autogluon-inference: <tag>	0.6.1	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ autogluon-inference: <tag>	0.5.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ autogluon-inference: <tag>	0.4.3	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ autogluon-inference: <tag>	0.4.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ autogluon-inference: <tag>	0.4.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/autogluon-inference:<tag>	0.3.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/autogluon-inference:<tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/blazingtext:<tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='chainer', region='cn-northwest-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xla
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='clarify',
    region='cn-northwest-1',
    version='1.0',
    image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
122578899357.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249157047649.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
249157047649.dkr.ecr.cn-northwest-1.amazonaws.com.cn/s	1.x	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
agemaker-data-wrangler-container: <tag>				

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
658757709296.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
forecasting-deepar: <tag>				

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='cn-northwest-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/	4.26.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
huggingface-pytorch-training: <tag>				
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-training: <tag>	4.11.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
727897471807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='cn-northwest-1', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919 863.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='cn-northwest-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919 863.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
474822919 863.dkr.ecr.cn-northwest-1. amazonaws	1.8	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com.cn/sagemaker-neo-pytorch: <tag>				
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='knn', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='cn-northwest-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com.cn/mxnet-training: <tag>				
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='cn-northwest-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-rl-mxnet:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='model-monitor',
    region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
453252182341.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='cn-northwest-1', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='neo-pytorch',
    region='cn-northwest-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919 863.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
474822919 863.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
474822919 863.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
474822919 863.dkr.ecr.cn-northwest-1.	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
amazonaws.com.cn/sagemaker-inference-pytorch: <tag>				
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
474822919863.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='cn-
northwest-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919 863.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker- inference- tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
474822919 863.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker- inference- tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
474822919863.dkr.e cr.cn-northwest-1. amazonaws.com.cn/x gboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.e cr.cn-northwest-1. amazonaws.com.cn/o bject-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.e cr.cn-northwest-1.	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
amazonaws.com.cn/object2vec: <tag>				

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch', region='cn-northwest-1', version='1.8.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471807.dkr.ecr.cn-	2.0.0	inferensi	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
northwest-1. amazonaws .com.cn/pytorch- inference: <tag>				
727897471 807.dkr.ecr.cn- northwest-1. amazonaws .com.cn/pytorch- training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
727897471 807.dkr.ecr.cn- northwest-1. amazonaws .com.cn/pytorch- inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
727897471 807.dkr.ecr.cn- northwest-1. amazonaws .com.cn/pytorch- training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn- northwest-1. amazonaws .com.cn/pytorch- inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='cn-northwest-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
451049120500.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
451049120500.dkr.ecr.cn-northwest-1.amazonaws.com.cn/s	1.2-1	1.2.1	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
agemaker-scikit-le arn: <tag>			
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	1.0-1	1.0.2	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	1.0-1	1.0.2	pelatihan
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	1.0-1	1.0.2	inferensi_graviton
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	0,23-1	0.23.2	pelatihan
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	0.20.0	0.20.0	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-scikit-le arn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='cn-northwest-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
387376663083.dkr.ecr.cn-northwest-1.amazonaws.com.cn/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='cn-northwest-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
844356804704.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ sagemaker-spark-processing: <tag>	3.2	pengolahan		
844356804704.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ sagemaker-spark-processing: <tag>	3.1	pengolahan		
844356804704.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ sagemaker-spark-processing: <tag>	3.0	pengolahan		
844356804704.dkr.ecr.cn-northwest-1. amazonaws.com.cn/ sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='cn-northwest-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
451049120500.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
451049120500.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
451049120500.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='cn-northwest-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471807.dkr.ecr.cn-northwest-1.amazonaws	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com.cn/tensorflow-inference: <tag>				
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
727897471807.dkr.ecr.cn-northwest-1.amazonaws.com.cn/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
727897471 807.dkr.ecr.cn-northwest-1. amazonaws.com.cn/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='cn-northwest-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws	0.11.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
.com.cn/s agemaker-rl- tensorflow:pela tih0.11.1- <tag>				
423003514 399.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-rl- tensorflow:pela tih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
423003514 399.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-rl- tensorflow:pela tih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
423003514 399.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-rl- tensorflow:pela tih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514 399.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='cn-northwest-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
474822919 863.dkr.ecr.cn-northwest-1. amazonaws.com.cn/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
474822919 863.dkr.ecr.cn-northwest-1.	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
amazonaws.com.cn/sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='cn-northwest-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
423003514399.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
423003514399.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-rl-	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow:ray0.6- <tag>				
423003514399.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
423003514399.dkr.ecr.cn-northwest-1.amazonaws.com.cn/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='cn-northwest-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
451049120500.dkr.ecr.cn-	1,7-1	1.7.4	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>			
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
387376663 083.dkr.ecr.cn- northwest-1. amazonaws .com.cn/xgboost: <tag>	1	0,72	inferensi
387376663 083.dkr.ecr.cn- northwest-1. amazonaws .com.cn/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	0,90-2	0,90	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	0,90-1	0,90	inferensi
451049120 500.dkr.ecr.cn- northwest-1. amazonaws .com.cn/s agemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Frankfurt) (eu-central-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)

- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='eu-
central-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/autogl uon-training: <tag>	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
813361260812.dkr.ecr.eu-central-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='eu-central-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.am azonaws.com/ sagemaker-chain er: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.am azonaws.com/ sagemaker-chain er: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.am azonaws.com/ sagemaker-chain er: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='eu-
central-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
017069133835.dkr.e cr.eu-central-1.am azonaws.com/sagema ker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-
west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/djl-in ference:0.22.1-dee pspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.e cr.eu-central-1.am azonaws.com/djl-in ference:0.21.0-dee	0.21.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
pspeed0.8.3-cu117- <tag>				
763104351884.dkr.ecr.eu-central-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
024640144536.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
024640144536.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
482524230118.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
495149712605.dkr.ecr.eu-central-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.ecr.eu-central-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='eu-central-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/hugging	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
gface-pytorch-inference: <tag>				
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.eu-central-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-central-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.e cr.eu-central-1.am azonaws.com/ipinsi ghs: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
813361260812.dkr.e cr.eu-central-1.am azonaws.com/image- classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='eu-  
central-1', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='eu-central-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.ecr.eu-central-1.amazonaws.com/kmeans : <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.e cr.eu-central-1.am azonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
353608530281.dkr.e cr.eu-central-1.am azonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.ecr.eu-central-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='eu-central-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-central-1.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351884.dkr.ecr.eu-central-1.amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351884.dkr.ecr.eu-	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
central-1.am azonaws.com/ mxnet-training: <tag>				
763104351 884.dkr.ecr.eu- central-1.am azonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.eu- central-1.am azonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu- central-1.am azonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu- central-1.am azonaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='eu-central-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
rl-mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11-<tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
048819808253.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.e cr.eu-central-1.am azonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
746233611703.dkr.e cr.eu-central-1.am azonaws.com/image- classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='eu-  
central-1', version='1.8', py_version='py3', image_scope='inference',  
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='eu-central-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/ sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/ sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/ sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.5	inferensi	CPU, GPU	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='eu-central-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
746233611703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
746233611703.dkr.ecr.eu-central-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
813361260812.dkr.ecr.eu-central-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.ecr.eu-central-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.ecr.eu-central-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-central-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-central-1.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.eu-central-1.amazonaws.com/pytorch-inference-graviton:<tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
664544806723.dkr.ecr.eu-central-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='eu-central-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-central-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
om/sagemaker-scikit-learn: <tag>			
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
813361260812.dkr.ecr.eu-central-1.amazonaws.com/semant	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
813361260812.dkr.e cr.eu-central-1.am azonaws.com/seq2se q: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='eu-  
central-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
906073651304.dkr.e cr.eu-central-1.am azonaws.com/sagema	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ker-spark-processing: <tag>				
906073651304.dkr.e cr.eu-central-1.am azonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
906073651304.dkr.e cr.eu-central-1.am azonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
906073651304.dkr.e cr.eu-central-1.am azonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='eu-central-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
492215442770.dkr.e cr.eu-central-1.am azonaws.com/sagemaker	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ker-sparkml-serving: <tag>				
492215442770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
492215442770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='eu-central-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/ tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.eu-central-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-tensorflow',
    region='eu-central-1',
    version='1.0.0',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0- tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-tensorflow:	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pelatih0.11- <tag>				
520713654 638.dkr.ecr.eu- central-1.am azonaws.com/ sagemaker- rl-tensorflow: pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu- central-1.am azonaws.com/ sagemaker- rl-tensorflow: pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-tensorflow', region='eu-
central-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
746233611 703.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='eu-central-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-ray-contain	1.6.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
er:ray-1.6.0-tf- <tag>				
462105765 813.dkr.ecr.eu- central-1.am amazonaws.com/ sagemaker- rl-ray-contain er:sinar-0.8.5-tf- <tag>	0.8.5	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.eu- central-1.am amazonaws.com/ sagemaker- rl-ray-contain er:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654 638.dkr.ecr.eu- central-1.am amazonaws.com/ sagemaker- rl-tensorflow: ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='vw', region='eu-central-1', version='8.7.0', image_scope='training')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
462105765813.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='eu-central-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
492215442770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
492215442770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
492215442770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
813361260 812.dkr.ecr.eu-central-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
813361260 812.dkr.ecr.eu-central-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
492215442 770.dkr.ecr.eu-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Irlandia) (eu-west-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)

- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='eu-
west-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
685385470294.dkr.ecr.eu-west-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='eu-
west-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='eu-west-1',
    version='1.0',
    image_scope='processing')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
131013547314.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/djl-inference:0.21.0-deepspeed	0.21.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
eed0.8.3-cu117- <tag>				
763104351884.dkr.ecr.eu-west-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
245179582081.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
245179582081.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
929884845733.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
224300973850.dkr.ecr.eu-west-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='eu-west-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingfa	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-pytorch-inference: <tag>				
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.eu-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-west-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
685385470294.dkr.ecr.eu-west-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-ml', region='eu-west-1', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='eu-west-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
999678624901.dkr.ecr.eu-west-1.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/linear-lea- rner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='eu-west-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-1.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351884.dkr.ecr.eu-west-1.amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351884.dkr.ecr.eu-	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-1.amazons.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.eu-west-1.amazons.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazons.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazons.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazons.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ mxnet-inference- eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='eu-west-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
468650794304.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
802834080501.dkr.ecr.eu-west-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='eu-west-1', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='eu-west-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='eu-west-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
802834080501.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
802834080501.dkr.ecr.eu-west-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
685385470294.dkr.ecr.eu-west-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/object2vec:<tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-west-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.eu-west-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351884.dkr.ecr.eu-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-1.amazons.com/ pytorch-training: <tag>				
763104351 884.dkr.ecr.eu-west-1.amazons.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-1.amazons.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-1.amazons.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazons.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
438346466558.dkr.ecr.eu-west-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='eu-west-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor- <tag>	1.6.0	pelatihan	CPU, GPU	py36
462105765 813.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-west-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
141502667 606.dkr.ecr.eu- west-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	0,23-1	0.23.2	inferensi
141502667 606.dkr.ecr.eu- west-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	0,23-1	0.23.2	pelatihan
141502667 606.dkr.ecr.eu- west-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	0.20.0	0.20.0	inferensi
141502667 606.dkr.ecr.eu- west-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
685385470294.dkr.ecr.eu-west-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
685385470294.dkr.ecr.eu-west-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='eu-west-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
571004829621.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
571004829621.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
571004829621.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
571004829621.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='eu-west-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
141502667606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
141502667606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
141502667606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='eu-west-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-1.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-inference: <tag>				
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/ tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='eu-west-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='eu-west-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				
802834080 501.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='eu-west-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-rl-ray-container: ray-1.6.0-tf- <tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765 813.dkr.ecr.eu-	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-1.amazons.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>				
462105765813.dkr.ecr.eu-west-1.amazons.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654638.dkr.ecr.eu-west-1.amazons.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.eu-west-1.amazons.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='vw',
    region='eu-west-1',
    version='8.7.0',
    image_scope='training')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='eu-west-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/ sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
685385470 294.dkr.ecr.eu-west-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
685385470 294.dkr.ecr.eu-west-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
141502667 606.dkr.ecr.eu-west-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (London) (eu-west-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)

- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Sinar PyTorch \(DLC\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)

- [Sinar Tensorflow \(DLC\)](#)
- [VW \(algoritma\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='eu-west-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/autogluon-training: <tag>				
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='eu-west-2', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654638.dkr.ecr.eu-west-2.amazo	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
naws.com/sagemaker-chainer: <tag>				
520713654638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='clarify',
    region='eu-west-2',
    version='1.0',
    image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
440796970383.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.


```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
894491911112.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
894491911112.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
250201462417.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='huggingface',
    region='eu-west-2',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazo	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/huggingface-pytorch-inference: <tag>				
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.eu-west-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-west-2')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='eu-west-2', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='eu-west-2', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/lda: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/linear-le arner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='eu-west-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-2.amazonaws.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351884.dkr.ecr.eu-west-2.amazonaws.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
763104351884.dkr.ecr.eu-	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-2.amazons.com/mxnet-training: <tag>				
763104351 884.dkr.ecr.eu-west-2.amazons.com/mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazons.com/mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazons.com/mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazons.com/mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ mxnet-inference- eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='eu-west-2',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih0 .11.0- <tag>				
520713654 638.dkr.ecr.eu- west-2.amazo naws.com/ sagemaker-rl- mxnet:pelatih0 .11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749857270468.dkr.e cr.eu-west-2.amazo naws.com/sagemaker -model-monitor-ana lyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
205493899709.dkr.ecr.eu-west-2.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='eu-west-2', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='eu-west-2',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='eu-west-2', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
205493899709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
205493899709.dkr.ecr.eu-west-2.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/object2vec:<tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-west-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-2.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.eu-west-2.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351884.dkr.ecr.eu-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-2.amazons.com/ pytorch-training: <tag>				
763104351 884.dkr.ecr.eu-west-2.amazons.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-2.amazons.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-2.amazons.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazons.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker- pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Sinar PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-pytorch', region='eu-west-2', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-ray-container:sinar-1.6.0-obor-<tag>	1.6.0	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-ray-container:sinar-0.8.5-obor- <tag>	0.8.5	pelatihan	CPU, GPU	py36

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-west-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/	1.2-1	1.2.1	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
644912444149.dkr.ecr.eu-west-2.amazonaws.com	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/semantic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-west-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
644912444149.dkr.ecr.eu-west-2.amazonaws.com/seq2seq:<tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='eu-west-2', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
836651553127.dkr.ecr.eu-west-2.amazonaws.com/sagemaker	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-spark-processing: <tag>				
836651553127.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
836651553127.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
836651553127.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='eu-west-2', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
764974769150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-sparkml-serving: <tag>				
764974769150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
764974769150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='eu-west-2',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='eu-west-2', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765 813.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-coach-container:pelatih-1.0.0-tf- <tag>	1.0.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inferentia-tensorflow', region='eu-west-2', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
205493899 709.dkr.ecr.eu-west-2.amazonaws.com/	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				
205493899709.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='eu-west-2',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
462105765813.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-ray-container:ray-1.6.0-tf-<tag>	1.6.0	pelatihan	CPU, GPU	py37
462105765813.dkr.ecr.eu-	0.8.5	pelatihan	CPU, GPU	py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-2.amazons.com/sagemaker-rl-ray-container:sinar-0.8.5-tf- <tag>				
462105765813.dkr.ecr.eu-west-2.amazons.com/sagemaker-rl-ray-container:sinar-0.8.2-tf- <tag>	0.8.2	pelatihan	CPU, GPU	py36
520713654638.dkr.ecr.eu-west-2.amazons.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.eu-west-2.amazons.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

VW (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='vw',
    region='eu-west-2',
    version='8.7.0',
    image_scope='training')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
462105765813.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-rl-vw-container:vw-8.7.0- <tag>	8.7.0	pelatihan		

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='eu-west-2', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
644912444 149.dkr.ecr.eu-west-2.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
644912444 149.dkr.ecr.eu-west-2.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
764974769 150.dkr.ecr.eu-west-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
764974769 150.dkr.ecr.eu- west-2.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Milan) (eu-south-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)

- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='eu-
south-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/autogluon-inference: <tag>				
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='blazingtext',region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer',region='eu-south-1',version='5.0.0',py_version='py3',image_scope='inference',instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
048378556238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='eu-south-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
638885417683.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='eu-south-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
488287956546.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
488287956546.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
563282790590.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='forecasting-deepar', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='eu-south-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingf	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ace-pytorch-inference: <tag>				
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.5.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.5.0	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.4.2	pelatihan		
692866216735.dkr.ecr.eu-south-1.amazonaws.com/huggingface-tensorflow-training:<tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-south-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='eu-south-1', version='1.5.1', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='eu-south-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='eu-south-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/mxnet-training:<tag>	1.4.1	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='coach-mxnet', region='eu-south-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-mxnet:pelatih 0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-mxnet:pelatih 0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
933208885752.dkr.ecr.eu-south-1.amazonaws.com/sagemake		pemantauan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
r-model-monitor-analyzer: <tag>				

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
966458181534.dkr.ecr.eu-south-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='eu-
south-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker- inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='eu-
south-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu- south-1.amaz onaws.com/	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
966458181534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
966458181534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
966458181534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.6	inferensi	CPU, GPU	py3
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.5	inferensi	CPU, GPU	py3
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-pytorc h: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='eu-south-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
966458181534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
966458181534.dkr.ecr.eu-south-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-south-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216735.dkr.ecr.eu-south-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
692866216735.dkr.ecr.eu-south-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com /pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/	1.12.0	pelatihan	GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pytorch-trcomp-training: <tag>				

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-south-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
978288397137.dkr.ecr.eu-south-1.amazonaws.com	1.2-1	1.2.1	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
onaws.com/ sagemaker-scikit-learn: <tag>			
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	inferensi
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	pelatihan
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	inferensi
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
257386234256.dkr.ecr.eu-south-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='eu-south-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
753923664805.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
753923664805.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
753923664805.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
753923664805.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='eu-south-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
978288397137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
978288397137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
978288397137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='eu-south-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216735.dkr.ecr.eu-south-1.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-infer nce: <tag>				
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.12.0	pelatihan	CPU, GPU	py310
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
692866216 735.dkr.ecr.eu-south-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='eu-south-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:pe	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
latih0.10.1- <tag>				
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:pe latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='eu-south-1',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
966458181 534.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
966458181 534.dkr.ecr.eu-south-1.amaz	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
onaws.com/sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='eu-south-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
048378556 238.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='eu-south-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
978288397 137.dkr.ecr.eu-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
257386234 256.dkr.ecr.eu-south-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
257386234 256.dkr.ecr.eu-south-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	inferensi
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	pelatihan
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	inferensi
978288397 137.dkr.ecr.eu- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Paris) (eu-west-3)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)

- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='eu-
west-3', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazo	0.7.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/autogluon-inference: <tag>				
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='eu-
west-3', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='eu-
west-3', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
341593696636.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-clarify-processing:<tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118-<tag>	0.22.1	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117-<tag>	0.21.0	inferensi		
763104351884.dkr.ecr.eu-west-3.amazo	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
763104351884.dkr.ecr.eu-west-3.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
807237891255.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
807237891255.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
447278800020.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='eu-west-3',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingfa	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-tensorflow-inference: <tag>				
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training:<tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training:<tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference:<tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training:<tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-west-3.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazo	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='eu-west-3',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
254080097072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inference-pytorch', region='eu-west-3', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazo	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/linear-le arner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='eu-west-3',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazons.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazons.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazons.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ mxnet-inference- eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='eu-west-3', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih0.11.0- <tag>				
520713654638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680080141114.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-model-monitor-analyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
254080097072.dkr.ecr.eu-west-3.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='eu-west-3', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='eu-west-3',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
254080097072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
254080097072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
254080097072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='eu-west-3', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
254080097072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
254080097072.dkr.ecr.eu-west-3.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/object2vec:<tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-west-3',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-3.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.eu-west-3.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
763104351884.dkr.ecr.eu-	2.0.0	pelatihan	CPU, GPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-3.amazons.com/ pytorch-training: <tag>				
763104351 884.dkr.ecr.eu-west-3.amazons.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-3.amazons.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-3.amazons.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazons.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker- pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker- pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-west-3', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
659782779980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
659782779980.dkr.ecr.eu-west-3.amazo	1.2-1	1.2.1	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
naws.com/ sagemaker-scikit-l earn: <tag>			
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	inferensi
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	pelatihan
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	inferensi_graviton
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker-scikit-l earn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
749696950732.dkr.ecr.eu-west-3.amazonaws.com	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/semantic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-west-3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
749696950732.dkr.ecr.eu-west-3.amazonaws.com/seq2seq:<tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='eu-west-3', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
136845547031.dkr.ecr.eu-west-3.amazonaws.com/sagemaker	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-spark-processing: <tag>				
136845547031.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
136845547031.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
136845547031.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='eu-west-3', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
659782779980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-sparkml-serving: <tag>				
659782779980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
659782779980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='eu-west-3',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.eu-west-3.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='eu-west-3', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='eu-west-3',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
254080097 072.dkr.ecr.eu-west-3.amazonaws.com/	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='eu-west-3',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:ray-0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654-638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:ray-0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654-638.dkr.ecr.eu-	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
west-3.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>				
520713654638.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='xgboost',
    region='eu-west-3',
    version='1.5-1'
)
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
659782779980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
659782779980.dkr.ecr.eu-	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
west-3.amazonaws.com/sagemaker-xgboost: <tag>			
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
659782779 980.dkr.ecr.eu-west-3.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
749696950 732.dkr.ecr.eu-west-3.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
749696950 732.dkr.ecr.eu-west-3.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	inferensi
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	pelatihan
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	inferensi
659782779 980.dkr.ecr.eu- west-3.amazo naws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Spanyol) (eu-south-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='autogluon', region='eu-south-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/autogluon-training: <tag>				
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/blazingt ext: <tag>	1	inferensi, pelatihan		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/factorization-machines: <tag>				

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='huggingface',
    region='eu-south-2',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com	4.17.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/huggingface-tensorflow-training: <tag>				
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
503227376785.dkr.ecr.eu-south-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='eu-south-2',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
503227376785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
503227376785.dkr.ecr.eu-south-2.amazonaws.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
503227376 785.dkr.ecr.eu- south-2.amaz onaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
503227376 785.dkr.ecr.eu- south-2.amaz onaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
503227376 785.dkr.ecr.eu- south-2.amaz onaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
503227376 785.dkr.ecr.eu- south-2.amaz onaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/ntm:<tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-south-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376785.dkr.ecr.eu-south-2.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
503227376785.dkr.ecr.eu-south-2.amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com /pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-south-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
104374241257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
104374241257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
104374241257.dkr.ecr.eu-south-2.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.


```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-south-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
104374241257.dkr.ecr.eu-south-2.amazonaws.com/seq2seq:<tag>	1	inferensi, pelatihan		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='eu-south-2', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference:<tag>	2.12.1	inferensi	CPU, GPU	-
503227376785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference:<tag>	2.11.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
503227376 785.dkr.ecr.eu-south-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='xgboost',
    region='eu-south-2',
    version='1.5-1'
)
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
104374241 257.dkr.ecr.eu-	1,5-1	1.5.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
south-2.amaz onaws.com/ sagemaker- xgboost: <tag>			
104374241 257.dkr.ecr.eu- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	pelatihan
104374241 257.dkr.ecr.eu- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
104374241 257.dkr.ecr.eu- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	inferensi
104374241 257.dkr.ecr.eu- south-2.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
104374241 257.dkr.ecr.eu-south-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Stockholm) (eu-north-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)

- [DJI DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)

- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='autogluon',
    region='eu-north-1',
    image_scope='inference',
    version='0.4')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='eu-north-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='eu-north-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763603941244.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='djl-deepspeed',
    region='us-west-2',
    py_version='py3',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amaz	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
763104351884.dkr.ecr.eu-north-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
054986407534.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
054986407534.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
314864569078.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='eu-north-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingf	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ace-tensorflow-inf erence: <tag>				
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference:<tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training:<tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.eu-north-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amaz	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='eu-north-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris

```

```
image_uris.retrieve(framework='inference-pytorch', region='eu-north-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='eu-north-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-mxnet', region='eu-north-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih 0.11.0- <tag>				
520713654 638.dkr.ecr.eu- north-1.amaz onaws.com/ sagemaker-rl- mxnet:pelatih 0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
895015795356.dkr.e cr.eu-north-1.amaz onaws.com/sagemake r-model-monitor-an alyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
601324751636.dkr.ecr.eu-north-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='eu-north-1', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='eu-north-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-pytorch: h: <tag>	1.13	inferensi	CPU, GPU	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='eu-north-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
601324751636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
601324751636.dkr.ecr.eu-north-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection',region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec',region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca',region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-north-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-north-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.eu-north-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com /pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ /pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
                    image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.eu-north-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351884.dkr.ecr.eu-north-1.amazonaws.com/pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='randomcutforest',
    region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-
north-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
662702820 516.dkr.ecr.eu- north-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	1.2-1	1.2.1	inferensi
662702820 516.dkr.ecr.eu- north-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	1.2-1	1.2.1	pelatihan
662702820 516.dkr.ecr.eu- north-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	1.0-1	1.0.2	inferensi
662702820 516.dkr.ecr.eu- north-1.amaz onaws.com/	1.0-1	1.0.2	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-scikit-learn: <tag>			
662702820 516.dkr.ecr.eu-north-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
662702820 516.dkr.ecr.eu-north-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
662702820 516.dkr.ecr.eu-north-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
662702820 516.dkr.ecr.eu-north-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
662702820 516.dkr.ecr.eu- north-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
669576153137.dkr.e cr.eu-north-1.amaz onaws.com/semantic- segmentation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-north-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
669576153137.dkr.ecr.eu-north-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='spark',
    region='eu-north-1',
    version='3.0',
    image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
330188676905.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
330188676905.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
330188676905.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
330188676905.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='eu-north-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
662702820516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
662702820516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
662702820516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='eu-
north-1', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ tensorflow-infere nce: <tag>	2.12.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/ tensorflow-infere nce: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu- north-1.amaz onaws.com/	2.11.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-inference: <tag>				
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.eu-north-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-scrip tmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='coach-tensorflow',
    region='eu-north-1',
    version='1.0.0',
    image_scope='training',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:latih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:latih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:latih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-rl-tensorflow:pelatih0.10.1- <tag>				
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-tensorflow', region='eu-north-1', version='1.15.0', instance_type='ml.inf1.6xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
601324751 636.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	1.15.0	inferensi	inf	py3

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ray-tensorflow', region='eu-north-1', version='0.8.5', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow:ray0.6- <tag>				
520713654638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
520713654638.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='eu-north-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
662702820516.dkr.ecr.eu-north-1.amazonaws.com/	1,7-1	1.7.4	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
sagemaker-xgboost: <tag>			
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
669576153 137.dkr.ecr.eu-north-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
669576153 137.dkr.ecr.eu-north-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
662702820 516.dkr.ecr.eu-north-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Eropa (Zurich) (eu-central-2)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='eu-central-2', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.4.2	inferensi

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
azonaws.com/autogluon-inference: <tag>				
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='huggingface',
    region='eu-central-2',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
gface-pytorch-training: <tag>				
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
380420809688.dkr.ecr.eu-central-2.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='eu-central-2')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.e cr.eu-central-2.am azonaws.com/kmeans : <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.e cr.eu-central-2.am azonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.e cr.eu-central-2.am	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
azonaws.com/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='eu-central-2', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/ntm:<tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='eu-central-2',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310
380420809688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference-eia: <tag>	1.5.1	eia	CPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ pytorch-inference-eia: <tag>	1.3.1	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ pytorch-trcomp-training: <tag>	1.12.0	pelatihan	GPU	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.


```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='eu-central-2', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
680994064768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
680994064768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan	
680994064768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
tral-2.amazonaws.com/sagemaker-scikit-learn: <tag>			
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
680994064768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
680994064768.dkr.ecr.eu-central-2.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='eu-central-2')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
680994064768.dkr.ecr.eu-central-2.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='eu-central-2',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-
380420809688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
380420809688.dkr.ecr.eu-central-2.am	2.11.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
azonaws.com/ tensorflow-inference: <tag>				
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/ tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
380420809 688.dkr.ecr.eu-central-2.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve( framework='xgboost', region='eu-central-2', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
om/sagemaker-xgboost: <tag>			
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
680994064 768.dkr.ecr.eu-central-2.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Timur Tengah (Bahrain) (me-south-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)

- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)

- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='me-
south-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.7.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/autogluon-inference: <tag>				
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='me-south-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='me-south-1', version='1.0', image_scope='processing')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
835444307964.dkr.ecr.me-south-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/djl-inference:0.21.0-deepspeed0.8.3-cu117- <tag>	0.21.0	inferensi		
217643126080.dkr.ecr.me-south-1.amaz	0.20.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>				
217643126080.dkr.ecr.me-south-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
376037874950.dkr.ecr.me-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		
376037874950.dkr.ecr.me-south-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
986000313247.dkr.ecr.me-south-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='factorization-machines',region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface',region='me-south-1',version='4.4.2',image_scope='training',base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingf	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ace-tensorflow-inf erence: <tag>				
217643126080.dkr.e cr.me-south-1.amaz onaws.com/huggingf ace-pytorch-training: <tag>	4.17.0	pelatihan		
217643126080.dkr.e cr.me-south-1.amaz onaws.com/huggingf ace-tensorflow-tra ining: <tag>	4.17.0	pelatihan		
217643126080.dkr.e cr.me-south-1.amaz onaws.com/huggingf ace-pytorch-inference: <tag>	4.17.0	inferensi		
217643126080.dkr.e cr.me-south-1.amaz onaws.com/huggingf ace-tensorflow-inf erence: <tag>	4.17.0	inferensi		
217643126080.dkr.e cr.me-south-1.amaz onaws.com/huggingf ace-pytorch-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
217643126080.dkr.ecr.me-south-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amaz	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/image-classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='me-south-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
836785723513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inference-pytorch', region='me-
south-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723 513.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3
836785723 513.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-neo- pytorch: <tag>	1.8	inferensi	inf	py3
836785723 513.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-neo- pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
onaws.com/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='me-south-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126080.dkr.ecr.me-south-1.amazonaws.com/mxnet-training:<tag>	1.9.0	pelatihan	CPU, GPU	py38
217643126080.dkr.ecr.me-south-1.amazonaws.com/mxnet-inference:<tag>	1.9.0	inferensi	CPU, GPU	py38
217643126080.dkr.ecr.me-south-1.amazonaws.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2
217643126 080.dkr.ecr.me-south-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-mxnet',
    region='me-south-1',
    version='0.11',
    py_version='py3',
    image_scope='training',
    instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-	0.11.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet:pelatih 0.11.0- <tag>				
724002660 598.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-rl- mxnet:pelatih 0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
607024016150.dkr.e cr.me-south-1.amaz onaws.com/sagemake r-model-monitor-an alyzer: <tag>		pemantauan		

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='ntm', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.e cr.me-south-1.amaz onaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
836785723513.dkr.e cr.me-south-1.amaz onaws.com/image- classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='me-  
south-1', version='1.8', py_version='py3', image_scope='inference',  
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='me-south-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
836785723 513.dkr.ecr.me-south-1.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='me-south-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723 513.dkr.ecr.me-south-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
836785723513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
836785723513.dkr.ecr.me-south-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='me-south-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126080.dkr.ecr.me-south-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
217643126080.dkr.ecr.me-south-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com /pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='pytorch-neuron',
    region='us-west-2',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-training-compiler',
    region='us-west-2',
    version='py38')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
217643126 080.dkr.ecr.me-south-1.amazonaws.com/	1.12.0	pelatihan	GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pytorch-trcomp-training: <tag>				

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='me-south-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
801668240914.dkr.ecr.me-south-1.amazonaws.com	1.2-1	1.2.1	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
onaws.com/ sagemaker-scikit-learn: <tag>			
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='me-south-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
249704162688.dkr.ecr.me-south-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='me-south-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
750251592176.dkr.ecr.me-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
750251592176.dkr.ecr.me-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
750251592176.dkr.ecr.me-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
750251592176.dkr.ecr.me-south-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='me-south-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
801668240914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	3.3	inferensi		
801668240914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
801668240914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='me-south-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126080.dkr.ecr.me-south-1.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-infer nce: <tag>				
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.12.0	pelatihan	CPU, GPU	py310
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ tensorflow-infer nce: <tag>	2.11.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me- south-1.amaz onaws.com/ tensorflow-traini ng: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
217643126 080.dkr.ecr.me-south-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='coach-tensorflow',
    region='me-south-1',
    version='1.0.0',
    image_scope='training',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:pe	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
latih0.10.1- <tag>				
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:pe latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='me-south-1',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
836785723 513.dkr.ecr.me-south-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
836785723 513.dkr.ecr.me-south-1.amaz	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
onaws.com/sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='me-south-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
724002660598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5.3- <tag>	0.5.3	pelatihan	CPU, GPU	py3
724002660 598.dkr.ecr.me-south-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='me-south-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
801668240 914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1,7-1	1.7.4	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
801668240 914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
801668240 914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
801668240 914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
801668240 914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
801668240 914.dkr.ecr.me-south-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1.2-1	1.2.0	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1.0-1	1.0.0	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	1.0-1	1.0.0	pelatihan
249704162 688.dkr.ecr.me- south-1.amaz onaws.com/ xgboost: <tag>	1	0,72	inferensi
249704162 688.dkr.ecr.me- south-1.amaz onaws.com/ xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-2	0,90	pelatihan
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	inferensi
801668240 914.dkr.ecr.me- south-1.amaz onaws.com/ sagemaker- xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Timur Tengah (UEA) (me-central-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='me-
central-1', image_scope='inference', version='0.4')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
----------------	-------	----------------------------------	--	--

azonaws.com/factorization-machines:
<tag>

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='huggingface',
    region='me-central-1',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
----------------	-------	----------------------------------	--	--

914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training:
<tag>

4.26.0

pelatihan

914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>

4.26.0

inferensi

914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>

4.26.0

inferensi

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
914824155844.dkr.ecr.me-central-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.e cr.me-central-1.am azonaws.com/ipinsi ghts: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.e cr.me-central-1.am azonaws.com/image- classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/kmeans : <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.am	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
azonaws.com/linear-learner: <tag>				

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='me-central-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.am azonaws.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.am azonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.am azonaws.com/	1.8.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
914824155 844.dkr.ecr.me-central-1.am azonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.am azonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.am azonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.am azonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/ntm:<tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='me-central-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='me-central-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155844.dkr.ecr.me-central-1.amazonaws.com/pytorch-inference:<tag>	1.12.0	inferensi	CPU, GPU	py38
914824155844.dkr.ecr.me-central-1.amazonaws.com/pytorch-training:<tag>	1.12.0	pelatihan	CPU, GPU	py38
914824155844.dkr.ecr.me-	1.11.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
central-1.am azonaws.com/ pytorch-inferen ce: <tag>				
914824155 844.dkr.ecr.me- central-1.am azonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me- central-1.am azonaws.com/ pytorch-inferen ce: <tag>	1.10.2	inferensi	CPU, GPU	py38
914824155 844.dkr.ecr.me- central-1.am azonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me- central-1.am azonaws.com/ pytorch-inferen ce: <tag>	1.10.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me- central-1.am azonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.e cr.me-central-1.am azonaws.com/random cutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='me-  
central-1', version='0.23-1', image_scope='inference')
```


Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
om/sagemaker-scikit-learn: <tag>			
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
272398656194.dkr.ecr.me-central-1.amazonaws.com/semant	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='me-central-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
272398656194.dkr.ecr.me-central-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='me-central-1', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155844.dkr.ecr.me-central-1.am	2.9.2	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
azonaws.com/tensorflow-training: <tag>				
914824155844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
914824155844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
914824155844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
914824155844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
914824155 844.dkr.ecr.me-central-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='me-central-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.c	1,5-1	1.5.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
om/sagemaker-xgboost: <tag>			
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
272398656 194.dkr.ecr.me-central-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
272398656 194.dkr.ecr.me-central-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk Amerika Selatan (São Paulo) (sa-east-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [DJL DeepSpeed \(algoritma\)](#)
- [Data Wrangler \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)
- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [Model Monitor \(algoritma\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)

- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [PyTorch Kompiler Pelatihan \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='sa-
east-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.e cr.sa-east-1.amazo	0.7.0	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
naws.com/autogluon-training: <tag>				
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.7.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.6.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.6.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.6.1	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.6.1	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.5.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.4.3	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.3	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.4.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.4.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.4.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='sa-east-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-chainer: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='sa-east-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
520018980103.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

DJL DeepSpeed (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='djl-deepspeed', region='us-west-2', py_version='py3', image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/djl-inference:0.22.1-deepspeed0.8.3-cu118- <tag>	0.22.1	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/djl-inference:0.21.0-deepspeed	0.21.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
eed0.8.3-cu117- <tag>				
763104351884.dkr.ecr.sa-east-1.amazonaws.com/djl-inference:0.20.0-deepspeed0.7.5-cu116- <tag>	0.20.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/djl-inference:0.19.0-deepspeed0.7.3-cu113- <tag>	0.19.0	inferensi		

Data Wrangler (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='data-wrangler', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
424196993095.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	2.x	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
424196993095.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-data-wrangler-container: <tag>	1.x	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
818342061345.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-debugger-rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='sa-east-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='huggingface', region='sa-east-1', version='4.4.2', image_scope='training', base_framework_version='tensorflow2.4.1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingfa	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ce-pytorch-inference: <tag>				
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
763104351884.dkr.ecr.sa-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-mxnet', region='sa-east-1', version='1.5.1', instance_type='ml.inf1.6xlarge')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.8	inferensi	inf	py3
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-neo- mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='inference-pytorch', region='sa-east-1', version='1.9', py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-neo- pytorch: <tag>	1.9	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/linear-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='sa-east-1', version='1.4.1', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-training: <tag>				
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.7.0	eia	CPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-mxnet-serving: <tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='coach-mxnet', region='sa-east-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-mxnet:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

Model Monitor (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='model-monitor', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
539772159869.dkr.ecr.sa-east-1.amazonaws.com/sagemaker		pemantauan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
-model-monitor-analyzer: <tag>				

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/ntm: <tag>	1	inferensi, pelatihan		

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
756306329178.dkr.ecr.sa-east-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='sa-
east-1', version='1.8', py_version='py3', image_scope='inference',
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker- inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-pytorch', region='sa-
east-1', version='1.6', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa- east-1.amazo	1.13	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
naws.com/ sagemaker -inference- pytorch: <tag>				
756306329 178.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.12	inferensi	CPU, GPU	py3
756306329 178.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
756306329 178.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker -inference- pytorch: <tag>	1.7	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.5	inferensi	CPU, GPU	py3
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='sa-east-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	2.9.2	inferensi	CPU, GPU	py3
756306329 178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
756306329178.dkr.ecr.sa-east-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pca', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/pca: <tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch', region='sa-east-1', version='1.8.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.sa-east-1.amazonaws.com/pytorch-inference: <tag>	2.0.0	inferensi	CPU, GPU	py310
763104351884.dkr.ecr.sa-east-1.amazonaws.com/pytorch-inference-graviton: <tag>	2.0.0	inferensi _graviton	CPU	py310

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.13.1	inferensi	CPU, GPU	py39
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/ sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

PyTorch Kompiler Pelatihan (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pytorch-training-compiler', region='us-west-2',
version='py38')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ pytorch-trcomp-training: <tag>	1.13.1	pelatihan	GPU	py39
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/	1.12.0	pelatihan	GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pytorch-trcomp-training: <tag>				

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='sa-east-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
737474898029.dkr.ecr.sa-east-1.amazonaws.com	1.2-1	1.2.1	inferensi	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
naws.com/ sagemaker-scikit-l earn: <tag>			
737474898 029.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.2-1	1.2.1	pelatihan
737474898 029.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	inferensi
737474898 029.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	pelatihan
737474898 029.dkr.ecr.sa- east-1.amazo naws.com/ sagemaker-scikit-l earn: <tag>	1.0-1	1.0.2	inferensi_graviton

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='sa-east-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/semantic-segmentation: <tag>	1	inferensi, pelatihan		

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='sa-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
855470959533.dkr.ecr.sa-east-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='sa-east-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
737130764395.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.2	pengolahan		
737130764395.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
737130764395.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
737130764395.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='sa-east-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
737474898029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-sparkml-serving:<tag>	3.3	inferensi		
737474898029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-sparkml-serving:<tag>	2.4	inferensi		
737474898029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-sparkml-serving:<tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='sa-east-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351884.dkr.ecr.sa-east-1.amazonaws.com/	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
tensorflow-inference: <tag>				
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.12.0	pelatihan	CPU, GPU	py310
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/ tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-
763104351 884.dkr.ecr.sa-east-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-script mode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='sa-east-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.1- <tag>	0.11.1	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
520713654 638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:latih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='sa-east-1',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
756306329-178.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
756306329-178.dkr.ecr.sa-east-1.amazonaws.com/	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='sa-east-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
520713654-638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
520713654-638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
520713654-638.dkr.ecr.sa-	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
east-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5.3- <tag>				
520713654638.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-rl-tensorflow:ray-0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='sa-east-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
737474898029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	inferensi
737474898029.dkr.ecr.sa-	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
east-1.amazonaws.com/sagemaker-xgboost: <tag>			
737474898029.dkr.ecr.saeast-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
737474898029.dkr.ecr.saeast-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
737474898029.dkr.ecr.saeast-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
737474898029.dkr.ecr.saeast-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
855470959 533.dkr.ecr.sa-east-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
855470959 533.dkr.ecr.sa-east-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
737474898 029.dkr.ecr.sa-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk AWS GovCloud (AS-timur) (us-gov-east-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='us-gov-
east-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.7.0	pelatihan		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.7.0	inferensi		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.6.2	pelatihan		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.6.2	inferensi		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.6.1	pelatihan		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.6.1	inferensi		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.5.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.5.2	inferensi		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.4.3	pelatihan		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.4.3	inferensi		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.4.2	pelatihan		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.4.2	inferensi		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-training: <tag>	0.4.0	pelatihan		
446045086412.dkr.e cr.us-gov-east-1.a mazonaws.com/autog luon-inference: <tag>	0.4.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/autogluon-training: <tag>	0.3.2	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.2	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/autogluon-training: <tag>	0.3.1	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/autogluon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='blazingtext', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/forecasting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(
    framework='huggingface',
    region='us-gov-east-1',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.26.0	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.a	4.17.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/huggingface-pytorch-inference: <tag>				
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.12.3	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.12.3	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.12.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.11.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.11.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.11.0	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.11.0	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.10.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.10.2	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.6.1	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.6.1	inferensi		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.5.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.5.0	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.4.2	pelatihan		
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/permissions: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/image-classification: <tag>	1	inferensi, pelatihan		

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.a	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/ kmeans: <tag>				

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.e cr.us-gov-east-1.a mazonaws.com/knn: <tag>	1	inferensi, pelatihan		

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.e cr.us-gov-east-1.a mazonaws.com/linea r-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='mxnet',
    region='us-gov-east-1',
    version='1.4.1',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/ mxnet-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/	1.8.0	inferensi	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mxnet-inference: <tag>				
446045086 412.dkr.ecr.us- gov-east-1.a mazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3
446045086 412.dkr.ecr.us- gov-east-1.a mazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
446045086 412.dkr.ecr.us- gov-east-1.a mazonaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3
446045086 412.dkr.ecr.us- gov-east-1.a mazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/mxnet-inference-eia: <tag>	1.5.1	eia	CPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/mxnet-inference: <tag>	1.4.1	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/mxnet-inference-eia: <tag>	1.4.1	eia	CPU	py2, py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/ntm:<tag>	1	inferensi, pelatihan		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object-detection', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.e cr.us-gov-east-1.a mazonaws.com/objec t-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.e cr.us-gov-east-1.a mazonaws.com/objec t2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.e cr.us-gov-east-1.a	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/pca: <tag>				

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='us-gov-east-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/ pytorch-infere nce: <tag>	2.0.0	inferensi	CPU, GPU	py310
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/ pytorch-training: <tag>	2.0.0	pelatihan	CPU, GPU	py310
446045086 412.dkr.ecr.us-gov-east-1.a mazonaws.com/	1.13.1	inferensi	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
pytorch-inference: <tag>				
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='pytorch-neuron', region='us-west-2',
image_scope='inference')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us- gov-east-1.a mazonaws.com/ pytorch-training- neuron: <tag>	1.11.0	pelatihan	TRN	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.e cr.us-gov-east-1.a mazonaws.com/rando mcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='us-gov-  
east-1', version='0.23-1', image_scope='inference')
```


Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
com/sagemaker-scikit-learn: <tag>			
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-scikit-learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
semantic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='us-gov-east-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
237065988967.dkr.ecr.us-gov-east-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='tensorflow', region='us-gov-east-1', version='1.12.0', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086412.dkr.ecr.us-gov-east-1.a	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
mazonaws.com/tensorflow-inference: <tag>				
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
446045086412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
446045086 412.dkr.ecr.us-gov-east-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='us-gov-east-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
237065988 967.dkr.ecr.us-gov-	1,7-1	1.7.4	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
east-1.amazonaws.com/sagemaker-xgboost: <tag>			
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,7-1	1.7.4	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1,5-1	1.5.2	inferensi_graviton
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.3-1	1.3.3	inferensi_graviton
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-2	1.2.0	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.2-1	1.2.0	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	1.0-1	1.0.0	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/xgboost: <tag>	1	0,72	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/xgboost: <tag>	1	0,72	pelatihan
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-2	0,90	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	inferensi
237065988 967.dkr.ecr.us-gov-east-1.amazonaws.com/sagemaker-xgboost: <tag>	0,90-1	0,90	pelatihan

Jalur Registri Docker dan Kode Contoh untuk AWS GovCloud (AS-barat) (us-gov-west-1)

Topik berikut mencantumkan parameter untuk masing-masing algoritme dan wadah pembelajaran mendalam di wilayah ini yang disediakan oleh Amazon SageMaker.

Topik

- [AutoGluon \(algoritma\)](#)
- [BlazingText \(algoritma\)](#)
- [Rantai \(DLC\)](#)
- [Klarifikasi \(algoritma\)](#)
- [Debugger \(algoritma\)](#)
- [Peramalan DeepAR \(algoritma\)](#)
- [Mesin Faktorisasi \(algoritma\)](#)
- [Hugging Face \(algoritma\)](#)
- [Wawasan IP \(algoritma\)](#)
- [Klasifikasi gambar \(algoritma\)](#)
- [Inferensia MxNet \(DLC\)](#)

- [Inferensia PyTorch \(DLC\)](#)
- [K-Means \(algoritma\)](#)
- [KNN \(algoritma\)](#)
- [LDA \(algoritma\)](#)
- [Linear Learner \(algoritma\)](#)
- [MxNet \(DLC\)](#)
- [Pelatih MxNet \(DLC\)](#)
- [NTM \(algoritma\)](#)
- [Klasifikasi Gambar Neo \(algoritma\)](#)
- [Neo MxNet \(DLC\)](#)
- [Neo PyTorch \(DLC\)](#)
- [Neo Tensorflow \(DLC\)](#)
- [Neo XGBoost \(algoritma\)](#)
- [Deteksi Objek \(algoritma\)](#)
- [Object2Vec \(algoritma\)](#)
- [PCA \(algoritma\)](#)
- [PyTorch \(DLC\)](#)
- [PyTorch Neuron \(DLC\)](#)
- [Random Cut Forest \(algoritma\)](#)
- [Scikit-learn \(algoritma\)](#)
- [Segmentasi Semantik \(algoritma\)](#)
- [Seq2Seq \(algoritma\)](#)
- [Spark \(algoritma\)](#)
- [Penyajian SparkML \(algoritma\)](#)
- [Tensorflow \(DLC\)](#)
- [Pelatih Tensorflow \(DLC\)](#)
- [Inferensia Tensorflow \(DLC\)](#)
- [Sinar Tensorflow \(DLC\)](#)
- [XGBoost \(algoritma\)](#)

AutoGluon (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='autogluon', region='us-gov-
west-1', image_scope='inference', version='0.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.7.0	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.7.0	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.6.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.6.2	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.6.1	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a	0.6.1	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/autog luon-inference: <tag>				
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.5.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.5.2	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.4.3	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.4.3	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.4.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.4.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.4.0	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.4.0	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.3.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.3.2	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-training: <tag>	0.3.1	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/autog luon-inference: <tag>	0.3.1	inferensi		

BlazingText (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='blazingtext', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/blazingtext: <tag>	1	inferensi, pelatihan		

Rantai (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='chainer', region='us-gov-west-1', version='5.0.0', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-chainer: <tag>	5.0.0	inferensi, pelatihan	CPU, GPU	py2, py3
246785580436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-chainer: <tag>	4.1.0	inferensi, pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-chai ner: <tag>	4.0.0	inferensi, pelatihan	CPU, GPU	py2, py3

Klarifikasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='clarify', region='us-gov-west-1', version='1.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
598674086554.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-clarify-processing: <tag>	1.0	pengolahan		

Debugger (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='debugger', region='us-gov-west-1')
```


Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
515509971035.dkr.e cr.us-gov-west-1.a mazonaws.com/ sagemaker-debugger- rules: <tag>	terbaru	debugger		

Peramalan DeepAR (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='forecasting-deepar', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.e cr.us-gov-west-1.a mazonaws.com/forec asting-deepar: <tag>	1	inferensi, pelatihan		

Mesin Faktorisasi (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='factorization-machines', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/factorization-machines: <tag>	1	inferensi, pelatihan		

Hugging Face (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='huggingface',
    region='us-gov-west-1',
    version='4.4.2',
    image_scope='training',
    base_framework_version='tensorflow2.4.1')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.26.0	pelatihan		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.26.0	inferensi		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggi	4.26.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
ngface-tensorflow-inference: <tag>				
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.17.0	pelatihan		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.17.0	pelatihan		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.17.0	inferensi		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.17.0	inferensi		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.12.3	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- training: <tag>	4.12.3	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-inf erence: <tag>	4.12.3	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- inference: <tag>	4.12.3	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-tra ining: <tag>	4.11.0	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- training: <tag>	4.11.0	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-inf erence: <tag>	4.11.0	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- inference: <tag>	4.11.0	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-tra ining: <tag>	4.10.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-tra ining: <tag>	4.10.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- training: <tag>	4.10.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- training: <tag>	4.10.2	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-inf erence: <tag>	4.10.2	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-inference: <tag>	4.10.2	inferensi		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-tensorflow-inference: <tag>	4.10.2	inferensi		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-pytorch-training: <tag>	4.6.1	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- training: <tag>	4.6.1	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-inf erence: <tag>	4.6.1	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- inference: <tag>	4.6.1	inferensi		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-tra ining: <tag>	4.5.0	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-tensorflow- training: <tag>	4.5.0	pelatihan		
442386744353.dkr.e cr.us-gov-west-1.a mazonaws.com/huggi ngface-pytorch-tra ining: <tag>	4.4.2	pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/huggingface-tensorflow-training: <tag>	4.4.2	pelatihan		

Wawasan IP (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ipinsights', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/ipinsights: <tag>	1	inferensi, pelatihan		

Klasifikasi gambar (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.a	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/image -classification: <tag>				

Inferensia MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-mxnet',
    region='us-gov-west-1',
    version='1.5.1',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker-neo-mxnet: <tag>	1.8	inferensi	inf	py3
263933020 539.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker-neo-mxnet: <tag>	1.5.1	inferensi	inf	py3

Inferensia PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='inferentia-pytorch',region='us-gov-west-1',version='1.9',py_version='py3')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker-neo-pytorch: <tag>	1.9	inferensi	inf	py3
263933020 539.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker-neo-pytorch: <tag>	1.8	inferensi	inf	py3
263933020 539.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker-neo-pytorch: <tag>	1.7	inferensi	inf	py3

K-Means (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='kmeans',region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/kmeans: <tag>	1	inferensi, pelatihan		

KNN (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='knn', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/knn:<tag>	1	inferensi, pelatihan		

LDA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='lda', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.a	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/lda: <tag>				

Linear Learner (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='linear-learner', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.e cr.us-gov-west-1.a mazonaws.com/linea r-learner: <tag>	1	inferensi, pelatihan		

MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='mxnet', region='us-gov-  
west-1', version='1.4.1', py_version='py3', image_scope='inference',  
instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-	1.9.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
gov-west-1.a amazonaws.com/ mxnet-training: <tag>				
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ mxnet-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ mxnet-training: <tag>	1.8.0	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ mxnet-inference: <tag>	1.8.0	inferensi	CPU, GPU	py37
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ mxnet-training: <tag>	1.7.0	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.a mazonaws.com/ mxnet-inference: <tag>	1.7.0	inferensi	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.a mazonaws.com/ mxnet-inference- eia: <tag>	1.7.0	eia	CPU	py3
442386744 353.dkr.ecr.us-gov-west-1.a mazonaws.com/ mxnet-training: <tag>	1.6.0	pelatihan	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.a mazonaws.com/ mxnet-inference: <tag>	1.6.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.a mazonaws.com/ mxnet-inference- eia: <tag>	1.5.1	eia	CPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker- mxnet: <tag>	1.4.1	pelatihan	CPU, GPU	py2
442386744 353.dkr.ecr.us-gov-west-1.a mazonaws.com/ mxnet-training: <tag>	1.4.1	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us-gov-west-1.a mazonaws.com/ sagemaker- mxnet-serving: <tag>	1.4.1	inferensi	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/mxnet-inference:<tag>	1.4.1	inferensi	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/mxnet-inference-eia:<tag>	1.4.1	eia	CPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet:<tag>	1.4.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet-serving:<tag>	1.4.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet-serving-eia: <tag>	1.4.0	eia	CPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.3.0	inferensi	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet-eia: <tag>	1.3.0	eia	CPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.2.1	inferensi	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-mxnet: <tag>	0.12.1	inferensi	CPU, GPU	py2, py3

Pelatih MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='coach-mxnet', region='us-gov-west-1', version='0.11', py_version='py3', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-rl-mxnet:latih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-rl-mxnet:latih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3

NTM (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='ntm', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.a	1	inferensi, pelatihan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
mazonaws.com/ntm: <tag>				

Klasifikasi Gambar Neo (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='image-classification-neo', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
263933020539.dkr.ecr.us-gov-west-1.amazonaws.com/image-classification-neo: <tag>	terbaru	inferensi		

Neo MxNet (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-mxnet', region='us-gov-west-1', version='1.8', py_version='py3', image_scope='inference', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-inference-mxnet: <tag>	1.8	inferensi	CPU, GPU	py3

Neo PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='neo-pytorch',
    region='us-gov-west-1',
    version='1.6',
    image_scope='inference',
    instance_type='ml.c5.4xlarge'
)
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-inference-pytorch: <tag>	1.13	inferensi	CPU, GPU	py3
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/	1.12	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-pytorch: <tag>				
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/ sagemaker-inference-pytorch: <tag>	1.8	inferensi	CPU, GPU	py3
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/ sagemaker-inference-pytorch: <tag>	1.7	inferensi	CPU, GPU	py3
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/ sagemaker-inference-pytorch: <tag>	1.6	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.5	inferensi	CPU, GPU	py3
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-inference-pytorch:<tag>	1.4	inferensi	CPU, GPU	py3

Neo Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='neo-tensorflow', region='us-gov-west-1', version='1.15.3', py_version='py3', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/	2.9.2	inferensi	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-inference-tensorflow: <tag>				
263933020539.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-inference-tensorflow: <tag>	1.15.3	inferensi	CPU, GPU	py3

Neo XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost-neo', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
263933020539.dkr.ecr.us-gov-west-1.amazonaws.com/xgboost-neo: <tag>	terbaru	inferensi		

Deteksi Objek (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
```

```
image_uris.retrieve(framework='object-detection', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/object-detection: <tag>	1	inferensi, pelatihan		

Object2Vec (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='object2vec', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/object2vec: <tag>	1	inferensi, pelatihan		

PCA (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='pca', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/pca:<tag>	1	inferensi, pelatihan		

PyTorch (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch',
    region='us-gov-west-1',
    version='1.8.0',
    py_version='py3',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference:<tag>	2.0.0	inferensi	CPU, GPU	py310
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training:<tag>	2.0.0	pelatihan	CPU, GPU	py310
442386744353.dkr.ecr.us-	1.13.1	inferensi	CPU, GPU	py39

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
gov-west-1.a amazonaws.com/ pytorch-inference: <tag>				
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ pytorch-training: <tag>	1.13.1	pelatihan	CPU, GPU	py39
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ pytorch-inference: <tag>	1.12.1	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ pytorch-inference-graviton: <tag>	1.12.1	inferensi _graviton	CPU	py38
442386744 353.dkr.ecr.us- gov-west-1.a amazonaws.com/ pytorch-training: <tag>	1.12.1	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.12.0	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.12.0	pelatihan	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.11.0	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.11.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.10.2	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.10.2	pelatihan	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.10.0	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.10.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.9.1	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.9.1	pelatihan	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.9.0	inferensi	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.9.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.8.1	inferensi	CPU, GPU	py3, py36
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.8.1	pelatihan	CPU, GPU	py3, py36
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.8.0	inferensi	CPU, GPU	py3, py36
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.8.0	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.7.1	inferensi	CPU, GPU	py3, py36
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.7.1	pelatihan	CPU, GPU	py3, py36
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.6.0	inferensi	CPU, GPU	py3, py36
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.6.0	pelatihan	CPU, GPU	py3, py36

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.5.0	inferensi	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.5.0	pelatihan	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.4.0	inferensi	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.4.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.3.1	inferensi	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.3.1	pelatihan	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-inference: <tag>	1.2.0	inferensi	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training: <tag>	1.2.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	inferensi	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.1.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	inferensi	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-pytorch: <tag>	1.0.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	inferensi	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-pytorch: <tag>	0.4.0	pelatihan	CPU, GPU	py2, py3

PyTorch Neuron (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='pytorch-neuron',
    region='us-west-2',
    image_scope='inference')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/pytorch-training-neuron: <tag>	1.11.0	pelatihan	TRN	py38

Random Cut Forest (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='randomcutforest', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/randomcutforest: <tag>	1	inferensi, pelatihan		

Scikit-learn (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sklearn', region='us-gov-west-1', version='0.23-1', image_scope='inference')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)	
414596584902.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-scikit-learn: <tag>	1.2-1	1.2.1	inferensi	
414596584902.dkr.ecr.us-gov-west-1.a	1.2-1	1.2.1	pelatihan	

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
mazonaws.com/ sagemaker-scikit-learn: <tag>			
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit-learn: <tag>	1.0-1	1.0.2	inferensi_graviton
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit-learn: <tag>	0,23-1	0.23.2	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit- learn: <tag>	0,23-1	0.23.2	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-scikit- learn: <tag>	0.20.0	0.20.0	pelatihan

Segmentasi Semantik (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='semantic-segmentation', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)
226302683700.dkr.e cr.us-gov-west-1.a mazonaws.com/	1	inferensi, pelatihan

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
semantic-segmentation: <tag>				

Seq2Seq (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='seq2seq', region='us-gov-west-1')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
226302683700.dkr.ecr.us-gov-west-1.amazonaws.com/seq2seq: <tag>	1	inferensi, pelatihan		

Spark (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='spark', region='us-gov-west-1', version='3.0', image_scope='processing')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
271483468897.dkr.ecr.us-gov-west-1.amazonaws.com/	3.2	pengolahan		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
sagemaker-spark-processing: <tag>				
271483468897.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.1	pengolahan		
271483468897.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	3.0	pengolahan		
271483468897.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-spark-processing: <tag>	2.4	pengolahan		

Penyajian SparkML (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='sparkml-serving', region='us-gov-west-1', version='2.4')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
414596584902.dkr.ecr.us-gov-west-1.amazonaws.com/	3.3	inferensi		

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)		
sagemaker-sparkml-serving: <tag>				
414596584902.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.4	inferensi		
414596584902.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-sparkml-serving: <tag>	2.2	inferensi		

Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='tensorflow',
    region='us-gov-west-1',
    version='1.12.0',
    image_scope='inference',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.12.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.11.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.11.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.11.0	pelatihan	CPU, GPU	py39
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.10.1	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.10.1	pelatihan	CPU, GPU	py39
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.10.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.9.3	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.9.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.9.2	pelatihan	CPU, GPU	py39
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference-graviton: <tag>	2.9.1	inferensi _graviton	CPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.8.4	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.8.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.8.0	pelatihan	CPU, GPU	py39
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.7.1	pelatihan	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.7.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.6.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.3	pelatihan	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.2	pelatihan	CPU, GPU	py38
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.6.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.6.0	pelatihan	CPU, GPU	py38

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.5.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.5.1	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.5.0	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.4.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.4.3	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.4.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.4.1	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.2	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.2	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.1	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.3.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.3.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.3.0	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.2.2	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.2.2	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.2.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.2.1	pelatihan	CPU, GPU	py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.2.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.2.0	pelatihan	CPU, GPU	py37

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.1.3	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.1.3	pelatihan	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.1.2	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.1.2	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.1.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.1.1	pelatihan	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.1.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.1.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.0.4	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.4	pelatihan	CPU, GPU	py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.0.3	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.0.2	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.2	pelatihan	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.0.1	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.1	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	2.0.0	eia	CPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	2.0.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	2.0.0	pelatihan	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.5	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.5	pelatihan	CPU, GPU	py3, py36, py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.4	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.4	pelatihan	CPU, GPU	py3, py36, py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.3	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.3	pelatihan	CPU, GPU	py2, py3, py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.2	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.2	pelatihan	CPU, GPU	py2, py3, py37
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.15.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.15.0	inferensi	CPU, GPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.15.0	pelatihan	CPU, GPU	py2, py3
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference-eia: <tag>	1.14.0	eia	CPU	-
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.14.0	inferensi	CPU, GPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.14.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.13.1	pelatihan	CPU, GPU	py2
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-training: <tag>	1.13.1	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.13.0	eia	CPU	-

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
442386744 353.dkr.ecr.us-gov-west-1.amazonaws.com/tensorflow-inference: <tag>	1.13.0	inferensi	CPU, GPU	-
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.12.0	eia	CPU	-
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.12.0	inferensi	CPU, GPU	-
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.12.0	pelatihan	CPU, GPU	py2, py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-serving-eia: <tag>	1.11.0	eia	CPU	-
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-serving: <tag>	1.11.0	inferensi	CPU, GPU	-
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-scriptmode: <tag>	1.11.0	pelatihan	CPU, GPU	py2, py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow-eia: <tag>	1.10.0	eia	CPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.10.0	pelatihan	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.9.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.8.0	pelatihan	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.7.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.6.0	pelatihan	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.5.0	pelatihan	CPU, GPU	py2

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	inferensi	CPU, GPU	py2
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-tensorflow: <tag>	1.4.1	pelatihan	CPU, GPU	py2

Pelatih Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='coach-tensorflow', region='us-gov-west-1', version='1.0.0', image_scope='training', instance_type='ml.c5.4xlarge')
```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-rl-tensorflow	0.11.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
:pelatih0.11.1- <tag>				
246785580 436.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker- rl-tensorflow :pelatih0.11.0- <tag>	0.11.0	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker- rl-tensorflow :pelatih0.11- <tag>	0,11	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker- rl-tensorflow :pelatih0.10.1- <tag>	0.10.1	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-rl-tensorflow:pelatih0.10- <tag>	0,10	pelatihan	CPU, GPU	py3

Inferensia Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='inference-tensorflow',
    region='us-gov-west-1',
    version='1.15.0',
    instance_type='ml.inf1.6xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-neo-tensorflow: <tag>	2.5.2	inferensi	inf	py3
263933020 539.dkr.ecr.us-gov-west-1.amazonaws.com/	1.15.0	inferensi	inf	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
sagemaker-neo-tensorflow: <tag>				

Sinar Tensorflow (DLC)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(
    framework='ray-tensorflow',
    region='us-gov-west-1',
    version='0.8.5',
    instance_type='ml.c5.4xlarge')

```

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6.5- <tag>	0.6.5	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us-gov-west-1.amazonaws.com/sagemaker-rl-tensorflow:ray0.6- <tag>	0,6	pelatihan	CPU, GPU	py3
246785580 436.dkr.ecr.us-	0.5.3	pelatihan	CPU, GPU	py3

Jalur registri	Versi	Jenis pekerjaan (cakupan gambar)	Jenis prosesor	Versi Python
gov-west-1.a mazonaws.com/ sagemaker- rl-tensorflow :ray0.5.3- <tag>				
246785580 436.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-rl-t ensorflow:ray0.5- <tag>	0,5	pelatihan	CPU, GPU	py3

XGBoost (algoritma)

SageMaker Contoh Python SDK untuk mengambil jalur registri.

```
from sagemaker import image_uris
image_uris.retrieve(framework='xgboost', region='us-gov-west-1', version='1.5-1')
```

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1,7-1	1.7.4	inferensi
414596584 902.dkr.ecr.us-	1,7-1	1.7.4	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>			
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1,5-1	1.5.2	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1,5-1	1.5.2	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1,5-1	1.5.2	inferensi_graviton
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.3-1	1.3.3	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.3-1	1.3.3	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.3-1	1.3.3	inferensi_graviton
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.2-2	1.2.0	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.2-2	1.2.0	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.2-1	1.2.0	inferensi

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.2-1	1.2.0	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.0-1	1.0.0	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	1.0-1	1.0.0	pelatihan
226302683 700.dkr.ecr.us- gov-west-1.a mazonaws.com/ xgboost: <tag>	1	0,72	inferensi
226302683 700.dkr.ecr.us- gov-west-1.a mazonaws.com/ xgboost: <tag>	1	0,72	pelatihan

Jalur registri	Versi	Versi paket	Jenis pekerjaan (cakupan gambar)
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	0,90-2	0,90	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	0,90-2	0,90	pelatihan
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	0,90-1	0,90	inferensi
414596584 902.dkr.ecr.us- gov-west-1.a mazonaws.com/ sagemaker-xgbo ost: <tag>	0,90-1	0,90	pelatihan

Terjemahan disediakan oleh mesin penerjemah. Jika konten terjemahan yang diberikan bertentangan dengan versi bahasa Inggris aslinya, utamakan versi bahasa Inggris.