



API Reference

Amazon Q in Connect



API Version 2020-10-19

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon Q in Connect: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateAssistant	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	6
Response Elements	7
Errors	7
See Also	8
CreateAssistantAssociation	9
Request Syntax	9
URI Request Parameters	9
Request Body	9
Response Syntax	11
Response Elements	11
Errors	11
See Also	12
CreateContent	14
Request Syntax	14
URI Request Parameters	14
Request Body	15
Response Syntax	17
Response Elements	17
Errors	18
See Also	18
CreateKnowledgeBase	20
Request Syntax	20
URI Request Parameters	21
Request Body	21
Response Syntax	23
Response Elements	24
Errors	24
See Also	25

CreateQuickResponse	26
Request Syntax	26
URI Request Parameters	26
Request Body	27
Response Syntax	29
Response Elements	30
Errors	30
See Also	31
CreateSession	33
Request Syntax	33
URI Request Parameters	33
Request Body	33
Response Syntax	35
Response Elements	35
Errors	36
See Also	36
DeleteAssistant	38
Request Syntax	38
URI Request Parameters	38
Request Body	38
Response Syntax	38
Response Elements	38
Errors	38
See Also	39
DeleteAssistantAssociation	40
Request Syntax	40
URI Request Parameters	40
Request Body	40
Response Syntax	41
Response Elements	41
Errors	41
See Also	41
DeleteContent	43
Request Syntax	43
URI Request Parameters	43
Request Body	43

Response Syntax	44
Response Elements	44
Errors	44
See Also	44
DeleteImportJob	46
Request Syntax	46
URI Request Parameters	46
Request Body	46
Response Syntax	46
Response Elements	47
Errors	47
See Also	47
DeleteKnowledgeBase	49
Request Syntax	49
URI Request Parameters	49
Request Body	49
Response Syntax	50
Response Elements	50
Errors	50
See Also	50
DeleteQuickResponse	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	53
Response Elements	53
Errors	53
See Also	53
GetAssistant	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	56
Errors	56
See Also	57

GetAssistantAssociation	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	59
Response Elements	59
Errors	59
See Also	60
GetContent	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	62
Response Elements	62
Errors	63
See Also	63
GetContentSummary	64
Request Syntax	64
URI Request Parameters	64
Request Body	64
Response Syntax	65
Response Elements	65
Errors	65
See Also	66
GetImportJob	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	67
Response Elements	68
Errors	68
See Also	69
GetKnowledgeBase	70
Request Syntax	70
URI Request Parameters	70
Request Body	70

Response Syntax	70
Response Elements	71
Errors	71
See Also	72
GetQuickResponse	73
Request Syntax	73
URI Request Parameters	73
Request Body	73
Response Syntax	74
Response Elements	74
Errors	75
See Also	75
GetRecommendations	77
Request Syntax	77
URI Request Parameters	77
Request Body	78
Response Syntax	78
Response Elements	79
Errors	80
See Also	80
GetSession	82
Request Syntax	82
URI Request Parameters	82
Request Body	82
Response Syntax	83
Response Elements	83
Errors	83
See Also	84
ListAssistantAssociations	85
Request Syntax	85
URI Request Parameters	85
Request Body	85
Response Syntax	86
Response Elements	86
Errors	87
See Also	87

ListAssistants	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	88
Response Elements	89
Errors	89
See Also	90
ListContents	91
Request Syntax	91
URI Request Parameters	91
Request Body	91
Response Syntax	92
Response Elements	92
Errors	93
See Also	93
ListImportJobs	95
Request Syntax	95
URI Request Parameters	95
Request Body	95
Response Syntax	96
Response Elements	96
Errors	97
See Also	97
ListKnowledgeBases	98
Request Syntax	98
URI Request Parameters	98
Request Body	98
Response Syntax	98
Response Elements	99
Errors	99
See Also	100
ListQuickResponses	101
Request Syntax	101
URI Request Parameters	101
Request Body	101

Response Syntax	102
Response Elements	102
Errors	103
See Also	103
ListTagsForResource	105
Request Syntax	105
URI Request Parameters	105
Request Body	105
Response Syntax	105
Response Elements	105
Errors	106
See Also	106
NotifyRecommendationsReceived	108
Request Syntax	108
URI Request Parameters	108
Request Body	109
Response Syntax	109
Response Elements	109
Errors	110
See Also	110
PutFeedback	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	113
Response Elements	113
Errors	114
See Also	115
QueryAssistant	116
Request Syntax	116
URI Request Parameters	116
Request Body	117
Response Syntax	118
Response Elements	119
Errors	120
See Also	120

RemoveKnowledgeBaseTemplateUri	122
Request Syntax	122
URI Request Parameters	122
Request Body	122
Response Syntax	122
Response Elements	122
Errors	122
See Also	123
SearchContent	124
Request Syntax	124
URI Request Parameters	124
Request Body	125
Response Syntax	125
Response Elements	126
Errors	126
See Also	127
SearchQuickResponses	128
Request Syntax	128
URI Request Parameters	129
Request Body	129
Response Syntax	130
Response Elements	131
Errors	131
See Also	132
SearchSessions	133
Request Syntax	133
URI Request Parameters	133
Request Body	134
Response Syntax	134
Response Elements	134
Errors	135
See Also	135
StartContentUpload	137
Request Syntax	137
URI Request Parameters	137
Request Body	137

Response Syntax	138
Response Elements	138
Errors	139
See Also	140
StartImportJob	141
Request Syntax	141
URI Request Parameters	141
Request Body	142
Response Syntax	143
Response Elements	144
Errors	144
See Also	145
TagResource	146
Request Syntax	146
URI Request Parameters	146
Request Body	146
Response Syntax	147
Response Elements	147
Errors	147
See Also	147
UntagResource	149
Request Syntax	149
URI Request Parameters	149
Request Body	149
Response Syntax	149
Response Elements	150
Errors	150
See Also	150
UpdateContent	151
Request Syntax	151
URI Request Parameters	151
Request Body	152
Response Syntax	153
Response Elements	154
Errors	154
See Also	155

UpdateKnowledgeBaseTemplateUri	156
Request Syntax	156
URI Request Parameters	156
Request Body	156
Response Syntax	157
Response Elements	157
Errors	158
See Also	158
UpdateQuickResponse	159
Request Syntax	159
URI Request Parameters	159
Request Body	160
Response Syntax	162
Response Elements	163
Errors	164
See Also	164
UpdateSession	166
Request Syntax	166
URI Request Parameters	166
Request Body	167
Response Syntax	167
Response Elements	168
Errors	168
See Also	168
Data Types	170
AppIntegrationsConfiguration	173
Contents	173
See Also	174
AssistantAssociationData	175
Contents	175
See Also	176
AssistantAssociationInputData	178
Contents	178
See Also	178
AssistantAssociationOutputData	179
Contents	179

See Also	179
AssistantAssociationSummary	180
Contents	180
See Also	181
AssistantCapabilityConfiguration	183
Contents	183
See Also	183
AssistantData	184
Contents	184
See Also	186
AssistantIntegrationConfiguration	187
Contents	187
See Also	187
AssistantSummary	188
Contents	188
See Also	190
Configuration	191
Contents	191
See Also	191
ConnectConfiguration	192
Contents	192
See Also	192
ContentData	193
Contents	193
See Also	196
ContentDataDetails	197
Contents	197
See Also	197
ContentFeedbackData	198
Contents	198
See Also	198
ContentReference	199
Contents	199
See Also	200
ContentSummary	201
Contents	201

See Also	204
DataDetails	205
Contents	205
See Also	205
DataReference	207
Contents	207
See Also	207
DataSummary	208
Contents	208
See Also	208
Document	209
Contents	209
See Also	209
DocumentText	210
Contents	210
See Also	210
ExternalSourceConfiguration	211
Contents	211
See Also	211
Filter	212
Contents	212
See Also	212
GenerativeContentFeedbackData	214
Contents	214
See Also	214
GenerativeDataDetails	215
Contents	215
See Also	215
GenerativeReference	216
Contents	216
See Also	216
GroupingConfiguration	217
Contents	217
See Also	217
Highlight	219
Contents	219

See Also	219
ImportJobData	220
Contents	220
See Also	222
ImportJobSummary	224
Contents	224
See Also	226
KnowledgeBaseAssociationData	227
Contents	227
See Also	227
KnowledgeBaseData	228
Contents	228
See Also	230
KnowledgeBaseSummary	232
Contents	232
See Also	234
NotifyRecommendationsReceivedError	235
Contents	235
See Also	235
OrCondition	236
Contents	236
See Also	236
QueryCondition	237
Contents	237
See Also	237
QueryConditionItem	238
Contents	238
See Also	238
QueryRecommendationTriggerData	240
Contents	240
See Also	240
QuickResponseContentProvider	241
Contents	241
See Also	241
QuickResponseContents	242
Contents	242

See Also	242
QuickResponseData	243
Contents	243
See Also	247
QuickResponseDataProvider	248
Contents	248
See Also	248
QuickResponseFilterField	249
Contents	249
See Also	250
QuickResponseOrderField	251
Contents	251
See Also	252
QuickResponseQueryField	253
Contents	253
See Also	254
QuickResponseSearchExpression	255
Contents	255
See Also	255
QuickResponseSearchResultData	257
Contents	257
See Also	261
QuickResponseSummary	262
Contents	262
See Also	265
RankingData	266
Contents	266
See Also	266
RecommendationData	267
Contents	267
See Also	268
RecommendationTrigger	269
Contents	269
See Also	270
RecommendationTriggerData	271
Contents	271

See Also	271
RenderingConfiguration	272
Contents	272
See Also	272
ResultData	273
Contents	273
See Also	274
SearchExpression	275
Contents	275
See Also	275
ServerSideEncryptionConfiguration	276
Contents	276
See Also	276
SessionData	277
Contents	277
See Also	278
SessionIntegrationConfiguration	280
Contents	280
See Also	280
SessionSummary	281
Contents	281
See Also	282
SourceConfiguration	283
Contents	283
See Also	283
SourceContentDataDetails	284
Contents	284
See Also	284
TagCondition	286
Contents	286
See Also	286
TagFilter	287
Contents	287
See Also	287
TextData	289
Contents	289

See Also	289
Common Parameters	290
Common Errors	293

Welcome

Note

Powered by Amazon Bedrock: AWS implements [automated abuse detection](#). Because Amazon Q in Connect is built on Amazon Bedrock, users can take full advantage of the controls implemented in Amazon Bedrock to enforce safety, security, and the responsible use of artificial intelligence (AI).

Amazon Q in Connect is a generative AI customer service assistant. It is an LLM-enhanced evolution of Amazon Connect Wisdom that delivers real-time recommendations to help contact center agents resolve customer issues quickly and accurately.

Amazon Q in Connect automatically detects customer intent during calls and chats using conversational analytics and natural language understanding (NLU). It then provides agents with immediate, real-time generative responses and suggested actions, and links to relevant documents and articles. Agents can also query Amazon Q in Connect directly using natural language or keywords to answer customer requests.

Use the Amazon Q in Connect APIs to create an assistant and a knowledge base, for example, or manage content by uploading custom files.

For more information, see [Use Amazon Q in Connect for generative AI powered agent assistance in real-time](#) in the *Amazon Connect Administrator Guide*.

This document was last published on April 25, 2024.

Actions

The following actions are supported:

- [CreateAssistant](#)
- [CreateAssistantAssociation](#)
- [CreateContent](#)
- [CreateKnowledgeBase](#)
- [CreateQuickResponse](#)
- [CreateSession](#)
- [DeleteAssistant](#)
- [DeleteAssistantAssociation](#)
- [DeleteContent](#)
- [DeleteImportJob](#)
- [DeleteKnowledgeBase](#)
- [DeleteQuickResponse](#)
- [GetAssistant](#)
- [GetAssistantAssociation](#)
- [GetContent](#)
- [GetContentSummary](#)
- [GetImportJob](#)
- [GetKnowledgeBase](#)
- [GetQuickResponse](#)
- [GetRecommendations](#)
- [GetSession](#)
- [ListAssistantAssociations](#)
- [ListAssistants](#)
- [ListContents](#)
- [ListImportJobs](#)
- [ListKnowledgeBases](#)
- [ListQuickResponses](#)

- [ListTagsForResource](#)
- [NotifyRecommendationsReceived](#)
- [PutFeedback](#)
- [QueryAssistant](#)
- [RemoveKnowledgeBaseTemplateUri](#)
- [SearchContent](#)
- [SearchQuickResponses](#)
- [SearchSessions](#)
- [StartContentUpload](#)
- [StartImportJob](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateContent](#)
- [UpdateKnowledgeBaseTemplateUri](#)
- [UpdateQuickResponse](#)
- [UpdateSession](#)

CreateAssistant

Creates an Amazon Q in Connect assistant.

Request Syntax

```
POST /assistants HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "description": "string",
  "name": "string",
  "serverSideEncryptionConfiguration": {
    "kmsKeyId": "string"
  },
  "tags": {
    "string" : "string"
  },
  "type": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS SDK populates this field. For more information about idempotency, see [Making retries safe with idempotent APIs](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

description

The description of the assistant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

name

The name of the assistant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

serverSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

The customer managed key must have a policy that allows `kms:CreateGrant`, `kms:DescribeKey`, `kms:Decrypt`, and `kms:GenerateDataKey*` permissions to the IAM identity using the key to invoke Amazon Q in Connect. To use Amazon Q in Connect with chat, the key policy must also allow `kms:Decrypt`, `kms:GenerateDataKey*`, and `kms:DescribeKey` permissions to the `connect.amazonaws.com` service principal.

For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#).

Type: [ServerSideEncryptionConfiguration](#) object

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._:/$]+`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

type

The type of assistant.

Type: String

Valid Values: AGENT

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistant": {
    "assistantArn": "string",
    "assistantId": "string",
    "capabilityConfiguration": {
      "type": "string"
    },
    "description": "string",
    "integrationConfiguration": {
      "topicIntegrationArn": "string"
    },
    "name": "string",
    "serverSideEncryptionConfiguration": {
      "kmsKeyId": "string"
    },
    "status": "string",
    "tags": {
      "string": "string"
    },
    "type": "string"
  }
}
```



```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assistant

Information about the assistant.

Type: [AssistantData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a Create API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ServiceQuotaExceededException

You've exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use service quotas to request a service quota increase.

HTTP Status Code: 402

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAssistantAssociation

Creates an association between an Amazon Q in Connect assistant and another resource. Currently, the only supported association is with a knowledge base. An assistant can have only a single association.

Request Syntax

```
POST /assistants/assistantId/associations HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "association": { ... },
  "associationType": "string",
  "clientToken": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[assistantId](#)

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

association

The identifier of the associated resource.

Type: [AssistantAssociationInputData](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

associationType

The type of association.

Type: String

Valid Values: KNOWLEDGE_BASE

Required: Yes

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS SDK populates this field. For more information about idempotency, see [Making retries safe with idempotent APIs](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: $^(?!aws:)[a-zA-Z+-._: /]+$

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistantAssociation": {
    "assistantArn": "string",
    "assistantAssociationArn": "string",
    "assistantAssociationId": "string",
    "assistantId": "string",
    "associationData": { ... },
    "associationType": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assistantAssociation

The assistant association.

Type: [AssistantAssociationData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a `Create` API (such as `CreateAssistant`) that accepts `name`, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You've exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use service quotas to request a service quota increase.

HTTP Status Code: 402

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateContent

Creates Amazon Q in Connect content. Before to calling this API, use [StartContentUpload](#) to upload an asset.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/contents HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "clientToken": "string",
  "metadata": {
    "string" : "string"
  },
  "name": "string",
  "overrideLinkOutUri": "string",
  "tags": {
    "string" : "string"
  },
  "title": "string",
  "uploadId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[knowledgeBaseId](#)

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS SDK populates this field. For more information about idempotency, see [Making retries safe with idempotent APIs](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

metadata

A key/value map to store attributes without affecting tagging or recommendations. For example, when synchronizing data between an external system and Amazon Q in Connect, you can store an external version identifier as metadata to utilize for determining drift.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

name

The name of the content. Each piece of content in a knowledge base must have a unique name. You can retrieve a piece of content using only its knowledge base and its name with the [SearchContent](#) API.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

[overrideLinkOutUri](#)

The URI you want to use for the article. If the knowledge base has a `templateUri`, setting this argument overrides it for this piece of content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

[tags](#)

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+--=._:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

[title](#)

The title of the content. If not set, the title is equal to the name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

[uploadId](#)

A pointer to the uploaded asset. This value is returned by [StartContentUpload](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1200.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "content": {
    "contentArn": "string",
    "contentId": "string",
    "contentType": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "linkOutUri": "string",
    "metadata": {
      "string" : "string"
    },
    "name": "string",
    "revisionId": "string",
    "status": "string",
    "tags": {
      "string" : "string"
    },
    "title": "string",
    "url": "string",
    "urlExpiry": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

content

The content.

Type: [ContentData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a Create API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You've exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use service quotas to request a service quota increase.

HTTP Status Code: 402

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKnowledgeBase

Creates a knowledge base.

Note

When using this API, you cannot reuse [Amazon AppIntegrations](#) DataIntegrations with external knowledge bases such as Salesforce and ServiceNow. If you do, you'll get an `InvalidRequestException` error.

For example, you're programmatically managing your external knowledge base, and you want to add or remove one of the fields that is being ingested from Salesforce. Do the following:

1. Call [DeleteKnowledgeBase](#).
2. Call [DeleteDataIntegration](#).
3. Call [CreateDataIntegration](#) to recreate the DataIntegration or a create different one.
4. Call `CreateKnowledgeBase`.

Request Syntax

```
POST /knowledgeBases HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "description": "string",
  "knowledgeBaseType": "string",
  "name": "string",
  "renderingConfiguration": {
    "templateUri": "string"
  },
  "serverSideEncryptionConfiguration": {
    "kmsKeyId": "string"
  },
  "sourceConfiguration": { ... },
  "tags": {
    "string" : "string"
  }
}
```

```
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS SDK populates this field. For more information about idempotency, see [Making retries safe with idempotent APIs](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

description

The description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

knowledgeBaseType

The type of knowledge base. Only CUSTOM knowledge bases allow you to upload your own content. EXTERNAL knowledge bases support integrations with third-party systems whose content is synchronized automatically.

Type: String

Valid Values: EXTERNAL | CUSTOM | QUICK_RESPONSES

Required: Yes

name

The name of the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

renderingConfiguration

Information about how to render the content.

Type: [RenderingConfiguration](#) object

Required: No

serverSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

This KMS key must have a policy that allows `kms:CreateGrant`, `kms:DescribeKey`, `kms:Decrypt`, and `kms:GenerateDataKey*` permissions to the IAM identity using the key to invoke Amazon Q in Connect.

For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#).

Type: [ServerSideEncryptionConfiguration](#) object

Required: No

sourceConfiguration

The source of the knowledge base content. Only set this argument for EXTERNAL knowledge bases.

Type: [SourceConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: $^(?!aws:)[a-zA-Z+--._:/]+$

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "knowledgeBase": {
    "description": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "knowledgeBaseType": "string",
    "lastContentModificationTime": number,
    "name": "string",
    "renderingConfiguration": {
      "templateUri": "string"
    },
    "serverSideEncryptionConfiguration": {
      "kmsKeyId": "string"
    },
    "sourceConfiguration": { ... },
    "status": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

knowledgeBase

The knowledge base.

Type: [KnowledgeBaseData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a `Create` API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ServiceQuotaExceededException

You've exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use service quotas to request a service quota increase.

HTTP Status Code: 402

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateQuickResponse

Creates an Amazon Q in Connect quick response.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/quickResponses HTTP/1.1
Content-type: application/json
```

```
{
  "channels": [ "string" ],
  "clientToken": "string",
  "content": { ... },
  "contentType": "string",
  "description": "string",
  "groupingConfiguration": {
    "criteria": "string",
    "values": [ "string" ]
  },
  "isActive": boolean,
  "language": "string",
  "name": "string",
  "shortcutKey": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&`

Required: Yes

Request Body

The request accepts the following data in JSON format.

channels

The Amazon Connect channels this quick response applies to.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS SDK populates this field. For more information about idempotency, see [Making retries safe with idempotent APIs](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

content

The content of the quick response.

Type: [QuickResponseDataProvider](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

contentType

The media type of the quick response content.

- Use `application/x.quickresponse;format=plain` for a quick response written in plain text.

- Use `application/x.quickresponse;format=markdown` for a quick response written in richtext.

Type: String

Pattern: `^(application/x\.quickresponse;format=(plain|markdown))$`

Required: No

description

The description of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

groupingConfiguration

The configuration information of the user groups that the quick response is accessible to.

Type: [GroupingConfiguration](#) object

Required: No

isActive

Whether the quick response is active.

Type: Boolean

Required: No

language

The language code value for the language in which the quick response is written. The supported language codes include `de_DE`, `en_US`, `es_ES`, `fr_FR`, `id_ID`, `it_IT`, `ja_JP`, `ko_KR`, `pt_BR`, `zh_CN`, `zh_TW`

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

name

The name of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

shortcutKey

The shortcut key of the quick response. The value should be unique across the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: $^(?!aws:)[a-zA-Z+-. _:/]+$

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "quickResponse": {
    "channels": [ "string ],
    "contents": {
```

```
    "markdown": { ... },
    "plainText": { ... }
  },
  "contentType": "string",
  "createdTime": number,
  "description": "string",
  "groupingConfiguration": {
    "criteria": "string",
    "values": [ "string" ]
  },
  "isActive": boolean,
  "knowledgeBaseArn": "string",
  "knowledgeBaseId": "string",
  "language": "string",
  "lastModifiedBy": "string",
  "lastModifiedTime": number,
  "name": "string",
  "quickResponseArn": "string",
  "quickResponseId": "string",
  "shortcutKey": "string",
  "status": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

quickResponse

The quick response.

Type: [QuickResponseData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a Create API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You've exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use service quotas to request a service quota increase.

HTTP Status Code: 402

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateSession

Creates a session. A session is a contextual container used for generating recommendations. Amazon Connect creates a new Amazon Q in Connect session for each contact on which Amazon Q in Connect is enabled.

Request Syntax

```
POST /assistants/assistantId/sessions HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "description": "string",
  "name": "string",
  "tagFilter": { ... },
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS SDK populates this field. For more information about idempotency, see [Making retries safe with idempotent APIs](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

description

The description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

name

The name of the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

tagFilter

An object that can be used to specify Tag conditions.

Type: [TagFilter](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: $^(?!aws:)[a-zA-Z+-. _:/]+$

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "session": {
    "description": "string",
    "integrationConfiguration": {
      "topicIntegrationArn": "string"
    },
    "name": "string",
    "sessionArn": "string",
    "sessionId": "string",
    "tagFilter": { ... },
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

The session.

Type: [SessionData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a `Create` API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAssistant

Deletes an assistant.

Request Syntax

```
DELETE /assistants/assistantId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*\$

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAssistantAssociation

Deletes an assistant association.

Request Syntax

```
DELETE /assistants/assistantId/associations/assistantAssociationId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assistantAssociationId

The identifier of the assistant association. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteContent

Deletes the content.

Request Syntax

```
DELETE /knowledgeBases/knowledgeBaseId/contents/contentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

contentId

The identifier of the content. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteImportJob

Deletes the quick response import job.

Request Syntax

```
DELETE /knowledgeBases/knowledgeBaseId/importJobs/importJobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

importJobId

The identifier of the import job to be deleted.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```


Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a `Create` API (such as `CreateAssistant`) that accepts `name`, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKnowledgeBase

Deletes the knowledge base.

Note

When you use this API to delete an external knowledge base such as Salesforce or ServiceNow, you must also delete the [Amazon AppIntegrations](#) DataIntegration. This is because you can't reuse the DataIntegration after it's been associated with an external knowledge base. However, you can delete and recreate it. See [DeleteDataIntegration](#) and [CreateDataIntegration](#) in the *Amazon AppIntegrations API Reference*.

Request Syntax

```
DELETE /knowledgeBases/knowledgeBaseId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The knowledge base to delete content from. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a Create API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteQuickResponse

Deletes a quick response.

Request Syntax

```
DELETE /knowledgeBases/knowledgeBaseId/quickResponses/quickResponseId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The knowledge base from which the quick response is deleted. The identifier of the knowledge base.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$`

Required: Yes

quickResponseId

The identifier of the quick response to delete.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAssistant

Retrieves information about an assistant.

Request Syntax

```
GET /assistants/assistantId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistant": {
    "assistantArn": "string",
    "assistantId": "string",
    "capabilityConfiguration": {
      "type": "string"
    }
  },
```

```
"description": "string",
"integrationConfiguration": {
  "topicIntegrationArn": "string"
},
"name": "string",
"serverSideEncryptionConfiguration": {
  "kmsKeyId": "string"
},
"status": "string",
"tags": {
  "string" : "string"
},
"type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assistant

Information about the assistant.

Type: [AssistantData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAssistantAssociation

Retrieves information about an assistant association.

Request Syntax

```
GET /assistants/assistantId/associations/assistantAssociationId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assistantAssociationId

The identifier of the assistant association. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistantAssociation": {
    "assistantArn": "string",
    "assistantAssociationArn": "string",
    "assistantAssociationId": "string",
    "assistantId": "string",
    "associationData": { ... },
    "associationType": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assistantAssociation

The assistant association.

Type: [AssistantAssociationData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetContent

Retrieves content, including a pre-signed URL to download the content.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/contents/contentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

contentId

The identifier of the content. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "content": {
    "contentArn": "string",
    "contentId": "string",
    "contentType": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "linkOutUri": "string",
    "metadata": {
      "string" : "string"
    },
    "name": "string",
    "revisionId": "string",
    "status": "string",
    "tags": {
      "string" : "string"
    },
    "title": "string",
    "url": "string",
    "urlExpiry": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

content

The content.

Type: [ContentData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetContentSummary

Retrieves summary information about the content.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/contents/contentId/summary HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

contentId

The identifier of the content. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "contentSummary": {
    "contentArn": "string",
    "contentId": "string",
    "contentType": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "metadata": {
      "string" : "string"
    },
    "name": "string",
    "revisionId": "string",
    "status": "string",
    "tags": {
      "string" : "string"
    },
    "title": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

contentSummary

The content summary.

Type: [ContentSummary](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetImportJob

Retrieves the started import job.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/importJobs/importJobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

importJobId

The identifier of the import job to retrieve.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base that the import job belongs to.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "importJob": {
    "createdTime": number,
    "externalSourceConfiguration": {
      "configuration": { ... },
      "source": "string"
    },
    "failedRecordReport": "string",
    "importJobId": "string",
    "importJobType": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "lastModifiedTime": number,
    "metadata": {
      "string" : "string"
    },
    "status": "string",
    "uploadId": "string",
    "url": "string",
    "urlExpiry": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[importJob](#)

The import job.

Type: [ImportJobData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKnowledgeBase

Retrieves information about the knowledge base.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "knowledgeBase": {
    "description": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "knowledgeBaseType": "string",
```



```
  "lastContentModificationTime": number,
  "name": "string",
  "renderingConfiguration": {
    "templateUri": "string"
  },
  "serverSideEncryptionConfiguration": {
    "kmsKeyId": "string"
  },
  "sourceConfiguration": { ... },
  "status": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

knowledgeBase

The knowledge base.

Type: [KnowledgeBaseData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetQuickResponse

Retrieves the quick response.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/quickResponses/quickResponseId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. This should be a QUICK_RESPONSES type knowledge base.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

quickResponseId

The identifier of the quick response.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "quickResponse": {
    "channels": [ "string" ],
    "contents": {
      "markdown": { ... },
      "plainText": { ... }
    },
    "contentType": "string",
    "createdTime": number,
    "description": "string",
    "groupingConfiguration": {
      "criteria": "string",
      "values": [ "string" ]
    },
    "isActive": boolean,
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "language": "string",
    "lastModifiedBy": "string",
    "lastModifiedTime": number,
    "name": "string",
    "quickResponseArn": "string",
    "quickResponseId": "string",
    "shortcutKey": "string",
    "status": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[quickResponse](#)

The quick response.

Type: [QuickResponseData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetRecommendations

Important

This API will be discontinued starting June 1, 2024. To receive generative responses after March 1, 2024, you will need to create a new Assistant in the Amazon Connect console and integrate the Amazon Q in Connect JavaScript library (`amazon-q-connectjs`) into your applications.

Retrieves recommendations for the specified session. To avoid retrieving the same recommendations in subsequent calls, use [NotifyRecommendationsReceived](#). This API supports long-polling behavior with the `waitTimeSeconds` parameter. Short poll is the default behavior and only returns recommendations already available. To perform a manual query against an assistant, use [QueryAssistant](#).

Request Syntax

```
GET /assistants/assistantId/sessions/sessionId/recommendations?
maxResults=maxResults&waitTimeSeconds=waitTimeSeconds HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[assistantId](#)

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|`
`^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&`

Required: Yes

[maxResults](#)

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

sessionId

The identifier of the session. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: Yes

waitTimeSeconds

The duration (in seconds) for which the call waits for a recommendation to be made available before returning. If a recommendation is available, the call returns sooner than `WaitTimeSeconds`. If no messages are available and the wait time expires, the call returns successfully with an empty list.

Valid Range: Minimum value of 0. Maximum value of 20.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "recommendations": [
    {
      "data": {
        "details": { ... },
        "reference": { ... }
      },
      "document": {
        "contentReference": {
          "contentArn": "string",
          "contentId": "string",
          "knowledgeBaseArn": "string",
```



```
    "knowledgeBaseId": "string"
  },
  "excerpt": {
    "highlights": [
      {
        "beginOffsetInclusive": number,
        "endOffsetExclusive": number
      }
    ],
    "text": "string"
  },
  "title": {
    "highlights": [
      {
        "beginOffsetInclusive": number,
        "endOffsetExclusive": number
      }
    ],
    "text": "string"
  }
},
"recommendationId": "string",
"relevanceLevel": "string",
"relevanceScore": number,
"type": "string"
}
],
"triggers": [
  {
    "data": { ... },
    "id": "string",
    "recommendationIds": [ "string" ],
    "source": "string",
    "type": "string"
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

recommendations

The recommendations.

Type: Array of [RecommendationData](#) objects

triggers

The triggers corresponding to recommendations.

Type: Array of [RecommendationTrigger](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSession

Retrieves information for a specified session.

Request Syntax

```
GET /assistants/assistantId/sessions/sessionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

sessionId

The identifier of the session. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "session": {
    "description": "string",
    "integrationConfiguration": {
      "topicIntegrationArn": "string"
    },
    "name": "string",
    "sessionArn": "string",
    "sessionId": "string",
    "tagFilter": { ... },
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

The session.

Type: [SessionData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssistantAssociations

Lists information about assistant associations.

Request Syntax

```
GET /assistants/assistantId/associations?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

maxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistantAssociationSummaries": [
    {
      "assistantArn": "string",
      "assistantAssociationArn": "string",
      "assistantAssociationId": "string",
      "assistantId": "string",
      "associationData": { ... },
      "associationType": "string",
      "tags": {
        "string" : "string"
      }
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[assistantAssociationSummaries](#)

Summary information about assistant associations.

Type: Array of [AssistantAssociationSummary](#) objects

[nextToken](#)

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssistants

Lists information about assistants.

Request Syntax

```
GET /assistants?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistantSummaries": [
    {
      "assistantArn": "string",
      "assistantId": "string",
      "capabilityConfiguration": {
```

```
    "type": "string"
  },
  "description": "string",
  "integrationConfiguration": {
    "topicIntegrationArn": "string"
  },
  "name": "string",
  "serverSideEncryptionConfiguration": {
    "kmsKeyId": "string"
  },
  "status": "string",
  "tags": {
    "string" : "string"
  },
  "type": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assistantSummaries

Information about the assistants.

Type: Array of [AssistantSummary](#) objects

nextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListContents

Lists the content.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/contents?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

maxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "contentSummaries": [
    {
      "contentArn": "string",
      "contentId": "string",
      "contentType": "string",
      "knowledgeBaseArn": "string",
      "knowledgeBaseId": "string",
      "metadata": {
        "string" : "string"
      },
      "name": "string",
      "revisionId": "string",
      "status": "string",
      "tags": {
        "string" : "string"
      },
      "title": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[contentSummaries](#)

Information about the content.

Type: Array of [ContentSummary](#) objects

[nextToken](#)

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

ListImportJobs

Lists information about import jobs.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/importJobs?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

maxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "importJobSummaries": [
    {
      "createdTime": number,
      "externalSourceConfiguration": {
        "configuration": { ... },
        "source": "string"
      },
      "importJobId": "string",
      "importJobType": "string",
      "knowledgeBaseArn": "string",
      "knowledgeBaseId": "string",
      "lastModifiedTime": number,
      "metadata": {
        "string" : "string"
      },
      "status": "string",
      "uploadId": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

importJobSummaries

Summary information about the import jobs.

Type: Array of [ImportJobSummary](#) objects

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKnowledgeBases

Lists the knowledge bases.

Request Syntax

```
GET /knowledgeBases?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "knowledgeBaseSummaries": [
    {
      "description": "string",
      "knowledgeBaseArn": "string",
```

```
"knowledgeBaseId": "string",
"knowledgeBaseType": "string",
"name": "string",
"renderingConfiguration": {
  "templateUri": "string"
},
"serverSideEncryptionConfiguration": {
  "kmsKeyId": "string"
},
"sourceConfiguration": { ... },
"status": "string",
"tags": {
  "string" : "string"
}
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

knowledgeBaseSummaries

Information about the knowledge bases.

Type: Array of [KnowledgeBaseSummary](#) objects

nextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListQuickResponses

Lists information about quick response.

Request Syntax

```
GET /knowledgeBases/knowledgeBaseId/quickResponses?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

maxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "quickResponseSummaries": [
    {
      "channels": [ "string" ],
      "contentType": "string",
      "createdTime": number,
      "description": "string",
      "isActive": boolean,
      "knowledgeBaseArn": "string",
      "knowledgeBaseId": "string",
      "lastModifiedBy": "string",
      "lastModifiedTime": number,
      "name": "string",
      "quickResponseArn": "string",
      "quickResponseId": "string",
      "status": "string",
      "tags": {
        "string" : "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

[quickResponseSummaries](#)

Summary information about the quick responses.

Type: Array of [QuickResponseSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists the tags for the specified resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

NotifyRecommendationsReceived

Removes the specified recommendations from the specified assistant's queue of newly available recommendations. You can use this API in conjunction with [GetRecommendations](#) and a `waitTimeSeconds` input for long-polling behavior and avoiding duplicate recommendations.

Request Syntax

```
POST /assistants/assistantId/sessions/sessionId/recommendations/notify HTTP/1.1
Content-type: application/json
```

```
{
  "recommendationIds": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

[assistantId](#)

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&

Required: Yes

[sessionId](#)

The identifier of the session. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&

Required: Yes

Request Body

The request accepts the following data in JSON format.

recommendationIds

The identifiers of the recommendations.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "errors": [
    {
      "message": "string",
      "recommendationId": "string"
    }
  ],
  "recommendationIds": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

errors

The identifiers of recommendations that are causing errors.

Type: Array of [NotifyRecommendationsReceivedError](#) objects

recommendationIds

The identifiers of the recommendations.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutFeedback

Provides feedback against the specified assistant for the specified target. This API only supports generative targets.

Request Syntax

```
PUT /assistants/assistantId/feedback HTTP/1.1
Content-type: application/json
```

```
{
  "contentFeedback": { ... },
  "targetId": "string",
  "targetType": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|`
`^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&`

Required: Yes

Request Body

The request accepts the following data in JSON format.

contentFeedback

Information about the feedback provided.

Type: [ContentFeedbackData](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

targetId

The identifier of the feedback target.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

targetType

The type of the feedback target.

Type: String

Valid Values: RECOMMENDATION | RESULT

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assistantArn": "string",
  "assistantId": "string",
  "contentFeedback": { ... },
  "targetId": "string",
  "targetType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assistantArn

The Amazon Resource Name (ARN) of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&

assistantId

The identifier of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

contentFeedback

Information about the feedback provided.

Type: [ContentFeedbackData](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

targetId

The identifier of the feedback target.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

targetType

The type of the feedback target.

Type: String

Valid Values: RECOMMENDATION | RESULT

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

QueryAssistant

Important

This API will be discontinued starting June 1, 2024. To receive generative responses after March 1, 2024, you will need to create a new Assistant in the Amazon Connect console and integrate the Amazon Q in Connect JavaScript library (`amazon-q-connectjs`) into your applications.

Performs a manual search against the specified assistant. To retrieve recommendations for an assistant, use [GetRecommendations](#).

Request Syntax

```
POST /assistants/assistantId/query HTTP/1.1
Content-type: application/json
```

```
{
  "maxResults": number,
  "nextToken": "string",
  "queryCondition": [
    { ... }
  ],
  "queryText": "string",
  "sessionId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]`

```
{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&
```

Required: Yes

Request Body

The request accepts the following data in JSON format.

maxResults

The maximum number of results to return per page.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

queryCondition

Information about how to query content.

Type: Array of [QueryCondition](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

queryText

The text to search for.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

sessionId

The identifier of the Amazon Q in Connect session. Can be either the ID or the ARN. URLs cannot contain the ARN.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "results": [
    {
      "data": {
        "details": { ... },
        "reference": { ... }
      },
      "document": {
        "contentReference": {
          "contentArn": "string",
          "contentId": "string",
          "knowledgeBaseArn": "string",
          "knowledgeBaseId": "string"
        },
        "excerpt": {
          "highlights": [
```



```
        {
            "beginOffsetInclusive": number,
            "endOffsetExclusive": number
        }
    ],
    "text": "string"
},
"title": {
    "highlights": [
        {
            "beginOffsetInclusive": number,
            "endOffsetExclusive": number
        }
    ],
    "text": "string"
}
},
"relevanceScore": number,
"resultId": "string",
"type": "string"
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

results

The results of the query.

Type: Array of [ResultData](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

RequestTimeoutException

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 408

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveKnowledgeBaseTemplateUri

Removes a URI template from a knowledge base.

Request Syntax

```
DELETE /knowledgeBases/knowledgeBaseId/templateUri HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchContent

Searches for content in a specified knowledge base. Can be used to get a specific content resource by its name.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/search?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
Content-type: application/json

{
  "searchExpression": {
    "filters": [
      {
        "field": "string",
        "operator": "string",
        "value": "string"
      }
    ]
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

maxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request accepts the following data in JSON format.

[searchExpression](#)

The search expression to filter results.

Type: [SearchExpression](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "contentSummaries": [
    {
      "contentArn": "string",
      "contentId": "string",
      "contentType": "string",
      "knowledgeBaseArn": "string",
      "knowledgeBaseId": "string",
      "metadata": {
        "string" : "string"
      },
      "name": "string",
      "revisionId": "string",
      "status": "string",
      "tags": {
        "string" : "string"
      }
    }
  ]
}
```

```
    },  
    "title": "string"  
  }  
],  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

contentSummaries

Summary information about the content.

Type: Array of [ContentSummary](#) objects

nextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchQuickResponses

Searches existing Amazon Q in Connect quick responses in an Amazon Q in Connect knowledge base.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/search/quickResponses?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1  
Content-type: application/json
```

```
{  
  "attributes": {  
    "string": "string"  
  },  
  "searchExpression": {  
    "filters": [  
      {  
        "includeNoExistence": boolean,  
        "name": "string",  
        "operator": "string",  
        "values": [ "string" ]  
      }  
    ],  
    "orderOnField": {  
      "name": "string",  
      "order": "string"  
    },  
    "queries": [  
      {  
        "allowFuzziness": boolean,  
        "name": "string",  
        "operator": "string",  
        "priority": "string",  
        "values": [ "string" ]  
      }  
    ]  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

[knowledgeBaseId](#)

The identifier of the knowledge base. This should be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

[maxResults](#)

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Request Body

The request accepts the following data in JSON format.

[attributes](#)

The [user-defined Amazon Connect contact attributes](#) to be resolved when search results are returned.

Type: String to string map

Required: No

searchExpression

The search expression for querying the quick response.

Type: [QuickResponseSearchExpression](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "nextToken": "string",
  "results": [
    {
      "attributesInterpolated": [ "string" ],
      "attributesNotInterpolated": [ "string" ],
      "channels": [ "string" ],
      "contents": {
        "markdown": { ... },
        "plainText": { ... }
      },
      "contentType": "string",
      "createdTime": number,
      "description": "string",
      "groupingConfiguration": {
        "criteria": "string",
        "values": [ "string" ]
      },
      "isActive": boolean,
      "knowledgeBaseArn": "string",
      "knowledgeBaseId": "string",
      "language": "string",
      "lastModifiedBy": "string",
      "lastModifiedTime": number,
      "name": "string",
      "quickResponseArn": "string",
      "quickResponseId": "string",
      "shortcutKey": "string",
      "status": "string",
      "tags": {
```

```
        "string" : "string"  
      }  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

results

The results of the quick response search.

Type: Array of [QuickResponseSearchResultData](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

RequestTimeoutException

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 408

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchSessions

Searches for sessions.

Request Syntax

```
POST /assistants/assistantId/searchSessions?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
Content-type: application/json

{
  "searchExpression": {
    "filters": [
      {
        "field": "string",
        "operator": "string",
        "value": "string"
      }
    ]
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

maxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request accepts the following data in JSON format.

searchExpression

The search expression to filter results.

Type: [SearchExpression](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "sessionSummaries": [
    {
      "assistantArn": "string",
      "assistantId": "string",
      "sessionArn": "string",
      "sessionId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

sessionSummaries

Summary information about the sessions.

Type: Array of [SessionSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartContentUpload

Get a URL to upload content to a knowledge base. To upload content, first make a PUT request to the returned URL with your file, making sure to include the required headers. Then use [CreateContent](#) to finalize the content creation process or [UpdateContent](#) to modify an existing resource. You can only upload content to a knowledge base of type CUSTOM.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/upload HTTP/1.1
Content-type: application/json

{
  "contentType": "string",
  "presignedUrlTimeToLive": number
}
```

URI Request Parameters

The request uses the following URI parameters.

[knowledgeBaseId](#)

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[contentType](#)

The type of content to upload.

Type: String

Pattern: `^(text/(plain|html|csv))|(application/(pdf|vnd\.openxmlformats-officedocument\.wordprocessingml\.document))|(application/x\.wisdom-json;source=(salesforce|servicenow|zendesk))$`

Required: Yes

presignedUrlTimeToLive

The expected expiration time of the generated presigned URL, specified in minutes.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 60.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "headersToInclude": {
    "string" : "string"
  },
  "uploadId": "string",
  "url": "string",
  "urlExpiry": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

headersToInclude

The headers to include in the upload.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

uploadId

The identifier of the upload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1200.

url

The URL of the upload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

urlExpiry

The expiration time of the URL as an epoch timestamp.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartImportJob

Start an asynchronous job to import Amazon Q in Connect resources from an uploaded source file. Before calling this API, use [StartContentUpload](#) to upload an asset that contains the resource data.

- For importing Amazon Q in Connect quick responses, you need to upload a csv file including the quick responses. For information about how to format the csv file for importing quick responses, see [Import quick responses](#).

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/importJobs HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "externalSourceConfiguration": {
    "configuration": { ... },
    "source": "string"
  },
  "importJobType": "string",
  "metadata": {
    "string" : "string"
  },
  "uploadId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[knowledgeBaseId](#)

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

- For importing Amazon Q in Connect quick responses, this should be a QUICK_RESPONSES type knowledge base.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]`

```
{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&
```

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

The tags used to organize, track, or control access for this resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

externalSourceConfiguration

The configuration information of the external source that the resource data are imported from.

Type: [ExternalSourceConfiguration](#) object

Required: No

importJobType

The type of the import job.

- For importing quick response resource, set the value to QUICK_RESPONSES.

Type: String

Valid Values: QUICK_RESPONSES

Required: Yes

metadata

The metadata fields of the imported Amazon Q in Connect resources.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

uploadId

A pointer to the uploaded asset. This value is returned by [StartContentUpload](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1200.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "importJob": {
    "createdTime": number,
    "externalSourceConfiguration": {
      "configuration": { ... },
      "source": "string"
    },
    "failedRecordReport": "string",
    "importJobId": "string",
    "importJobType": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "lastModifiedTime": number,
    "metadata": {
      "string" : "string"
    },
    "status": "string",
    "uploadId": "string",
    "url": "string",
    "urlExpiry": number
  }
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[importJob](#)

The import job.

Type: [ImportJobData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a Create API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You've exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use service quotas to request a service quota increase.

HTTP Status Code: 402

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds the specified tags to the specified resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

The Amazon Resource Name (ARN) of the resource.

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[tags](#)

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

TooManyTagsException

Amazon Q in Connect throws this exception if you have too many tags in your tag set.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes the specified tags from the specified resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&`

Required: Yes

tagKeys

The tag keys.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateContent

Updates information about the content.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/contents/contentId HTTP/1.1
Content-type: application/json
```

```
{
  "metadata": {
    "string" : "string"
  },
  "overrideLinkOutUri": "string",
  "removeOverrideLinkOutUri": boolean,
  "revisionId": "string",
  "title": "string",
  "uploadId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

contentId

The identifier of the content. Can be either the ID or the ARN. URLs cannot contain the ARN.

```
Pattern: ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&
```

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN

```
Pattern: ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&
```

```
{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&
```

Required: Yes

Request Body

The request accepts the following data in JSON format.

metadata

A key/value map to store attributes without affecting tagging or recommendations. For example, when synchronizing data between an external system and Amazon Q in Connect, you can store an external version identifier as metadata to utilize for determining drift.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

overrideLinkOutUri

The URI for the article. If the knowledge base has a `templateUri`, setting this argument overrides it for this piece of content. To remove an existing `overrideLinkOurUri`, exclude this argument and set `removeOverrideLinkOutUri` to true.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

removeOverrideLinkOutUri

Unset the existing `overrideLinkOutUri` if it exists.

Type: Boolean

Required: No

revisionId

The `revisionId` of the content resource to update, taken from an earlier call to `GetContent`, `GetContentSummary`, `SearchContent`, or `ListContents`. If included, this argument acts as an optimistic lock to ensure content was not modified since it was last read. If it has been modified, this API throws a `PreconditionFailedException`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

title

The title of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

uploadId

A pointer to the uploaded asset. This value is returned by [StartContentUpload](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1200.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "content": {
    "contentArn": "string",
    "contentId": "string",
    "contentType": "string",
    "knowledgeBaseArn": "string",
```

```
"knowledgeBaseId": "string",
"linkOutUri": "string",
"metadata": {
  "string" : "string"
},
"name": "string",
"revisionId": "string",
"status": "string",
"tags": {
  "string" : "string"
},
"title": "string",
"url": "string",
"urlExpiry": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

content

The content.

Type: [ContentData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

PreconditionFailedException

The provided `revisionId` does not match, indicating the content has been modified since it was last read.

HTTP Status Code: 412

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKnowledgeBaseTemplateUri

Updates the template URI of a knowledge base. This is only supported for knowledge bases of type EXTERNAL. Include a single variable in `${variable}` format; this interpolated by Amazon Q in Connect using ingested content. For example, if you ingest a Salesforce article, it has an Id value, and you can set the template URI to `https://myInstanceName.lightning.force.com/lightning/r/Knowledge__kav/*${Id}*/view`.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/templateUri HTTP/1.1
Content-type: application/json
```

```
{
  "templateUri": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

Request Body

The request accepts the following data in JSON format.

templateUri

The template URI to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "knowledgeBase": {
    "description": "string",
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "knowledgeBaseType": "string",
    "lastContentModificationTime": number,
    "name": "string",
    "renderingConfiguration": {
      "templateUri": "string"
    },
    "serverSideEncryptionConfiguration": {
      "kmsKeyId": "string"
    },
    "sourceConfiguration": { ... },
    "status": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

knowledgeBase

The knowledge base to update.

Type: [KnowledgeBaseData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateQuickResponse

Updates an existing Amazon Q in Connect quick response.

Request Syntax

```
POST /knowledgeBases/knowledgeBaseId/quickResponses/quickResponseId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "channels": [ "string" ],
  "content": { ... },
  "contentType": "string",
  "description": "string",
  "groupingConfiguration": {
    "criteria": "string",
    "values": [ "string" ]
  },
  "isActive": boolean,
  "language": "string",
  "name": "string",
  "removeDescription": boolean,
  "removeGroupingConfiguration": boolean,
  "removeShortcutKey": boolean,
  "shortcutKey": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&

Required: Yes

quickResponseId

The identifier of the quick response.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?>`

Required: Yes

Request Body

The request accepts the following data in JSON format.

channels

The Amazon Connect contact channels this quick response applies to. The supported contact channel types include Chat.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

content

The updated content of the quick response.

Type: [QuickResponseDataProvider](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

contentType

The media type of the quick response content.

- Use `application/x.quickresponse;format=plain` for quick response written in plain text.
- Use `application/x.quickresponse;format=markdown` for quick response written in richtext.

Type: String

Pattern: `^(application/x\.quickresponse;format=(plain|markdown))$`

Required: No

description

The updated description of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

groupingConfiguration

The updated grouping configuration of the quick response.

Type: [GroupingConfiguration](#) object

Required: No

isActive

Whether the quick response is active.

Type: Boolean

Required: No

language

The language code value for the language in which the quick response is written. The supported language codes include de_DE, en_US, es_ES, fr_FR, id_ID, it_IT, ja_JP, ko_KR, pt_BR, zh_CN, zh_TW

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

name

The name of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

removeDescription

Whether to remove the description from the quick response.

Type: Boolean

Required: No

removeGroupingConfiguration

Whether to remove the grouping configuration of the quick response.

Type: Boolean

Required: No

removeShortcutKey

Whether to remove the shortcut key of the quick response.

Type: Boolean

Required: No

shortcutKey

The shortcut key of the quick response. The value should be unique across the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "quickResponse": {
    "channels": [ "string" ],
    "contents": {
      "markdown": { ... },
      "plainText": { ... }
    },
    "contentType": "string",
    "createdTime": number,
    "description": "string",
    "groupingConfiguration": {
      "criteria": "string",
      "values": [ "string" ]
    },
    "isActive": boolean,
    "knowledgeBaseArn": "string",
    "knowledgeBaseId": "string",
    "language": "string",
    "lastModifiedBy": "string",
    "lastModifiedTime": number,
    "name": "string",
    "quickResponseArn": "string",
    "quickResponseId": "string",
    "shortcutKey": "string",
    "status": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

quickResponse

The quick response.

Type: [QuickResponseData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

The request could not be processed because of conflict in the current state of the resource. For example, if you're using a Create API (such as `CreateAssistant`) that accepts name, a conflicting resource (usually with the same name) is being created or mutated.

HTTP Status Code: 409

PreconditionFailedException

The provided `revisionId` does not match, indicating the content has been modified since it was last read.

HTTP Status Code: 412

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSession

Updates a session. A session is a contextual container used for generating recommendations. Amazon Connect updates the existing Amazon Q in Connect session for each contact on which Amazon Q in Connect is enabled.

Request Syntax

```
POST /assistants/assistantId/sessions/sessionId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "description": "string",
  "tagFilter": { ... }
}
```

URI Request Parameters

The request uses the following URI parameters.

assistantId

The identifier of the Amazon Q in Connect assistant. Can be either the ID or the ARN. URLs cannot contain the ARN.

```
Pattern: ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$
```

Required: Yes

sessionId

The identifier of the session. Can be either the ID or the ARN. URLs cannot contain the ARN.

```
Pattern: ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$|
^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$
```

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

tagFilter

An object that can be used to specify Tag conditions.

Type: [TagFilter](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "session": {
    "description": "string",
    "integrationConfiguration": {
      "topicIntegrationArn": "string"
    },
    "name": "string",
    "sessionArn": "string",
    "sessionId": "string",
    "tagFilter": { ... },
    "tags": {
      "string" : "string"
    }
  }
}
```

```
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

Information about the session.

Type: [SessionData](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by a service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon Q Connect API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AppIntegrationsConfiguration](#)
- [AssistantAssociationData](#)
- [AssistantAssociationInputData](#)
- [AssistantAssociationOutputData](#)
- [AssistantAssociationSummary](#)
- [AssistantCapabilityConfiguration](#)
- [AssistantData](#)
- [AssistantIntegrationConfiguration](#)
- [AssistantSummary](#)
- [Configuration](#)
- [ConnectConfiguration](#)
- [ContentData](#)
- [ContentDataDetails](#)
- [ContentFeedbackData](#)
- [ContentReference](#)
- [ContentSummary](#)
- [DataDetails](#)
- [DataReference](#)
- [DataSummary](#)
- [Document](#)

- [DocumentText](#)
- [ExternalSourceConfiguration](#)
- [Filter](#)
- [GenerativeContentFeedbackData](#)
- [GenerativeDataDetails](#)
- [GenerativeReference](#)
- [GroupingConfiguration](#)
- [Highlight](#)
- [ImportJobData](#)
- [ImportJobSummary](#)
- [KnowledgeBaseAssociationData](#)
- [KnowledgeBaseData](#)
- [KnowledgeBaseSummary](#)
- [NotifyRecommendationsReceivedError](#)
- [OrCondition](#)
- [QueryCondition](#)
- [QueryConditionItem](#)
- [QueryRecommendationTriggerData](#)
- [QuickResponseContentProvider](#)
- [QuickResponseContents](#)
- [QuickResponseData](#)
- [QuickResponseDataProvider](#)
- [QuickResponseFilterField](#)
- [QuickResponseOrderField](#)
- [QuickResponseQueryField](#)
- [QuickResponseSearchExpression](#)
- [QuickResponseSearchResultData](#)
- [QuickResponseSummary](#)
- [RankingData](#)
- [RecommendationData](#)

- [RecommendationTrigger](#)
- [RecommendationTriggerData](#)
- [RenderingConfiguration](#)
- [ResultData](#)
- [SearchExpression](#)
- [ServerSideEncryptionConfiguration](#)
- [SessionData](#)
- [SessionIntegrationConfiguration](#)
- [SessionSummary](#)
- [SourceConfiguration](#)
- [SourceContentDataDetails](#)
- [TagCondition](#)
- [TagFilter](#)
- [TextData](#)

AppIntegrationsConfiguration

Configuration information for Amazon AppIntegrations to automatically ingest content.

Contents

appIntegrationArn

The Amazon Resource Name (ARN) of the AppIntegrations DataIntegration to use for ingesting content.

- For [Salesforce](#), your AppIntegrations DataIntegration must have an ObjectConfiguration if objectFields is not provided, including at least Id, ArticleNumber, VersionNumber, Title, PublishStatus, and IsDeleted as source fields.
- For [ServiceNow](#), your AppIntegrations DataIntegration must have an ObjectConfiguration if objectFields is not provided, including at least number, short_description, sys_mod_count, workflow_state, and active as source fields.
- For [Zendesk](#), your AppIntegrations DataIntegration must have an ObjectConfiguration if objectFields is not provided, including at least id, title, updated_at, and draft as source fields.
- For [SharePoint](#), your AppIntegrations DataIntegration must have a FileConfiguration, including only file extensions that are among docx, pdf, html, htm, and txt.
- For [Amazon S3](#), the ObjectConfiguration and FileConfiguration of your AppIntegrations DataIntegration must be null. The SourceURI of your DataIntegration must use the following format: `s3://your_s3_bucket_name`.

Important

The bucket policy of the corresponding S3 bucket must allow the AWS principal `app-integrations.amazonaws.com` to perform `s3:ListBucket`, `s3:GetObject`, and `s3:GetBucketLocation` against the bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^arn:[a-z-]+?:[a-z-]+?:[a-z0-9-]*?:([0-9]{12})?:[a-zA-Z0-9-:/]+$`

Required: Yes

objectFields

The fields from the source that are made available to your agents in Amazon Q in Connect. Optional if ObjectConfiguration is included in the provided DataIntegration.

- For [Salesforce](#), you must include at least Id, ArticleNumber, VersionNumber, Title, PublishStatus, and IsDeleted.
- For [ServiceNow](#), you must include at least number, short_description, sys_mod_count, workflow_state, and active.
- For [Zendesk](#), you must include at least id, title, updated_at, and draft.

Make sure to include additional fields. These fields are indexed and used to source recommendations.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantAssociationData

Information about the assistant association.

Contents

assistantArn

The Amazon Resource Name (ARN) of the Amazon Q in Connect assistant.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantAssociationArn

The Amazon Resource Name (ARN) of the assistant association.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantAssociationId

The identifier of the assistant association.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

associationData

A union type that currently has a single argument, the knowledge base ID.

Type: [AssistantAssociationOutputData](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

associationType

The type of association.

Type: String

Valid Values: KNOWLEDGE_BASE

Required: Yes

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantAssociationInputData

The data that is input into Amazon Q in Connect as a result of the assistant association.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantAssociationOutputData

The data that is output as a result of the assistant association.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

knowledgeBaseAssociation

The knowledge base where output data is sent.

Type: [KnowledgeBaseAssociationData](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantAssociationSummary

Summary information about the assistant association.

Contents

assistantArn

The Amazon Resource Name (ARN) of the Amazon Q in Connect assistant.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantAssociationArn

The Amazon Resource Name (ARN) of the assistant association.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantAssociationId

The identifier of the assistant association.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

associationData

The association data.

Type: [AssistantAssociationOutputData](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

associationType

The type of association.

Type: String

Valid Values: KNOWLEDGE_BASE

Required: Yes

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantCapabilityConfiguration

The capability configuration for an Amazon Q in Connect assistant.

Contents

type

The type of Amazon Q in Connect assistant capability.

Type: String

Valid Values: V1 | V2

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantData

The assistant data.

Contents

assistantArn

The Amazon Resource Name (ARN) of the Amazon Q in Connect assistant.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

name

The name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+$`

Required: Yes

status

The status of the assistant.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED

Required: Yes

type

The type of assistant.

Type: String

Valid Values: AGENT

Required: Yes

capabilityConfiguration

The configuration information for the Amazon Q in Connect assistant capability.

Type: [AssistantCapabilityConfiguration](#) object

Required: No

description

The description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_. , -]+`

Required: No

integrationConfiguration

The configuration information for the Amazon Q in Connect assistant integration.

Type: [AssistantIntegrationConfiguration](#) object

Required: No

serverSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

This KMS key must have a policy that allows `kms:CreateGrant`, `kms:DescribeKey`, `kms:Decrypt`, and `kms:GenerateDataKey*` permissions to the IAM identity using the key to invoke Amazon Q in Connect. To use Amazon Q in Connect with chat, the key policy must also allow `kms:Decrypt`, `kms:GenerateDataKey*`, and `kms:DescribeKey` permissions to the `connect.amazonaws.com` service principal.

For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#).

Type: [ServerSideEncryptionConfiguration](#) object

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantIntegrationConfiguration

The configuration information for the Amazon Q in Connect assistant integration.

Contents

topicIntegrationArn

The Amazon Resource Name (ARN) of the integrated Amazon SNS topic used for streaming chat messages.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^arn:[a-z-]+?:[a-z-]+?:[a-z0-9-]*?:([0-9]{12})?:[a-zA-Z0-9-:/]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssistantSummary

Summary information about the assistant.

Contents

assistantArn

The Amazon Resource Name (ARN) of the Amazon Q in Connect assistant.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

name

The name of the assistant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+$`

Required: Yes

status

The status of the assistant.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED

Required: Yes

type

The type of the assistant.

Type: String

Valid Values: AGENT

Required: Yes

capabilityConfiguration

The configuration information for the Amazon Q in Connect assistant capability.

Type: [AssistantCapabilityConfiguration](#) object

Required: No

description

The description of the assistant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_. , -]+`

Required: No

integrationConfiguration

The configuration information for the Amazon Q in Connect assistant integration.

Type: [AssistantIntegrationConfiguration](#) object

Required: No

serverSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

This KMS key must have a policy that allows `kms:CreateGrant`, `kms:DescribeKey`, `kms:Decrypt`, and `kms:GenerateDataKey*` permissions to the IAM identity using the key to invoke Amazon Q in Connect. To use Amazon Q in Connect with chat, the key policy must also allow `kms:Decrypt`, `kms:GenerateDataKey*`, and `kms:DescribeKey` permissions to the `connect.amazonaws.com` service principal.

For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#).

Type: [ServerSideEncryptionConfiguration](#) object

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Configuration

The configuration information of the external data source.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

`connectConfiguration`

The configuration information of the Amazon Connect data source.

Type: [ConnectConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConnectConfiguration

The configuration information of the Amazon Connect data source.

Contents

instanceId

The identifier of the Amazon Connect instance. You can find the instanceId in the ARN of the instance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ContentData

Information about the content.

Contents

contentArn

The Amazon Resource Name (ARN) of the content.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

contentId

The identifier of the content.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

contentType

The media type of the content.

Type: String

Pattern: `^(text/(plain|html|csv))|(application/(pdf|vnd\.openxmlformats-officedocument\.wordprocessingml\.document))|(application/x\.wisdom-json;source=(salesforce|servicenow|zendesk))$$`

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

metadata

A key/value map to store attributes without affecting tagging or recommendations. For example, when synchronizing data between an external system and Amazon Q in Connect, you can store an external version identifier as metadata to utilize for determining drift.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

name

The name of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_. , -]+`

Required: Yes

revisionId

The identifier of the content revision.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

status

The status of the content.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED | UPDATE_FAILED

Required: Yes

title

The title of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

url

The URL of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

urlExpiry

The expiration time of the URL as an epoch timestamp.

Type: Timestamp

Required: Yes

linkOutUri

The URI of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+ -=._:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ContentDataDetails

Details about the content data.

Contents

rankingData

Details about the content ranking data.

Type: [RankingData](#) object

Required: Yes

textData

Details about the content text data.

Type: [TextData](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ContentFeedbackData

Information about the feedback.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

generativeContentFeedbackData

Information about the feedback for a generative target type.

Type: [GenerativeContentFeedbackData](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ContentReference

Reference information about the content.

Contents

contentArn

The Amazon Resource Name (ARN) of the content.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: No

contentId

The identifier of the content.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: No

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: No

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ContentSummary

Summary information about the content.

Contents

contentArn

The Amazon Resource Name (ARN) of the content.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

contentId

The identifier of the content.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

contentType

The media type of the content.

Type: String

Pattern: `^(text/(plain|html|csv))|(application/(pdf|vnd\.openxmlformats-officedocument\.wordprocessingml\.document))|(application/x\.wisdom-json;source=(salesforce|servicenow|zendesk))$$`

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. This should not be a QUICK_RESPONSES type knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

metadata

A key/value map to store attributes without affecting tagging or recommendations. For example, when synchronizing data between an external system and Amazon Q in Connect, you can store an external version identifier as metadata to utilize for determining drift.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

name

The name of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+$`

Required: Yes

revisionId

The identifier of the revision of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

status

The status of the content.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED | UPDATE_FAILED

Required: Yes

title

The title of the content.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+--=._:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataDetails

Details about the data.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

contentData

Details about the content data.

Type: [ContentDataDetails](#) object

Required: No

generativeData

Details about the generative data.

Type: [GenerativeDataDetails](#) object

Required: No

sourceContentData

Details about the content data.

Type: [SourceContentDataDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataReference

Reference data.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

contentReference

Reference information about the content.

Type: [ContentReference](#) object

Required: No

generativeReference

Reference information about the generative content.

Type: [GenerativeReference](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataSummary

Summary of the data.

Contents

details

Details about the data.

Type: [DataDetails](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

reference

Reference information about the content.

Type: [DataReference](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Document

The document.

Contents

contentReference

A reference to the content resource.

Type: [ContentReference](#) object

Required: Yes

excerpt

The excerpt from the document.

Type: [DocumentText](#) object

Required: No

title

The title of the document.

Type: [DocumentText](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DocumentText

The text of the document.

Contents

highlights

Highlights in the document text.

Type: Array of [Highlight](#) objects

Required: No

text

Text in the document.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExternalSourceConfiguration

The configuration information of the external data source.

Contents

configuration

The configuration information of the external data source.

Type: [Configuration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

source

The type of the external data source.

Type: String

Valid Values: AMAZON_CONNECT

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Filter

A search filter.

Contents

field

The field on which to filter.

Type: String

Valid Values: NAME

Required: Yes

operator

The operator to use for comparing the field's value with the provided value.

Type: String

Valid Values: EQUALS

Required: Yes

value

The desired field value on which to filter.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

GenerativeContentFeedbackData

The feedback information for a generative target type.

Contents

relevance

The relevance of the feedback.

Type: String

Valid Values: HELPFUL | NOT_HELPFUL

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GenerativeDataDetails

Details about generative data.

Contents

completion

The LLM response.

Type: String

Required: Yes

rankingData

Details about the generative content ranking data.

Type: [RankingData](#) object

Required: Yes

references

The references used to generative the LLM response.

Type: Array of [DataSummary](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GenerativeReference

Reference information about generative content.

Contents

generationId

The identifier of the LLM model.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

modelId

The identifier of the LLM model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GroupingConfiguration

The configuration information of the grouping of Amazon Q in Connect users.

Contents

criteria

The criteria used for grouping Amazon Q in Connect users.

The following is the list of supported criteria values.

- **RoutingProfileArn**: Grouping the users by their [Amazon Connect routing profile ARN](#). User should have [SearchRoutingProfile](#) and [DescribeRoutingProfile](#) permissions when setting criteria to this value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

values

The list of values that define different groups of Amazon Q in Connect users.

- When setting **criteria** to **RoutingProfileArn**, you need to provide a list of ARNs of [Amazon Connect routing profiles](#) as values of this parameter.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

Highlight

Offset specification to describe highlighting of document excerpts for rendering search results and recommendations.

Contents

beginOffsetInclusive

The offset for the start of the highlight.

Type: Integer

Required: No

endOffsetExclusive

The offset for the end of the highlight.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportJobData

Summary information about the import job.

Contents

createdTime

The timestamp when the import job was created.

Type: Timestamp

Required: Yes

importJobId

The identifier of the import job.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

importJobType

The type of the import job.

Type: String

Valid Values: QUICK_RESPONSES

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})? $`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

lastModifiedTime

The timestamp when the import job data was last modified.

Type: Timestamp

Required: Yes

status

The status of the import job.

Type: String

Valid Values: `START_IN_PROGRESS | FAILED | COMPLETE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED`

Required: Yes

uploadId

A pointer to the uploaded asset. This value is returned by [StartContentUpload](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1200.

Required: Yes

url

The download link to the resource file that is uploaded to the import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

urlExpiry

The expiration time of the URL as an epoch timestamp.

Type: Timestamp

Required: Yes

externalSourceConfiguration

The configuration information of the external data source.

Type: [ExternalSourceConfiguration](#) object

Required: No

failedRecordReport

The link to download the information of resource data that failed to be imported.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

metadata

The metadata fields of the imported Amazon Q in Connect resources.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportJobSummary

Summary information about the import job.

Contents

createdTime

The timestamp when the import job was created.

Type: Timestamp

Required: Yes

importJobId

The identifier of the import job.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

importJobType

The type of import job.

Type: String

Valid Values: QUICK_RESPONSES

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})? $`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

lastModifiedTime

The timestamp when the import job was last modified.

Type: Timestamp

Required: Yes

status

The status of the import job.

Type: String

Valid Values: `START_IN_PROGRESS | FAILED | COMPLETE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED`

Required: Yes

uploadId

A pointer to the uploaded asset. This value is returned by [StartContentUpload](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1200.

Required: Yes

externalSourceConfiguration

The configuration information of the external source that the resource data are imported from.

Type: [ExternalSourceConfiguration](#) object

Required: No

metadata

The metadata fields of the imported Amazon Q in Connect resources.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 4096.

Value Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KnowledgeBaseAssociationData

Association information about the knowledge base.

Contents

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: No

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KnowledgeBaseData

Information about the knowledge base.

Contents

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

knowledgeBaseType

The type of knowledge base.

Type: String

Valid Values: EXTERNAL | CUSTOM | QUICK_RESPONSES

Required: Yes

name

The name of the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

status

The status of the knowledge base.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED

Required: Yes

description

The description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

lastContentModificationTime

An epoch timestamp indicating the most recent content modification inside the knowledge base. If no content exists in a knowledge base, this value is unset.

Type: Timestamp

Required: No

renderingConfiguration

Information about how to render the content.

Type: [RenderingConfiguration](#) object

Required: No

serverSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

This KMS key must have a policy that allows `kms:CreateGrant`, `kms:DescribeKey`, `kms:Decrypt`, and `kms:GenerateDataKey*` permissions to the IAM identity using the key to invoke Amazon Q in Connect.

For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#).

Type: [ServerSideEncryptionConfiguration](#) object

Required: No

sourceConfiguration

Source configuration information about the knowledge base.

Type: [SourceConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KnowledgeBaseSummary

Summary information about the knowledge base.

Contents

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?*$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

knowledgeBaseType

The type of knowledge base.

Type: String

Valid Values: EXTERNAL | CUSTOM | QUICK_RESPONSES

Required: Yes

name

The name of the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

status

The status of the knowledge base summary.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED

Required: Yes

description

The description of the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

renderingConfiguration

Information about how to render the content.

Type: [RenderingConfiguration](#) object

Required: No

serverSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

This KMS key must have a policy that allows `kms:CreateGrant`, `kms:DescribeKey`, `kms:Decrypt`, and `kms:GenerateDataKey*` permissions to the IAM identity using the key to invoke Amazon Q in Connect.

For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#).

Type: [ServerSideEncryptionConfiguration](#) object

Required: No

sourceConfiguration

Configuration information about the external data source.

Type: [SourceConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: $^(?!aws:)[a-zA-Z+-. _:/]+$

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotifyRecommendationsReceivedError

An error occurred when creating a recommendation.

Contents

message

A recommendation is causing an error.

Type: String

Required: No

recommendationId

The identifier of the recommendation that is in error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OrCondition

A list of conditions which would be applied together with an OR condition.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

andConditions

A list of conditions which would be applied together with an AND condition.

Type: Array of [TagCondition](#) objects

Required: No

tagCondition

A leaf node condition which can be used to specify a tag condition.

Type: [TagCondition](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QueryCondition

Information about how to query content.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

single

The condition for the query.

Type: [QueryConditionItem](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QueryConditionItem

The condition for the query.

Contents

comparator

The comparison operator for query condition to query on.

Type: String

Valid Values: EQUALS

Required: Yes

field

The name of the field for query condition to query on.

Type: String

Valid Values: RESULT_TYPE

Required: Yes

value

The value for the query condition to query on.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

QueryRecommendationTriggerData

Data associated with the QUERY RecommendationTriggerType.

Contents

text

The text associated with the recommendation trigger.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseContentProvider

The container quick response content.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

content

The content of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseContents

The content of the quick response stored in different media types.

Contents

markdown

The container quick response content.

Type: [QuickResponseContentProvider](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

plainText

The container quick response content.

Type: [QuickResponseContentProvider](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseData

Information about the quick response.

Contents

contentType

The media type of the quick response content.

- Use `application/x.quickresponse;format=plain` for quick response written in plain text.
- Use `application/x.quickresponse;format=markdown` for quick response written in richtext.

Type: String

Pattern: `^(application/x\.quickresponse;format=(plain|markdown))$`

Required: Yes

createdTime

The timestamp when the quick response was created.

Type: Timestamp

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

lastModifiedTime

The timestamp when the quick response data was last modified.

Type: Timestamp

Required: Yes

name

The name of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

quickResponseArn

The Amazon Resource Name (ARN) of the quick response.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$`

Required: Yes

quickResponseId

The identifier of the quick response.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

status

The status of the quick response data.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | CREATED | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED | UPDATE_IN_PROGRESS | UPDATE_FAILED

Required: Yes

channels

The Amazon Connect contact channels this quick response applies to. The supported contact channel types include Chat.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

contents

The contents of the quick response.

Type: [QuickResponseContents](#) object

Required: No

description

The description of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

groupingConfiguration

The configuration information of the user groups that the quick response is accessible to.

Type: [GroupingConfiguration](#) object

Required: No

isActive

Whether the quick response is active.

Type: Boolean

Required: No

language

The language code value for the language in which the quick response is written.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

lastModifiedBy

The Amazon Resource Name (ARN) of the user who last updated the quick response data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^arn:[a-z-]+?:[a-z-]+?:[a-z0-9-]*?:([0-9]{12})?:[a-zA-Z0-9-:/]+$`

Required: No

shortcutKey

The shortcut key of the quick response. The value should be unique across the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-.:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseDataProvider

The container of quick response data.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

content

The content of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseFilterField

The quick response fields to filter the quick response query results by.

The following is the list of supported field names.

- name
- description
- shortcutKey
- isActive
- channels
- language
- contentType
- createdTime
- lastModifiedTime
- lastModifiedBy
- groupingConfiguration.criteria
- groupingConfiguration.values

Contents

name

The name of the attribute field to filter the quick responses by.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

operator

The operator to use for filtering.

Type: String

Valid Values: EQUALS | PREFIX

Required: Yes

includeNoExistence

Whether to treat null value as a match for the attribute field.

Type: Boolean

Required: No

values

The values of attribute field to filter the quick response by.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseOrderField

The quick response fields to order the quick response query results by.

The following is the list of supported field names.

- name
- description
- shortcutKey
- isActive
- channels
- language
- contentType
- createdTime
- lastModifiedTime
- lastModifiedBy
- groupingConfiguration.criteria
- groupingConfiguration.values

Contents

name

The name of the attribute to order the quick response query results by.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

order

The order at which the quick responses are sorted by.

Type: String

Valid Values: ASC | DESC

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseQueryField

The quick response fields to query quick responses by.

The following is the list of supported field names.

- content
- name
- description
- shortcutKey

Contents

name

The name of the attribute to query the quick responses by.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

operator

The operator to use for matching attribute field values in the query.

Type: String

Valid Values: CONTAINS | CONTAINS_AND_PREFIX

Required: Yes

values

The values of the attribute to query the quick responses by.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

allowFuzziness

Whether the query expects only exact matches on the attribute field values. The results of the query will only include exact matches if this parameter is set to false.

Type: Boolean

Required: No

priority

The importance of the attribute field when calculating query result relevancy scores. The value set for this parameter affects the ordering of search results.

Type: String

Valid Values: HIGH | MEDIUM | LOW

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseSearchExpression

Information about the import job.

Contents

filters

The configuration of filtering rules applied to quick response query results.

Type: Array of [QuickResponseFilterField](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

orderOnField

The quick response attribute fields on which the query results are ordered.

Type: [QuickResponseOrderField](#) object

Required: No

queries

The quick response query expressions.

Type: Array of [QuickResponseQueryField](#) objects

Array Members: Minimum number of 0 items. Maximum number of 4 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseSearchResultData

The result of quick response search.

Contents

contents

The contents of the quick response.

Type: [QuickResponseContents](#) object

Required: Yes

contentType

The media type of the quick response content.

- Use `application/x.quickresponse;format=plain` for quick response written in plain text.
- Use `application/x.quickresponse;format=markdown` for quick response written in richtext.

Type: String

Pattern: `^(application/x\.quickresponse;format=(plain|markdown))$`

Required: Yes

createdTime

The timestamp when the quick response was created.

Type: Timestamp

Required: Yes

isActive

Whether the quick response is active.

Type: Boolean

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base. Can be either the ID or the ARN. URLs cannot contain the ARN.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

lastModifiedTime

The timestamp when the quick response search result data was last modified.

Type: Timestamp

Required: Yes

name

The name of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

quickResponseArn

The Amazon Resource Name (ARN) of the quick response.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?&`

Required: Yes

quickResponseId

The identifier of the quick response.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}&`

Required: Yes

status

The resource status of the quick response.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | CREATED | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED | UPDATE_IN_PROGRESS | UPDATE_FAILED

Required: Yes

attributesInterpolated

The user defined contact attributes that are resolved when the search result is returned.

Type: Array of strings

Required: No

attributesNotInterpolated

The user defined contact attributes that are not resolved when the search result is returned.

Type: Array of strings

Required: No

channels

The Amazon Connect contact channels this quick response applies to. The supported contact channel types include Chat.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

description

The description of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

groupingConfiguration

The configuration information of the user groups that the quick response is accessible to.

Type: [GroupingConfiguration](#) object

Required: No

language

The language code value for the language in which the quick response is written.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

lastModifiedBy

The Amazon Resource Name (ARN) of the user who last updated the quick response search result data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^arn:[a-z-]+?:[a-z-]+?:[a-z0-9-]*?:([0-9]{12})?:[a-zA-Z0-9-:/]+$`

Required: No

shortcutKey

The shortcut key of the quick response. The value should be unique across the knowledge base.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QuickResponseSummary

The summary information about the quick response.

Contents

contentType

The media type of the quick response content.

- Use `application/x.quickresponse;format=plain` for quick response written in plain text.
- Use `application/x.quickresponse;format=markdown` for quick response written in richtext.

Type: String

Pattern: `^(application/x\.quickresponse;format=(plain|markdown))$`

Required: Yes

createdTime

The timestamp when the quick response was created.

Type: Timestamp

Required: Yes

knowledgeBaseArn

The Amazon Resource Name (ARN) of the knowledge base.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?.$`

Required: Yes

knowledgeBaseId

The identifier of the knowledge base.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

lastModifiedTime

The timestamp when the quick response summary was last modified.

Type: Timestamp

Required: Yes

name

The name of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

quickResponseArn

The Amazon Resource Name (ARN) of the quick response.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}: [a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})? $`

Required: Yes

quickResponseId

The identifier of the quick response.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

status

The resource status of the quick response.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | CREATED | DELETE_IN_PROGRESS | DELETE_FAILED | DELETED | UPDATE_IN_PROGRESS | UPDATE_FAILED

Required: Yes

channels

The Amazon Connect contact channels this quick response applies to. The supported contact channel types include Chat.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 10.

Required: No

description

The description of the quick response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

isActive

Whether the quick response is active.

Type: Boolean

Required: No

lastModifiedBy

The Amazon Resource Name (ARN) of the user who last updated the quick response data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^arn:[a-z-]+?:[a-z-]+?:[a-z0-9-]*?:([0-9]{12})?:[a-zA-Z0-9-:/]+$`

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RankingData

Details about the source content ranking data.

Contents

relevanceLevel

The relevance score of the content.

Type: String

Valid Values: HIGH | MEDIUM | LOW

Required: No

relevanceScore

The relevance level of the recommendation.

Type: Double

Valid Range: Minimum value of 0.0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationData

Information about the recommendation.

Contents

recommendationId

The identifier of the recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

data

Summary of the recommended content.

Type: [DataSummary](#) object

Required: No

document

The recommended document.

Type: [Document](#) object

Required: No

relevanceLevel

The relevance level of the recommendation.

Type: String

Valid Values: HIGH | MEDIUM | LOW

Required: No

relevanceScore

The relevance score of the recommendation.

Type: Double

Valid Range: Minimum value of 0.0.

Required: No

type

The type of recommendation.

Type: String

Valid Values: KNOWLEDGE_CONTENT | GENERATIVE_RESPONSE | GENERATIVE_ANSWER

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationTrigger

A recommendation trigger provides context on the event that produced the referenced recommendations. Recommendations are only referenced in `recommendationIds` by a single `RecommendationTrigger`.

Contents

data

A union type containing information related to the trigger.

Type: [RecommendationTriggerData](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

id

The identifier of the recommendation trigger.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

recommendationIds

The identifiers of the recommendations.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

source

The source of the recommendation trigger.

- **ISSUE_DETECTION**: The corresponding recommendations were triggered by a Contact Lens issue.
- **RULE_EVALUATION**: The corresponding recommendations were triggered by a Contact Lens rule.

Type: String

Valid Values: ISSUE_DETECTION | RULE_EVALUATION | OTHER

Required: Yes

type

The type of recommendation trigger.

Type: String

Valid Values: QUERY | GENERATIVE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationTriggerData

A union type containing information related to the trigger.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

query

Data associated with the QUERY RecommendationTriggerType.

Type: [QueryRecommendationTriggerData](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RenderingConfiguration

Information about how to render the content.

Contents

templateUri

A URI template containing exactly one variable in `${variableName}` format. This can only be set for EXTERNAL knowledge bases. For Salesforce, ServiceNow, and Zendesk, the variable must be one of the following:

- Salesforce: `Id`, `ArticleNumber`, `VersionNumber`, `Title`, `PublishStatus`, or `IsDeleted`
- ServiceNow: `number`, `short_description`, `sys_mod_count`, `workflow_state`, or `active`
- Zendesk: `id`, `title`, `updated_at`, or `draft`

The variable is replaced with the actual value for a piece of content when calling [GetContent](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResultData

Information about the result.

Contents

resultId

The identifier of the result data.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

data

Summary of the recommended content.

Type: [DataSummary](#) object

Required: No

document

The document.

Type: [Document](#) object

Required: No

relevanceScore

The relevance score of the results.

Type: Double

Valid Range: Minimum value of 0.0.

Required: No

type

The type of the query result.

Type: String

Valid Values: KNOWLEDGE_CONTENT | GENERATIVE_ANSWER

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchExpression

The search expression.

Contents

filters

The search expression filters.

Type: Array of [Filter](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServerSideEncryptionConfiguration

The configuration information for the customer managed key used for encryption.

Contents

kmsKeyId

The customer managed key used for encryption. For more information about setting up a customer managed key for Amazon Q in Connect, see [Enable Amazon Q in Connect for your instance](#). For information about valid ID values, see [Key identifiers \(KeyId\)](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SessionData

Information about the session.

Contents

name

The name of the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: Yes

sessionArn

The Amazon Resource Name (ARN) of the session.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

sessionId

The identifier of the session.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

description

The description of the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9\s_.,-]+`

Required: No

integrationConfiguration

The configuration information for the session integration.

Type: [SessionIntegrationConfiguration](#) object

Required: No

tagFilter

An object that can be used to specify Tag conditions.

Type: [TagFilter](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+ -=._:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SessionIntegrationConfiguration

The configuration information for the session integration.

Contents

topicIntegrationArn

The Amazon Resource Name (ARN) of the integrated Amazon SNS topic used for streaming chat messages.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^arn:[a-z-]+?:[a-z-]+?:[a-z0-9-]*?:([0-9]{12})?:[a-zA-Z0-9-:/]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SessionSummary

Summary information about the session.

Contents

assistantArn

The Amazon Resource Name (ARN) of the Amazon Q in Connect assistant.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

assistantId

The identifier of the Amazon Q in Connect assistant.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$$`

Required: Yes

sessionArn

The Amazon Resource Name (ARN) of the session.

Type: String

Pattern: `^arn:[a-z-]*?:wisdom:[a-z0-9-]*?:[0-9]{12}:[a-z-]*?/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(?:/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})?$$`

Required: Yes

sessionId

The identifier of the session.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceConfiguration

Configuration information about the external data source.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

appIntegrations

Configuration information for Amazon AppIntegrations to automatically ingest content.

Type: [AppIntegrationsConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceContentDataDetails

Details about the source content data.

Contents

id

The identifier of the source content.

Type: String

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

rankingData

Details about the source content ranking data.

Type: [RankingData](#) object

Required: Yes

textData

Details about the source content text data.

Type: [TextData](#) object

Required: Yes

type

The type of the source content.

Type: String

Valid Values: KNOWLEDGE_CONTENT

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TagCondition

A leaf node condition which can be used to specify a tag condition.

Contents

key

The tag key in the tag condition.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Required: Yes

value

The tag value in the tag condition.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TagFilter

An object that can be used to specify Tag conditions.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

andConditions

A list of conditions which would be applied together with an AND condition.

Type: Array of [TagCondition](#) objects

Required: No

orConditions

A list of conditions which would be applied together with an OR condition.

Type: Array of [OrCondition](#) objects

Required: No

tagCondition

A leaf node condition which can be used to specify a tag condition.

Type: [TagCondition](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TextData

Details about the source content text data.

Contents

excerpt

The text of the document.

Type: [DocumentText](#) object

Required: No

title

The text of the document.

Type: [DocumentText](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400