



Architecture Diagrams

Aerospace Virtual Desktop Infrastructure (VDI) and High Performance Computing (HPC) on AWS



Aerospace Virtual Desktop Infrastructure (VDI) and High Performance Computing (HPC) on AWS: Architecture Diagrams

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Home i

Aerospace VDI and HPC on AWS Diagram 1

Download editable diagram 2


Create a free AWS account 2

Further reading 2

Diagram history 3

Publication date: January 26, 2022 ([Diagram history](#))

Aerospace VDI and HPC on AWS Diagram



1. The user starts virtual desktop (VD) sessions, starts and monitors high performance computing (HPC) jobs using a web interface or application programming interface (API), accesses VD sessions with NICE DCV client, and shares data with the VD and HPC environment using SFTP.
2. The AMI Build environment produces AMIs with specialized software for VDI and HPC environment.
3. NICE DCV session to Windows VDI.

4. NICE DCV session to Linux VDI.
5. AWS Directory Service is used for the centralized user management. The cluster head node, Linux and Windows VDIs, HPC compute nodes join the Active Directory domain.
6. AWS Transfer for SFTP is used to share data between on-premises and the cluster.
7. Amazon EFSAmazon FSx for NetApp ONTAP is used for storing of cluster applications and for sharing data with on-premises. Amazon FSx for NetApp ONTAP stores user data which needs to be easily accessible from Windows and Linux VDIs. Amazon FSx for Lustre is used by HPC nodes during computations.
8. Amazon EC2 is used for HPC compute nodes. The cluster's Head node spawns and stops the compute nodes using auto scaling groups.
9. Amazon OpenSearch Service stores HPC job and hosts information.

You can use the [Scale-Out Computing on AWS](#) solution as a foundation for implementation of the environment.

Download editable diagram

To customize this reference architecture diagram based on your business needs, [download the ZIP file](#) which contains an editable PowerPoint.

Create a free AWS account

[Sign up now](#)

Sign up for an AWS account. New accounts include 12 months of [AWS Free Tier](#) access, including the use of Amazon EC2, Amazon S3, and Amazon DynamoDB.

Further reading

For additional information, refer to

- [AWS Architecture Icons](#)
- [AWS Architecture Center](#)
- [AWS Well-Architected](#)

Diagram history

To be notified about updates to this reference architecture diagram, subscribe to the RSS feed.

Change	Description	Date
Initial publication	Reference architecture diagram first published.	January 26, 2023

Note

To subscribe to RSS updates, you must have an RSS plugin enabled for the browser you are using.