



API Reference

AWS B2B Data Interchange



AWS B2B Data Interchange: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateCapability	4
Request Syntax	4
Request Parameters	4
Response Syntax	6
Response Elements	6
Errors	7
Examples	9
See Also	10
CreatePartnership	12
Request Syntax	12
Request Parameters	12
Response Syntax	14
Response Elements	14
Errors	16
Examples	17
See Also	18
CreateProfile	20
Request Syntax	20
Request Parameters	20
Response Syntax	22
Response Elements	22
Errors	24
Examples	25
See Also	26
CreateTransformer	27
Request Syntax	27
Request Parameters	27
Response Syntax	29
Response Elements	29
Errors	31
Examples	32
See Also	33

DeleteCapability	35
Request Syntax	35
Request Parameters	35
Response Elements	35
Errors	35
Examples	36
See Also	37
DeletePartnership	38
Request Syntax	38
Request Parameters	38
Response Elements	38
Errors	38
Examples	39
See Also	40
DeleteProfile	41
Request Syntax	41
Request Parameters	41
Response Elements	41
Errors	41
Examples	42
See Also	43
DeleteTransformer	44
Request Syntax	44
Request Parameters	44
Response Elements	44
Errors	44
Examples	45
See Also	46
GetCapability	47
Request Syntax	47
Request Parameters	47
Response Syntax	47
Response Elements	48
Errors	49
Examples	50
See Also	51

GetPartnership	53
Request Syntax	53
Request Parameters	53
Response Syntax	53
Response Elements	54
Errors	56
Examples	57
See Also	57
GetProfile	59
Request Syntax	59
Request Parameters	59
Response Syntax	59
Response Elements	60
Errors	62
Examples	62
See Also	63
GetTransformer	64
Request Syntax	64
Request Parameters	64
Response Syntax	64
Response Elements	65
Errors	67
Examples	67
See Also	68
GetTransformerJob	70
Request Syntax	70
Request Parameters	70
Response Syntax	71
Response Elements	71
Errors	71
Examples	72
See Also	73
ListCapabilities	74
Request Syntax	74
Request Parameters	74
Response Syntax	75

Response Elements	75
Errors	75
Examples	76
See Also	76
ListPartnerships	78
Request Syntax	78
Request Parameters	78
Response Syntax	79
Response Elements	79
Errors	80
Examples	81
See Also	81
ListProfiles	83
Request Syntax	83
Request Parameters	83
Response Syntax	84
Response Elements	84
Errors	84
Examples	85
See Also	85
ListTagsForResource	87
Request Syntax	87
Request Parameters	87
Response Syntax	87
Response Elements	88
Errors	88
Examples	89
See Also	89
ListTransformers	91
Request Syntax	91
Request Parameters	91
Response Syntax	92
Response Elements	92
Errors	93
Examples	93
See Also	94

StartTransformerJob	95
Request Syntax	95
Request Parameters	95
Response Syntax	96
Response Elements	96
Errors	97
Examples	97
See Also	98
TagResource	99
Request Syntax	99
Request Parameters	99
Response Elements	100
Errors	100
Examples	100
See Also	101
TestMapping	102
Request Syntax	102
Request Parameters	102
Response Syntax	103
Response Elements	103
Errors	103
Examples	104
See Also	105
TestParsing	106
Request Syntax	106
Request Parameters	106
Response Syntax	107
Response Elements	107
Errors	107
Examples	108
See Also	109
UntagResource	110
Request Syntax	110
Request Parameters	110
Response Elements	111
Errors	111

Examples	111
See Also	112
UpdateCapability	113
Request Syntax	113
Request Parameters	113
Response Syntax	114
Response Elements	115
Errors	116
Examples	117
See Also	119
UpdatePartnership	120
Request Syntax	120
Request Parameters	120
Response Syntax	121
Response Elements	121
Errors	123
Examples	124
See Also	125
UpdateProfile	127
Request Syntax	127
Request Parameters	127
Response Syntax	128
Response Elements	129
Errors	131
Examples	132
See Also	132
UpdateTransformer	134
Request Syntax	134
Request Parameters	134
Response Syntax	136
Response Elements	136
Errors	138
Examples	139
See Also	140
Data Types	142
CapabilityConfiguration	143

Contents	143
See Also	143
CapabilitySummary	144
Contents	144
See Also	145
EdiConfiguration	146
Contents	146
See Also	147
EdiType	148
Contents	148
See Also	148
PartnershipSummary	149
Contents	149
See Also	150
ProfileSummary	152
Contents	152
See Also	153
S3Location	154
Contents	154
See Also	154
Tag	155
Contents	155
See Also	155
TransformerSummary	156
Contents	156
See Also	158
X12Details	159
Contents	159
See Also	160
Common Parameters	161
Common Errors	164

Welcome to the AWS B2B Data Interchange API

AWS B2B Data Interchange automates the transformation of Electronic Interchange Data (EDI) documents into JSON and XML formats to simplify your downstream data integrations. Businesses use EDI documents to exchange transactional data with trading partners, such as suppliers and end customers, using standardized formats such as X12, EDIFACT, or HL7v2. Currently, AWS B2B Data Interchange only supports X12 to JSON or XML conversions.

The following sections document the AWS B2B Data Interchange API service calls, data types, parameters, and errors.

This API interface reference for AWS B2B Data Interchange contains documentation for a programming interface that you can use to manage AWS B2B Data Interchange. The reference structure is as follows:

- For the alphabetical list of API actions, see [Actions](#).
- For the alphabetical list of data types, see [Data Types](#).
- For a list of common query parameters, see [Common Parameters](#).
- For descriptions of the error codes, see [Common Errors](#).

Tip

Rather than actually running a command in the AWS Command Line Interface, you can use the `--generate-cli-skeleton` parameter with any API call to generate and display a parameter template. You can then use the generated template to customize and use as input on a later command. For details, see [Generate and use a parameter skeleton file](#).

Actions

The following actions are supported:

- [CreateCapability](#)
- [CreatePartnership](#)
- [CreateProfile](#)
- [CreateTransformer](#)
- [DeleteCapability](#)
- [DeletePartnership](#)
- [DeleteProfile](#)
- [DeleteTransformer](#)
- [GetCapability](#)
- [GetPartnership](#)
- [GetProfile](#)
- [GetTransformer](#)
- [GetTransformerJob](#)
- [ListCapabilities](#)
- [ListPartnerships](#)
- [ListProfiles](#)
- [ListTagsForResource](#)
- [ListTransformers](#)
- [StartTransformerJob](#)
- [TagResource](#)
- [TestMapping](#)
- [TestParsing](#)
- [UntagResource](#)
- [UpdateCapability](#)
- [UpdatePartnership](#)
- [UpdateProfile](#)
- [UpdateTransformer](#)

CreateCapability

Instantiates a capability based on the specified parameters. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "clientToken": "string",  
    "configuration": { ... },  
    "instructionsDocuments": [  
        {  
            "bucketName": "string",  
            "key": "string"  
        }  
    ],  
    "name": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ],  
    "type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

clientToken

Reserved for future use.

Type: String

Required: No

configuration

Specifies a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[instructionsDocuments](#)

Specifies one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Required: No

[name](#)

Specifies the name of the capability, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

[tags](#)

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

[type](#)

Specifies the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Required: Yes

Response Syntax

```
{  
  "capabilityArn": "string",  
  "capabilityId": "string",  
  "configuration": { ... },  
  "createdAt": "string",  
  "instructionsDocuments": [  
    {  
      "bucketName": "string",  
      "key": "string"  
    }  
  ],  
  "name": "string",  
  "type": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilityArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

capabilityId

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

configuration

Returns a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

createdAt

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

instructionsDocuments

Returns one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

name

Returns the name of the capability used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a capability.

Sample Request

```
{
    "name": "b2biexample",
    "type": "edi",
    "configuration": {
        "edi": {
            "type": {
                "x12Details": {
                    "transactionSet": "X12_110",
                    "version": "VERSION_4010"
                }
            },
            "inputLocation": {
                "bucketName": "test-bucket",
                "key": "input/"
            },
            "outputLocation": {
                "bucketName": "test-bucket",
                "key": "output/"
            },
            "transformerId": "tr-1234abcd5678efghj"
        }
    },
    "instructionsDocuments": [
        {
            "bucketName": "test-bucket",
            "key": "instructiondoc.txt"
        }
    ],
    "clientToken": "foo",
    "tags": [
        {
            "Key": "capabilityKey1",
            "Value": "capabilityValue1"
        }
    ]
}
```

}

Sample Response

```
{  
    "capabilityArn": "arn:aws:b2bi:us-west-2:123456789012:capability/  
ca-1111aaaa2222bbbb3",  
    "capabilityId": "ca-1111aaaa2222bbbb3",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "configuration": {  
        "edi": {  
            "type": {  
                "x12Details": {  
                    "transactionSet": "X12_110",  
                    "version": "VERSION_4010"  
                }  
            },  
            "inputLocation": {  
                "bucketName": "test-bucket",  
                "key": "input/"  
            },  
            "outputLocation": {  
                "bucketName": "test-bucket",  
                "key": "output/"  
            },  
            "transformerId": "tr-1234abcd5678efghj"  
        }  
    },  
    "instructionsDocuments": [  
        {  
            "bucketName": "test-bucket",  
            "key": "instructiondoc.txt"  
        }  
    ],  
    "name": "b2biexample",  
    "type": "edi"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreatePartnership

Creates a partnership between a customer and a trading partner, based on the supplied parameters. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "capabilities": [ "string" ],  
    "clientToken": "string",  
    "email": "string",  
    "name": "string",  
    "phone": "string",  
    "profileId": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilities

Specifies a list of the capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

clientToken

Reserved for future use.

Type: String

Required: No

email

Specifies the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\-]+@[\\w\.\-\-]+

Required: Yes

name

Specifies a descriptive name for the partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

phone

Specifies the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\\s*(?:#|x\.\?)|ext\.\?)|extension) \\t*(\\d+)?

Required: No

profileId

Specifies the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

tags

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
    "capabilities": [ "string" ],  
    "createdAt": "string",  
    "email": "string",  
    "name": "string",  
    "partnershipArn": "string",  
    "partnershipId": "string",  
    "phone": "string",  
    "profileId": "string",  
    "tradingPartnerId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

createdAt

Returns a timestamp for creation date and time of the partnership.

Type: Timestamp

email

Returns the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

name

Returns a descriptive name for the partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

partnershipArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

partnershipId

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

phone

Returns the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

profileId

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

tradingPartnerId

Returns the unique, system-generated identifier for a trading partner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a partnership.

Sample Request

```
{
```

```
"capabilities": [
    "ca-1111aaaa2222bbbb3"
],
"clientToken": "foo",
"email": "john@example.com",
"name": "b2bipartner",
"phone": "5555555555",
"profileId": "p-ABCDE111122223333",
"tags": [
    {
        "Key": "sampleKey1",
        "Value": "sampleValue1"
    }
]
}
```

Sample Response

```
{
    "capabilities": [
        "ca-1111aaaa2222bbbb3"
    ],
    "createdAt": "2023-11-01T21:51:05.504Z",
    "email": "john@example.com",
    "name": "b2bipartner",
    "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/
ps-5555zzzz4444yyyyy",
    "partnershipId": "ps-5555zzzz4444yyyyy",
    "phone": "5555555555",
    "profileId": "p-ABCDE111122223333",
    "tradingPartnerId": "tp-11112222333344445"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateProfile

Creates a customer profile. You can have up to five customer profiles, each representing a distinct private network. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "businessName": "string",  
    "clientToken": "string",  
    "email": "string",  
    "logging": "string",  
    "name": "string",  
    "phone": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

businessName

Specifies the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

clientToken

Reserved for future use.

Type: String

Required: No

email

Specifies the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\-]+@[\\w\.\-\-]+

Required: No

logging

Specifies whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

name

Specifies the name of the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

phone

Specifies the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\/\]{7,})(?:\\s*(?:#|x\.\.?|ext\.\.?|extension) \\t*(\\d+))?

Required: Yes

tags

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
  "businessName": "string",  
  "createdAt": "string",  
  "email": "string",  
  "logging": "string",  
  "logGroupName": "string",  
  "name": "string",  
  "phone": "string",  
  "profileArn": "string",  
  "profileId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

businessName

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

createdAt

Returns a timestamp representing the time the profile was created.

Type: Timestamp

email

Returns the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

logging

Returns whether or not logging is turned on for this profile.

Type: String

Valid Values: ENABLED | DISABLED

logGroupName

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

name

Returns the name of the profile, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

phone

Returns the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-()\/\]{7,})(?:\s*(?:#|x\.\.?|ext\.\.?|extension) \t*(\d+))?

profileArn

Returns an Amazon Resource Name (ARN) for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a profile.

Sample Request

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "clientToken": "foo",  
    "email": "john@example.com",  
    "name": "b2bipartner",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333",  
    "tags": [  
        {  
            "Key": "sampleKey1",  
            "Value": "sampleValue1"  
        }  
    ]  
}
```

```
    }
]
}
```

Sample Response

```
{
  "capabilities": [
    "ca-1111aaaa2222bbbb3"
  ],
  "createdAt": "2023-11-01T21:51:05.504Z",
  "email": "john@example.com",
  "name": "b2bipartner",
  "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/
ps-5555zzzz4444yyyyy",
  "partnershipId": "ps-5555zzzz4444yyyyy",
  "phone": "5555555555",
  "profileId": "p-ABCDE111122223333",
  "tradingPartnerId": "tp-11112222333344445"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTransformer

Creates a transformer. A transformer describes how to process the incoming EDI documents and extract the necessary information to the output file.

Request Syntax

```
{  
    "clientToken": "string",  
    "ediType": { ... },  
    "fileFormat": "string",  
    "mappingTemplate": "string",  
    "name": "string",  
    "sampleDocument": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[clientToken](#)

Reserved for future use.

Type: String

Required: No

[ediType](#)

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[fileFormat](#)

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

Required: Yes

[mappingTemplate](#)

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: Yes

[name](#)

Specifies the name of the transformer, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

[sampleDocument](#)

Specifies a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

[tags](#)

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
    "createdAt": "string",  
    "ediType": { ... },  
    "fileFormat": "string",  
    "mappingTemplate": "string",  
    "name": "string",  
    "sampleDocument": "string",  
    "status": "string",  
    "transformerArn": "string",  
    "transformerId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[createdAt](#)

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

[ediType](#)

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

[fileFormat](#)

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

[mappingTemplate](#)

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

[name](#)

Returns the name of the transformer, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[sampleDocument](#)

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

[status](#)

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

transformerArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a profile.

Sample Request

```
{
  "clientToken": "foo",
  "ediType": {
    "x12Details": {
      "transactionSet": "X12_110",
      "version": "VERSION_4010"
    }
  },
  "fileFormat": "JSON",
  "mappingTemplate": "{}",
  "name": "transformJSON",
  "sampleDocument": "s3://test-bucket/sampleDoc.txt",
```

```
"tags": [
  {
    "Key": "sampleKey",
    "Value": "sampleValue"
  }
]
```

Sample Response

```
{
  "createdAt": "2023-11-01T21:51:05.504Z",
  "ediType": {
    "x12Details": {
      "transactionSet": "X12_110",
      "version": "VERSION_4010"
    }
  },
  "fileFormat": "JSON",
  "mappingTemplate": "$",
  "name": "transformJSON",
  "sampleDocument": "s3://test-bucket/sampleDoc.txt",
  "status": "inactive",
  "transformerArn": "arn:aws:b2bi:us-west-2:123456789012:transformer/
tr-1234abcd5678efghj",
  "transformerId": "tr-1234abcd5678efghj"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteCapability

Deletes the specified capability. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "capabilityId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilityId

Specifies a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a capability. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "capabilityId": "ca-1111aaaa2222bbbb3"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeletePartnership

Deletes the specified partnership. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "partnershipId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[partnershipId](#)

Specifies the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a partnership. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "partnershipId": "ps-5555zzz4444yyyyy"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteProfile

Deletes the specified profile. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

profileId

Specifies the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a profile. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "profileId": "p-ABCDE111122223333"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTransformer

Deletes the specified transformer. A transformer describes how to process the incoming EDI documents and extract the necessary information to the output file.

Request Syntax

```
{  
    "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

transformerId

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a transformer. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "transformerId": "tr-1234abcd5678efghj"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCapability

Retrieves the details for the specified capability. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
  "capabilityId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[capabilityId](#)

Specifies a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "capabilityArn": "string",  
  "capabilityId": "string",  
  "configuration": { ... },  
  "createdAt": "string",  
  "instructionsDocuments": [  
    {  
      "bucketName": "string",  
      "key": "string"  
    }  
  ]  
}
```

```
    }
],
"modifiedAt": "string",
"name": "string",
"type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[capabilityArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[capabilityId](#)

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[configuration](#)

Returns a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

[createdAt](#)

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

instructionsDocuments

Returns one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

modifiedAt

Returns a timestamp for last time the capability was modified.

Type: Timestamp

name

Returns the name of the capability, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified capability.

Sample Request

```
{  
    "capabilityId": "ca-1111aaaa2222bbbb3"  
}
```

Sample Response

```
{  
    "capabilityArn": "arn:aws:b2bi:us-west-2:123456789012:capability/  
ca-1111aaaa2222bbbb3",  
    "capabilityId": "ca-1111aaaa2222bbbb3",  
    "configuration": {  
        "edi": {  
            "type": {  
                "id": "edi-type-1",  
                "name": "EDI Type 1",  
                "description": "Detailed description of EDI Type 1",  
                "version": "1.0",  
                "status": "Active",  
                "lastUpdated": "2023-10-01T12:00:00Z",  
                "createdBy": "User A",  
                "modifiedBy": "User A",  
                "tags": [{"key": "tag1", "value": "value1"}, {"key": "tag2", "value": "value2"}]  
            }  
        }  
    }  
}
```

```
        "x12Details": {
            "transactionSet": "X12_110",
            "version": "VERSION_4010"
        },
        "inputLocation": {
            "bucketName": "test-bucket",
            "key": "input/"
        },
        "outputLocation": {
            "bucketName": "test-bucket",
            "key": "output/"
        },
        "transformerId": "tr-1234abcd5678efghj"
    },
    "createdAt": "2023-11-01T21:51:05.504Z",
    "instructionsDocuments": [
        {
            "bucketName": "test-bucket",
            "key": "instructionondoc.txt"
        }
    ],
    "modifiedAt": "2023-11-02T21:51:05.504Z",
    "name": "b2biexample",
    "type": "edi"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetPartnership

Retrieves the details for a partnership, based on the partner and profile IDs specified. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
  "partnerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[partnerId](#)

Specifies the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "capabilities": [ "string" ],  
  "createdAt": "string",  
  "email": "string",  
  "modifiedAt": "string",  
  "name": "string",  
  "partnerArn": "string",  
}
```

```
"partnershipId": "string",
"phoneprofileId": "string",
"tradingPartnerId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

createdAt

Returns a timestamp for creation date and time of the partnership.

Type: Timestamp

email

Returns the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+\@[\\w\.\-]+\+

modifiedAt

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

[name](#)

Returns the display name of the partnership

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[partnershipArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[partnershipId](#)

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[phone](#)

Returns the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\\s*(?:#|x\\.\\.|ext\\.\\.|extension) \\t*(\\d+))?

[profileId](#)

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

tradingPartnerId

Returns the unique identifier for the partner for this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified partnership.

Sample Request

```
{  
    "partnershipId": "ps-5555zzzz4444yyyyy"  
}
```

Sample Response

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "b2bipartner",  
    "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/  
ps-5555zzzz4444yyyyy",  
    "partnershipId": "ps-5555zzzz4444yyyyy",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333",  
    "tradingPartnerId": "tp-11112222333344445"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetProfile

Retrieves the details for the profile specified by the profile ID. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

profileId

Specifies the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "businessName": "string",  
    "createdAt": "string",  
    "email": "string",  
    "logging": "string",  
    "logGroupName": "string",  
    "modifiedAt": "string",  
    "name": "string",  
    "phone": "string",  
}
```

```
"profileArn": "string",
"profileId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[businessName](#)

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[createdAt](#)

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

[email](#)

Returns the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

[logging](#)

Returns whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

[logGroupName](#)

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

modifiedAt

Returns a timestamp for last time the profile was modified.

Type: Timestamp

name

Returns the name of the profile, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

phone

Returns the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\/]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

profileArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified profile.

Sample Request

```
{
```

```
"profileId": "p-ABCDE111122223333"
```

```
}
```

Sample Response

```
{  
    "businessName": "John's Trucking",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "logging": "ENABLED",  
    "logGroupName": "b2bi/p-ABCDE111122223333-Logs",  
    "name": "Shipping Profile",  
    "phone": "5555555555",  
    "profileArn": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "profileId": "p-ABCDE111122223333"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTransformer

Retrieves the details for the transformer specified by the transformer ID. A transformer describes how to process the incoming EDI documents and extract the necessary information to the output file.

Request Syntax

```
{  
  "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

transformerId

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "createdAt": "string",  
  "ediType": { ... },  
  "fileFormat": "string",  
  "mappingTemplate": "string",  
  "modifiedAt": "string",  
  "name": "string",  
  "sampleDocument": "string",  
  "status": "string",  
}
```

```
"transformerArn": "string",
"transformerId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

createdAt

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

ediType

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

fileFormat

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

mappingTemplate

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

modifiedAt

Returns a timestamp for last time the transformer was modified.

Type: Timestamp

[name](#)

Returns the name of the transformer, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[sampleDocument](#)

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

[status](#)

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

[transformerArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[transformerId](#)

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified transformer.

Sample Request

```
{
```

```
        "transformerId": "tr-1234abcd5678efghj"
    }
```

Sample Response

```
{
    "createdAt": "2023-11-01T21:51:05.504Z",
    "ediType": {
        "x12Details": {
            "transactionSet": "X12_110",
            "version": "VERSION_4010"
        }
    },
    "fileFormat": "JSON",
    "mappingTemplate": "$",
    "modifiedAt": "2023-11-01T21:51:05.504Z",
    "name": "transformJSON",
    "sampleDocument": "s3://test-bucket/sampleDoc.txt",
    "status": "inactive",
    "transformerArn": "arn:aws:b2bi:us-west-2:123456789012:transformer/
tr-1234abcd5678efghj",
    "transformerId": "tr-1234abcd5678efghj"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTransformerJob

Returns the details of the transformer run, based on the Transformer job ID.

Request Syntax

```
{  
    "transformerId": "string",  
    "transformerJobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[transformerId](#)

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

[transformerJobId](#)

Specifies the unique, system-generated identifier for a transformer run.

Type: String

Length Constraints: Fixed length of 25.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "message": "string",  
    "outputFiles": [  
        {  
            "bucketName": "string",  
            "key": "string"  
        }  
    ],  
    "status": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

message

Returns an optional error message, which gets populated when the job is not run successfully.

Type: String

outputFiles

Returns the location for the output files. If the caller specified a directory for the output, then this contains the full path to the output file, including the file name generated by the service.

Type: Array of [S3Location](#) objects

status

Returns the current state of the transformer job, either running, succeeded, or failed.

Type: String

Valid Values: running | succeeded | failed

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified transformer run, which was successful.

Sample Request

```
{  
    "transformerId": "tr-1234abcd5678efghj",  
    "transformerJobId": "tj-zzzz9999yyyy8888xxxx77"  
}
```

Sample Response

```
{  
    "status": "succeeded",  
    "outputFiles": [  
        {  
            "bucketName": "edi-test",  
            "key": "output/sample-214.edi.2023-11-01T10:44:03.353Z.json"  
        }  
    ],  
    "message": "Transformed, writing output"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCapabilities

Lists the capabilities associated with your AWS account for your current or specified region. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[maxResults](#)

Specifies the maximum number of capabilities to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

Response Syntax

```
{  
  "capabilities": [  
    {  
      "capabilityId": "string",  
      "createdAt": "string",  
      "modifiedAt": "string",  
      "name": "string",  
      "type": "string"  
    }  
  ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of [CapabilitySummary](#) objects

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

Examples

Example

The following example lists the capabilities for your account and in your region. Note that in this example, there is only one capability listed; however, this call would return up to 50 capabilities.

Sample Request

```
{  
    "maxResults": 50,  
    "nextToken": "foo"  
}
```

Sample Response

```
{  
    "capabilities": [  
        {  
            "capabilityId": "ca-1111aaaa2222bbbb3",  
            "createdAt": "2023-11-01T21:51:05.504Z",  
            "modifiedAt": "2023-11-01T21:51:05.504Z",  
            "name": "b2biexample",  
            "type": "edi"  
        }  
    ],  
    "nextToken": "foo"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPartnerships

Lists the partnerships associated with your AWS account for your current or specified region. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string",  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

maxResults

Specifies the maximum number of capabilities to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

profileId

Specifies the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

Response Syntax

```
{  
    "nextToken": "string",  
    "partnerships": [  
        {  
            "capabilities": [ "string" ],  
            "createdAt": "string",  
            "modifiedAt": "string",  
            "name": "string",  
            "partnershipId": "string",  
            "profileId": "string",  
            "tradingPartnerId": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

partnerships

Specifies a list of your partnerships.

Type: Array of [PartnershipSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example returns details for the partnerships for the specified profile. Note that in this example, there is only one partnership listed; however, this call would return up to 50 partnerships.

Sample Request

```
{  
    "maxResults": 50,  
    "nextToken": "foo",  
    "profileId": "p-ABCDE111122223333"  
}
```

Sample Response

```
{  
    "nextToken": "string",  
    "partnerships": [  
        {  
            "capabilities": [  
                "ca-1111aaaa2222bbbb3"  
            ],  
            "createdAt": "2023-11-01T21:51:05.504Z",  
            "modifiedAt": "2023-11-01T21:51:05.504Z",  
            "name": "b2bipartner",  
            "partnershipId": "ps-5555zzzz4444yyyyy",  
            "profileId": "p-ABCDE111122223333",  
            "tradingPartnerId": "tp-1234abcd5678efghj"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListProfiles

Lists the profiles associated with your AWS account for your current or specified region. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

maxResults

Specifies the maximum number of profiles to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

Response Syntax

```
{  
    "nextToken": "string",  
    "profiles": [  
        {  
            "businessName": "string",  
            "createdAt": "string",  
            "logging": "string",  
            "logGroupName": "string",  
            "modifiedAt": "string",  
            "name": "string",  
            "profileId": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

profiles

Returns an array of ProfileSummary objects.

Type: Array of [ProfileSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

Examples

Example

The following example lists the profiles for your account and in your region. Note that in this example, there is only one profile listed; however, this call would return up to 5 profiles.

Sample Request

```
{  
    "maxResults": 5,  
    "nextToken": "foo"  
}
```

Sample Response

```
{  
    "nextToken": "foo",  
    "profiles": [  
        {  
            "businessName": "John's Trucking",  
            "createdAt": "2023-11-01T21:51:05.504Z",  
            "logging": "ENABLED",  
            "logGroupName": "b2bi/p-ABCDE111122223333-Logs",  
            "name": "Shipping Profile",  
            "profileId": "p-ABCDE111122223333"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all of the tags associated with the Amazon Resource Name (ARN) that you specify. The resource can be a capability, partnership, profile, or transformer.

Request Syntax

```
{  
    "ResourceARN": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

Requests the tags associated with a particular Amazon Resource Name (ARN). An ARN is an identifier for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
{  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

Returns the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example lists the tags for the specified profile.

Sample Request

```
{  
    "ResourceARN": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333"  
}
```

Sample Response

```
{  
    "Tags": [  
        {  
            "Key": "sampleKey",  
            "Value": "SampleValue"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTransformers

Lists the available transformers. A transformer describes how to process the incoming EDI documents and extract the necessary information to the output file.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

maxResults

Specifies the number of items to return for the API response.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

Response Syntax

```
{  
    "nextToken": "string",  
    "transformers": [  
        {  
            "createdAt": "string",  
            "ediType": { ... },  
            "fileFormat": "string",  
            "mappingTemplate": "string",  
            "modifiedAt": "string",  
            "name": "string",  
            "sampleDocument": "string",  
            "status": "string",  
            "transformerId": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

transformers

Returns an array of one or more transformer objects.

For each transformer, a TransformerSummary object is returned. The TransformerSummary contains all the details for a specific transformer.

Type: Array of [TransformerSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

Examples

Example

The following example lists the transformers for your account and in your region. Note that in this example, there is only one transformer listed; however, this call would return up to 50 transformers.

Sample Request

```
{  
    "maxResults": 50,  
    "nextToken": "foo"  
}
```

Sample Response

```
{  
    "nextToken": "foo",  
    "transformers": [  
        {  
            "createdAt": "2023-11-01T21:51:05.504Z",  
            "ediType": {  
                "x12Details": {  
                    "transactionSet": "X12_110",  
                    "version": "VERSION_4010"  
                }  
            },  
            "fileFormat": "JSON",  
            "mappingTemplate": "$",  
            "modifiedAt": "2023-11-01T21:51:05.504Z",  
            "name": "transformJSON",  
            "sampleDocument": "s3://test-bucket/sampleDoc.txt",  
            "status": "inactive",  
            "transformerId": "tr-1234abcd5678efghj"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTransformerJob

Runs a job, using a transformer, to parse input EDI (electronic data interchange) file into the output structures used by AWS B2BI Data Interchange.

If you only want to transform EDI (electronic data interchange) documents, you don't need to create profiles, partnerships or capabilities. Just create and configure a transformer, and then run the `StartTransformerJob` API to process your files.

Request Syntax

```
{  
    "clientToken": "string",  
    "inputFile": {  
        "bucketName": "string",  
        "key": "string"  
    },  
    "outputLocation": {  
        "bucketName": "string",  
        "key": "string"  
    },  
    "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

clientToken

Reserved for future use.

Type: String

Required: No

inputFile

Specifies the location of the input file for the transformation. The location consists of an Amazon S3 bucket and prefix.

Type: [S3Location](#) object

Required: Yes

[**outputLocation**](#)

Specifies the location of the output file for the transformation. The location consists of an Amazon S3 bucket and prefix.

Type: [S3Location](#) object

Required: Yes

[**transformerId**](#)

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "transformerJobId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**transformerJobId**](#)

Returns the unique, system-generated identifier for a transformer run.

Type: String

Length Constraints: Fixed length of 25.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example starts the processing for the specified input and output files.

Sample Request

```
{  
    "clientToken": "foo",  
    "inputFile": {  
        "bucketName": "test-bucket",  
        "key": "input/inputFile.txt"  
    },  
    "outputLocation": {  
        "bucketName": "test-bucket",  
        "key": "output/"  
    },  
    "transformerId": "tr-1234abcd5678efghj"  
}
```

Sample Response

```
{  
    "transformerJobId": "tj-zzzz9999yyyy8888xxxx77"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Attaches a key-value pair to a resource, as identified by its Amazon Resource Name (ARN). Resources are capability, partnership, profile, transformers and other entities.

There is no response returned from this call.

Request Syntax

```
{  
    "ResourceARN": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

Specifies an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Tags

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example adds a tag to the specified profile.

Sample Request

```
{  
    "ResourceARN": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "Tags": [  
        {  
            "Key": "sampleKey",  
            "Value": "SampleValue"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TestMapping

Maps the input file according to the provided template file. The API call downloads the file contents from the Amazon S3 location, and passes the contents in as a string, to the `inputFileContent` parameter.

Request Syntax

```
{  
    "fileFormat": "string",  
    "inputFileContent": "string",  
    "mappingTemplate": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

fileFormat

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

Required: Yes

inputFileContent

Specify the contents of the EDI (electronic data interchange) XML or JSON file that is used as input for the transform.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 5000000.

Required: Yes

[mappingTemplate](#)

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: Yes

Response Syntax

```
{  
  "mappedFileContent": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[mappedFileContent](#)

Returns a string for the mapping that can be used to identify the mapping. Similar to a fingerprint

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example maps the sample input string, using the JSONata mapping template \$.

Sample Request

```
{  
  "fileFormat": "JSON",  
  "inputFileContent": "<sample input string>",  
  "mappingTemplate": "$"  
}
```

Sample Response

```
{
```

```
"mappedFileContent": "<mapped sample content >"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TestParsing

Parses the input EDI (electronic data interchange) file. The input file has a file size limit of 250 KB.

Request Syntax

```
{  
  "ediType": { ... },  
  "fileFormat": "string",  
  "inputFile": {  
    "bucketName": "string",  
    "key": "string"  
  }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ediType

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

fileFormat

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

Required: Yes

[inputFile](#)

Specifies an S3Location object, which contains the Amazon S3 bucket and prefix for the location of the input file.

Type: [S3Location](#) object

Required: Yes

Response Syntax

```
{  
  "parsedFileContent": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[parsedFileContent](#)

Returns the contents of the input file being tested, parsed according to the specified EDI (electronic data interchange) type.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example parses the sample input file.

Sample Request

```
{
    "ediType": {
        "x12Details": {
            "transactionSet": "X12_110",
            "version": "VERSION_4010"
        }
    },
    "fileFormat": "JSON",
    "inputFile": {
        "bucketName": "test-bucket",
        "key": "sampleFile.txt"
    }
}
```

Sample Response

```
{  
    "parsedFileContent": "<Sample parsed file content>"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Detaches a key-value pair from the specified resource, as identified by its Amazon Resource Name (ARN). Resources are capability, partnership, profile, transformers and other entities.

Request Syntax

```
{  
    "ResourceARN": "string",  
    "TagKeys": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

Specifies an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

TagKeys

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example removes the sampleKey tag from the specified profile..

Sample Request

```
{  
    "ResourceARN": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "TagKeys": [  
        "sampleKey"  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateCapability

Updates some of the parameters for a capability, based on the specified parameters. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "capabilityId": "string",  
    "configuration": { ... },  
    "instructionsDocuments": [  
        {  
            "bucketName": "string",  
            "key": "string"  
        }  
    ],  
    "name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[capabilityId](#)

Specifies a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

[configuration](#)

Specifies a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

instructionsDocuments

Specifies one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Required: No

name

Specifies a new name for the capability, to replace the existing name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

Response Syntax

```
{
  "capabilityArn": "string",
  "capabilityId": "string",
  "configuration": { ... },
  "createdAt": "string",
  "instructionsDocuments": [
    {
      "bucketName": "string",
      "key": "string"
    }
  ],
  "modifiedAt": "string",
  "name": "string",
  "type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[capabilityArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[capabilityId](#)

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[configuration](#)

Returns a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

[createdAt](#)

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

[instructionsDocuments](#)

Returns one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

modifiedAt

Returns a timestamp for last time the capability was modified.

Type: Timestamp

name

Returns the name of the capability, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a capability.

Sample Request

```
{
    "capabilityId": "ca-1111aaaa2222bbbb3",
    "name": "b2biexample",
    "instructionsDocuments": [
        {
            "bucketName": "test-bucket",
            "key": "instructiondoc.txt"
        }
    ]
}
```

```
        },
    ],
  "configuration": {
    "edi": {
      "type": {
        "x12Details": {
          "transactionSet": "X12_110",
          "version": "VERSION_4010"
        }
      },
      "inputLocation": {
        "bucketName": "test-bucket",
        "key": "input/"
      },
      "outputLocation": {
        "bucketName": "test-bucket",
        "key": "output/"
      },
      "transformerId": "tr-1234abcd5678efghj"
    }
  }
}
```

Sample Response

```
{
  "capabilityArn": "arn:aws:b2bi:us-west-2:123456789012:capability/
ca-1111aaaa2222bbbb3",
  "capabilityId": "ca-1111aaaa2222bbbb3",
  "configuration": {
    "edi": {
      "type": {
        "x12Details": {
          "transactionSet": "X12_110",
          "version": "VERSION_4010"
        }
      },
      "inputLocation": {
        "bucketName": "test-bucket",
        "key": "input/"
      },
      "outputLocation": {
        "bucketName": "test-bucket",
        "key": "output/"
      }
    }
  }
}
```

```
        "key": "output/"
    },
    "transformerId": "tr-1234abcd5678efghj"
}
],
"createdAt": "2023-11-01T21:51:05.504Z",
"instructionsDocuments": [
{
    "bucketName": "test-bucket",
    "key": "instructiondoc.txt"
}
],
"modifiedAt": "2023-11-01T21:51:05.504Z",
"name": "b2biexample",
"type": "edi"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdatePartnership

Updates some of the parameters for a partnership between a customer and trading partner. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
  "capabilities": [ "string" ],  
  "name": "string",  
  "partnershipId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilities

List of the capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

name

The name of the partnership, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

partnershipId

Specifies the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "capabilities": [ "string" ],  
    "createdAt": "string",  
    "email": "string",  
    "modifiedAt": "string",  
    "name": "string",  
    "partnershipArn": "string",  
    "partnershipId": "string",  
    "phone": "string",  
    "profileId": "string",  
    "tradingPartnerId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

createdAt

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

email

Returns the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\-]+@[\\w\.\-\-]+

modifiedAt

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

name

The name of the partnership, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

partnershipArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

partnershipId

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

phone

Returns the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-()\/\]{7,})(?:\s*(?:#|x\.\.?|ext\.\.?|extension) \t*(\d+))?

profileId

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

tradingPartnerId

Returns the unique, system-generated identifier for a trading partner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a partnership.

Sample Request

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "name": "b2bipartner",  
    "partnershipId": "ps-5555zzzz4444yyyyy"  
}
```

Sample Response

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "b2bipartner",  
    "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/  
ps-5555zzzz4444yyyyy",  
    "partnershipId": "ps-5555zzzz4444yyyyy",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333",  
    "tradingPartnerId": "tp-11112222333344445"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateProfile

Updates the specified parameters for a profile. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "businessName": "string",  
    "email": "string",  
    "name": "string",  
    "phone": "string",  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

businessName

Specifies the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

email

Specifies the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\]+\@[\\w\.\-\]+

Required: No

[name](#)

The name of the profile, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

[phone](#)

Specifies the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-()\/\]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

Required: No

[profileId](#)

Specifies the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "businessName": "string",  
  "createdAt": "string",  
  "email": "string",  
  "logging": "string",  
  "logGroupName": "string",  
  "modifiedAt": "string",  
}
```

```
"name": "string",
"phone": "string",
"profileArn": "string",
"profileId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[businessName](#)

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[createdAt](#)

Returns a timestamp for creation date and time of the profile.

Type: Timestamp

[email](#)

Returns the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

[logging](#)

Specifies whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

[logGroupName](#)

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

modifiedAt

Returns a timestamp for last time the profile was modified.

Type: Timestamp

name

Returns the name of the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

phone

Returns the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

profileArn

Returns an Amazon Resource Name (ARN) for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a profile.

Sample Request

```
{  
    "businessName": "John's Shipping",  
    "email": "john@example.com",  
    "name": "Shipping Profile",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333"  
}
```

Sample Response

```
{  
    "businessName": "John's Trucking",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "logging": "ENABLED",  
    "logGroupName": "b2bi/p-ABCDE111122223333-Logs",  
    "modifiedAt": "2023-11-02T21:51:05.504Z",  
    "name": "Shipping Profile",  
    "phone": "5555555555",  
    "profileArn": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "profileId": "p-ABCDE111122223333"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTransformer

Updates the specified parameters for a transformer. A transformer describes how to process the incoming EDI documents and extract the necessary information to the output file.

Request Syntax

```
{  
    "ediType": { ... },  
    "fileFormat": "string",  
    "mappingTemplate": "string",  
    "name": "string",  
    "sampleDocument": "string",  
    "status": "string",  
    "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ediType

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

fileFormat

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

Required: No

[mappingTemplate](#)

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: No

[name](#)

Specify a new name for the transformer, if you want to update it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

[sampleDocument](#)

Specifies a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

[status](#)

Specifies the transformer's status. You can update the state of the transformer, from active to inactive, or inactive to active.

Type: String

Valid Values: active | inactive

Required: No

[transformerId](#)

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "createdAt": "string",  
    "ediType": { ... },  
    "fileFormat": "string",  
    "mappingTemplate": "string",  
    "modifiedAt": "string",  
    "name": "string",  
    "sampleDocument": "string",  
    "status": "string",  
    "transformerArn": "string",  
    "transformerId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

createdAt

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

ediType

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

fileFormat

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

mappingTemplate

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

modifiedAt

Returns a timestamp for last time the transformer was modified.

Type: Timestamp

name

Returns the name of the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

sampleDocument

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

status

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

transformerArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a transformer.

Sample Request

```
{  
    "ediType": {  
        "x12Details": {  
            "transactionSet": "X12_110",  
            "version": "VERSION_4010"  
        }  
    },  
}
```

```
    "fileFormat": "JSON",
    "mappingTemplate": "{}",
    "name": "transformJSON",
    "sampleDocument": "s3://test-bucket/sampleDoc.txt",
    "status": "inactive",
    "transformerId": "tr-1234abcd5678efghj"
}
```

Sample Response

```
{
  "createdAt": "2023-11-01T21:51:05.504Z",
  "ediType": {
    "x12Details": {
      "transactionSet": "X12_110",
      "version": "VERSION_4010"
    }
  },
  "fileFormat": "JSON",
  "mappingTemplate": "$",
  "modifiedAt": "2023-11-01T21:51:05.504Z",
  "name": "transformJSON",
  "sampleDocument": "s3://test-bucket/sampleDoc.txt",
  "status": "inactive",
  "transformerArn": "arn:aws:b2bi:us-west-2:607686414464:transformer/
tr-1234abcd5678efghj",
  "transformerId": "tr-1234abcd5678efghj"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS B2B Data Interchange API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [CapabilityConfiguration](#)
- [CapabilitySummary](#)
- [EdiConfiguration](#)
- [EdiType](#)
- [PartnershipSummary](#)
- [ProfileSummary](#)
- [S3Location](#)
- [Tag](#)
- [TransformerSummary](#)
- [X12Details](#)

CapabilityConfiguration

A capability object. Currently, only EDI (electronic data interchange) capabilities are supported. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

edi

An EDI (electronic data interchange) configuration object.

Type: [EdiConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapabilitySummary

Returns the capability summary details. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Contents

capabilityId

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

createdAt

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

Required: Yes

name

The display name of the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Required: Yes

modifiedAt

Returns a timestamp that identifies the most recent date and time that the capability was modified.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EdiConfiguration

Specifies the details for the EDI (electronic data interchange) transformation.

Contents

inputLocation

Contains the Amazon S3 bucket and prefix for the location of the input file, which is contained in an S3Location object.

Type: [S3Location](#) object

Required: Yes

outputLocation

Contains the Amazon S3 bucket and prefix for the location of the output file, which is contained in an S3Location object.

Type: [S3Location](#) object

Required: Yes

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

type

Returns the type of the capability. Currently, only edi is supported.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EdiType

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

x12Details

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [X12Details](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PartnershipSummary

A structure that contains the details for a partnership. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Contents

createdAt

Returns a timestamp for creation date and time of the partnership.

Type: Timestamp

Required: Yes

partnershipId

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

profileId

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

modifiedAt

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

Required: No

name

Returns the name of the partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

tradingPartnerId

Returns the unique, system-generated identifier for a trading partner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ProfileSummary

Contains the details for a profile. A profile is the mechanism used to create the concept of a private network.

Contents

businessName

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

createdAt

Returns the timestamp for creation date and time of the profile.

Type: Timestamp

Required: Yes

name

Returns the display name for profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

logging

Specifies whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

logGroupName

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

modifiedAt

Returns the timestamp that identifies the most recent date and time that the profile was modified.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Location

Specifies the details for the Amazon S3 file location that is being used with AWS B2BI Data Interchange. File locations in Amazon S3 are identified using a combination of the bucket and key.

Contents

bucketName

Specifies the name of the Amazon S3 bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Required: No

key

Specifies the Amazon S3 key for the file location.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

Creates a key-value pair for a specific resource. Tags are metadata that you can use to search for and group a resource for various purposes. You can apply tags to capabilities, partnerships, profiles and transformers. A tag key can take more than one value. For example, to group capabilities for accounting purposes, you might create a tag called Group and assign the values Research and Accounting to that group.

Contents

Key

Specifies the name assigned to the tag that you create.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Value

Contains one or more values that you assigned to the key name that you create.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TransformerSummary

Contains the details for a transformer object. A transformer describes how to process the incoming EDI documents and extract the necessary information to the output file.

Contents

createdAt

Returns a timestamp indicating when the transformer was created. For example, 2023-07-20T19:58:44.624Z.

Type: Timestamp

Required: Yes

ediType

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

fileFormat

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON

Required: Yes

mappingTemplate

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: Yes

name

Returns the descriptive name for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

status

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

Required: Yes

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

modifiedAt

Returns a timestamp representing the date and time for the most recent change for the transformer object.

Type: Timestamp

Required: No

sampleDocument

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12Details

A structure that contains the X12 transaction set and version. The X12 structure is used when the system transforms an EDI (electronic data interchange) file.

Note

If an EDI input file contains more than one transaction, each transaction must have the same transaction set and version, for example 214/4010. If not, the transformer cannot parse the file.

Contents

transactionSet

Returns an enumerated type where each value identifies an X12 transaction set. Transaction sets are maintained by the X12 Accredited Standards Committee.

Type: String

Valid Values: X12_110 | X12_180 | X12_204 | X12_210 | X12_211 | X12_214 | X12_215 | X12_259 | X12_260 | X12_266 | X12_269 | X12_270 | X12_271 | X12_274 | X12_275 | X12_276 | X12_277 | X12_278 | X12_310 | X12_315 | X12_322 | X12_404 | X12_410 | X12_417 | X12_421 | X12_426 | X12_810 | X12_820 | X12_824 | X12_830 | X12_832 | X12_834 | X12_835 | X12_837 | X12_844 | X12_846 | X12_849 | X12_850 | X12_852 | X12_855 | X12_856 | X12_860 | X12_861 | X12_864 | X12_865 | X12_869 | X12_870 | X12_940 | X12_945 | X12_990 | X12_997 | X12_999 | X12_270_X279 | X12_271_X279 | X12_275_X210 | X12_275_X211 | X12_276_X212 | X12_277_X212 | X12_277_X214 | X12_277_X364 | X12_278_X217 | X12_820_X218 | X12_820_X306 | X12_824_X186 | X12_834_X220 | X12_834_X307 | X12_834_X318 | X12_835_X221 | X12_837_X222 | X12_837_X223 | X12_837_X224 | X12_837_X291 | X12_837_X292 | X12_837_X298 | X12_999_X231

Required: No

version

Returns the version to use for the specified X12 transaction set.

Type: String

Valid Values: VERSION_4010 | VERSION_4030 | VERSION_5010 |
VERSION_5010_HIPAA

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400