



Welcome

# Amazon Connect Customer Profiles



**API Version 2020-08-15**

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## Amazon Connect Customer Profiles: Welcome

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

Welcome .....	1
Actions .....	2
AddProfileKey .....	4
Request Syntax .....	4
URI Request Parameters .....	4
Request Body .....	4
Response Syntax .....	5
Response Elements .....	5
Errors .....	6
Examples .....	7
See Also .....	7
CreateCalculatedAttributeDefinition .....	9
Request Syntax .....	9
URI Request Parameters .....	10
Request Body .....	10
Response Syntax .....	12
Response Elements .....	12
Errors .....	14
See Also .....	15
CreateDomain .....	16
Request Syntax .....	16
URI Request Parameters .....	18
Request Body .....	18
Response Syntax .....	20
Response Elements .....	21
Errors .....	24
Examples .....	24
See Also .....	25
CreateEventStream .....	26
Request Syntax .....	26
URI Request Parameters .....	26
Request Body .....	27
Response Syntax .....	27
Response Elements .....	28

Errors .....	28
See Also .....	29
CreateIntegrationWorkflow .....	30
Request Syntax .....	30
URI Request Parameters .....	32
Request Body .....	32
Response Syntax .....	33
Response Elements .....	34
Errors .....	34
See Also .....	35
CreateProfile .....	36
Request Syntax .....	36
URI Request Parameters .....	37
Request Body .....	38
Response Syntax .....	43
Response Elements .....	43
Errors .....	43
Examples .....	44
See Also .....	46
DeleteCalculatedAttributeDefinition .....	47
Request Syntax .....	47
URI Request Parameters .....	47
Request Body .....	47
Response Syntax .....	47
Response Elements .....	48
Errors .....	48
See Also .....	48
DeleteDomain .....	50
Request Syntax .....	50
URI Request Parameters .....	50
Request Body .....	50
Response Syntax .....	50
Response Elements .....	50
Errors .....	51
Examples .....	51
See Also .....	52

DeleteEventStream .....	53
Request Syntax .....	53
URI Request Parameters .....	53
Request Body .....	53
Response Syntax .....	53
Response Elements .....	54
Errors .....	54
See Also .....	54
DeleteIntegration .....	56
Request Syntax .....	56
URI Request Parameters .....	56
Request Body .....	56
Response Syntax .....	57
Response Elements .....	57
Errors .....	57
Examples .....	58
See Also .....	58
DeleteProfile .....	60
Request Syntax .....	60
URI Request Parameters .....	60
Request Body .....	60
Response Syntax .....	61
Response Elements .....	61
Errors .....	61
Examples .....	62
See Also .....	62
DeleteProfileKey .....	64
Request Syntax .....	64
URI Request Parameters .....	64
Request Body .....	64
Response Syntax .....	65
Response Elements .....	65
Errors .....	66
Examples .....	66
See Also .....	67
DeleteProfileObject .....	68

Request Syntax .....	68
URI Request Parameters .....	68
Request Body .....	68
Response Syntax .....	69
Response Elements .....	69
Errors .....	70
Examples .....	70
See Also .....	71
<b>DeleteProfileObjectType</b> .....	<b>72</b>
Request Syntax .....	72
URI Request Parameters .....	72
Request Body .....	72
Response Syntax .....	72
Response Elements .....	73
Errors .....	73
Examples .....	74
See Also .....	74
<b>DeleteWorkflow</b> .....	<b>76</b>
Request Syntax .....	76
URI Request Parameters .....	76
Request Body .....	76
Response Syntax .....	76
Response Elements .....	76
Errors .....	77
See Also .....	77
<b>DetectProfileObjectType</b> .....	<b>79</b>
Request Syntax .....	79
URI Request Parameters .....	79
Request Body .....	79
Response Syntax .....	80
Response Elements .....	80
Errors .....	81
See Also .....	81
<b>GetAutoMergingPreview</b> .....	<b>83</b>
Request Syntax .....	83
URI Request Parameters .....	83

Request Body .....	84
Response Syntax .....	84
Response Elements .....	85
Errors .....	85
See Also .....	86
<b>GetCalculatedAttributeDefinition .....</b>	<b>88</b>
Request Syntax .....	88
URI Request Parameters .....	88
Request Body .....	88
Response Syntax .....	88
Response Elements .....	89
Errors .....	91
See Also .....	92
<b>GetCalculatedAttributeForProfile .....</b>	<b>93</b>
Request Syntax .....	93
URI Request Parameters .....	93
Request Body .....	93
Response Syntax .....	94
Response Elements .....	94
Errors .....	95
See Also .....	96
<b>GetDomain .....</b>	<b>97</b>
Request Syntax .....	97
URI Request Parameters .....	97
Request Body .....	97
Response Syntax .....	97
Response Elements .....	99
Errors .....	101
See Also .....	102
<b>GetEventStream .....</b>	<b>103</b>
Request Syntax .....	103
URI Request Parameters .....	103
Request Body .....	103
Response Syntax .....	103
Response Elements .....	104
Errors .....	105

See Also .....	106
GetIdentityResolutionJob .....	107
Request Syntax .....	107
URI Request Parameters .....	107
Request Body .....	107
Response Syntax .....	107
Response Elements .....	108
Errors .....	110
See Also .....	111
GetIntegration .....	113
Request Syntax .....	113
URI Request Parameters .....	113
Request Body .....	113
Response Syntax .....	114
Response Elements .....	114
Errors .....	116
Examples .....	117
See Also .....	117
GetMatches .....	119
Request Syntax .....	120
URI Request Parameters .....	120
Request Body .....	120
Response Syntax .....	120
Response Elements .....	121
Errors .....	122
See Also .....	122
GetProfileObjectType .....	124
Request Syntax .....	124
URI Request Parameters .....	124
Request Body .....	124
Response Syntax .....	124
Response Elements .....	125
Errors .....	128
Examples .....	128
See Also .....	130
GetProfileObjectTypeTemplate .....	131

Request Syntax .....	131
URI Request Parameters .....	131
Request Body .....	131
Response Syntax .....	131
Response Elements .....	132
Errors .....	133
Examples .....	134
See Also .....	135
<b>GetSimilarProfiles .....</b>	<b>137</b>
Request Syntax .....	137
URI Request Parameters .....	137
Request Body .....	138
Response Syntax .....	138
Response Elements .....	139
Errors .....	140
See Also .....	141
<b>GetWorkflow .....</b>	<b>142</b>
Request Syntax .....	142
URI Request Parameters .....	142
Request Body .....	142
Response Syntax .....	142
Response Elements .....	143
Errors .....	144
See Also .....	145
<b>GetWorkflowSteps .....</b>	<b>146</b>
Request Syntax .....	146
URI Request Parameters .....	146
Request Body .....	147
Response Syntax .....	147
Response Elements .....	147
Errors .....	148
See Also .....	149
<b>ListAccountIntegrations .....</b>	<b>150</b>
Request Syntax .....	150
URI Request Parameters .....	150
Request Body .....	150

Response Syntax .....	151
Response Elements .....	151
Errors .....	152
Examples .....	153
See Also .....	153
ListCalculatedAttributeDefinitions .....	155
Request Syntax .....	155
URI Request Parameters .....	155
Request Body .....	155
Response Syntax .....	155
Response Elements .....	156
Errors .....	156
See Also .....	157
ListCalculatedAttributesForProfile .....	158
Request Syntax .....	158
URI Request Parameters .....	158
Request Body .....	159
Response Syntax .....	159
Response Elements .....	159
Errors .....	160
See Also .....	160
ListDomains .....	162
Request Syntax .....	162
URI Request Parameters .....	162
Request Body .....	162
Response Syntax .....	162
Response Elements .....	163
Errors .....	163
Examples .....	164
See Also .....	165
ListEventStreams .....	166
Request Syntax .....	166
URI Request Parameters .....	166
Request Body .....	166
Response Syntax .....	166
Response Elements .....	167

Errors .....	168
See Also .....	168
ListIdentityResolutionJobs .....	170
Request Syntax .....	170
URI Request Parameters .....	170
Request Body .....	170
Response Syntax .....	171
Response Elements .....	171
Errors .....	172
See Also .....	172
ListIntegrations .....	174
Request Syntax .....	174
URI Request Parameters .....	174
Request Body .....	174
Response Syntax .....	175
Response Elements .....	175
Errors .....	176
Examples .....	176
See Also .....	177
ListProfileObjects .....	179
Request Syntax .....	179
URI Request Parameters .....	179
Request Body .....	180
Response Syntax .....	180
Response Elements .....	181
Errors .....	181
Examples .....	182
See Also .....	184
ListProfileObjectTypes .....	185
Request Syntax .....	185
URI Request Parameters .....	185
Request Body .....	185
Response Syntax .....	185
Response Elements .....	186
Errors .....	186
Examples .....	187

See Also .....	188
ListProfileObjectTypeTemplates .....	189
Request Syntax .....	189
URI Request Parameters .....	189
Request Body .....	189
Response Syntax .....	189
Response Elements .....	190
Errors .....	190
Examples .....	191
See Also .....	192
ListRuleBasedMatches .....	193
Request Syntax .....	193
URI Request Parameters .....	193
Request Body .....	193
Response Syntax .....	193
Response Elements .....	194
Errors .....	194
See Also .....	195
ListTagsForResource .....	196
Request Syntax .....	196
URI Request Parameters .....	196
Request Body .....	196
Response Syntax .....	196
Response Elements .....	196
Errors .....	197
See Also .....	197
ListWorkflows .....	199
Request Syntax .....	199
URI Request Parameters .....	199
Request Body .....	200
Response Syntax .....	200
Response Elements .....	201
Errors .....	201
See Also .....	202
MergeProfiles .....	203
Request Syntax .....	203

URI Request Parameters .....	204
Request Body .....	204
Response Syntax .....	205
Response Elements .....	205
Errors .....	206
Examples .....	206
See Also .....	208
<b>PutIntegration .....</b>	<b>209</b>
Request Syntax .....	209
URI Request Parameters .....	211
Request Body .....	211
Response Syntax .....	212
Response Elements .....	213
Errors .....	215
Examples .....	216
See Also .....	216
<b>PutProfileObject .....</b>	<b>218</b>
Request Syntax .....	218
URI Request Parameters .....	218
Request Body .....	218
Response Syntax .....	219
Response Elements .....	219
Errors .....	220
Examples .....	220
See Also .....	222
<b>PutProfileObjectType .....</b>	<b>223</b>
Request Syntax .....	223
URI Request Parameters .....	223
Request Body .....	224
Response Syntax .....	226
Response Elements .....	227
Errors .....	230
Examples .....	231
See Also .....	233
<b>SearchProfiles .....</b>	<b>235</b>
Request Syntax .....	235

URI Request Parameters .....	235
Request Body .....	236
Response Syntax .....	237
Response Elements .....	239
Errors .....	240
Examples .....	241
See Also .....	248
<b>TagResource .....</b>	<b>250</b>
Request Syntax .....	250
URI Request Parameters .....	250
Request Body .....	251
Response Syntax .....	251
Response Elements .....	251
Errors .....	251
See Also .....	252
<b>UntagResource .....</b>	<b>253</b>
Request Syntax .....	253
URI Request Parameters .....	253
Request Body .....	253
Response Syntax .....	253
Response Elements .....	254
Errors .....	254
See Also .....	254
<b>UpdateCalculatedAttributeDefinition .....</b>	<b>256</b>
Request Syntax .....	256
URI Request Parameters .....	256
Request Body .....	257
Response Syntax .....	258
Response Elements .....	258
Errors .....	260
See Also .....	261
<b>UpdateDomain .....</b>	<b>262</b>
Request Syntax .....	262
URI Request Parameters .....	263
Request Body .....	264
Response Syntax .....	266

Response Elements .....	267
Errors .....	269
Examples .....	270
See Also .....	271
UpdateProfile .....	272
Request Syntax .....	272
URI Request Parameters .....	274
Request Body .....	274
Response Syntax .....	279
Response Elements .....	279
Errors .....	280
Examples .....	281
See Also .....	283
<b>Data Types .....</b>	<b>284</b>
AdditionalSearchKey .....	287
Contents .....	287
See Also .....	287
Address .....	288
Contents .....	288
See Also .....	290
AppflowIntegration .....	291
Contents .....	291
See Also .....	291
AppflowIntegrationWorkflowAttributes .....	292
Contents .....	292
See Also .....	292
AppflowIntegrationWorkflowMetrics .....	294
Contents .....	294
See Also .....	294
AppflowIntegrationWorkflowStep .....	295
Contents .....	295
See Also .....	297
AttributeDetails .....	298
Contents .....	298
See Also .....	298
AttributeItem .....	299

Contents .....	299
See Also .....	299
AttributeTypesSelector .....	300
Contents .....	300
See Also .....	302
AutoMerging .....	303
Contents .....	303
See Also .....	304
Batch .....	305
Contents .....	305
See Also .....	305
Conditions .....	306
Contents .....	306
See Also .....	306
ConflictResolution .....	308
Contents .....	308
See Also .....	308
ConnectorOperator .....	310
Contents .....	310
See Also .....	311
Consolidation .....	313
Contents .....	313
See Also .....	313
DestinationSummary .....	314
Contents .....	314
See Also .....	314
DetectedProfileObjectType .....	316
Contents .....	316
See Also .....	316
DomainStats .....	318
Contents .....	318
See Also .....	318
EventStreamDestinationDetails .....	320
Contents .....	320
See Also .....	321
EventStreamSummary .....	322

Contents .....	322
See Also .....	323
ExportingConfig .....	325
Contents .....	325
See Also .....	325
ExportingLocation .....	326
Contents .....	326
See Also .....	326
FieldSourceProfileIds .....	327
Contents .....	327
See Also .....	331
FlowDefinition .....	332
Contents .....	332
See Also .....	333
FoundByKeyValue .....	334
Contents .....	334
See Also .....	334
IdentityResolutionJob .....	335
Contents .....	335
See Also .....	337
IncrementalPullConfig .....	338
Contents .....	338
See Also .....	338
IntegrationConfig .....	339
Contents .....	339
See Also .....	339
JobSchedule .....	340
Contents .....	340
See Also .....	340
JobStats .....	341
Contents .....	341
See Also .....	341
ListCalculatedAttributeDefinitionItem .....	342
Contents .....	342
See Also .....	343
ListCalculatedAttributeForProfileItem .....	344

Contents .....	344
See Also .....	345
ListDomainItem .....	346
Contents .....	346
See Also .....	347
ListIntegrationItem .....	348
Contents .....	348
See Also .....	350
ListProfileObjectsItem .....	351
Contents .....	351
See Also .....	351
ListProfileObjectTypeItem .....	353
Contents .....	353
See Also .....	354
ListProfileObjectTypeTemplateItem .....	355
Contents .....	355
See Also .....	356
ListWorkflowsItem .....	357
Contents .....	357
See Also .....	358
MarketoSourceProperties .....	359
Contents .....	359
See Also .....	359
MatchingRequest .....	360
Contents .....	360
See Also .....	360
MatchingResponse .....	362
Contents .....	362
See Also .....	362
MatchingRule .....	364
Contents .....	364
See Also .....	365
MatchItem .....	366
Contents .....	366
See Also .....	367
ObjectFilter .....	368

Contents .....	368
See Also .....	368
ObjectTypeField .....	370
Contents .....	370
See Also .....	370
ObjectTypeKey .....	372
Contents .....	372
See Also .....	372
Profile .....	374
Contents .....	374
See Also .....	379
Range .....	381
Contents .....	381
See Also .....	381
RuleBasedMatchingRequest .....	382
Contents .....	382
See Also .....	383
RuleBasedMatchingResponse .....	385
Contents .....	385
See Also .....	387
S3ExportingConfig .....	388
Contents .....	388
See Also .....	388
S3ExportingLocation .....	389
Contents .....	389
See Also .....	389
S3SourceProperties .....	390
Contents .....	390
See Also .....	390
SalesforceSourceProperties .....	391
Contents .....	391
See Also .....	391
ScheduledTriggerProperties .....	393
Contents .....	393
See Also .....	394
ServiceNowSourceProperties .....	396

Contents .....	396
See Also .....	396
SourceConnectorProperties .....	397
Contents .....	397
See Also .....	398
SourceFlowConfig .....	399
Contents .....	399
See Also .....	400
Task .....	401
Contents .....	401
See Also .....	402
Threshold .....	403
Contents .....	403
See Also .....	403
TriggerConfig .....	404
Contents .....	404
See Also .....	404
TriggerProperties .....	405
Contents .....	405
See Also .....	405
UpdateAddress .....	406
Contents .....	406
See Also .....	408
WorkflowAttributes .....	409
Contents .....	409
See Also .....	409
WorkflowMetrics .....	410
Contents .....	410
See Also .....	410
WorkflowStepItem .....	411
Contents .....	411
See Also .....	411
ZendeskSourceProperties .....	412
Contents .....	412
See Also .....	412
<b>Common Parameters .....</b>	<b>413</b>

---

<b>Common Errors .....</b>	<b>416</b>
<b>VPC endpoints (AWS PrivateLink) .....</b>	<b>418</b>
Considerations for Amazon Connect Customer Profiles VPC endpoints .....	418
Creating an interface VPC endpoint for Amazon Connect Customer Profiles .....	418
Creating a VPC endpoint policy for Amazon Connect Customer Profiles .....	419

# Welcome

Amazon Connect Customer Profiles is a unified customer profile for your contact center that has pre-built connectors powered by AppFlow that make it easy to combine customer information from third party applications, such as Salesforce (CRM), ServiceNow (ITSM), and your enterprise resource planning (ERP), with contact history from your Amazon Connect contact center. If you're new to Amazon Connect, you might find it helpful to review the [Amazon Connect Administrator Guide](#).

This document was last published on March 13, 2024.

# Actions

The following actions are supported:

- [AddProfileKey](#)
- [CreateCalculatedAttributeDefinition](#)
- [CreateDomain](#)
- [CreateEventStream](#)
- [CreateIntegrationWorkflow](#)
- [CreateProfile](#)
- [DeleteCalculatedAttributeDefinition](#)
- [DeleteDomain](#)
- [DeleteEventStream](#)
- [DeleteIntegration](#)
- [DeleteProfile](#)
- [DeleteProfileKey](#)
- [DeleteProfileObject](#)
- [DeleteProfileObjectType](#)
- [DeleteWorkflow](#)
- [DetectProfileObjectType](#)
- [GetAutoMergingPreview](#)
- [GetCalculatedAttributeDefinition](#)
- [GetCalculatedAttributeForProfile](#)
- [GetDomain](#)
- [GetEventStream](#)
- [GetIdentityResolutionJob](#)
- [GetIntegration](#)
- [GetMatches](#)
- [GetProfileObjectType](#)
- [GetProfileObjectTypeTemplate](#)
- [GetSimilarProfiles](#)

- [GetWorkflow](#)
- [GetWorkflowSteps](#)
- [ListAccountIntegrations](#)
- [ListCalculatedAttributeDefinitions](#)
- [ListCalculatedAttributesForProfile](#)
- [ListDomains](#)
- [ListEventStreams](#)
- [ListIdentityResolutionJobs](#)
- [ListIntegrations](#)
- [ListProfileObjects](#)
- [ListProfileObjectTypes](#)
- [ListProfileObjectTypeTemplates](#)
- [ListRuleBasedMatches](#)
- [ListTagsForResource](#)
- [ListWorkflows](#)
- [MergeProfiles](#)
- [PutIntegration](#)
- [PutProfileObject](#)
- [PutProfileObjectType](#)
- [SearchProfiles](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateCalculatedAttributeDefinition](#)
- [UpdateDomain](#)
- [UpdateProfile](#)

# AddProfileKey

Associates a new key value with a specific profile, such as a Contact Record ContactId.

A profile object can have a single unique key and any number of additional keys that can be used to identify the profile that it belongs to.

## Request Syntax

```
POST /domains/DomainName/profiles/keys HTTP/1.1
Content-type: application/json

{
  "KeyName": "string",
  "ProfileId": "string",
  "Values": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### KeyName

A searchable identifier of a customer profile. The predefined keys you can use include:

\_account, \_profileId, \_assetId, \_casId, \_orderId, \_fullName, \_phone, \_email, \_ctrContactId, \_marketoLeadId, \_salesforceAccountId, \_salesforceContactId, \_salesforceAssetId,

\_zendeskUserId, \_zendeskExternalId, \_zendeskTicketId, \_serviceNowSystemId, \_serviceNowIncidentId, \_segmentUserId, \_shopifyCustomerId, \_shopifyOrderId.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## ProfileId

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

## Values

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "KeyName": "string",
  "Values": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **KeyName**

A searchable identifier of a customer profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### **Values**

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of AddProfileKey.

### Sample Request

```
POST /v1/domains/ExampleDomainName/profiles/keys

Content-type: application/json
{
  "ProfileId": "3991a7d959d248bba82546b2dEXAMPLE",
  "KeyName": "_ctrContactId",
  "Values": ["valueOfTheContactId"]
}
```

### Sample Response

```
Content-type: application/json
{
  "KeyName": "_ctrContactId",
  "Values": ["valueOfTheContactId"]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateCalculatedAttributeDefinition

Creates a new calculated attribute definition. After creation, new object data ingested into Customer Profiles will be included in the calculated attribute, which can be retrieved for a profile using the [GetCalculatedAttributeForProfile](#) API. Defining a calculated attribute makes it available for all profiles within a domain. Each calculated attribute can only reference one ObjectType and at most, two fields from that ObjectType.

## Request Syntax

```
POST /domains/DomainName/calculated-attributes/CalculatedAttributeName HTTP/1.1
Content-type: application/json

{
  "AttributeDetailsAttributesNameExpressionConditionsObjectCountRangeUnitValueThresholdOperatorValueDescriptionDisplayNameStatisticTags
```

## URI Request Parameters

The request uses the following URI parameters.

### CalculatedAttributeName

The unique name of the calculated attribute.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### AttributeDetails

Mathematical expression and a list of attribute items specified in that expression.

Type: [AttributeDetails](#) object

Required: Yes

### Conditions

The conditions including range, object count, and threshold for the calculated attribute.

Type: [Conditions](#) object

Required: No

## Description

The description of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

## DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z0-9-\s]\*\$

Required: No

## Statistic

The aggregation operation to perform for the calculated attribute.

Type: String

Valid Values: FIRST\_OCCURRENCE | LAST\_OCCURRENCE | COUNT | SUM | MINIMUM | MAXIMUM | AVERAGE | MAX\_OCCURRENCE

Required: Yes

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+=\_.:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AttributeDetails": {
    "Attributes": [
      {
        "Name": "string"
      }
    ],
    "Expression": "string"
  },
  "CalculatedAttributeName": "string",
  "Conditions": {
    "ObjectCount": number,
    "Range": {
      "Unit": "string",
      "Value": number
    },
    "Threshold": {
      "Operator": "string",
      "Value": "string"
    }
  },
  "CreatedAt": number,
  "Description": "string",
  "DisplayName": "string",
  "LastUpdatedAt": number,
  "Statistic": "string",
  "Tags": {
    "string": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## AttributeDetails

Mathematical expression and a list of attribute items specified in that expression.

Type: [AttributeDetails](#) object

## CalculatedAttributeName

The unique name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

## Conditions

The conditions including range, object count, and threshold for the calculated attribute.

Type: [Conditions](#) object

## CreatedAt

The timestamp of when the calculated attribute definition was created.

Type: Timestamp

## Description

The description of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

## DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

## LastUpdatedAt

The timestamp of when the calculated attribute definition was most recently edited.

Type: Timestamp

## Statistic

The aggregation operation to perform for the calculated attribute.

Type: String

Valid Values: FIRST\_OCCURRENCE | LAST\_OCCURRENCE | COUNT | SUM | MINIMUM | MAXIMUM | AVERAGE | MAX\_OCCURRENCE

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerError

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDomain

Creates a domain, which is a container for all customer data, such as customer profile attributes, object types, profile keys, and encryption keys. You can create multiple domains, and each domain can have multiple third-party integrations.

Each Amazon Connect instance can be associated with only one domain. Multiple Amazon Connect instances can be associated with one domain.

Use this API or [UpdateDomain](#) to enable [identity resolution](#): set Matching to true.

To prevent cross-service impersonation when you call this API, see [Cross-service confused deputy prevention](#) for sample policies that you should apply.

## Note

It is not possible to associate a Customer Profiles domain with an Amazon Connect Instance directly from the API. If you would like to create a domain and associate a Customer Profiles domain, use the Amazon Connect admin website. For more information, see [Enable Customer Profiles](#).

Each Amazon Connect instance can be associated with only one domain. Multiple Amazon Connect instances can be associated with one domain.

## Request Syntax

```
POST /domains/DomainName HTTP/1.1
Content-type: application/json

{
  "DeadLetterQueueUrl": "string",
  "DefaultEncryptionKey": "string",
  "DefaultExpirationDays": number,
  "Matching": {
    "AutoMerging": {
      "ConflictResolution": {
        "ConflictResolvingModel": "string",
        "SourceName": "string"
      },
      "Consolidation": {
        "MatchingAttributesList": [

```

```
        [ "string" ]
    ],
},
"Enabled": boolean,
"MinAllowedConfidenceScoreForMerging": number
},
"Enabled": boolean,
"ExportingConfig": {
    "S3Exporting": {
        "S3BucketName": "string",
        "S3KeyName": "string"
    }
},
"JobSchedule": {
    "DayOfTheWeek": "string",
    "Time": "string"
}
},
"RuleBasedMatching": {
    "AttributeTypesSelector": {
        "Address": [ "string" ],
        "AttributeMatchingModel": "string",
        "EmailAddress": [ "string" ],
        "PhoneNumber": [ "string" ]
    },
    "ConflictResolution": {
        "ConflictResolvingModel": "string",
        "SourceName": "string"
    },
    "Enabled": boolean,
    "ExportingConfig": {
        "S3Exporting": {
            "S3BucketName": "string",
            "S3KeyName": "string"
        }
    },
    "MatchingRules": [
        {
            "Rule": [ "string" ]
        }
    ],
    "MaxAllowedRuleLevelForMatching": number,
    "MaxAllowedRuleLevelForMerging": number
},
}
```

```
"Tags": {  
    "string" : "string"  
}  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### DeadLetterQueueUrl

The URL of the SQS dead letter queue, which is used for reporting errors associated with ingesting data from third party applications. You must set up a policy on the DeadLetterQueue for the SendMessage operation to enable Amazon Connect Customer Profiles to send messages to the DeadLetterQueue.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### DefaultEncryptionKey

The default encryption key, which is an AWS managed key, is used when no specific type of encryption key is specified. It is used to encrypt all data before it is placed in permanent or semi-permanent storage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### DefaultExpirationDays

The default number of days until the data within the domain expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

Required: Yes

### Matching

The process of matching duplicate profiles. If Matching = true, Amazon Connect Customer Profiles starts a weekly batch process called Identity Resolution Job. If you do not specify a date and time for Identity Resolution Job to run, by default it runs every Saturday at 12AM UTC to detect duplicate profiles in your domains.

After the Identity Resolution Job completes, use the [GetMatches](#) API to return and review the results. Or, if you have configured ExportingConfig in the MatchingRequest, you can download the results from S3.

Type: [MatchingRequest](#) object

Required: No

### RuleBasedMatching

The process of matching duplicate profiles using the Rule-Based matching. If RuleBasedMatching = true, Amazon Connect Customer Profiles will start to match and merge your profiles according to your configuration in the RuleBasedMatchingRequest. You can use the ListRuleBasedMatches and GetSimilarProfiles API to return and review the results. Also, if you have configured ExportingConfig in the RuleBasedMatchingRequest, you can download the results from S3.

Type: [RuleBasedMatchingRequest](#) object

Required: No

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
    "CreatedAt": number,  
    "DeadLetterQueueUrl": "string",  
    "DefaultEncryptionKey": "string",  
    "DefaultExpirationDays": number,  
    "DomainName": "string",  
    "LastUpdatedAt": number,  
    "Matching": {  
        "AutoMerging": {  
            "ConflictResolution": {  
                "ConflictResolvingModel": "string",  
                "SourceName": "string"  
            },  
            "Consolidation": {  
                "MatchingAttributesList": [  
                    [ "string" ]  
                ]  
            },  
            "Enabled": boolean,  
            "MinAllowedConfidenceScoreForMerging": number  
        },  
        "Enabled": boolean,  
        "ExportingConfig": {  
            "S3Exporting": {  
                "S3BucketName": "string",  
                "S3ObjectPrefix": "string"  
            }  
        }  
    }  
}
```

```
        "S3KeyName": "string"
    }
},
"JobSchedule": {
    "DayOfTheWeek": "string",
    "Time": "string"
}
},
"RuleBasedMatching": {
    "AttributeTypesSelector": {
        "Address": [ "string" ],
        "AttributeMatchingModel": "string",
        "EmailAddress": [ "string" ],
        "PhoneNumber": [ "string" ]
    },
    "ConflictResolution": {
        "ConflictResolvingModel": "string",
        "SourceName": "string"
    },
    "Enabled": boolean,
    "ExportingConfig": {
        "S3Exporting": {
            "S3BucketName": "string",
            "S3KeyName": "string"
        }
    },
    "MatchingRules": [
        {
            "Rule": [ "string" ]
        }
    ],
    "MaxAllowedRuleLevelForMatching": number,
    "MaxAllowedRuleLevelForMerging": number,
    "Status": "string"
},
"Tags": {
    "string" : "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

### DeadLetterQueueUrl

The URL of the SQS dead letter queue, which is used for reporting errors associated with ingesting data from third party applications.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

### DefaultEncryptionKey

The default encryption key, which is an AWS managed key, is used when no specific type of encryption key is specified. It is used to encrypt all data before it is placed in permanent or semi-permanent storage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

### DefaultExpirationDays

The default number of days until the data within the domain expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

## Matching

The process of matching duplicate profiles. If Matching = true, Amazon Connect Customer Profiles starts a weekly batch process called Identity Resolution Job. If you do not specify a date and time for Identity Resolution Job to run, by default it runs every Saturday at 12AM UTC to detect duplicate profiles in your domains.

After the Identity Resolution Job completes, use the [GetMatches](#) API to return and review the results. Or, if you have configured ExportingConfig in the MatchingRequest, you can download the results from S3.

Type: [MatchingResponse](#) object

## RuleBasedMatching

The process of matching duplicate profiles using the Rule-Based matching. If RuleBasedMatching = true, Amazon Connect Customer Profiles will start to match and merge your profiles according to your configuration in the RuleBasedMatchingRequest. You can use the ListRuleBasedMatches and GetSimilarProfiles API to return and review the results. Also, if you have configured ExportingConfig in the RuleBasedMatchingRequest, you can download the results from S3.

Type: [RuleBasedMatchingResponse](#) object

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-=\_,.:]/+\$

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of CreateDomain.

### Sample Request

```
POST /v1/domains/ExampleDomainName
Content-type: application/json
```

```
{  
    "DeadLetterQueueUrl": "arn:aws:sqs:us-east-1:123456789012:DLQName",  
    "DefaultEncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-  
ae39-efce5EXAMPLE",  
    "DefaultExpirationDays": 1098,  
    "DomainName": "ExampleDomainName"  
}
```

## Sample Response

```
Content-type: application/json  
{  
    "DeadLetterQueueUrl": "arn:aws:sqs:us-east-1:123456789012:DLQName",  
    "CreatedAt": 1479249799770,  
    "DefaultEncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-  
ae39-efce5EXAMPLE",  
    "DefaultExpirationDays": 1098,  
    "LastUpdatedAt": 1479249799770,  
    "DomainName": "ExampleDomainName"  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateEventStream

Creates an event stream, which is a subscription to real-time events, such as when profiles are created and updated through Amazon Connect Customer Profiles.

Each event stream can be associated with only one Kinesis Data Stream destination in the same region and AWS account as the customer profiles domain

## Request Syntax

```
POST /domains/DomainName/event-streams/EventStreamName HTTP/1.1
Content-type: application/json

{
  "Tags": {
    "string": "string"
  },
  "Uri": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### EventStreamName

The name of the event stream.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?![aws:])[a-zA-Z+=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

### Uri

The StreamARN of the destination to deliver profile events to. For example, arn:aws:kinesis:region:account-id:stream/stream-name

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "EventStreamArn": "string",
  "Tags": {
    "string": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### EventStreamArn

A unique identifier for the event stream.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerError

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateIntegrationWorkflow

Creates an integration workflow. An integration workflow is an async process which ingests historic data and sets up an integration for ongoing updates. The supported Amazon AppFlow sources are Salesforce, ServiceNow, and Marketo.

## Request Syntax

```
POST /domains/DomainName/workflows/integrations HTTP/1.1
Content-type: application/json
```

```
{
  "IntegrationConfigAppflowIntegrationBatchesEndTimenumber,
          "StartTimenumber
        }
      ],
      "FlowDefinitionDescriptionstring",
        "FlowNamestring",
        "KmsArnstring",
        "SourceFlowConfigConnectorProfileNamestring",
          "ConnectorTypestring",
          "IncrementalPullConfigDatetimeTypeFieldNamestring"
          },
          "SourceConnectorPropertiesMarketoObjectstring"
            },
            "S3BucketNamestring",
              "BucketPrefixstring"
            },
            "SalesforceEnableDynamicFieldUpdateboolean,
              "IncludeDeletedRecordsboolean,
              "Objectstring"
            }
          }
        }
      }
    }
  }
}
```

```
        },
        "ServiceNow": {
            "ObjectZendesk": {
            "ObjectTasks": [
{
    "ConnectorOperator": {
        "Marketo": "string",
        "S3": "string",
        "Salesforce": "string",
        "ServiceNow": "string",
        "Zendesk": "string"
    },
    "DestinationField": "string",
    "SourceFields": [ "string" ],
    "TaskProperties": {
        "string" : "string"
    },
    "TaskType": "string"
}
],
"TriggerConfig": {
    "TriggerProperties": {
        "Scheduled": {
            "DataPullMode": "string",
            "FirstExecutionFrom": number,
            "ScheduleEndTime": number,
            "ScheduleExpression": "string",
            "ScheduleOffset": number,
            "ScheduleStartTime": number,
            "Timezone": "string"
        }
    },
    "TriggerType": "string"
}
}
},
"ObjectType": "string",
```

```
"RoleArn": "string",
"Tags": [
    "string" : "string"
],
"WorkflowType": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### IntegrationConfig

Configuration data for integration workflow.

Type: [IntegrationConfig](#) object

Required: Yes

### ObjectTypeName

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

### RoleArn

The Amazon Resource Name (ARN) of the IAM role. Customer Profiles assumes this role to create resources on your behalf as part of workflow execution.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `arn:aws:iam:.*:[0-9]+:.*`

Required: Yes

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(!aws:)[a-zA-Z+=_,:_:/]+$`

Value Length Constraints: Maximum length of 256.

Required: No

### WorkflowType

The type of workflow. The only supported value is APPFLOW\_INTEGRATION.

Type: String

Valid Values: APPFLOW\_INTEGRATION

Required: Yes

## Response Syntax

HTTP/1.1 200

```
Content-type: application/json

{
  "MessageWorkflowId
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [Message](#)

A message indicating create request was received.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### [WorkflowId](#)

Unique identifier for the workflow.

Type: String

Pattern: [a-f0-9]{32}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerError

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateProfile

Creates a standard profile.

A standard profile represents the following attributes for a customer profile in a domain.

## Request Syntax

```
POST /domains/DomainName/profiles HTTP/1.1
```

```
Content-type: application/json
```

```
{  
    "AccountNumber": "string",  
    "AdditionalInformation": "string",  
    "Address": {  
        "Address1": "string",  
        "Address2": "string",  
        "Address3": "string",  
        "Address4": "string",  
        "City": "string",  
        "Country": "string",  
        "County": "string",  
        "PostalCode": "string",  
        "Province": "string",  
        "State": "string"  
    },  
    "Attributes": {  
        "string" : "string"  
    },  
    "BillingAddress": {  
        "Address1": "string",  
        "Address2": "string",  
        "Address3": "string",  
        "Address4": "string",  
        "City": "string",  
        "Country": "string",  
        "County": "string",  
        "PostalCode": "string",  
        "Province": "string",  
        "State": "string"  
    },  
    "BirthDate": "string",  
    "BusinessEmailAddress": "string",  
}
```

```
"BusinessName": "string",
"BusinessPhoneNumber": "string",
"EmailAddress": "string",
"FirstName": "string",
"Gender": "string",
"GenderString": "string",
"HomePhoneNumber": "string",
"LastName": "string",
"MailingAddress": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
},
"MiddleName": "string",
"MobilePhoneNumber": "string",
"PartyType": "string",
"PartyTypeString": "string",
"PersonalEmailAddress": "string",
"PhoneNumber": "string",
"ShippingAddress": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
}
}
```

## URI Request Parameters

The request uses the following URI parameters.

## DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## **Request Body**

The request accepts the following data in JSON format.

### AccountNumber

A unique account number that you have given to the customer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### AdditionalInformation

Any additional information relevant to the customer's profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### Address

A generic address associated with the customer that is not mailing, shipping, or billing.

Type: [Address](#) object

Required: No

### Attributes

A key value pair of attributes of a customer profile.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **BillingAddress**

The customer's billing address.

Type: [Address](#) object

Required: No

### **BirthDate**

The customer's birth date.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **BusinessEmailAddress**

The customer's business email address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **BusinessName**

The name of the customer's business.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **BusinessPhoneNumber**

The customer's business phone number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### EmailAddress

The customer's email address, which has not been specified as a personal or business address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### FirstName

The customer's first name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### Gender

*This parameter has been deprecated.*

The gender with which the customer identifies.

Type: String

Valid Values: MALE | FEMALE | UNSPECIFIED

Required: No

### GenderString

An alternative to Gender which accepts any string as input.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### HomePhoneNumber

The customer's home phone number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### LastName

The customer's last name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### MailingAddress

The customer's mailing address.

Type: [Address](#) object

Required: No

### MiddleName

The customer's middle name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### MobilePhoneNumber

The customer's mobile phone number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### PartyType

*This parameter has been deprecated.*

The type of profile used to describe the customer.

Type: String

Valid Values: INDIVIDUAL | BUSINESS | OTHER

Required: No

### [PartyTypeString](#)

An alternative to PartyType which accepts any string as input.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### [PersonalEmailAddress](#)

The customer's personal email address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### [PhoneNumber](#)

The customer's phone number, which has not been specified as a mobile, home, or business number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### [ShippingAddress](#)

The customer's shipping address.

Type: [Address](#) object

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ProfileId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ProfileId](#)

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of CreateProfile.

### Sample Request

```
POST /domains/ExampleDomainName/profiles HTTP/1.1

Content-type: application/json
{
    "AccountNumber": "ACCT12344",
    "Address": {
        "Address1": "123 Sample St",
        "Address2": "Apt 4",
        "Address3": "null",
        "Address4": "null",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "Attributes": {
        "SSN" : "123-44-3433",
        "LoyaltyPoints" : "3000"
    },
    "BillingAddress": {
        "Address1": "789 Sample St",
        "Address2": "Apt 1",
    }
}
```

```
"City": "Seattle",
"Country": "USA",
"County": "King",
"PostalCode": "98011",
"Province": "",
"State": "WA"

},
"BirthDate": "07/12/1980",
"BusinessEmailAddress": "example@amazon.com",
"BusinessName": "My Awesome Company",
"BusinessPhoneNumber": "555-334-3389",
"EmailAddress": "example@gmail.com",
"FirstName": "John",
"Gender": "MALE",
"HomePhoneNumber": "555-334-3344",
"LastName": "Doe",
"MailingAddress": {
    "Address1": "234 Home St",
    "Address2": "Apt 5",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
},
"AdditionalInformation": "High Profile Customer",
"MiddleName": "",
"MobilePhoneNumber": "555-334-7777",
"PartyType": "INDIVIDUAL",
"PersonalEmailAddress": "email1@gmail.com",
"PhoneNumber": "",
"ShippingAddress": {
    "Address1": "555 A St",
    "Address2": "Suite 100",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
}
}
```

## Sample Response

```
Content-type: application/json
{
    "ProfileId" : "3991a7d959d248bb982546b2dEXAMPLE"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteCalculatedAttributeDefinition

Deletes an existing calculated attribute definition. Note that deleting a default calculated attribute is possible, however once deleted, you will be unable to undo that action and will need to recreate it on your own using the CreateCalculatedAttributeDefinition API if you want it back.

## Request Syntax

```
DELETE /domains/DomainName/calculated-attributes/CalculatedAttributeName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### CalculatedAttributeName

The unique name of the calculated attribute.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z0-9\_-]\*\$

Required: Yes

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDomain

Deletes a specific domain and all of its customer data, such as customer profile attributes and their related objects.

## Request Syntax

```
DELETE /domains/DomainName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Message

A message that indicates the delete request is done.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### **Example**

This example illustrates one usage of DeleteDomain.

## Sample Request

```
DELETE /v1/domains/ExampleDomainName HTTP/1.1
```

## Sample Response

```
Content-type: application/json
{
    "Message": "Domain Deleted"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteEventStream

Disables and deletes the specified event stream.

## Request Syntax

```
DELETE /domains/DomainName/event-streams/EventStreamName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### EventStreamName

The name of the event stream

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteIntegration

Removes an integration from a specific domain.

## Request Syntax

```
POST /domains/DomainName/integrations/delete HTTP/1.1
Content-type: application/json

{
  "Uri": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Message

A message that indicates the delete request is done.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of DeleteIntegration.

### Sample Request

```
POST /domains/{DomainName}/integrations/delete HTTP/1.1

{
    "Uri": "arn:aws:sqs:us-east-1:123456789012:URIofIntegration1"
}
```

### Sample Response

```
Content-type: application/json
{
    "Message": "Deleted"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteProfile

Deletes the standard customer profile and all data pertaining to the profile.

## Request Syntax

```
POST /domains/DomainName/profiles/delete HTTP/1.1
Content-type: application/json

{
  "ProfileId
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ProfileId

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Message

A message that indicates the delete request is done.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of DeleteProfile.

### Sample Request

```
POST /domains/ExampleDomainName/profiles/delete HTTP/1.1
Content-type: application/json
{
    "ProfileId": "3991a7d959d248bba82546b2dEXAMPLE"
}
```

### Sample Response

```
Content-type: application/json
{
    "Message": "OK"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## DeleteProfileKey

Removes a searchable key from a customer profile.

### Request Syntax

```
POST /domains/DomainName/profiles/keys/delete HTTP/1.1
Content-type: application/json

{
  "KeyNameProfileIdValues
```

### URI Request Parameters

The request uses the following URI parameters.

#### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### Request Body

The request accepts the following data in JSON format.

#### KeyName

A searchable identifier of a customer profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## ProfileId

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

## Values

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Message

A message that indicates the delete request is done.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of DeleteProfileKey.

### Sample Request

```
POST /domains/ExampleDomainName/profiles/keys/delete HTTP/1.1
```

```
Content-type: application/json
{
    "KeyName": "_phone",
    "ProfileId": "3991a7d959d248bba82546b2dEXAMPLE",
    "Values": [ "555-445-3344" ]
}
```

## Sample Response

```
Content-type: application/json
{
    "Message": "OK"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteProfileObject

Removes an object associated with a profile of a given ProfileObjectType.

## Request Syntax

```
POST /domains/DomainName/profiles/objects/delete HTTP/1.1
Content-type: application/json

{
  "ObjectType": "string",
  "ProfileId: "string",
  "ProfileObjectUniqueKey: "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ObjectType

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

### ProfileId

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

### ProfileObjectUniqueKey

The unique identifier of the profile object generated by the service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Message

A message that indicates the delete request is done.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of DeleteProfileObject.

### Sample Request

```
POST /domains/DomainName/profiles/objects/delete HTTP/1.1
```

```
Content-type: application/json
{
    "ObjectType": "MyCustomObjectName",
    "ProfileId": "3991a7d959d248bba82546b2dEXAMPLE",
    "ProfileObjectUniqueKey": "UniqueKeyOfTheProfileObject"
}
```

## Sample Response

```
Content-type: application/json
{
    "Message": "OK"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteProfileObjectType

Removes a ProfileObjectType from a specific domain as well as removes all the ProfileObjects of that type. It also disables integrations from this specific ProfileObjectType. In addition, it scrubs all of the fields of the standard profile that were populated from this ProfileObjectType.

## Request Syntax

```
DELETE /domains/DomainName/object-types/ObjectName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### ObjectName

The name of the profile object type.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Message

A message that indicates the delete request is done.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of DeleteProfileObjectType.

### Sample Request

```
DELETE /domains/ExampleDomainName/object-types/MyCustomObjectType HTTP/1.1
```

### Sample Response

```
Content-type: application/json
{
    "Message": "Deleted"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# DeleteWorkflow

Deletes the specified workflow and all its corresponding resources. This is an async process.

## Request Syntax

```
DELETE /domains/DomainName/workflows/WorkflowId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### WorkflowId

Unique identifier for the workflow.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DetectProfileObjectType

The process of detecting profile object type mapping by using given objects.

## Request Syntax

```
POST /domains/DomainName/detect/object-types HTTP/1.1
Content-type: application/json

{
  "Objects
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Objects

A string that is serialized from a JSON object.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 1. Maximum length of 256000.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DetectedProfileObjectTypes": [
    {
      "Fields": {
        "string": {
          "ContentType": "string",
          "Source": "string",
          "Target": "string"
        }
      },
      "Keys": {
        "string": [
          {
            "FieldNames": [ "string" ],
            "StandardIdentifiers": [ "string" ]
          }
        ]
      },
      "SourceLastUpdatedTimestampFormat": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### DetectedProfileObjectTypes

Detected ProfileObjectType mappings from given objects. A maximum of one mapping is supported.

Type: Array of DetectedProfileObjectType objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAutoMergingPreview

Tests the auto-merging settings of your Identity Resolution Job without merging your data. It randomly selects a sample of matching groups from the existing matching results, and applies the automerging settings that you provided. You can then view the number of profiles in the sample, the number of matches, and the number of profiles identified to be merged. This enables you to evaluate the accuracy of the attributes in your matching list.

You can't view which profiles are matched and would be merged.

## Important

We strongly recommend you use this API to do a dry run of the automerging process before running the Identity Resolution Job. Include **at least** two matching attributes. If your matching list includes too few attributes (such as only FirstName or only LastName), there may be a large number of matches. This increases the chances of erroneous merges.

## Request Syntax

```
POST /domains/DomainName/identity-resolution-jobs/auto-merging-preview HTTP/1.1
Content-type: application/json
```

```
{
  "ConflictResolutionConflictResolvingModelSourceNameConsolidationMatchingAttributesListMinAllowedConfidenceScoreForMerging
```

## URI Request Parameters

The request uses the following URI parameters.

## DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## **Request Body**

The request accepts the following data in JSON format.

### ConflictResolution

How the auto-merging process should resolve conflicts between different profiles.

Type: [ConflictResolution](#) object

Required: Yes

### Consolidation

A list of matching attributes that represent matching criteria.

Type: [Consolidation](#) object

Required: Yes

### MinAllowedConfidenceScoreForMerging

Minimum confidence score required for profiles within a matching group to be merged during the auto-merge process.

Type: Double

Valid Range: Minimum value of 0.0. Maximum value of 1.0.

Required: No

## **Response Syntax**

HTTP/1.1 200

```
Content-type: application/json

{
    "DomainName": "string",
    "NumberOfMatchesInSample": number,
    "NumberOfProfilesInSample": number,
    "NumberOfProfilesWillBeMerged": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### NumberOfMatchesInSample

The number of match groups in the domain that have been reviewed in this preview dry run.

Type: Long

### NumberOfProfilesInSample

The number of profiles found in this preview dry run.

Type: Long

### NumberOfProfilesWillBeMerged

The number of profiles that would be merged if this wasn't a preview dry run.

Type: Long

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerException

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetCalculatedAttributeDefinition

Provides more information on a calculated attribute definition for Customer Profiles.

## Request Syntax

```
GET /domains/DomainName/calculated-attributes/CalculatedAttributeName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### CalculatedAttributeName

The unique name of the calculated attribute.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z0-9-]\*\$

Required: Yes

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "AttributeDetails": {  
        "Attributes": [  
            {  
                "Name": "string"  
            }  
        ],  
        "Expression": "string"  
    },  
    "CalculatedAttributeName": "string",  
    "Conditions": {  
        "ObjectCount": number,  
        "Range": {  
            "Unit": "string",  
            "Value": number  
        },  
        "Threshold": {  
            "Operator": "string",  
            "Value": "string"  
        }  
    },  
    "CreatedAt": number,  
    "Description": "string",  
    "DisplayName": "string",  
    "LastUpdatedAt": number,  
    "Statistic": "string",  
    "Tags": {  
        "string": "string"  
    }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AttributeDetails

Mathematical expression and a list of attribute items specified in that expression.

Type: AttributeDetails object

## CalculatedAttributeName

The unique name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

## Conditions

The conditions including range, object count, and threshold for the calculated attribute.

Type: [Conditions](#) object

## CreatedAt

The timestamp of when the calculated attribute definition was created.

Type: Timestamp

## Description

The description of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

## DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

## LastUpdatedAt

The timestamp of when the calculated attribute definition was most recently edited.

Type: Timestamp

## Statistic

The aggregation operation to perform for the calculated attribute.

Type: String

Valid Values: FIRST\_OCCURRENCE | LAST\_OCCURRENCE | COUNT | SUM | MINIMUM | MAXIMUM | AVERAGE | MAX\_OCCURRENCE

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?![aws:])[a-zA-Z+-.=:\_:/]+\$

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetCalculatedAttributeForProfile

Retrieve a calculated attribute for a customer profile.

## Request Syntax

```
GET /domains/DomainName/profile/ProfileId/calculated-attributes/CalculatedAttributeName
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### CalculatedAttributeName

The unique name of the calculated attribute.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z0-9\_-]\*\$

Required: Yes

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### ProfileId

The unique identifier of a customer profile.

Pattern: [a-f0-9]{32}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "CalculatedAttributeName": "string",
    "DisplayName": "string",
    "IsDataPartial": "string",
    "Value": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CalculatedAttributeName

The unique name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

### DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

### IsDataPartial

Indicates whether the calculated attribute's value is based on partial data. If data is partial, it is set to true.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Value

The value of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetDomain

Returns information about a specific domain.

## Request Syntax

```
GET /domains/DomainName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreatedAt": number,
  "DeadLetterQueueUrl": "string",
  "DefaultEncryptionKey": "string",
  "DefaultExpirationDays": number,
  "DomainName": "string",
  "LastUpdatedAt": number,
  "Matching": {
    "AutoMerging": {
      "ConflictResolution": {
        "ConflictResolvingModel": "string"
      }
    }
  }
}
```

```
"SourceNameConsolidationMatchingAttributesListEnabledMinAllowedConfidenceScoreForMergingEnabledExportingConfigS3ExportingS3BucketNameS3KeyNameJobScheduleDayOfTheWeekTimeRuleBasedMatchingAttributeTypesSelectorAddressAttributeMatchingModelEmailAddressPhoneNumberConflictResolutionConflictResolvingModelSourceNameEnabledExportingConfigS3ExportingS3BucketNameS3KeyNameMatchingRulesRule
```

```
],
  "MaxAllowedRuleLevelForMatching": number,
  "MaxAllowedRuleLevelForMerging": number,
  "Status": "string"
},
"Stats": {
  "MeteringProfileCount": number,
  "ObjectCount": number,
  "ProfileCount": number,
  "TotalSize": number
},
"Tags": {
  "string" : "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

### DeadLetterQueueUrl

The URL of the SQS dead letter queue, which is used for reporting errors associated with ingesting data from third party applications.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

### DefaultEncryptionKey

The default encryption key, which is an AWS managed key, is used when no specific type of encryption key is specified. It is used to encrypt all data before it is placed in permanent or semi-permanent storage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

### DefaultExpirationDays

The default number of days until the data within the domain expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

### Matching

The process of matching duplicate profiles. If Matching = true, Amazon Connect Customer Profiles starts a weekly batch process called Identity Resolution Job. If you do not specify a date and time for Identity Resolution Job to run, by default it runs every Saturday at 12AM UTC to detect duplicate profiles in your domains.

After the Identity Resolution Job completes, use the [GetMatches](#) API to return and review the results. Or, if you have configured ExportingConfig in the MatchingRequest, you can download the results from S3.

Type: [MatchingResponse](#) object

### RuleBasedMatching

The process of matching duplicate profiles using the Rule-Based matching. If RuleBasedMatching = true, Amazon Connect Customer Profiles will start to match and merge your profiles according to your configuration in the RuleBasedMatchingRequest. You can use the ListRuleBasedMatches and GetSimilarProfiles API to return and review the

results. Also, if you have configured ExportingConfig in the RuleBasedMatchingRequest, you can download the results from S3.

Type: [RuleBasedMatchingResponse](#) object

## Stats

Usage-specific statistics about the domain.

Type: [DomainStats](#) object

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(!aws:)[a-zA-Z+-.=:_:/]+$`

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetEventStream

Returns information about the specified event stream in a specific domain.

## Request Syntax

```
GET /domains/DomainName/event-streams/EventStreamName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### EventStreamName

The name of the event stream provided during create operations.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
    "CreatedAt": number,  
    "DestinationDetails": {  
        "Message": "string",  
        "Status": "string",  
        "UnhealthySince": number,  
        "Uri": "string"  
    },  
    "DomainName": "string",  
    "EventStreamArn": "string",  
    "State": "string",  
    "StoppedSince": number,  
    "Tags": {  
        "string" : "string"  
    }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [CreatedAt](#)

The timestamp of when the export was created.

Type: Timestamp

### [DestinationDetails](#)

Details regarding the Kinesis stream.

Type: [EventStreamDestinationDetails](#) object

### [DomainName](#)

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## **EventStreamArn**

A unique identifier for the event stream.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## **State**

The operational state of destination stream for export.

Type: String

Valid Values: RUNNING | STOPPED

## **StoppedSince**

The timestamp when the State changed to STOPPED.

Type: Timestamp

## **Tags**

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!\aws:)[a-zA-Z+-=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerException

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetIdentityResolutionJob

Returns information about an Identity Resolution Job in a specific domain.

Identity Resolution Jobs are set up using the Amazon Connect admin console. For more information, see [Use Identity Resolution to consolidate similar profiles](#).

## Request Syntax

```
GET /domains/DomainName/identity-resolution-jobs/JobId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### JobId

The unique identifier of the Identity Resolution Job.

Pattern: [a-f0-9]{32}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "AutoMerging": {  
        "ConflictResolution": {  
            "ConflictResolvingModel": "string",  
            "SourceName": "string"  
        },  
        "Consolidation": {  
            "MatchingAttributesList": [  
                [ "string" ]  
            ]  
        },  
        "Enabled": boolean,  
        "MinAllowedConfidenceScoreForMerging": number  
    },  
    "DomainName": "string",  
    "ExportingLocation": {  
        "S3Exporting": {  
            "S3BucketName": "string",  
            "S3KeyName": "string"  
        }  
    },  
    "JobEndTime": number,  
    "JobExpirationTime": number,  
    "JobId": "string",  
    "JobStartTime": number,  
    "JobStats": {  
        "NumberOfMatchesFound": number,  
        "NumberOfMergesDone": number,  
        "NumberOfProfilesReviewed": number  
    },  
    "LastUpdatedAt": number,  
    "Message": "string",  
    "Status": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### AutoMerging

Configuration settings for how to perform the auto-merging of profiles.

Type: [AutoMerging](#) object

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### ExportingLocation

The S3 location where the Identity Resolution Job writes result files.

Type: [ExportingLocation](#) object

### JobEndTime

The timestamp of when the Identity Resolution Job was completed.

Type: Timestamp

### JobExpirationTime

The timestamp of when the Identity Resolution Job will expire.

Type: Timestamp

### JobId

The unique identifier of the Identity Resolution Job.

Type: String

Pattern: [a-f0-9]{32}

### JobStartTime

The timestamp of when the Identity Resolution Job was started or will be started.

Type: Timestamp

### JobStats

Statistics about the Identity Resolution Job.

Type: [JobStats](#) object

## LastUpdatedAt

The timestamp of when the Identity Resolution Job was most recently edited.

Type: Timestamp

## Message

The error messages that are generated when the Identity Resolution Job runs.

Type: String

Length Constraints: Maximum length of 2048.

Pattern: .\*

## Status

The status of the Identity Resolution Job.

- PENDING: The Identity Resolution Job is scheduled but has not started yet. If you turn off the Identity Resolution feature in your domain, jobs in the PENDING state are deleted.
- PREPROCESSING: The Identity Resolution Job is loading your data.
- FIND\_MATCHING: The Identity Resolution Job is using the machine learning model to identify profiles that belong to the same matching group.
- MERGING: The Identity Resolution Job is merging duplicate profiles.
- COMPLETED: The Identity Resolution Job completed successfully.
- PARTIAL\_SUCCESS: There's a system error and not all of the data is merged. The Identity Resolution Job writes a message indicating the source of the problem.
- FAILED: The Identity Resolution Job did not merge any data. It writes a message indicating the source of the problem.

Type: String

Valid Values: PENDING | PREPROCESSING | FIND\_MATCHING | MERGING | COMPLETED  
| PARTIAL\_SUCCESS | FAILED

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerException

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetIntegration

Returns an integration for a domain.

## Request Syntax

```
POST /domains/DomainName/integrations HTTP/1.1
Content-type: application/json

{
  "Uri": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "CreatedAt": number,
  "DomainName": "string",
  "IsUnstructured": boolean,
  "LastUpdatedAt": number,
  "ObjectTypeNames": {
    "string": "string"
  },
  "Tags": {
    "string": "string"
  },
  "Uri": "string",
  "WorkflowId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## IsUnstructured

Boolean that shows if the Flow that's associated with the Integration is created in Amazon Appflow, or with ObjectTypeName equals \_unstructured via API/CLI in flowDefinition.

Type: Boolean

## LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

## ObjectTypeName

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

## ObjectTypeNames

A map in which each key is an event type from an external application such as Segment or Shopify, and each value is an ObjectTypeName (template) used to ingest the event. It supports the following event types: SegmentIdentify, ShopifyCreateCustomers, ShopifyUpdateCustomers, ShopifyCreateDraftOrders, ShopifyUpdateDraftOrders, ShopifyCreateOrders, and ShopifyUpdatedOrders.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-=._:/]+$`

Value Length Constraints: Maximum length of 256.

## Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## WorkflowId

Unique identifier for the workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of GetIntegration.

### Sample Request

```
POST /domains/ExampleDomainName/integrations HTTP/1.1
{
    "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration1"
}
```

### Sample Response

```
Content-type: application/json
{
    "CreatedAt": 1479249799770,
    "DomainName": "ExampleDomainName",
    "LastUpdatedAt": 1479249799770,
    "ObjectName": "MyCustomObject",
    "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration1"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## GetMatches

Before calling this API, use [CreateDomain](#) or [UpdateDomain](#) to enable identity resolution: set Matching to true.

GetMatches returns potentially matching profiles, based on the results of the latest run of a machine learning process.

### Important

The process of matching duplicate profiles. If Matching = true, Amazon Connect Customer Profiles starts a weekly batch process called Identity Resolution Job. If you do not specify a date and time for Identity Resolution Job to run, by default it runs every Saturday at 12AM UTC to detect duplicate profiles in your domains.

After the Identity Resolution Job completes, use the [GetMatches](#) API to return and review the results. Or, if you have configured ExportingConfig in the MatchingRequest, you can download the results from S3.

Amazon Connect uses the following profile attributes to identify matches:

- PhoneNumber
- HomePhoneNumber
- BusinessPhoneNumber
- MobilePhoneNumber
- EmailAddress
- PersonalEmailAddress
- BusinessEmailAddress
- FullName

For example, two or more profiles—with spelling mistakes such as **John Doe** and **Jhn Doe**, or different casing email addresses such as **JOHN\_DOE@ANYCOMPANY.COM** and **johndoe@anycompany.com**, or different phone number formats such as **555-010-0000** and **+1-555-010-0000**—can be detected as belonging to the same customer **John Doe** and merged into a unified profile.

## Request Syntax

```
GET /domains/DomainName/matches?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"Matches": [  
    {  
        "ConfidenceScore        "MatchId": "string",  
        "ProfileIds": [ "string" ]  
    }  
,  
    "MatchGenerationDate": number,  
    "NextToken": "string",  
    "PotentialMatches": number  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Matches

The list of matched profiles for this instance.

Type: Array of [MatchItem](#) objects

### MatchGenerationDate

The timestamp this version of Match Result generated.

Type: Timestamp

### NextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

### PotentialMatches

The number of potential matches found.

Type: Integer

Valid Range: Minimum value of 0.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerException

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetProfileObjectType

Returns the object types for a specific domain.

## Request Syntax

```
GET /domains/DomainName/object-types/ObjectName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### ObjectName

The name of the profile object type.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "AllowProfileCreation": boolean,  
    "CreatedAt": number,  
    "Description": string,  
    "EncryptionKey": string,  
    "ExpirationDays": number,  
    "Fields": {  
        "string" : {  
            "ContentType": string,  
            "Source": string,  
            "Target": string  
        }  
    },  
    "Keys": {  
        "string" : [  
            {  
                "FieldNames": [ "string" ],  
                "StandardIdentifiers": [ "string" ]  
            }  
        ]  
    },  
    "LastUpdatedAt": number,  
    "ObjectType": string,  
    "SourceLastUpdatedTimestampFormat": string,  
    "Tags": {  
        "string" : string  
    },  
    "TemplateId": string  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [AllowProfileCreation](#)

Indicates whether a profile should be created when data is received if one doesn't exist for an object of this type. The default is FALSE. If the AllowProfileCreation flag is set to FALSE, then the service tries to fetch a standard profile and associate this object with the profile. If it is set to TRUE, and if no match is found, then the service creates a new standard profile.

Type: Boolean

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

### Description

The description of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

### EncryptionKey

The customer-provided key to encrypt the profile object that will be created in this profile object type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

### ExpirationDays

The number of days until the data in the object expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

### Fields

A map of the name and ObjectType field.

Type: String to [ObjectTypeField](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

### Keys

A list of unique keys that can be used to map data to the profile.

Type: String to array of [ObjectTypeKey](#) objects map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

### LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

### ObjectType

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

### SourceLastUpdatedTimestampFormat

The format of your sourceLastUpdatedTimestamp that was previously set up.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-.=:\_:/]+\$

Value Length Constraints: Maximum length of 256.

### TemplateId

A unique identifier for the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of GetProfileObjectType.

## Sample Request

```
GET /domains/ExampleDomainName/object-types/MyCustomObject HTTP/1.1
```

## Sample Response

```
Content-type: application/jsonContent-type: application/json
{
    "CreatedAt": 1479249799770,
    "Description": "Internal ERP System",
    "EncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-ae39-efce5EXAMPLE",
    "AllowProfileCreation": "FALSE",
    "ExpirationDays": 100,
    "Fields": {
        "email" : {
            "ContentType": "EMAIL_ADDRESS",
            "Source": "_source.email",
            "Target": "_profile.BusinessEmailAddress"
        },
        "phone" : {
            "ContentType": "PHONE_NUMBER",
            "Source": "_source.phone",
            "Target": "_profile.BusinessPhoneNumber"
        },
        "loyaltyPoints" : {
            "ContentType": "NUMBER",
            "Source": "_source.loyaltypoints",
            "Target": "_profile.Attributes.loyaltypoints"
        }
    },
    "Keys": {
        "email" : [
            {
                "FieldNames": [ "email" ],
                "StandardIdentifiers": [ "PROFILE", "UNIQUE" ]
            }
        ],
        "loyaltypoints" : [
            {
                "FieldNames": [ "loyaltyPoints" ],
                "StandardIdentifiers": [ "PROFILE" ]
            }
        ]
    }
}
```

```
        ],
    },
    "LastUpdatedAt": 1479249799770,
    "ObjectName": "CustomProfileObjectName",
    "TemplateId": "MyTemplateId"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetProfileObjectTypeTemplate

Returns the template information for a specific object type.

A template is a predefined ProfileObjectType, such as "Salesforce-Account" or "Salesforce-Contact." When a user sends a ProfileObject, using the PutProfileObject API, with an ObjectTypeNames that matches one of the TemplateIds, it uses the mappings from the template.

## Request Syntax

```
GET /templates/TemplateId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### TemplateId

A unique identifier for the object template.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AllowProfileCreation": boolean,
  "Fieldsstring": {
      "ContentType": "string",
      "Source": "string",
```

```
        "Target": "string"
    }
},
"Keys": {
    "string" : [
        {
            "FieldNames": [ "string" ],
            "StandardIdentifiers": [ "string" ]
        }
    ]
},
"SourceLastUpdatedTimestampFormat": "string",
"SourceName": "string",
"SourceObject": "string",
"TemplateId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [AllowProfileCreation](#)

Indicates whether a profile should be created when data is received if one doesn't exist for an object of this type. The default is FALSE. If the AllowProfileCreation flag is set to FALSE, then the service tries to fetch a standard profile and associate this object with the profile. If it is set to TRUE, and if no match is found, then the service creates a new standard profile.

Type: Boolean

### [Fields](#)

A map of the name and ObjectType field.

Type: String to [ObjectTypeField](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

### [Keys](#)

A list of unique keys that can be used to map data to the profile.

Type: String to array of [ObjectTypeKey](#) objects map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

### [SourceLastUpdatedTimestampFormat](#)

The format of your sourceLastUpdatedTimestamp that was previously set up.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### [SourceName](#)

The name of the source of the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### [SourceObject](#)

The source of the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### [TemplateId](#)

A unique identifier for the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerError

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

# Examples

## Example

This example illustrates one usage of GetProfileObjectTypeTemplate.

### Sample Request

```
GET /templates/{TemplateId} HTTP/1.1
```

### Sample Response

```
Content-type: application/json
```

```
{  
    "AllowProfileCreation": "FALSE",  
    "Fields": {  
        "email" : {  
            "ContentType": "EMAIL_ADDRESS",  
            "Source": "_source.email",  
            "Target": "_profile.BusinessEmailAddress"  
        },  
        "phone" : {  
            "ContentType": "PHONE_NUMBER",  
            "Source": "_source.phone",  
            "Target": "_profile.Businessphonenumer"  
        }  
    },  
    "Keys": {  
        "_email" : [  
            {  
                "FieldNames": [ "email" ],  
                "StandardIdentifiers": [ "PROFILE", "UNIQUE" ]  
            }  
        ]  
    },  
    "SourceName": "Saleforce-Account",  
    "SourceObject": "Account",  
    "TemplateId": "Saleforce-Account"  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# GetSimilarProfiles

Returns a set of profiles that belong to the same matching group using the `matchId` or `profileId`. You can also specify the type of matching that you want for finding similar profiles using either `RULE_BASED_MATCHING` or `ML_BASED_MATCHING`.

## Request Syntax

```
POST /domains/DomainName/matches?max-results=MaxResults&next-token=NextToken HTTP/1.1
Content-type: application/json

{
  "MatchTypestring",
  "SearchKeystring",
  "SearchValuestring"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous `GetSimilarProfiles` API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request accepts the following data in JSON format.

### MatchType

Specify the type of matching to get similar profiles for.

Type: String

Valid Values: RULE\_BASED\_MATCHING | ML\_BASED\_MATCHING

Required: Yes

### SearchKey

The string indicating the search key to be used.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### SearchValue

The string based on SearchKey to be searched for similar profiles.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ConfidenceScorenumber,
  "MatchIdstring",
  "MatchTypestring",
```

```
"NextToken": "string",
"ProfileIds": [ "string" ],
"RuleLevel": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ConfidenceScore

It only has value when the MatchType is ML\_BASED\_MATCHING. A number between 0 and 1, where a higher score means higher similarity. Examining match confidence scores lets you distinguish between groups of similar records in which the system is highly confident (which you may decide to merge), groups of similar records about which the system is uncertain (which you may decide to have reviewed by a human), and groups of similar records that the system deems to be unlikely (which you may decide to reject). Given confidence scores vary as per the data input, it should not be used as an absolute measure of matching quality.

Type: Double

### MatchId

The string matchId that the similar profiles belong to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### MatchType

Specify the type of matching to get similar profiles for.

Type: String

Valid Values: RULE\_BASED\_MATCHING | ML\_BASED\_MATCHING

### NextToken

The pagination token from the previous GetSimilarProfiles API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## ProfileIds

Set of profileIds that belong to the same matching group.

Type: Array of strings

Pattern: [a-f0-9]{32}

## RuleLevel

The integer rule level that the profiles matched on.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 15.

# Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetWorkflow

Get details of specified workflow.

## Request Syntax

```
GET /domains/DomainName/workflows/WorkflowId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### WorkflowId

Unique identifier for the workflow.

Pattern: [a-f0-9]{32}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Attributes": {
```

```
"AppflowIntegration": {  
    "ConnectorProfileName": "string",  
    "RoleArn": "string",  
    "SourceConnectorType": "string"  
},  
}  
,  
"ErrorDescription": "string",  
"LastUpdatedAt": number,  
"Metrics": {  
    "AppflowIntegration": {  
        "RecordsProcessed": number,  
        "StepsCompleted": number,  
        "TotalSteps": number  
    }  
},  
}  
,"StartDate": number,  
"Status": "string",  
"WorkflowId": "string",  
"WorkflowType": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Attributes

Attributes provided for workflow execution.

Type: [WorkflowAttributes](#) object

### ErrorDescription

Workflow error messages during execution (if any).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### LastUpdatedAt

The timestamp that represents when workflow execution last updated.

Type: Timestamp

## Metrics

Workflow specific execution metrics.

Type: [WorkflowMetrics](#) object

## StartDate

The timestamp that represents when workflow execution started.

Type: Timestamp

## Status

Status of workflow execution.

Type: String

Valid Values: NOT\_STARTED | IN\_PROGRESS | COMPLETE | FAILED | SPLIT | RETRY  
| CANCELLED

## WorkflowId

Unique identifier for the workflow.

Type: String

Pattern: [a-f0-9]{32}

## WorkflowType

The type of workflow. The only supported value is APPFLOW\_INTEGRATION.

Type: String

Valid Values: APPFLOW\_INTEGRATION

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetWorkflowSteps

Get granular list of steps in workflow.

## Request Syntax

```
GET /domains/DomainName/workflows/WorkflowId/steps?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

### WorkflowId

Unique identifier for the workflow.

Pattern: [a-f0-9]{32}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ItemsAppflowIntegrationBatchRecordsEndTimeBatchRecordsStartTimeCreatedAtExecutionMessageFlowNameLastUpdatedAtRecordsProcessedStatusNextTokenWorkflowIdWorkflowType
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

List containing workflow step details.

Type: Array of [WorkflowStepItem](#) objects

## NextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## WorkflowId

Unique identifier for the workflow.

Type: String

Pattern: [a-f0-9]{32}

## WorkflowType

The type of workflow. The only supported value is APPFLOW\_INTEGRATION.

Type: String

Valid Values: APPFLOW\_INTEGRATION

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListAccountIntegrations

Lists all of the integrations associated to a specific URI in the AWS account.

## Request Syntax

```
POST /integrations?include-hidden=IncludeHidden&max-results=MaxResults&next-token=NextToken HTTP/1.1
Content-type: application/json

{
    "Uri": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### IncludeHidden

Boolean to indicate if hidden integration should be returned. Defaults to False.

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous ListAccountIntegrations API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request accepts the following data in JSON format.

### Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Items": [
        {
            "CreatedAt": number,
            "DomainName": "string",
            "IsUnstructured": boolean,
            "LastUpdatedAt": number,
            "ObjectTypeNames": "string",
            "ObjectTypes": {
                "string": "string"
            },
            "Tags": {
                "string": "string"
            },
            "Uri": "string",
            "WorkflowId": "string"
        }
    ],
    "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of ListAccountIntegration instances.

Type: Array of [ListIntegrationItem](#) objects

### NextToken

The pagination token from the previous ListAccountIntegrations API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

# Examples

## Example

This example illustrates one usage of ListAccountIntegrations.

### Sample Request

```
POST /integrations?max-results=10&next-token={NextToken} HTTP/1.1

{
    "Uri": "arn:aws:sqs:us-east-1:123456789012:URIofIntegration1"
}
```

### Sample Response

```
Content-type: application/json
{
    "Items": [
        {
            "CreatedAt": 1479249799770,
            "DomainName": "ExampleDomainName",
            "LastUpdatedAt": 1479249799770,
            "ObjectType": "MyCustomObject",
            "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration1"
        }
    ],
    "NextToken": "e17145a2-916b-42a2-b4d3-0267fEXAMPLE"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListCalculatedAttributeDefinitions

Lists calculated attribute definitions for Customer Profiles

## Request Syntax

```
GET /domains/DomainName/calculated-attributes?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of calculated attribute definitions returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous call to ListCalculatedAttributeDefinitions.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "Items": [  
    {  
      "CalculatedAttributeName": "string",  
      "CreatedAt": number,  
      "Description": "string",  
      "DisplayName": "string",  
      "LastUpdatedAt": number,  
      "Tags": {  
        "string" : "string"  
      }  
    },  
    "NextToken": "string"  
  ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of calculated attribute definitions.

Type: Array of [ListCalculatedAttributeDefinitionItem](#) objects

### NextToken

The pagination token from the previous call to `ListCalculatedAttributeDefinitions`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListCalculatedAttributesForProfile

Retrieve a list of calculated attributes for a customer profile.

## Request Syntax

```
GET /domains/DomainName/profile/ProfileId/calculated-attributes?max-  
results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of calculated attributes returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous call to ListCalculatedAttributesForProfile.

Length Constraints: Minimum length of 1. Maximum length of 1024.

### ProfileId

The unique identifier of a customer profile.

Pattern: [a-f0-9]{32}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ItemsCalculatedAttributeNameDisplayNameIsDataPartialValueNextToken
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of calculated attributes.

Type: Array of [ListCalculatedAttributeForProfileItem](#) objects

### NextToken

The pagination token from the previous call to `ListCalculatedAttributesForProfile`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDomains

Returns a list of all the domains for an AWS account that have been created.

## Request Syntax

```
GET /domains?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous ListDomain API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Items": [
        {
            "CreatedAt": number,
            "DomainName": "string",
            "LastUpdatedAt": number,
            "Tags": {
                "string": "string"
            }
        }
    ]
}
```

```
        }
    ],
    "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of ListDomains instances.

Type: Array of [ListDomainItem](#) objects

### NextToken

The pagination token from the previous ListDomains API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of ListDomains.

#### Sample Request

```
GET /v1/domains?max-results={MaxResults} //First call
```

#### Sample Request

```
GET /v1/domains?next-token={NextToken};max-results={MaxResults} //Subsequent calls
```

#### Sample Response

```
Content-type: application/json
{
    "NextToken": "fcc66dce-8356-4ddb-9f20-911c0EXAMPLE",
    "Items": [
        {
            "CreatedAt": 1479249799770,
            "LastUpdatedAt": 1479249799770,
            "Name": "ExampleDomain1"
        },
        {
            "CreatedAt": 1479249799770,
            "LastUpdatedAt": 1479249799770,
```

```
        "Name": "ExampleDomain2"
    }
]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListEventStreams

Returns a list of all the event streams in a specific domain.

## Request Syntax

```
GET /domains/DomainName/event-streams?max-results=MaxResults&next-token=NextToken
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

Identifies the next page of results to return.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
  "Items": [  
    {  
      "DestinationSummary": {  
        "Status": "string",  
        "UnhealthySince": number,  
        "Uri": "string"  
      },  
      "DomainName": "string",  
      "EventStreamArn": "string",  
      "EventStreamName": "string",  
      "State": "string",  
      "StoppedSince": number,  
      "Tags": {  
        "string" : "string"  
      }  
    }  
  ],  
  "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

Contains summary information about an EventStream.

Type: Array of [EventStreamSummary](#) objects

### NextToken

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerException

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListIdentityResolutionJobs

Lists all of the Identity Resolution Jobs in your domain. The response sorts the list by JobStartTime.

## Request Syntax

```
GET /domains/DomainName/identity-resolution-jobs?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "IdentityResolutionJobsList": [
        {
            "DomainName": "string",
            "ExportingLocation": {
                "S3Exporting": {
                    "S3BucketName": "string",
                    "S3KeyName": "string"
                }
            },
            "JobEndTime": number,
            "JobId": "string",
            "JobStartTime": number,
            "JobStats": {
                "NumberOfMatchesFound": number,
                "NumberOfMergesDone": number,
                "NumberOfProfilesReviewed": number
            },
            "Message": "string",
            "Status": "string"
        }
    ],
    "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [IdentityResolutionJobsList](#)

A list of Identity Resolution Jobs.

Type: Array of [IdentityResolutionJob](#) objects

## NextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListIntegrations

Lists all of the integrations in your domain.

## Request Syntax

```
GET /domains/DomainName/integrations?include-hidden=IncludeHidden&max-  
results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### IncludeHidden

Boolean to indicate if hidden integration should be returned. Defaults to False.

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous ListIntegrations API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Items": [
        {
            "CreatedAt": number,
            "DomainName": "string",
            "IsUnstructured": boolean,
            "LastUpdatedAt": number,
            "ObjectTypeName": "string",
            "ObjectTypeName": {
                "string": "string"
            },
            "Tags": {
                "string": "string"
            },
            "Uri": "string",
            "WorkflowId": "string"
        }
    ],
    "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of ListIntegrations instances.

Type: Array of [ListIntegrationItem](#) objects

### NextToken

The pagination token from the previous ListIntegrations API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of ListIntegrations.

## Sample Request

```
GET /domains/{DomainName}/integrations?max-results={MaxResults}&next-token={NextToken}
HTTP/1.1
```

## Sample Response

```
Content-type: application/json
{
  "Items": [
    {
      "CreatedAt": 1479249799770,
      "DomainName": "ExampleDomainName",
      "LastUpdatedAt": 1479249799770,
      "ObjectName": "SalesForce-Account",
      "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration1"
    },
    {
      "CreatedAt": 1479249799770,
      "DomainName": "ExampleDomainName2",
      "LastUpdatedAt": 1479249799770,
      "ObjectName": "MyCustomObjectName",
      "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration2"
    }
  ],
  "NextToken": "e17145a2-916b-42a2-b4d3-0267fEXAMPLE"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListProfileObjects

Returns a list of objects associated with a profile of a given ProfileObjectType.

## Request Syntax

```
POST /domains/DomainName/profiles/objects?max-results=MaxResults&next-token=NextToken
HTTP/1.1
Content-type: application/json

{
  "ObjectFilter": {
    "KeyName": "string",
    "Values": [ "string" ]
  },
  "ObjectType Name": "string",
  "ProfileId": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous call to ListProfileObjects.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request accepts the following data in JSON format.

### ObjectFilter

Applies a filter to the response to include profile objects with the specified index values.

Type: [ObjectFilter](#) object

Required: No

### ObjectType

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z0-9-]\*\$

Required: Yes

### ProfileId

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"Items": [  
    {  
        "Object        "ObjectTypeName": "string",  
        "ProfileObjectUniqueKey": "string"  
    }  
,  
    "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of ListProfileObject instances.

Type: Array of [ListProfileObjectsItem](#) objects

### NextToken

The pagination token from the previous call to ListProfileObjects.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example 1: List raw Contact Record objects

This example illustrates one usage of ListProfileObjects.

#### Sample Request

```
POST /domains/ExampleDomainName/profiles/objects?max-results=10&next-token=nextToken
Content-type: application/json

{
    "ObjectType": "MyCustomObject",
    "ProfileId": "3991a7d959d248bba82546b2dEXAMPLE"
}
```

#### Sample Response

```
Content-type: application/json
{
    "Items": [
        {
            "Object": "{\"firstName\": \"John\", \"lastName\": \"Smith\", \"isAlive\": true, \"age\": 27, \"address\": {\"streetAddress\": \"21"} }
```

```
2nd Street\", \"city\": \"New York\", \"state\": \"NY\", \"postalCode\": \"10021-3100\"},  
\n    \"phoneNumbers\": [{\"type\": \"home\", \"number\": \"212 555-1234\"},\n        {\"type\": \"office\", \"number\": \"646 555-4567\"]}],\n    \"children\": [],\n    \"spouse\": null},  
    \"ObjectTypeName\": \"MyCustomObject\",  
    \"ProfileObjectUniqueKey\": \"UniqueKeyOfTheProfileObject\"\n},  
{  
    \"Object\": \"{\\\"firstName\\\": \"John\\\", \\\"lastName\\\": \"Smith\\\", \\n\\\"isAlive\\\": true, \\\"age\\\": 27, \\\"address\\\": {\\\"streetAddress\\\": \"21  
2nd Street\", \\\"city\\\": \"New York\", \\\"state\\\": \"NY\", \\\"postalCode\\\": \"10021-3100\"},  
\\n        \"phoneNumbers\": [{\"type\": \"home\", \"number\": \"212 555-1234\"},\n            {\"type\": \"office\", \"number\": \"646 555-4567\"]}],\n        \"children\": [],\n        \"spouse\": null},  
        \"ObjectTypeName\": \"MyCustomObject\",  
        \"ProfileObjectUniqueKey\": \"UniqueKeyOfTheProfileObject\"\n}  
],  
\"NextToken\": \"e17145a2-916b-42a2-b4d3-0267fEXAMPLE\"\n}
```

## Example 2: Filter Standard Asset Objects

This example illustrates one usage of ListProfileObjects.

### Sample Request

```
POST /domains/ExampleDomainName/profiles/objects?max-results=10&next-token=nextToken  
Content-type: application/json  
  
{  
    \"ObjectTypeName\": \"_asset\",  
    \"ProfileId\": \"3991a7d959d248bba82546b2dEXAMPLE\",  
    \"ObjectFilter\": {  
        \"KeyName\": \"_assetId\",  
        \"Values\": [ \"991a7d959d248bba82546b2dEXAMPLE2\" ]  
    }  
}
```

### Sample Response

```
Content-type: application/json  
{
```

```
"Items": [
    {
        "Object": "{\"AssetId\": \"991a7d959d248bba82546b2dEXAMPLE2\", \n\"AssetName\": \"MyAsset\", \n\"SerialNumber\": \"123\", \n\"ModelNumber\": \"1\", \n\"modelName\": \"name\", \n\"ProductSKU\": \"21\", \n\"PurchaseDate\": \"07-04-2021\", \n\"UsageEndDate\": \"07-04-2021\", \n\"Status\": \"Delivered\", \n\"Price\": \"10\", \n\"Quantity\": \"5\", \n\"Description\": \"This is an asset\", \n\"Location\": \"Office\", \n\"AdditionalInformation\": \"None\", \n\"DataSource\": \"Salesforce-Asset\",
        \"Attributes\": {} },
        "ObjectType": "_asset",
        "ProfileObjectUniqueKey": "UniqueKeyOfTheProfileObject"
    }
],
"NextToken": "e17145a2-916b-42a2-b4d3-0267fEXAMPLE"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListProfileObjectTypes

Lists all of the templates available within the service.

## Request Syntax

```
GET /domains/DomainName/object-types?max-results=MaxResults&next-token=NextToken
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

Identifies the next page of results to return.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "Items": [  
    {  
      "CreatedAt": number,  
      "Description": "string",  
      "LastUpdatedAt": number,  
      "ObjectName": "string",  
      "Tags": {  
        "string": "string"  
      }  
    }  
  ],  
  "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of ListProfileObjectTypes instances.

Type: Array of [ListProfileObjectTypelItem](#) objects

### NextToken

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of ListProfileObjectTypes.

#### Sample Request

```
GET /domains/ExampleDomainName/object-types?max-results=10&next-token=nextToken  
HTTP/1.1
```

#### Sample Response

```
Content-type: application/json  
{  
    "Items": [  
        {  
            "CreatedAt": 1479249799770,
```

```
        "Description": "Example Description 1",
        "LastUpdatedAt": 1479249799770,
        "ObjectName": "MyCustomObjectType"
    },
{
    "CreatedAt": 147924988889,
    "Description": "Example Description 2",
    "LastUpdatedAt": 147924988889,
    "ObjectName": "AnotherCustomObjectType"
}
],
"NextToken": "e17145a2-916b-42a2-b4d3-0267fEXAMPLE"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListProfileObjectTypeTemplates

Lists all of the template information for object types.

## Request Syntax

```
GET /templates?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of objects returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous ListObjectTypeTemplates API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Items": [
        {
            "SourceName": "string",
            "SourceObject": "string",
            "TemplateId": "string"
        }
    ]
}
```

```
],  
  "NextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of ListProfileObjectType template instances.

Type: Array of [ListProfileObjectTypeTemplateItem](#) objects

### NextToken

The pagination token from the previous ListObjectTypeTemplates API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of ListProfileObjectTypeTemplates.

### Sample Request

```
GET /templates?max-results={MaxResults}&next-token={NextToken} HTTP/1.1
```

### Sample Response

```
Content-type: application/json
{
  "Items": [
    {
      "SourceName": "Salesforce-account",
      "SourceObject": "<JSON represented by GetProfileObjectTypeTemplate API>",
      "TemplateId": "Salesforce-Account"
    },
    {
      "SourceName": "Another-source",
      "SourceObject": "<JSON represented by GetProfileObjectTypeTemplate API>",
      "TemplateId": "MyCustomTemplateId"
    }
  ],
  "NextToken": "e17145a2-916b-42a2-b4d3-0267fEXAMPLE"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListRuleBasedMatches

Returns a set of MatchIds that belong to the given domain.

## Request Syntax

```
GET /domains/DomainName/profiles/ruleBasedMatches?max-results=MaxResults&next-token=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of MatchIds returned per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The pagination token from the previous ListRuleBasedMatches API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "MatchIdsNextToken
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [\*\*MatchIds\*\*](#)

The list of MatchIds for the given domain.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

### [\*\*NextToken\*\*](#)

The pagination token from the previous ListRuleBasedMatches API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

## InternalServerError

An internal service error occurred.

HTTP Status Code: 500

## ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

Displays the tags associated with an Amazon Connect Customer Profiles resource. In Connect Customer Profiles, domains, profile object types, and integrations can be tagged.

## Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

The ARN of the resource for which you want to view tags.

Length Constraints: Maximum length of 256.

Pattern: ^arn:[a-z0-9]{1,10}:profile

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?![aws:])[a-zA-Z+-.=:\_:/]+\$

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListWorkflows

Query to list all workflows.

## Request Syntax

```
POST /domains/DomainName/workflows?max-results=MaxResults&next-token=NextToken HTTP/1.1
Content-type: application/json

{
    "QueryEndDate": number,
    "QueryStartDate": number,
    "Status": "string",
    "WorkflowType": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### MaxResults

The maximum number of results to return per page.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token for the next set of results. Use the value returned in the previous response in the next request to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Request Body

The request accepts the following data in JSON format.

### QueryEndDate

Retrieve workflows ended after timestamp.

Type: Timestamp

Required: No

### QueryStartDate

Retrieve workflows started after timestamp.

Type: Timestamp

Required: No

### Status

Status of workflow execution.

Type: String

Valid Values: NOT\_STARTED | IN\_PROGRESS | COMPLETE | FAILED | SPLIT | RETRY  
| CANCELLED

Required: No

### WorkflowType

The type of workflow. The only supported value is APPFLOW\_INTEGRATION.

Type: String

Valid Values: APPFLOW\_INTEGRATION

Required: No

## Response Syntax

HTTP/1.1 200

```
Content-type: application/json
```

```
{
  "ItemsCreatedAtLastUpdatedAtStatusStatusDescriptionWorkflowIdWorkflowTypeNextToken
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

List containing workflow details.

Type: Array of [ListWorkflowsItem](#) objects

### NextToken

If there are additional results, this is the token for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# MergeProfiles

Runs an AWS Lambda job that does the following:

1. All the profileKeys in the ProfileToBeMerged will be moved to the main profile.
2. All the objects in the ProfileToBeMerged will be moved to the main profile.
3. All the ProfileToBeMerged will be deleted at the end.
4. All the profileKeys in the ProfileIdsToBeMerged will be moved to the main profile.
5. Standard fields are merged as follows:
  - a. Fields are always "union"-ed if there are no conflicts in standard fields or attributeKeys.
  - b. When there are conflicting fields:
    - i. If no SourceProfileIds entry is specified, the main Profile value is always taken.
    - ii. If a SourceProfileIds entry is specified, the specified profileId is always taken, even if it is a NULL value.

You can use MergeProfiles together with [GetMatches](#), which returns potentially matching profiles, or use it with the results of another matching system. After profiles have been merged, they cannot be separated (unmerged).

## Request Syntax

```
POST /domains/DomainName/profiles/objects/merge HTTP/1.1
```

```
Content-type: application/json
```

```
{  
  "FieldSourceProfileIds": {  
    "AccountNumber": "string",  
    "AdditionalInformation": "string",  
    "Address": "string",  
    "Attributes": {  
      "string": "string"  
    },  
    "BillingAddress": "string",  
    "BirthDate": "string",  
    "BusinessEmailAddress": "string",  
    "BusinessName": "string",  
    "BusinessPhoneNumber": "string",  
    "EmailAddress": "string",  
    "FaxNumber": "string",  
    "LanguageCode": "string",  
    "LastModifiedDate": "string",  
    "LastUpdatedBy": "string",  
    "MobilePhoneNumber": "string",  
    "Name": "string",  
    "PhoneNumbers": [string],  
    "ProfileId": "string",  
    "ProfileName": "string",  
    "ProfileType": "string",  
    "SocialSecurityNumber": "string",  
    "State": "string",  
    "Title": "string",  
    "Type": "string",  
    "WorkEmail": "string",  
    "WorkPhoneNumber": "string"  
  },  
  "SourceProfileIds": [string]  
}
```

```
"FirstName": "string",
"Gender": "string",
"HomePhoneNumber": "string",
"LastName": "string",
"MailingAddress": "string",
"MiddleName": "string",
"MobilePhoneNumber": "string",
"PartyType": "string",
"PersonalEmailAddress": "string",
"PhoneNumber": "string",
"ShippingAddress": "string"
},
"MainProfileId": "string",
"ProfileIdsToBeMerged": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### FieldSourceProfileIds

The identifiers of the fields in the profile that has the information you want to apply to the merge. For example, say you want to merge EmailAddress from Profile1 into MainProfile. This would be the identifier of the EmailAddress field in Profile1.

Type: FieldSourceProfileIds object

Required: No

### MainProfileId

The identifier of the profile to be taken.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

### ProfileIdsToBeMerged

The identifier of the profile to be merged into MainProfileId.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Pattern: [a-f0-9]{32}

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Message": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Message

A message that indicates the merge request is complete.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example 1

Fields are always "union"-ed if there are no conflicts in standard fields or attributeKeys.

```
MainProfile: {  
    "FirstName": "Jane"  
}  
  
ProfileToBeMerged1: {  
    "LastName": "Doe"  
}  
  
ProfileToBeMerged2: {  
    "MiddleName": "None"
```

```
}

mergeOf(MainProfile, [ProfileToBeMerged1, ProfileToBeMerged2] // Yields a MainProfile
that looks like the following:
MainProfile: {
  "FirstName": "Jane",
  "LastName": "Doe",
  "MiddleName": "None"
}
```

## Example 2

When there are conflicting fields, if no SourceProfileIds entry is specified, the main Profile value is always taken.

```
MainProfile: {
  "FirstName": "Jane"
}

ProfileToBeMerged1: {
  "LastName": "Doe"
}

ProfileToBeMerged2: {
  "FirstName": "Jorge" // Note that this has conflict with MainProfile
}

mergeOf(MainProfile, [ProfileToBeMerged1, ProfileToBeMerged2] // Yields a MainProfile
that looks like the following:
MainProfile: {
  "FirstName": "Jane", // "Jane" stays as that is what MainProfile is
  "LastName": "Doe"
}
```

## Example 3

When there are conflicting fields, if a SourceProfileIds entry is specified, the specified profileId is always taken, even if it is a NULL value.

```
MainProfile: {
  "FirstName": "Jane"
}
```

```
ProfileToBeMerged1: {
    "LastName": "Doe"
}

ProfileToBeMerged2: {
    "FirstName": "Jorge" // Note that this has conflict with MainProfile
}

SourceProfileIds: {
    "FirstName": "secondaryProfile2"
}

mergeOf(MainProfile, [ProfileToBeMerged1, ProfileToBeMerged2] // Yields a MainProfile
that looks like the following:
MainProfile: {
    "FirstName": "Jorge", // "Jorge" gets picked because SourceProfileIds is
specified
    "LastName": "Doe"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutIntegration

Adds an integration between the service and a third-party service, which includes Amazon AppFlow and Amazon Connect.

An integration can belong to only one domain.

To add or remove tags on an existing Integration, see [TagResource](#) / [UntagResource](#).

## Request Syntax

```
PUT /domains/DomainName/integrations HTTP/1.1
Content-type: application/json

{
  "FlowDefinitionDescriptionFlowNameKmsArnSourceFlowConfigConnectorProfileNameConnectorTypeIncrementalPullConfigDatetimeTypeFieldNameSourceConnectorPropertiesMarketoObjectS3BucketNameBucketPrefixSalesforceEnableDynamicFieldUpdateIncludeDeletedRecordsObjectServiceNowObjectZendeskObject
```

```
        }
    },
],
"Tasks": [
{
    "ConnectorOperator": {
        "Marketo": "string",
        "S3": "string",
        "Salesforce": "string",
        "ServiceNow": "string",
        "Zendesk": "string"
    },
    "DestinationField": "string",
    "SourceFields": [ "string" ],
    "TaskProperties": {
        "string" : "string"
    },
    "TaskType": "string"
},
],
"TriggerConfig": {
    "TriggerProperties": {
        "Scheduled": {
            "DataPullMode": "string",
            "FirstExecutionFrom": number,
            "ScheduleEndTime": number,
            "ScheduleExpression": "string",
            "ScheduleOffset": number,
            "ScheduleStartTime": number,
            "Timezone": "string"
        }
    },
    "TriggerType": "string"
},
},
"ObjectTypeName": "string",
"ObjectNames": {
    "string" : "string"
},
"Tags": {
    "string" : "string"
},
"Uri": "string"
```

}

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### FlowDefinition

The configuration that controls how Customer Profiles retrieves data from the source.

Type: [FlowDefinition](#) object

Required: No

### ObjectTypeNames

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

### ObjectTypesNames

A map in which each key is an event type from an external application such as Segment or Shopify, and each value is an `ObjectTypeNames` (template) used to ingest the event.

It supports the following event types: SegmentIdentify, ShopifyCreateCustomers, ShopifyUpdateCustomers, ShopifyCreateDraftOrders, ShopifyUpdateDraftOrders, ShopifyCreateOrders, and ShopifyUpdatedOrders.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-.=:\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

## Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
  "CreatedAt": number,  
  "DomainName": "string",  
  "IsUnstructured": boolean,  
  "LastUpdatedAt": number,  
  "ObjectTypeNames": "string",  
  "ObjectTypes": {  
    "string": "string"  
  },  
  "Tags": {  
    "string": "string"  
  },  
  "Uri": "string",  
  "WorkflowId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

### IsUnstructured

Boolean that shows if the Flow that's associated with the Integration is created in Amazon Appflow, or with ObjectTypeNames equals \_unstructured via API/CLI in flowDefinition.

Type: Boolean

### LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

### ObjectTypeName

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

### ObjectTypeName

A map in which each key is an event type from an external application such as Segment or Shopify, and each value is an `ObjectType` (template) used to ingest the event. It supports the following event types: `SegmentIdentify`, `ShopifyCreateCustomers`, `ShopifyUpdateCustomers`, `ShopifyCreateDraftOrders`, `ShopifyUpdateDraftOrders`, `ShopifyCreateOrders`, and `ShopifyUpdatedOrders`.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(!aws:)[a-zA-Z+=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

## Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## WorkflowId

Unique identifier for the workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerException**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of PutIntegration.

### Sample Request

```
PUT /domains/ExampleDomainName/integrations HTTP/1.1

Content-type: application/json
{
    "ObjectName": "MyCustomObject",
    "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration1"
}
```

### Sample Response

```
Content-type: application/json
{
    "CreatedAt": 1479249799770,
    "DomainName": "ExampleDomainName",
    "LastUpdatedAt": 1479249799770,
    "ObjectName": "MyCustomObject",
    "Uri": "arn:aws:flow:us-east-1:123456789012:URIofIntegration1"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutProfileObject

Adds additional objects to customer profiles of a given ObjectType.

When adding a specific profile object, like a Contact Record, an inferred profile can get created if it is not mapped to an existing profile. The resulting profile will only have a phone number populated in the standard ProfileObject. Any additional Contact Records with the same phone number will be mapped to the same inferred profile.

When a ProfileObject is created and if a ProfileObjectType already exists for the ProfileObject, it will provide data to a standard profile depending on the ProfileObjectType definition.

PutProfileObject needs an ObjectType, which can be created using PutProfileObjectType.

## Request Syntax

```
PUT /domains/DomainName/profiles/objects HTTP/1.1
Content-type: application/json

{
  "ObjectObjectTypeName": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## Object

A string that is serialized from a JSON object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256000.

Required: Yes

## ObjectTypeName

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ProfileObjectUniqueKey": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ProfileObjectUniqueKey

The unique identifier of the profile object generated by the service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerException

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example 1: For a custom object

This example illustrates one usage of PutProfileObject.

#### Sample Request

```
PUT /domains/ExampleDomainName/profiles/objects HTTP/1.1
```

Content-type: application/json

```
{
  "Object": "{\"firstName\": \"John\", \"lastName\": \"Smith\", \"isAlive\": true, \"age\": 27, \"address\": {\"streetAddress\": \"21 2nd Street\", \"city\": \"New York\", \"state\": \"NY\", \"postalCode\": \"10021-3100\"}, \"phoneNumbers\": [{\"type\": \"home\", \"number\": \"212 555-1234\"}, {\"type\": \"office\", \"number\": \"646 555-4567\"}], \"children\": [], \"spouse\": null}",
  "ObjectType": "MyCustomObjectName"
}
```

## Sample Response

```
Content-type: application/json
{
  "ProfileObjectUniqueKey": "HashCodeOfUniqueKeyOfTheProfileObject"
}
```

## Example 2: For a pre-defined object, like a Contact Record

This example illustrates one usage of PutProfileObject.

### Sample Request

```
PUT /domains/ExampleDomainName/profiles/objects HTTP/1.1
Content-type: application/json

{
  "Object": {
    "mediaStreams": [
      {
        "type": "AUDIO"
      }
    ],
    "queue": null,
    "preDisconnectState": null,
    "references": null,
    "contactReferences": null,
    "initialContactId": null,
    "previousContactData": null,
    "recordings": null,
    "contactDetails": null,
    "initialContactFlowId": "e1b44e46-a457-4230-a896-64473a2dbe7d",
    "channel": "VOICE",
    "attributes": null,
    "customerEndpoint": {
      "address": null,
      "type": "VOIP"
    },
    "arn": null,
    "transferInfo": null,
    "initiationMethod": "API",
    "nextContactData": null,
    "contactId": "9a3394ee-a0c4-448a-a329-9a148e53d8cd",
    "initiationTimestamp": 1603319514474,
    "connectedToSystemTimestamp": 1603319517218,
    "disconnectTimestamp": 1603319517000,
    "agentConnectionAttempts": 0,
    "agent": null,
    "systemEndpoint": {
      "address": "e1b44e46-a457-4230-a896-64473a2dbe7d",
      "type": "CONTACT_FLOW"
    },
    "arn": null
  },
  "instanceARN": null
}
```

```
\": \"arn:aws:connect:us-west-2:941081270797:instance/fb129b8c-4a2f-4561-859b-  
cc190fa047b1\",\\n    \"lastUpdateTimestamp\": 1603319579763,\\n    \"disconnectReason  
\": \"CUSTOMER_DISCONNECT\",\\n    \"awsaccountId\": \"941081270797\",\\n  
    \"awscontactTraceRecordFormatVersion\": \"2019-01-23\"\n},  
    \"ObjectTypeName\": \"CTR\"\n}
```

## Sample Response

```
Content-type: application/json  
{  
    \"ProfileObjectUniqueKey\": \"HashValueOfTheCTRContactId\"\n}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutProfileObjectType

Defines a ProfileObjectType.

To add or remove tags on an existing ObjectType, see [TagResource/UntagResource](#).

## Request Syntax

```
PUT /domains/DomainName/object-types/ObjectType HTTP/1.1
Content-type: application/json

{
  "AllowProfileCreation": boolean,
  "Descriptionstring",
  "EncryptionKey": "string",
  "ExpirationDays": number,
  "Fields": {
    "string": {
      "ContentType": "string",
      "Source": "string",
      "Target": "string"
    }
  },
  "Keys": {
    "string": [
      {
        "FieldNames": [ "string" ],
        "StandardIdentifiers": [ "string" ]
      }
    ]
  },
  "SourceLastUpdatedTimestampFormat": "string",
  "Tags": {
    "string": "string"
  },
  "TemplateId": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

## DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## ObjectType

The name of the profile object type.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z0-9-]\*\$

Required: Yes

# Request Body

The request accepts the following data in JSON format.

## AllowProfileCreation

Indicates whether a profile should be created when data is received if one doesn't exist for an object of this type. The default is FALSE. If the AllowProfileCreation flag is set to FALSE, then the service tries to fetch a standard profile and associate this object with the profile. If it is set to TRUE, and if no match is found, then the service creates a new standard profile.

Type: Boolean

Required: No

## Description

Description of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

## EncryptionKey

The customer-provided key to encrypt the profile object that will be created in this profile object type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

## ExpirationDays

The number of days until the data in the object expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

Required: No

## Fields

A map of the name and ObjectType field.

Type: String to [ObjectTypeField](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

## Keys

A list of unique keys that can be used to map data to the profile.

Type: String to array of [ObjectTypeKey](#) objects map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

## SourceLastUpdatedTimestampFormat

The format of your sourceLastUpdatedTimestamp that was previously set up.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-=._:/]+$`

Value Length Constraints: Maximum length of 256.

Required: No

## TemplateId

A unique identifier for the object template. For some attributes in the request, the service will use the default value from the object template when TemplateId is present. If these attributes are present in the request, the service may return a BadRequestException. These attributes include: AllowProfileCreation, SourceLastUpdatedTimestampFormat, Fields, and Keys. For example, if AllowProfileCreation is set to true when TemplateId is set, the service may return a BadRequestException.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9_-]+$`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "AllowProfileCreation": boolean,  
    "CreatedAt": number,  
    "Description": string,  
    "EncryptionKey": string,  
    "ExpirationDays": number,  
    "Fields": {  
        "string" : {  
            "ContentType": string,  
            "Source": string,  
            "Target": string  
        }  
    },  
    "Keys": {  
        "string" : [  
            {  
                "FieldNames": [ "string" ],  
                "StandardIdentifiers": [ "string" ]  
            }  
        ]  
    },  
    "LastUpdatedAt": number,  
    "ObjectType": string,  
    "SourceLastUpdatedTimestampFormat": string,  
    "Tags": {  
        "string" : string  
    },  
    "TemplateId": string  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [AllowProfileCreation](#)

Indicates whether a profile should be created when data is received if one doesn't exist for an object of this type. The default is FALSE. If the AllowProfileCreation flag is set to FALSE, then the service tries to fetch a standard profile and associate this object with the profile. If it is set to TRUE, and if no match is found, then the service creates a new standard profile.

Type: Boolean

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

### Description

Description of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

### EncryptionKey

The customer-provided key to encrypt the profile object that will be created in this profile object type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

### ExpirationDays

The number of days until the data in the object expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

### Fields

A map of the name and ObjectType field.

Type: String to [ObjectTypeField](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

### Keys

A list of unique keys that can be used to map data to the profile.

Type: String to array of [ObjectTypeKey](#) objects map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

### [LastUpdatedAt](#)

The timestamp of when the domain was most recently edited.

Type: Timestamp

### [ObjectTypeName](#)

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

### [SourceLastUpdatedTimestampFormat](#)

The format of your sourceLastUpdatedTimestamp that was previously set up in fields that were parsed using [SimpleDateFormat](#). If you have sourceLastUpdatedTimestamp in your field, you must set up sourceLastUpdatedTimestampFormat.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### [Tags](#)

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+=\_,:\_:/]+\$

Value Length Constraints: Maximum length of 256.

## TemplateId

A unique identifier for the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

# Examples

## Example 1

In the request, replace the Fields and Keys request parameters with your own. If specifying a TemplateId, replace it with your own TemplateId value. You must either specify both Fields and Keys, or you can specify TemplateId. You can't include all three.

### Sample Request

```
PUT /domains/ExampleDomainName/object-types/CustomProfileObjectTypeName HTTP/1.1
```

```
{  
    "Description": "Internal ERP System",  
    "EncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-ae39-  
efce5EXAMPLE",  
    "AllowProfileCreation": false,  
    "ExpirationDays": 1000,  
    "Fields": {  
        "email" : {  
            "ContentType": "EMAIL_ADDRESS",  
            "Source": "_source.email",  
            "Target": "_profile.BusinessEmail"  
        },  
        "phone" : {  
            "ContentType": "PHONE_NUMBER",  
            "Source": "_source.phone",  
            "Target": "_profile.BusinessPhoneNumber"  
        },  
        "loyaltyPoints" : {  
            "ContentType": "NUMBER",  
            "Source": "_source.loyaltypoints",  
            "Target": "_profile.Attributes.loyaltypoints"  
        }  
    },  
    "Keys": {  
        "_email" : [  
            {  
                "FieldNames": [ "email" ],  
                "StandardIdentifiers": [ "PROFILE", "UNIQUE" ]  
            }  
        ],  
    }  
}
```

```
"loyaltyPoints" : [
    {
        "FieldNames": [ "loyaltyPoints" ],
        "StandardIdentifiers": [ "PROFILE" ]
    }
],
"TemplateId": "MyTemplateId"
}
```

## Sample Response

```
Content-type: application/json
{
    "CreatedAt": 1479249799770,
    "Description": "Internal ERP System",
    "EncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-ae39-efce5EXAMPLE",
    "AllowProfileCreation": "FALSE",
    "ExpirationDays": 100,
    "Fields": {
        "email" : {
            "ContentType": "EMAIL_ADDRESS",
            "Source": "_source.email",
            "Target": "_profile.BusinessEmailAddress"
        },
        "phone" : {
            "ContentType": "PHONE_NUMBER",
            "Source": "_source.phone",
            "Target": "_profile.BusinessPhoneNumber"
        },
        "loyaltyPoints" : {
            "ContentType": "NUMBER",
            "Source": "_source.loyaltyPoints",
            "Target": "_profile.Attributes.loyaltyPoints"
        }
    },
    "Keys": {
        "email" : [
            {
                "FieldNames": [ "email" ],
                "StandardIdentifiers": [ "PROFILE", "UNIQUE" ]
            }
        ]
    }
}
```

```
],
  "loyaltypoints" : [
    {
      "FieldNames": [ "loyaltyPoints" ],
      "StandardIdentifiers": [ "PROFILE" ]
    }
  ],
},
"LastUpdatedAt": 1479249799770,
"ObjectType": "CustomProfileObjectType",
"TemplateId": "MyTemplateId"
}
```

## Example 2

This example illustrates one usage of PutProfileObjectType.

### Sample Request

```
PUT /domains/ExampleDomainName/object-types/CTR HTTP/1.1
Content-type: application/json
{
  "Description": "CTR",
  "TemplateId": "CTR-NoInferred"
}
```

## Example 2.5

This command associates Contact Records with already existing profiles with the same phone number. In the example below, replace ExampleDomainName with your domain name, and replace the description with your desired description.

### Sample Request

```
aws profile put-object-type --domain-name ExampleDomainName --object-type-name CTR --
description "CTR" --template-id "CTR-NoInferred"
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# SearchProfiles

Searches for profiles within a specific domain using one or more predefined search keys (e.g., `_fullName`, `_phone`, `_email`, `_account`, etc.) and/or custom-defined search keys. A search key is a data type pair that consists of a `KeyName` and `Values` list.

This operation supports searching for profiles with a minimum of 1 key-value(s) pair and up to 5 key-value(s) pairs using either AND or OR logic.

## Request Syntax

```
POST /domains/DomainName/profiles/search?max-results=MaxResults&next-token=NextToken
HTTP/1.1
Content-type: application/json

{
  "AdditionalSearchKeysKeyNameValuesKeyNameLogicalOperatorValues
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## MaxResults

The maximum number of objects returned per page.

The default is 20 if this parameter is not included in the request.

Valid Range: Minimum value of 1. Maximum value of 100.

## NextToken

The pagination token from the previous SearchProfiles API call.

Length Constraints: Minimum length of 1. Maximum length of 1024.

# Request Body

The request accepts the following data in JSON format.

## AdditionalSearchKeys

A list of AdditionalSearchKey objects that are each searchable identifiers of a profile. Each AdditionalSearchKey object contains a KeyName and a list of Values associated with that specific key (i.e., a key-value(s) pair). These additional search keys will be used in conjunction with the LogicalOperator and the required KeyName and Values parameters to search for profiles that satisfy the search criteria.

Type: Array of [AdditionalSearchKey](#) objects

Array Members: Minimum number of 1 item. Maximum number of 4 items.

Required: No

## KeyName

A searchable identifier of a customer profile. The predefined keys you can use to search include: \_account, \_profileId, \_assetId, \_caselId, \_orderId, \_fullName, \_phone, \_email, \_ctrContactId, \_marketoLeadId, \_salesforceAccountId, \_salesforceContactId, \_salesforceAssetId, \_zendeskUserId, \_zendeskExternalId, \_zendeskTicketId, \_serviceNowSystemId, \_serviceNowIncidentId, \_segmentUserId, \_shopifyCustomerId, \_shopifyOrderId.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## LogicalOperator

Relationship between all specified search keys that will be used to search for profiles. This includes the required KeyName and Values parameters as well as any key-value(s) pairs specified in the AdditionalSearchKeys list.

This parameter influences which profiles will be returned in the response in the following manner:

- AND - The response only includes profiles that match all of the search keys.
- OR - The response includes profiles that match at least one of the search keys.

The OR relationship is the default behavior if this parameter is not included in the request.

Type: String

Valid Values: AND | OR

Required: No

## Values

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Items": [
    {
      "AccountNumberAdditionalInformationAddress
```

```
"Address1": "string",
"Address2": "string",
"Address3": "string",
"Address4": "string",
"City": "string",
"Country": "string",
"County": "string",
"PostalCode": "string",
"Province": "string",
"State": "string"
},
"Attributes": {
    "string" : "string"
},
"BillingAddress": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
},
"BirthDate": "string",
"BusinessEmailAddress": "string",
"BusinessName": "string",
"BusinessPhoneNumber": "string",
"EmailAddress": "string",
"FirstName": "string",
"FoundByItems": [
    {
        "KeyName": "string",
        "Values": [ "string" ]
    }
],
"Gender": "string",
"GenderString": "string",
"HomePhoneNumber": "string",
"LastName": "string",
"MailingAddress": {
    "Address1": "string",

```

```
        "Address2": "string",
        "Address3": "string",
        "Address4": "string",
        "City": "string",
        "Country": "string",
        "County": "string",
        "PostalCode": "string",
        "Province": "string",
        "State": "string"
    },
    "MiddleName": "string",
    "MobilePhoneNumber": "string",
    "PartyType": "string",
    "PartyTypeString": "string",
    "PersonalEmailAddress": "string",
    "PhoneNumber": "string",
    "ProfileId": "string",
    "ShippingAddress": {
        "Address1": "string",
        "Address2": "string",
        "Address3": "string",
        "Address4": "string",
        "City": "string",
        "Country": "string",
        "County": "string",
        "PostalCode": "string",
        "Province": "string",
        "State": "string"
    }
}
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Items

The list of Profiles matching the search criteria.

Type: Array of [Profile objects](#)

### NextToken

The pagination token from the previous SearchProfiles API call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

# Examples

## Example 1

This example illustrates one usage of SearchProfiles.

### Sample Request

```
POST /domains/ExampleDomainName/profiles/search?max-results=10&next-
token=nextTokenString HTTP/1.1
Content-type: application/json

{
    "KeyName": "_phone",
    "Values": ["555-333-7777"]
}
```

### Sample Response

```
Content-type: application/json
{
    "NextToken": "5231b533-ba17-4787-98a3-f2df3EXAMPLE",
    "Items": [
        {
            "ProfileId" : "3991a7d95sd248bba82546b2dEXAMPLE",
            "AccountNumber": "ACCT12344",
            "Address": {
                "Address1": "123 Sample St",
                "Address2": "Apt 4",
                "Address3": "",
                "Address4": "",
                "City": "Seattle",
                "Country": "USA",
                "County": "King",
                "PostalCode": "98011",
                "Province": "",
                "State": "WA"
            },
            "Attributes": {
                "SSN" : "123-44-3433",
                "LoyaltyPoints" : "4000"
            },
            "BillingAddress": {

```

```
"Address1": "789 Sample St",
"Address2": "Apt 1",
"Address3": "",
"Address4": "",
"City": "Seattle",
"Country": "USA",
"County": "King",
"PostalCode": "98011",
"Province": "",
"State": "WA"
},
"BirthDate": "07/12/1980",
"BusinessEmailAddress": "example@amazon.com",
"BusinessName": "My Awesome Company",
"BusinessPhoneNumber": "555-334-3389",
"EmailAddress": "example@gmail.com",
"FirstName": "John",
"Gender": "MALE",
"HomePhoneNumber": "555-334-3344",
"LastName": "Doe",
"MailingAddress": {
    "Address1": "234 Home St",
    "Address2": "Apt 5",
    "Address3": "",
    "Address4": "",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
},
"AdditionalInformation": "High Profile Customer",
"MiddleName": "",
"MobilePhoneNumber": "555-333-7777",
"PartyType": "INDIVIDUAL",
"PersonalEmailAddress": "email1@gmail.com",
"PhoneNumber": "",
"ShippingAddress": {
    "Address1": "555 A St",
    "Address2": "Suite 100",
    "Address3": "",
    "Address4": "",
    "City": "Seattle",
```

```
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
},
{
    "ProfileId" : "ef30fad550894e0a95f9d64cbEXAMPLE",
    "AccountNumber": "ACCT12344",
    "Address": {
        "Address1": "123 Sample St",
        "Address2": "Apt 4",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "Attributes": {
        "SSN" : "123-44-3433",
        "LoyaltyPoints" : "4000"
    },
    "BillingAddress": {
        "Address1": "789 Sample St",
        "Address2": "Apt 1",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "BirthDate": "07/12/1980",
    "BusinessEmailAddress": "example@amazon.com",
    "BusinessName": "My Awesome Company",
    "BusinessPhoneNumber": "555-334-3389",
    "EmailAddress": "example@gmail.com",
    "FirstName": "John",
```

```
"Gender": "MALE",
"HomePhoneNumber": "555-334-3344",
"LastName": "Doe",
"ShippingAddress": {
    "Address1": "234 Home St",
    "Address2": "Apt 5",
    "Address3": "",
    "Address4": "",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
},
"AdditionalInformation": "High Profile Customer",
"MiddleName": "",
"MobilePhoneNumber": "555-333-7777",
"PartyType": "INDIVIDUAL",
"PersonalEmailAddress": "email1@gmail.com",
"PhoneNumber": "",
"ShippingAddress": {
    "Address1": "555 A St",
    "Address2": "Suite 100",
    "Address3": "",
    "Address4": "",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
}
}
```

## Example 2

This example illustrates one usage of SearchProfiles.

## Sample Request

```
POST /domains/ExampleDomainName/profiles/search?max-results=10&next-
token=nextTokenString HTTP/1.1
Content-type: application/json

{
    "KeyName": "_email",
    "Values": ["email1@gmail.com"]
}
```

## Sample Response

```
Content-type: application/json
{
    "NextToken": "5231b533-ba17-4787-98a3-f2df3EXAMPLE",
    "Items": [
        {
            "ProfileId" : "ef30fad55099ee0a95f9d64cbEXAMPLE",
            "AccountNumber": "ACCT12344",
            "Address": {
                "Address1": "123 Sample St",
                "Address2": "Apt 4",
                "Address3": "",
                "Address4": "",
                "City": "Seattle",
                "Country": "USA",
                "County": "King",
                "PostalCode": "98011",
                "Province": "",
                "State": "WA"
            },
            "Attributes": {
                "SSN" : "123-44-3433",
                "LoyaltyPoints" : "4000"
            },
            "BillingAddress": {
                "Address1": "789 Sample St",
                "Address2": "Apt 1",
                "Address3": "",
                "Address4": "",
                "City": "Seattle",
                "Country": "USA",
            }
        }
    ]
}
```

```
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "BirthDate": "07/12/1980",
    "BusinessEmailAddress": "example@amazon.com",
    "BusinessName": "My Awesome Company",
    "BusinessPhoneNumber": "555-334-3389",
    "EmailAddress": "example@gmail.com",
    "FirstName": "John",
    "Gender": "MALE",
    "HomePhoneNumber": "555-334-3344",
    "LastName": "Doe",
    "MailingAddress": {
        "Address1": "234 Home St",
        "Address2": "Apt 5",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "AdditionalInformation": "High Profile Customer",
    "MiddleName": "",
    "MobilePhoneNumber": "555-333-7777",
    "PartyType": "INDIVIDUAL",
    "PersonalEmailAddress": "email5@gmail.com",
    "PhoneNumber": "",
    "ShippingAddress": {
        "Address1": "555 A St",
        "Address2": "Suite 100",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    }
}
```

```
},
{
    "ProfileId" : "3991a7d959d238bba82546b2dEXAMPLE",
    "AccountNumber": "ACCT12344",
    "Address": {
        "Address1": "123 Sample St",
        "Address2": "Apt 4",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "Attributes": {
        "SSN" : "123-44-3433",
        "LoyaltyPoints" : "4000"
    },
    "BillingAddress": {
        "Address1": "789 Sample St",
        "Address2": "Apt 1",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "BirthDate": "07/12/1980",
    "BusinessEmailAddress": "example@amazon.com",
    "BusinessName": "My Awesome Company",
    "BusinessPhoneNumber": "555-334-3389",
    "EmailAddress": "example@gmail.com",
    "FirstName": "John",
    "Gender": "MALE",
    "HomePhoneNumber": "555-334-3344",
    "LastName": "Doe",
    "MailingAddress": {
        "Address1": "234 Home St",
        "Address2": "Apt 5",
    }
}
```

```
        "Address3": "",  
        "Address4": "",  
        "City": "Seattle",  
        "Country": "USA",  
        "County": "King",  
        "PostalCode": "98011",  
        "Province": "",  
        "State": "WA"  
    },  
    "AdditionalInformation": "High Profile Customer",  
    "MiddleName": "",  
    "MobilePhoneNumber": "555-333-7777",  
    "PartyType": "INDIVIDUAL",  
    "PersonalEmailAddress": "email1@gmail.com",  
    "PhoneNumber": "",  
    "ShippingAddress": {  
        "Address1": "555 A St",  
        "Address2": "Suite 100",  
        "Address3": "",  
        "Address4": "",  
        "City": "Seattle",  
        "Country": "USA",  
        "County": "King",  
        "PostalCode": "98011",  
        "Province": "",  
        "State": "WA"  
    }  
}  
]  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## TagResource

Assigns one or more tags (key-value pairs) to the specified Amazon Connect Customer Profiles resource. Tags can help you organize and categorize your resources. You can also use them to scope user permissions by granting a user permission to access or change only resources with certain tag values. In Connect Customer Profiles, domains, profile object types, and integrations can be tagged.

Tags don't have any semantic meaning to AWS and are interpreted strictly as strings of characters.

You can use the TagResource action with a resource that already has tags. If you specify a new tag key, this tag is appended to the list of tags associated with the resource. If you specify a tag key that is already associated with the resource, the new tag value that you specify replaces the previous value for that tag.

You can associate as many as 50 tags with a resource.

## Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [resourceArn](#)

The ARN of the resource that you're adding tags to.

Length Constraints: Maximum length of 256.

Pattern: ^arn:[a-z0-9]{1,10}:profile

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: Yes

## Response Syntax

HTTP/1.1 200

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Removes one or more tags from the specified Amazon Connect Customer Profiles resource. In Connect Customer Profiles, domains, profile object types, and integrations can be tagged.

## Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

The ARN of the resource from which you are removing tags.

Length Constraints: Maximum length of 256.

Pattern: ^arn:[a-zA-Z0-9]{1,10}:profile

Required: Yes

### tagKeys

The list of tag keys to remove from the resource.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^(?!aws:)[a-zA-Z+-\_.:/]+\$

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# UpdateCalculatedAttributeDefinition

Updates an existing calculated attribute definition. When updating the Conditions, note that increasing the date range of a calculated attribute will not trigger inclusion of historical data greater than the current date range.

## Request Syntax

```
PUT /domains/DomainName/calculated-attributes/CalculatedAttributeName HTTP/1.1
Content-type: application/json

{
  "ConditionsObjectCountnumber,
    "RangeUnitstring",
      "Valuenumber
    },
    "ThresholdOperatorstring",
      "Valuestring"
    }
  },
  "Descriptionstring",
  "DisplayNamestring"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### CalculatedAttributeName

The unique name of the calculated attribute.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

## DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## **Request Body**

The request accepts the following data in JSON format.

### Conditions

The conditions including range, object count, and threshold for the calculated attribute.

Type: [Conditions](#) object

Required: No

### Description

The description of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AttributeDetails": {
    "Attributes": [
      {
        "Name": "string"
      }
    ],
    "Expression": "string"
  },
  "CalculatedAttributeName": "string",
  "Conditions": {
    "ObjectCount": number,
    "Range": {
      "Unit": "string",
      "Value": number
    },
    "Threshold": {
      "Operator": "string",
      "Value": "string"
    }
  },
  "CreatedAt": number,
  "Description": "string",
  "DisplayName": "string",
  "LastUpdatedAt": number,
  "Statistic": "string",
  "Tags": {
    "string": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## AttributeDetails

The mathematical expression and a list of attribute items specified in that expression.

Type: [AttributeDetails](#) object

## CalculatedAttributeName

The unique name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

## Conditions

The conditions including range, object count, and threshold for the calculated attribute.

Type: [Conditions](#) object

## CreatedAt

The timestamp of when the calculated attribute definition was created.

Type: Timestamp

## Description

The description of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

## DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

## LastUpdatedAt

The timestamp of when the calculated attribute definition was most recently edited.

Type: Timestamp

## Statistic

The aggregation operation to perform for the calculated attribute.

Type: String

Valid Values: FIRST\_OCCURRENCE | LAST\_OCCURRENCE | COUNT | SUM | MINIMUM | MAXIMUM | AVERAGE | MAX\_OCCURRENCE

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-.=:\_:/]+\$

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateDomain

Updates the properties of a domain, including creating or selecting a dead letter queue or an encryption key.

After a domain is created, the name can't be changed.

Use this API or [CreateDomain](#) to enable [identity resolution](#): set Matching to true.

To prevent cross-service impersonation when you call this API, see [Cross-service confused deputy prevention](#) for sample policies that you should apply.

To add or remove tags on an existing Domain, see [TagResource](#)/[UntagResource](#).

## Request Syntax

```
PUT /domains/DomainName HTTP/1.1
Content-type: application/json

{
  "DeadLetterQueueUrl": "string",
  "DefaultEncryptionKey": "string",
  "DefaultExpirationDays": number,
  "Matching": {
    "AutoMerging": {
      "ConflictResolution": {
        "ConflictResolvingModel": "string",
        "SourceName": "string"
      },
      "Consolidation": {
        "MatchingAttributesList": [
          [ "string" ]
        ]
      },
      "Enabled": boolean,
      "MinAllowedConfidenceScoreForMerging": number
    },
    "Enabled": boolean,
    "ExportingConfig": {
      "S3Exporting": {
        "S3BucketName": "string",
        "S3KeyName": "string"
      }
    }
  }
}
```

```
        }
    },
    "JobSchedule": {
        "DayOfTheWeek": "string",
        "Time": "string"
    }
},
"RuleBasedMatching": {
    "AttributeTypesSelector": {
        "Address": [ "string" ],
        "AttributeMatchingModel": "string",
        "EmailAddress": [ "string" ],
        "PhoneNumber": [ "string" ]
    },
    "ConflictResolution": {
        "ConflictResolvingModel": "string",
        "SourceName": "string"
    },
    "Enabled": boolean,
    "ExportingConfig": {
        "S3Exporting": {
            "S3BucketName": "string",
            "S3KeyName": "string"
        }
    },
    "MatchingRules": [
        {
            "Rule": [ "string" ]
        }
    ],
    "MaxAllowedRuleLevelForMatching": number,
    "MaxAllowedRuleLevelForMerging": number
},
"Tags": {
    "string" : "string"
}
}
```

## URI Request Parameters

The request uses the following URI parameters.

## DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## **Request Body**

The request accepts the following data in JSON format.

### DeadLetterQueueUrl

The URL of the SQS dead letter queue, which is used for reporting errors associated with ingesting data from third party applications. If specified as an empty string, it will clear any existing value. You must set up a policy on the DeadLetterQueue for the SendMessage operation to enable Amazon Connect Customer Profiles to send messages to the DeadLetterQueue.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### DefaultEncryptionKey

The default encryption key, which is an AWS managed key, is used when no specific type of encryption key is specified. It is used to encrypt all data before it is placed in permanent or semi-permanent storage. If specified as an empty string, it will clear any existing value.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### DefaultExpirationDays

The default number of days until the data within the domain expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

Required: No

## Matching

The process of matching duplicate profiles. If Matching = true, Amazon Connect Customer Profiles starts a weekly batch process called Identity Resolution Job. If you do not specify a date and time for Identity Resolution Job to run, by default it runs every Saturday at 12AM UTC to detect duplicate profiles in your domains.

After the Identity Resolution Job completes, use the [GetMatches](#) API to return and review the results. Or, if you have configured ExportingConfig in the MatchingRequest, you can download the results from S3.

Type: [MatchingRequest](#) object

Required: No

## RuleBasedMatching

The process of matching duplicate profiles using the rule-Based matching. If RuleBasedMatching = true, Amazon Connect Customer Profiles will start to match and merge your profiles according to your configuration in the RuleBasedMatchingRequest. You can use the ListRuleBasedMatches and GetSimilarProfiles API to return and review the results. Also, if you have configured ExportingConfig in the RuleBasedMatchingRequest, you can download the results from S3.

Type: [RuleBasedMatchingRequest](#) object

Required: No

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

HTTP/1.1 200  
Content-type: application/json

```
{  
    "CreatedAt": number,  
    "DeadLetterQueueUrl": "string",  
    "DefaultEncryptionKey": "string",  
    "DefaultExpirationDays": number,  
    "DomainName": "string",  
    "LastUpdatedAt": number,  
    "Matching": {  
        "AutoMerging": {  
            "ConflictResolution": {  
                "ConflictResolvingModel": "string",  
                "SourceName": "string"  
            },  
            "Consolidation": {  
                "MatchingAttributesList": [  
                    [ "string" ]  
                ]  
            },  
            "Enabled": boolean,  
            "MinAllowedConfidenceScoreForMerging": number  
        },  
        "Enabled": boolean,  
        "ExportingConfig": {  
            "S3Exporting": {  
                "S3BucketName": "string",  
                "S3KeyName": "string"  
            }  
        },  
        "JobSchedule": {  
            "DayOfTheWeek": "string",  
            "Time": "string"  
        }  
    }  
}
```

```
},
"RuleBasedMatching": {
    "AttributeTypesSelector": {
        "Address": [ "string" ],
        "AttributeMatchingModel": "string",
        "EmailAddress": [ "string" ],
        "PhoneNumber": [ "string" ]
    },
    "ConflictResolution": {
        "ConflictResolvingModel": "string",
        "SourceName": "string"
    },
    "Enabled": boolean,
    "ExportingConfig": {
        "S3Exporting": {
            "S3BucketName": "string",
            "S3KeyName": "string"
        }
    },
    "MatchingRules": [
        {
            "Rule": [ "string" ]
        }
    ],
    "MaxAllowedRuleLevelForMatching": number,
    "MaxAllowedRuleLevelForMerging": number,
    "Status": "string"
},
"Tags": {
    "string" : "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [CreatedAt](#)

The timestamp of when the domain was created.

Type: Timestamp

## DeadLetterQueueUrl

The URL of the SQS dead letter queue, which is used for reporting errors associated with ingesting data from third party applications.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

## DefaultEncryptionKey

The default encryption key, which is an AWS managed key, is used when no specific type of encryption key is specified. It is used to encrypt all data before it is placed in permanent or semi-permanent storage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

## DefaultExpirationDays

The default number of days until the data within the domain expires.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1098.

## DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

## LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

## Matching

The process of matching duplicate profiles. If Matching = true, Amazon Connect Customer Profiles starts a weekly batch process called Identity Resolution Job. If you do not specify a date

and time for Identity Resolution Job to run, by default it runs every Saturday at 12AM UTC to detect duplicate profiles in your domains.

After the Identity Resolution Job completes, use the [GetMatches](#) API to return and review the results. Or, if you have configured ExportingConfig in the MatchingRequest, you can download the results from S3.

Type: [MatchingResponse](#) object

## [RuleBasedMatching](#)

The process of matching duplicate profiles using the rule-Based matching. If RuleBasedMatching = true, Amazon Connect Customer Profiles will start to match and merge your profiles according to your configuration in the RuleBasedMatchingRequest. You can use the ListRuleBasedMatches and GetSimilarProfiles API to return and review the results. Also, if you have configured ExportingConfig in the RuleBasedMatchingRequest, you can download the results from S3.

Type: [RuleBasedMatchingResponse](#) object

## [Tags](#)

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!\aws:)[a-zA-Z+=\_.:/]+\$

Value Length Constraints: Maximum length of 256.

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### BadRequestException

The input you provided is invalid.

HTTP Status Code: 400

### InternalServerError

An internal service error occurred.

HTTP Status Code: 500

### ResourceNotFoundException

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### ThrottlingException

You exceeded the maximum number of requests.

HTTP Status Code: 429

## Examples

### Example

This example illustrates one usage of UpdateDomain.

### Sample Request

```
PUT /v1/domains/ExampleDomainName

Content-type: application/json
{
    "DeadLetterQueueUrl": "https://sns.us-east-1.amazonaws.com/123456789012/DLQName",
    "DefaultEncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-
ae39-efce5EXAMPLE",
    "DefaultExpirationDays": 200
}
```

## Sample Response

```
Content-type: application/json
{
    "DeadLetterQueueUrl": "https://sns.us-east-1.amazonaws.com/123456789012/DLQName",
    "CreatedAt": 1579249799770,
    "DefaultEncryptionKey": "arn:aws:kms:us-east-1:123456789012:key/1988472d-6b77-4bb6-ae39-efce5EXAMPLE",
    "DefaultExpirationDays": 200,
    "LastUpdatedAt": 1579249799770,
    "DomainName": "ExampleDomainName"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateProfile

Updates the properties of a profile. The ProfileId is required for updating a customer profile.

When calling the UpdateProfile API, specifying an empty string value means that any existing value will be removed. Not specifying a string value means that any value already there will be kept.

## Request Syntax

```
PUT /domains/DomainName/profiles HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "AccountNumber": "string",
  "AdditionalInformation": "string",
  "Address": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
  },
  "Attributes": {
    "string" : "string"
  },
  "BillingAddress": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
  },
  "BirthDate": "string",
}
```

```
"BusinessEmailAddress": "string",
"BusinessName": "string",
"BusinessPhoneNumber": "string",
"EmailAddress": "string",
"FirstName": "string",
"Gender": "string",
"GenderString": "string",
"HomePhoneNumber": "string",
"LastName": "string",
"MailingAddress": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
},
"MiddleName": "string",
"MobilePhoneNumber": "string",
"PartyType": "string",
"PartyTypeString": "string",
"PersonalEmailAddress": "string",
"PhoneNumber": "string",
"ProfileId": "string",
"ShippingAddress": {
    "Address1": "string",
    "Address2": "string",
    "Address3": "string",
    "Address4": "string",
    "City": "string",
    "Country": "string",
    "County": "string",
    "PostalCode": "string",
    "Province": "string",
    "State": "string"
}
}
```

## URI Request Parameters

The request uses the following URI parameters.

### DomainName

The unique name of the domain.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### AccountNumber

A unique account number that you have given to the customer.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### AdditionalInformation

Any additional information relevant to the customer's profile.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### Address

A generic address associated with the customer that is not mailing, shipping, or billing.

Type: [UpdateAddress object](#)

Required: No

### **Attributes**

A key value pair of attributes of a customer profile.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **BillingAddress**

The customer's billing address.

Type: [UpdateAddress](#) object

Required: No

### **BirthDate**

The customer's birth date.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **BusinessEmailAddress**

The customer's business email address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **BusinessName**

The name of the customer's business.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **BusinessPhoneNumber**

The customer's business phone number.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **EmailAddress**

The customer's email address, which has not been specified as a personal or business address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **FirstName**

The customer's first name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **Gender**

*This parameter has been deprecated.*

The gender with which the customer identifies.

Type: String

Valid Values: MALE | FEMALE | UNSPECIFIED

Required: No

### GenderString

An alternative to Gender which accepts any string as input.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### HomePhoneNumber

The customer's home phone number.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### LastName

The customer's last name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### MailingAddress

The customer's mailing address.

Type: [UpdateAddress](#) object

Required: No

### MiddleName

The customer's middle name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **MobilePhoneNumber**

The customer's mobile phone number.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **PartyType**

*This parameter has been deprecated.*

The type of profile used to describe the customer.

Type: String

Valid Values: INDIVIDUAL | BUSINESS | OTHER

Required: No

### **PartyTypeString**

An alternative to PartyType which accepts any string as input.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### **PersonalEmailAddress**

The customer's personal email address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

## PhoneNumber

The customer's phone number, which has not been specified as a mobile, home, or business number.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

## ProfileId

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: Yes

## ShippingAddress

The customer's shipping address.

Type: [UpdateAddress object](#)

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ProfileId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## **ProfileId**

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

### **BadRequestException**

The input you provided is invalid.

HTTP Status Code: 400

### **InternalServerError**

An internal service error occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

The requested resource does not exist, or access was denied.

HTTP Status Code: 404

### **ThrottlingException**

You exceeded the maximum number of requests.

HTTP Status Code: 429

# Examples

## Example

This example illustrates one usage of UpdateProfile.

### Sample Request

```
PUT /domains/ExampleDomainName/profiles HTTP/1.1

Content-type: application/json
{
    "ProfileId" : "3991a7d95sd248bba82546b2dEXAMPLE",
    "AccountNumber": "ACCT12344",
    "Address": {
        "Address1": "444 B St",
        "Address2": "Apt 8",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "Attributes": {
        "SSN" : "123-44-3433",
        "LoyaltyPoints" : "3000"
    },
    "BillingAddress": {
        "Address1": "789 Sample St",
        "Address2": "Apt 1",
        "Address3": "",
        "Address4": "",
        "City": "Seattle",
        "Country": "USA",
        "County": "King",
        "PostalCode": "98011",
        "Province": "",
        "State": "WA"
    },
    "BirthDate": "07/12/1980",
```

```
"BusinessEmailAddress": "example@amazon.com",
"BusinessName": "My Awesome Company",
"BusinessPhoneNumber": "555-334-3389",
"EmailAddress": "example@gmail.com",
"FirstName": "John",
"Gender": "MALE",
"HomePhoneNumber": "555-334-3344",
"LastName": "Doe",
"MailingAddress": {
    "Address1": "234 Home St",
    "Address2": "Apt 5",
    "Address3": "",
    "Address4": "",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
},
"AdditionalInformation": "High Profile Customer",
"MiddleName": "",
"MobilePhoneNumber": "555-334-7777",
"PartyType": "INDIVIDUAL",
"PersonalEmailAddress": "email1@gmail.com",
"PhoneNumber": "",
"ShippingAddress": {
    "Address1": "555 A St",
    "Address2": "Suite 100",
    "Address3": "",
    "Address4": "",
    "City": "Seattle",
    "Country": "USA",
    "County": "King",
    "PostalCode": "98011",
    "Province": "",
    "State": "WA"
}
}
```

## Sample Response

```
Content-type: application/json
```

```
{  
    "ProfileId" : "3991a7d95sd248bba82546b2dEXAMPLE"  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The Amazon Connect Customer Profiles API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AdditionalSearchKey](#)
- [Address](#)
- [AppflowIntegration](#)
- [AppflowIntegrationWorkflowAttributes](#)
- [AppflowIntegrationWorkflowMetrics](#)
- [AppflowIntegrationWorkflowStep](#)
- [AttributeDetails](#)
- [AttributeItem](#)
- [AttributeTypesSelector](#)
- [AutoMerging](#)
- [Batch](#)
- [Conditions](#)
- [ConflictResolution](#)
- [ConnectorOperator](#)
- [Consolidation](#)
- [DestinationSummary](#)
- [DetectedProfileObjectType](#)
- [DomainStats](#)
- [EventStreamDestinationDetails](#)
- [EventStreamSummary](#)

- [ExportingConfig](#)
- [ExportingLocation](#)
- [FieldSourceProfileIds](#)
- [FlowDefinition](#)
- [FoundByKeyValue](#)
- [IdentityResolutionJob](#)
- [IncrementalPullConfig](#)
- [IntegrationConfig](#)
- [JobSchedule](#)
- [JobStats](#)
- [ListCalculatedAttributeDefinitionItem](#)
- [ListCalculatedAttributeForProfileItem](#)
- [ListDomainItem](#)
- [ListIntegrationItem](#)
- [ListProfileObjectsItem](#)
- [ListProfileObjectTypeItem](#)
- [ListProfileObjectTypeTemplateItem](#)
- [ListWorkflowsItem](#)
- [MarketoSourceProperties](#)
- [MatchingRequest](#)
- [MatchingResponse](#)
- [MatchingRule](#)
- [MatchItem](#)
- [ObjectFilter](#)
- [ObjectTypeField](#)
- [ObjectTypeKey](#)
- [Profile](#)
- [Range](#)
- [RuleBasedMatchingRequest](#)
- [RuleBasedMatchingResponse](#)

- [S3ExportingConfig](#)
- [S3ExportingLocation](#)
- [S3SourceProperties](#)
- [SalesforceSourceProperties](#)
- [ScheduledTriggerProperties](#)
- [ServiceNowSourceProperties](#)
- [SourceConnectorProperties](#)
- [SourceFlowConfig](#)
- [Task](#)
- [Threshold](#)
- [TriggerConfig](#)
- [TriggerProperties](#)
- [UpdateAddress](#)
- [WorkflowAttributes](#)
- [WorkflowMetrics](#)
- [WorkflowStepItem](#)
- [ZendeskSourceProperties](#)

# AdditionalSearchKey

A data type pair that consists of a KeyName and Values list that is used in conjunction with the [KeyName](#) and [Values](#) parameters to search for profiles using the [SearchProfiles API](#).

## Contents

### KeyName

A searchable identifier of a customer profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### Values

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Address

A generic address associated with the customer that is not mailing, shipping, or billing.

## Contents

### Address1

The first line of a customer address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### Address2

The second line of a customer address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### Address3

The third line of a customer address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### Address4

The fourth line of a customer address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**City**

The city in which a customer lives.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**Country**

The country in which a customer lives.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**County**

The county in which a customer lives.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**PostalCode**

The postal code of a customer address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**Province**

The province in which a customer lives.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## State

The state in which a customer lives.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AppflowIntegration

Details for workflow of type APPFLOW\_INTEGRATION.

## Contents

### FlowDefinition

The configurations that control how Customer Profiles retrieves data from the source, Amazon AppFlow. Customer Profiles uses this information to create an AppFlow flow on behalf of customers.

Type: [FlowDefinition object](#)

Required: Yes

### Batches

Batches in workflow of type APPFLOW\_INTEGRATION.

Type: Array of [Batch objects](#)

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AppflowIntegrationWorkflowAttributes

Structure holding all APPFLOW\_INTEGRATION specific workflow attributes.

## Contents

### ConnectorProfileName

The name of the AppFlow connector profile used for ingestion.

Type: String

Length Constraints: Maximum length of 256.

Pattern: [\w/!@#=.-]+

Required: Yes

### SourceConnectorType

Specifies the source connector type, such as Salesforce, ServiceNow, and Marketo. Indicates source of ingestion.

Type: String

Valid Values: Salesforce | Marketo | Zendesk | Servicenow | S3

Required: Yes

### RoleArn

The Amazon Resource Name (ARN) of the IAM role. Customer Profiles assumes this role to create resources on your behalf as part of workflow execution.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AppflowIntegrationWorkflowMetrics

Workflow specific execution metrics for APPFLOW\_INTEGRATION workflow.

## Contents

### RecordsProcessed

Number of records processed in APPFLOW\_INTEGRATION workflow.

Type: Long

Required: Yes

### StepsCompleted

Total steps completed in APPFLOW\_INTEGRATION workflow.

Type: Long

Required: Yes

### TotalSteps

Total steps in APPFLOW\_INTEGRATION workflow.

Type: Long

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AppflowIntegrationWorkflowStep

Workflow step details for APPFLOW\_INTEGRATION workflow.

## Contents

### BatchRecordsEndTime

End datetime of records pulled in batch during execution of workflow step for APPFLOW\_INTEGRATION workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### BatchRecordsStartTime

Start datetime of records pulled in batch during execution of workflow step for APPFLOW\_INTEGRATION workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### CreatedAt

Creation timestamp of workflow step for APPFLOW\_INTEGRATION workflow.

Type: Timestamp

Required: Yes

### ExecutionMessage

Message indicating execution of workflow step for APPFLOW\_INTEGRATION workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### **FlowName**

Name of the flow created during execution of workflow step. APPFLOW\_INTEGRATION workflow type creates an appflow flow during workflow step execution on the customers behalf.

Type: String

Length Constraints: Maximum length of 256.

Pattern: [a-zA-Z0-9][\w!@#. -]+

Required: Yes

### **LastUpdatedAt**

Last updated timestamp for workflow step for APPFLOW\_INTEGRATION workflow.

Type: Timestamp

Required: Yes

### **RecordsProcessed**

Total number of records processed during execution of workflow step for APPFLOW\_INTEGRATION workflow.

Type: Long

Required: Yes

### **Status**

Workflow step status for APPFLOW\_INTEGRATION workflow.

Type: String

Valid Values: NOT\_STARTED | IN\_PROGRESS | COMPLETE | FAILED | SPLIT | RETRY | CANCELLED

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AttributeDetails

Mathematical expression and a list of attribute items specified in that expression.

## Contents

### Attributes

A list of attribute items specified in the mathematical expression.

Type: Array of [AttributeItem](#) objects

Array Members: Minimum number of 1 item. Maximum number of 2 items.

Required: Yes

### Expression

Mathematical expression that is performed on attribute items provided in the attribute list. Each element in the expression should follow the structure of `\'{ObjectType}Name.{AttributeName}\'`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AttributeItem

The details of a single attribute item specified in the mathematical expression.

## Contents

### Name

The name of an attribute defined in a profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_.-]+\$

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AttributeTypesSelector

Configuration information about the AttributeTypesSelector where the rule-based identity resolution uses to match profiles. You can choose how profiles are compared across attribute types and which attribute to use for matching from each type. There are three attribute types you can configure:

- Email type
  - You can choose from Email, BusinessEmail, and PersonalEmail
- Phone number type
  - You can choose from Phone, HomePhone, and MobilePhone
- Address type
  - You can choose from Address, BusinessAddress, MaillingAddress, and ShippingAddress

You can either choose ONE\_TO\_ONE or MANY\_TO\_MANY as the AttributeMatchingModel. When choosing MANY\_TO\_MANY, the system can match attribute across the sub-types of an attribute type. For example, if the value of the Email field of Profile A and the value of BusinessEmail field of Profile B matches, the two profiles are matched on the Email type. When choosing ONE\_TO\_ONE the system can only match if the sub-types are exact matches. For example, only when the value of the Email field of Profile A and the value of the Email field of Profile B matches, the two profiles are matched on the Email type.

## Contents

### AttributeMatchingModel

Configures the AttributeMatchingModel, you can either choose ONE\_TO\_ONE or MANY\_TO\_MANY.

Type: String

Valid Values: ONE\_TO\_ONE | MANY\_TO\_MANY

Required: Yes

## Address

The Address type. You can choose from Address, BusinessAddress, MaillingAddress, and ShippingAddress.

You only can use the Address type in the MatchingRule. For example, if you want to match profile based on BusinessAddress.City or MaillingAddress.City, you need to choose the BusinessAddress and the MaillingAddress to represent the Address type and specify the Address.City on the matching rule.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 4 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## EmailAddress

The Email type. You can choose from EmailAddress, BusinessEmailAddress and PersonalEmailAddress.

You only can use the EmailAddress type in the MatchingRule. For example, if you want to match profile based on PersonalEmailAddress or BusinessEmailAddress, you need to choose the PersonalEmailAddress and the BusinessEmailAddress to represent the EmailAddress type and only specify the EmailAddress on the matching rule.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 3 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## PhoneNumber

The PhoneNumber type. You can choose from PhoneNumber, HomePhoneNumber, and MobilePhoneNumber.

You only can use the PhoneNumber type in the MatchingRule. For example, if you want to match a profile based on Phone or HomePhone, you need to choose the Phone and the

HomePhone to represent the PhoneNumber type and only specify the PhoneNumber on the matching rule.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 4 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AutoMerging

Configuration settings for how to perform the auto-merging of profiles.

## Contents

### Enabled

The flag that enables the auto-merging of duplicate profiles.

Type: Boolean

Required: Yes

### ConflictResolution

How the auto-merging process should resolve conflicts between different profiles. For example, if Profile A and Profile B have the same FirstName and LastName (and that is the matching criteria), which EmailAddress should be used?

Type: [ConflictResolution](#) object

Required: No

### Consolidation

A list of matching attributes that represent matching criteria. If two profiles meet at least one of the requirements in the matching attributes list, they will be merged.

Type: [Consolidation](#) object

Required: No

### MinAllowedConfidenceScoreForMerging

A number between 0 and 1 that represents the minimum confidence score required for profiles within a matching group to be merged during the auto-merge process. A higher score means higher similarity required to merge profiles.

Type: Double

Valid Range: Minimum value of 0.0. Maximum value of 1.0.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Batch

Batch defines the boundaries for ingestion for each step in APPFLOW\_INTEGRATION workflow. APPFLOW\_INTEGRATION workflow splits ingestion based on these boundaries.

## Contents

### EndTime

End time of batch to split ingestion.

Type: Timestamp

Required: Yes

### StartTime

Start time of batch to split ingestion.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Conditions

The conditions including range, object count, and threshold for the calculated attribute.

## Contents

### ObjectCount

The number of profile objects used for the calculated attribute.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### Range

The relative time period over which data is included in the aggregation.

Type: [Range](#) object

Required: No

### Threshold

The threshold for the calculated attribute.

Type: [Threshold](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConflictResolution

How the auto-merging process should resolve conflicts between different profiles.

## Contents

### ConflictResolvingModel

How the auto-merging process should resolve conflicts between different profiles.

- RECENTY: Uses the data that was most recently updated.
- SOURCE: Uses the data from a specific source. For example, if a company has been acquired or two departments have merged, data from the specified source is used. If two duplicate profiles are from the same source, then RECENTY is used again.

Type: String

Valid Values: RECENTY | SOURCE

Required: Yes

### SourceName

The ObjectType name that is used to resolve profile merging conflicts when choosing SOURCE as the ConflictResolvingModel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConnectorOperator

The operation to be performed on the provided source fields.

## Contents

### Marketto

The operation to be performed on the provided Marketo source fields.

Type: String

Valid Values: PROJECTION | LESS\_THAN | GREATER\_THAN | BETWEEN | ADDITION | MULTIPLICATION | DIVISION | SUBTRACTION | MASK\_ALL | MASK\_FIRST\_N | MASK\_LAST\_N | VALIDATE\_NON\_NULL | VALIDATE\_NON\_ZERO | VALIDATE\_NON\_NEGATIVE | VALIDATE\_NUMERIC | NO\_OP

Required: No

### S3

The operation to be performed on the provided Amazon S3 source fields.

Type: String

Valid Values: PROJECTION | LESS\_THAN | GREATER\_THAN | BETWEEN | LESS\_THAN\_OR\_EQUAL\_TO | GREATER\_THAN\_OR\_EQUAL\_TO | EQUAL\_TO | NOT\_EQUAL\_TO | ADDITION | MULTIPLICATION | DIVISION | SUBTRACTION | MASK\_ALL | MASK\_FIRST\_N | MASK\_LAST\_N | VALIDATE\_NON\_NULL | VALIDATE\_NON\_ZERO | VALIDATE\_NON\_NEGATIVE | VALIDATE\_NUMERIC | NO\_OP

Required: No

### Salesforce

The operation to be performed on the provided Salesforce source fields.

Type: String

Valid Values: PROJECTION | LESS\_THAN | CONTAINS | GREATER\_THAN | BETWEEN | LESS\_THAN\_OR\_EQUAL\_TO | GREATER\_THAN\_OR\_EQUAL\_TO | EQUAL\_TO | NOT\_EQUAL\_TO | ADDITION | MULTIPLICATION | DIVISION | SUBTRACTION

| MASK\_ALL | MASK\_FIRST\_N | MASK\_LAST\_N | VALIDATE\_NON\_NULL |  
VALIDATE\_NON\_ZERO | VALIDATE\_NON\_NEGATIVE | VALIDATE\_NUMERIC | NO\_OP

Required: No

## ServiceNow

The operation to be performed on the provided ServiceNow source fields.

Type: String

Valid Values: PROJECTION | CONTAINS | LESS\_THAN | GREATER\_THAN | BETWEEN  
| LESS\_THAN\_OR\_EQUAL\_TO | GREATER\_THAN\_OR\_EQUAL\_TO | EQUAL\_TO |  
NOT\_EQUAL\_TO | ADDITION | MULTIPLICATION | DIVISION | SUBTRACTION  
| MASK\_ALL | MASK\_FIRST\_N | MASK\_LAST\_N | VALIDATE\_NON\_NULL |  
VALIDATE\_NON\_ZERO | VALIDATE\_NON\_NEGATIVE | VALIDATE\_NUMERIC | NO\_OP

Required: No

## Zendesk

The operation to be performed on the provided Zendesk source fields.

Type: String

Valid Values: PROJECTION | GREATER\_THAN | ADDITION | MULTIPLICATION |  
DIVISION | SUBTRACTION | MASK\_ALL | MASK\_FIRST\_N | MASK\_LAST\_N |  
VALIDATE\_NON\_NULL | VALIDATE\_NON\_ZERO | VALIDATE\_NON\_NEGATIVE |  
VALIDATE\_NUMERIC | NO\_OP

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# Consolidation

The matching criteria to be used during the auto-merging process.

## Contents

### MatchingAttributesList

A list of matching criteria.

Type: Array of arrays of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DestinationSummary

Summary information about the Kinesis data stream

## Contents

### Status

The status of enabling the Kinesis stream as a destination for export.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: Yes

### Uri

The StreamARN of the destination to deliver profile events to. For example, arn:aws:kinesis:region:account-id:stream/stream-name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### UnhealthySince

The timestamp when the status last changed to UNHEALTHY.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DetectedProfileObjectType

Contains ProfileObjectType mapping information from the model.

## Contents

### Fields

A map of the name and the ObjectType field.

Type: String to [ObjectTypeField](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### Keys

A list of unique keys that can be used to map data to a profile.

Type: String to array of [ObjectTypeKey](#) objects map

Key Length Constraints: Minimum length of 1. Maximum length of 64.

Key Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### SourceLastUpdatedTimestampFormat

The format of sourceLastUpdatedTimestamp that was detected in fields.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DomainStats

Usage-specific statistics about the domain.

## Contents

### MeteringProfileCount

The number of profiles that you are currently paying for in the domain. If you have more than 100 objects associated with a single profile, that profile counts as two profiles. If you have more than 200 objects, that profile counts as three, and so on.

Type: Long

Required: No

### ObjectCount

The total number of objects in domain.

Type: Long

Required: No

### ProfileCount

The total number of profiles currently in the domain.

Type: Long

Required: No

### TotalSize

The total size, in bytes, of all objects in the domain.

Type: Long

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EventStreamDestinationDetails

Details of the destination being used for the EventStream.

## Contents

### Status

The status of enabling the Kinesis stream as a destination for export.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: Yes

### Uri

The StreamARN of the destination to deliver profile events to. For example, arn:aws:kinesis:region:account-id:stream/stream-name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### Message

The human-readable string that corresponds to the error or success while enabling the streaming destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### UnhealthySince

The timestamp when the status last changed to UNHEALTHY.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EventStreamSummary

An instance of EventStream in a list of EventStreams.

## Contents

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### EventStreamArn

A unique identifier for the event stream.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### EventStreamName

The name of the event stream.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### State

The operational state of destination stream for export.

Type: String

Valid Values: RUNNING | STOPPED

Required: Yes

## DestinationSummary

Summary information about the Kinesis data stream.

Type: [DestinationSummary](#) object

Required: No

## StoppedSince

The timestamp when the State changed to STOPPED.

Type: Timestamp

Required: No

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-.=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# ExportingConfig

Configuration information about the S3 bucket where Identity Resolution Jobs writes result files.

## Note

You need to give Customer Profiles service principal write permission to your S3 bucket. Otherwise, you'll get an exception in the API response. For an example policy, see [Amazon Connect Customer Profiles cross-service confused deputy prevention](#).

## Contents

### S3Exporting

The S3 location where Identity Resolution Jobs write result files.

Type: [S3ExportingConfig](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ExportingLocation

The S3 location where Identity Resolution Jobs write result files.

## Contents

### S3Exporting

Information about the S3 location where Identity Resolution Jobs write result files.

Type: [S3ExportingLocation](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FieldSourceProfileIds

A duplicate customer profile that is to be merged into a main profile.

## Contents

### AccountNumber

A unique identifier for the account number field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### AdditionalInformation

A unique identifier for the additional information field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### Address

A unique identifier for the party type field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### Attributes

A unique identifier for the attributes field to be merged.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: [a-f0-9]{32}

Required: No

### **BillingAddress**

A unique identifier for the billing type field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **BirthDate**

A unique identifier for the birthdate field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **BusinessEmailAddress**

A unique identifier for the party type field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **BusinessName**

A unique identifier for the business name field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **BusinessPhoneNumber**

A unique identifier for the business phone number field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **EmailAddress**

A unique identifier for the email address field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **FirstName**

A unique identifier for the first name field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **Gender**

A unique identifier for the gender field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **HomePhoneNumber**

A unique identifier for the home phone number field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **LastName**

A unique identifier for the last name field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **MailingAddress**

A unique identifier for the mailing address field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **MiddleName**

A unique identifier for the middle name field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **MobilePhoneNumber**

A unique identifier for the mobile phone number field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **PartyType**

A unique identifier for the party type field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

## PersonalEmailAddress

A unique identifier for the personal email address field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

## PhoneNumber

A unique identifier for the phone number field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

## ShippingAddress

A unique identifier for the shipping address field to be merged.

Type: String

Pattern: [a-f0-9]{32}

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FlowDefinition

The configurations that control how Customer Profiles retrieves data from the source, Amazon AppFlow. Customer Profiles uses this information to create an AppFlow flow on behalf of customers.

## Contents

### FlowName

The specified name of the flow. Use underscores (\_) or hyphens (-) only. Spaces are not allowed.

Type: String

Length Constraints: Maximum length of 256.

Pattern: [a-zA-Z0-9][\w!@#.-]+

Required: Yes

### KmsArn

The Amazon Resource Name of the AWS Key Management Service (KMS) key you provide for encryption.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws:kms:.\*:[0-9]+:.\*

Required: Yes

### SourceFlowConfig

The configuration that controls how Customer Profiles retrieves data from the source.

Type: [SourceFlowConfig](#) object

Required: Yes

### Tasks

A list of tasks that Customer Profiles performs while transferring the data in the flow run.

Type: Array of [Task](#) objects

Required: Yes

### TriggerConfig

The trigger settings that determine how and when the flow runs.

Type: [TriggerConfig](#) object

Required: Yes

### Description

A description of the flow you want to create.

Type: String

Length Constraints: Maximum length of 2048.

Pattern: [\w!@#\-.?.\s]\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FoundByKeyValue

A data type pair that consists of a KeyName and Values list that were used to find a profile returned in response to a [SearchProfiles](#) request.

## Contents

### KeyName

A searchable identifier of a customer profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### Values

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IdentityResolutionJob

Information about the Identity Resolution Job.

## Contents

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### ExportingLocation

The S3 location where the Identity Resolution Job writes result files.

Type: [ExportingLocation](#) object

Required: No

### JobEndTime

The timestamp of when the job was completed.

Type: Timestamp

Required: No

### JobId

The unique identifier of the Identity Resolution Job.

Type: String

Pattern: [a-f0-9]{32}

Required: No

## JobStartTime

The timestamp of when the job was started or will be started.

Type: Timestamp

Required: No

## JobStats

Statistics about an Identity Resolution Job.

Type: [JobStats](#) object

Required: No

## Message

The error messages that are generated when the Identity Resolution Job runs.

Type: String

Length Constraints: Maximum length of 2048.

Pattern: . \*

Required: No

## Status

The status of the Identity Resolution Job.

- PENDING: The Identity Resolution Job is scheduled but has not started yet. If you turn off the Identity Resolution feature in your domain, jobs in the PENDING state are deleted.
- PREPROCESSING: The Identity Resolution Job is loading your data.
- FIND\_MATCHING: The Identity Resolution Job is using the machine learning model to identify profiles that belong to the same matching group.
- MERGING: The Identity Resolution Job is merging duplicate profiles.
- COMPLETED: The Identity Resolution Job completed successfully.
- PARTIAL\_SUCCESS: There's a system error and not all of the data is merged. The Identity Resolution Job writes a message indicating the source of the problem.
- FAILED: The Identity Resolution Job did not merge any data. It writes a message indicating the source of the problem.

Type: String

Valid Values: PENDING | PREPROCESSING | FIND\_MATCHING | MERGING | COMPLETED  
| PARTIAL\_SUCCESS | FAILED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IncrementalPullConfig

Specifies the configuration used when importing incremental records from the source.

## Contents

### DatetimeTypeFieldName

A field that specifies the date time or timestamp field as the criteria to use when importing incremental records from the source.

Type: String

Length Constraints: Maximum length of 256.

Pattern: .\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IntegrationConfig

Configuration data for integration workflow.

## Contents

### AppflowIntegration

Configuration data for APPFLOW\_INTEGRATION workflow type.

Type: [AppflowIntegration](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JobSchedule

The day and time when do you want to start the Identity Resolution Job every week.

## Contents

### DayOfTheWeek

The day when the Identity Resolution Job should run every week.

Type: String

Valid Values: SUNDAY | MONDAY | TUESDAY | WEDNESDAY | THURSDAY | FRIDAY | SATURDAY

Required: Yes

### Time

The time when the Identity Resolution Job should run every week.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 5.

Pattern: ^([0-9]|0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]\$

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JobStats

Statistics about the Identity Resolution Job.

## Contents

### NumberOfMatchesFound

The number of matches found.

Type: Long

Required: No

### NumberOfMergesDone

The number of merges completed.

Type: Long

Required: No

### NumberOfProfilesReviewed

The number of profiles reviewed.

Type: Long

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListCalculatedAttributeDefinitionItem

The details of a single calculated attribute definition.

## Contents

### CalculatedAttributeName

The unique name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

### CreatedAt

The threshold for the calculated attribute.

Type: Timestamp

Required: No

### Description

The threshold for the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

Required: No

### LastUpdatedAt

The timestamp of when the calculated attribute definition was most recently edited.

Type: Timestamp

Required: No

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-=.\_:/]+\$

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListCalculatedAttributeForProfileItem

The details of a single calculated attribute for a profile.

## Contents

### CalculatedAttributeName

The unique name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

### DisplayName

The display name of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-\s]\*\$

Required: No

### IsDataPartial

Indicates whether the calculated attribute's value is based on partial data. If data is partial, it is set to true.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### Value

The value of the calculated attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListDomainItem

An object in a list that represents a domain.

## Contents

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

Required: Yes

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

Required: Yes

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+=.\_:/]+\$

**Value Length Constraints: Maximum length of 256.**

**Required:** No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListIntegrationItem

An integration in list of integrations.

## Contents

### CreatedAt

The timestamp of when the domain was created.

Type: Timestamp

Required: Yes

### DomainName

The unique name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: Yes

### LastUpdatedAt

The timestamp of when the domain was most recently edited.

Type: Timestamp

Required: Yes

### Uri

The URI of the S3 bucket or any other type of data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## IsUnstructured

Boolean that shows if the Flow that's associated with the Integration is created in Amazon Appflow, or with ObjectTypeIdentifier equals \_unstructured via API/CLI in flowDefinition.

Type: Boolean

Required: No

## ObjectTypeIdentifier

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

## ObjectTypes

A map in which each key is an event type from an external application such as Segment or Shopify, and each value is an ObjectTypeIdentifier (template) used to ingest the event. It supports the following event types: SegmentIdentify, ShopifyCreateCustomers, ShopifyUpdateCustomers, ShopifyCreateDraftOrders, ShopifyUpdateDraftOrders, ShopifyCreateOrders, and ShopifyUpdatedOrders.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

## Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(!aws:)[a-zA-Z+-=._:/]+$`

Value Length Constraints: Maximum length of 256.

Required: No

## WorkflowId

Unique identifier for the workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListProfileObjectsItem

A ProfileObject in a list of ProfileObjects.

## Contents

### Object

A JSON representation of a ProfileObject that belongs to a profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256000.

Required: No

### ObjectTypeName

Specifies the kind of object being added to a profile, such as "Salesforce-Account."

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: No

### ProfileObjectUniqueKey

The unique identifier of the ProfileObject generated by the service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListProfileObjectTypeItem

A ProfileObjectType instance.

## Contents

### Description

Description of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### ObjectType Name

The name of the profile object type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ^[a-zA-Z\_][a-zA-Z\_0-9-]\*\$

Required: Yes

### Created At

The timestamp of when the domain was created.

Type: Timestamp

Required: No

### Last Updated At

The timestamp of when the domain was most recently edited.

Type: Timestamp

Required: No

### Tags

The tags used to organize, track, or control access for this resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-=._:/]+$`

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListProfileObjectTypeTemplateItem

A ProfileObjectTypeTemplate in a list of ProfileObjectTypeTemplates.

## Contents

### SourceName

The name of the source of the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### SourceObject

The source of the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### TemplateId

A unique identifier for the object template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListWorkflowsItem

A workflow in list of workflows.

## Contents

### **CreatedAt**

Creation timestamp for workflow.

Type: Timestamp

Required: Yes

### **LastUpdatedAt**

Last updated timestamp for workflow.

Type: Timestamp

Required: Yes

### **Status**

Status of workflow execution.

Type: String

Valid Values: NOT\_STARTED | IN\_PROGRESS | COMPLETE | FAILED | SPLIT | RETRY  
| CANCELLED

Required: Yes

### **StatusDescription**

Description for workflow execution status.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### **WorkflowId**

Unique identifier for the workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## WorkflowType

The type of workflow. The only supported value is APPFLOW\_INTEGRATION.

Type: String

Valid Values: APPFLOW\_INTEGRATION

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MarketSourceProperties

The properties that are applied when Marketo is being used as a source.

## Contents

### Object

The object specified in the Marketo flow source.

Type: String

Length Constraints: Maximum length of 512.

Pattern: \S+

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatchingRequest

The flag that enables the matching process of duplicate profiles.

## Contents

### Enabled

The flag that enables the matching process of duplicate profiles.

Type: Boolean

Required: Yes

### AutoMerging

Configuration information about the auto-merging process.

Type: [AutoMerging](#) object

Required: No

### ExportingConfig

Configuration information for exporting Identity Resolution results, for example, to an S3 bucket.

Type: [ExportingConfig](#) object

Required: No

### JobSchedule

The day and time when do you want to start the Identity Resolution Job every week.

Type: [JobSchedule](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatchingResponse

The flag that enables the matching process of duplicate profiles.

## Contents

### AutoMerging

Configuration information about the auto-merging process.

Type: [AutoMerging](#) object

Required: No

### Enabled

The flag that enables the matching process of duplicate profiles.

Type: Boolean

Required: No

### ExportingConfig

Configuration information for exporting Identity Resolution results, for example, to an S3 bucket.

Type: [ExportingConfig](#) object

Required: No

### JobSchedule

The day and time when do you want to start the Identity Resolution Job every week.

Type: [JobSchedule](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatchingRule

Specifies how does the rule-based matching process should match profiles. You can choose from the following attributes to build the matching Rule:

- AccountNumber
- Address.Address
- Address.City
- Address.Country
- Address.County
- Address.PostalCode
- Address.State
- Address.Province
- BirthDate
- BusinessName
- EmailAddress
- FirstName
- Gender
- LastName
- MiddleName
- PhoneNumber
- Any customized profile attributes that start with the Attributes

## Contents

### Rule

A single rule level of the MatchRules. Configures how the rule-based matching process should match profiles.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 15 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MatchItem

The Match group object.

## Contents

### ConfidenceScore

A number between 0 and 1, where a higher score means higher similarity. Examining match confidence scores lets you distinguish between groups of similar records in which the system is highly confident (which you may decide to merge), groups of similar records about which the system is uncertain (which you may decide to have reviewed by a human), and groups of similar records that the system deems to be unlikely (which you may decide to reject). Given confidence scores vary as per the data input, it should not be used an absolute measure of matching quality.

Type: Double

Required: No

### MatchId

The unique identifiers for this group of profiles that match.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### ProfileIds

A list of identifiers for profiles that match.

Type: Array of strings

Pattern: [a-f0-9]{32}

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ObjectFilter

The filter applied to `ListProfileObjects` response to include profile objects with the specified index values.

## Contents

### KeyName

A searchable identifier of a profile object. The predefined keys you can use to search for `_asset` include: `_assetId`, `_assetName`, and `_serialNumber`. The predefined keys you can use to search for `_case` include: `_caseId`. The predefined keys you can use to search for `_order` include: `_orderId`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9_-]+$`

Required: Yes

### Values

A list of key values.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# ObjectTypeField

Represents a field in a ProfileObjectType.

## Contents

### ContentType

The content type of the field. Used for determining equality when searching.

Type: String

Valid Values: STRING | NUMBER | PHONE\_NUMBER | EMAIL\_ADDRESS | NAME

Required: No

### Source

A field of a ProfileObject. For example: \_source.FirstName, where “\_source” is a ProfileObjectType of a Zendesk user and “FirstName” is a field in that ObjectType.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### Target

The location of the data in the standard ProfileObject model. For example: \_profile.Address.PostalCode.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ObjectTypeKey

An object that defines the Key element of a ProfileObject. A Key is a special element that can be used to search for a customer profile.

## Contents

### FieldNames

The reference for the key name of the fields map.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9\_-]+\$

Required: No

### StandardIdentifiers

The types of keys that a ProfileObject can have. Each ProfileObject can have only 1 UNIQUE key but multiple PROFILE keys. PROFILE, ASSET, CASE, or ORDER means that this key can be used to tie an object to a PROFILE, ASSET, CASE, or ORDER respectively. UNIQUE means that it can be used to uniquely identify an object. If a key is marked as SECONDARY, it will be used to search for profiles after all other PROFILE keys have been searched. A LOOKUP\_ONLY key is only used to match a profile but is not persisted to be used for searching of the profile. A NEW\_ONLY key is only used if the profile does not already exist before the object is ingested, otherwise it is only used for matching objects to profiles.

Type: Array of strings

Valid Values: PROFILE | ASSET | CASE | UNIQUE | SECONDARY | LOOKUP\_ONLY | NEW\_ONLY | ORDER

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Profile

The standard profile of a customer.

## Contents

### AccountNumber

A unique account number that you have given to the customer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### AdditionalInformation

Any additional information relevant to the customer's profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

### Address

A generic address associated with the customer that is not mailing, shipping, or billing.

Type: [Address](#) object

Required: No

### Attributes

A key value pair of attributes of a customer profile.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**BillingAddress**

The customer's billing address.

Type: [Address](#) object

Required: No

**BirthDate**

The customer's birth date.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**BusinessEmailAddress**

The customer's business email address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**BusinessName**

The name of the customer's business.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

**BusinessPhoneNumber**

The customer's home phone number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## EmailAddress

The customer's email address, which has not been specified as a personal or business address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## FirstName

The customer's first name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## FoundByItems

A list of items used to find a profile returned in a [SearchProfiles](#) response. An item is a key-value(s) pair that matches an attribute in the profile.

If the optional AdditionalSearchKeys parameter was included in the [SearchProfiles](#) request, the FoundByItems list should be interpreted based on the LogicalOperator used in the request:

- AND - The profile included in the response matched all of the search keys specified in the request. The FoundByItems will include all of the key-value(s) pairs that were specified in the request (as this is a requirement of AND search logic).
- OR - The profile included in the response matched at least one of the search keys specified in the request. The FoundByItems will include each of the key-value(s) pairs that the profile was found by.

The OR relationship is the default behavior if the LogicalOperator parameter is not included in the [SearchProfiles](#) request.

Type: Array of [FoundByKeyValue](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: No

## Gender

*This member has been deprecated.*

The gender with which the customer identifies.

Type: String

Valid Values: MALE | FEMALE | UNSPECIFIED

Required: No

## GenderString

An alternative to Gender which accepts any string as input.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## HomePhoneNumber

The customer's home phone number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## LastName

The customer's last name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## MailingAddress

The customer's mailing address.

Type: [Address](#) object

Required: No

### **MiddleName**

The customer's middle name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **MobilePhoneNumber**

The customer's mobile phone number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **PartyType**

*This member has been deprecated.*

The type of profile used to describe the customer.

Type: String

Valid Values: INDIVIDUAL | BUSINESS | OTHER

Required: No

### **PartyTypeString**

An alternative to PartyType which accepts any string as input.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **PersonalEmailAddress**

The customer's personal email address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **PhoneNumber**

The customer's phone number, which has not been specified as a mobile, home, or business number.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **ProfileId**

The unique identifier of a customer profile.

Type: String

Pattern: [a-f0-9]{32}

Required: No

### **ShippingAddress**

The customer's shipping address.

Type: [Address](#) object

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# Range

The relative time period over which data is included in the aggregation.

## Contents

### Unit

The unit of time.

Type: String

Valid Values: DAYS

Required: Yes

### Value

The amount of time of the specified unit.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 366.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RuleBasedMatchingRequest

The request to enable the rule-based matching.

## Contents

### Enabled

The flag that enables the rule-based matching process of duplicate profiles.

Type: Boolean

Required: Yes

### AttributeTypesSelector

Configures information about the AttributeTypesSelector where the rule-based identity resolution uses to match profiles.

Type: [AttributeTypesSelector](#) object

Required: No

### ConflictResolution

How the auto-merging process should resolve conflicts between different profiles.

Type: [ConflictResolution](#) object

Required: No

### ExportingConfig

Configuration information about the S3 bucket where Identity Resolution Jobs writes result files.

#### Note

You need to give Customer Profiles service principal write permission to your S3 bucket. Otherwise, you'll get an exception in the API response. For an example policy, see [Amazon Connect Customer Profiles cross-service confused deputy prevention](#).

Type: [ExportingConfig](#) object

Required: No

## MatchingRules

Configures how the rule-based matching process should match profiles. You can have up to 15 MatchingRule in the MatchingRules.

Type: Array of [MatchingRule](#) objects

Array Members: Minimum number of 1 item. Maximum number of 15 items.

Required: No

## MaxAllowedRuleLevelForMatching

Indicates the maximum allowed rule level.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 15.

Required: No

## MaxAllowedRuleLevelForMerging

[MatchingRule](#)

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 15.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# RuleBasedMatchingResponse

The response of the Rule-based matching request.

## Contents

### AttributeTypesSelector

Configures information about the AttributeTypesSelector where the rule-based identity resolution uses to match profiles.

Type: [AttributeTypesSelector](#) object

Required: No

### ConflictResolution

How the auto-merging process should resolve conflicts between different profiles.

Type: [ConflictResolution](#) object

Required: No

### Enabled

The flag that enables the rule-based matching process of duplicate profiles.

Type: Boolean

Required: No

### ExportingConfig

Configuration information about the S3 bucket where Identity Resolution Jobs writes result files.

#### Note

You need to give Customer Profiles service principal write permission to your S3 bucket. Otherwise, you'll get an exception in the API response. For an example policy, see [Amazon Connect Customer Profiles cross-service confused deputy prevention](#).

Type: [ExportingConfig](#) object

Required: No

## MatchingRules

Configures how the rule-based matching process should match profiles. You can have up to 15 MatchingRule in the MatchingRules.

Type: Array of [MatchingRule](#) objects

Array Members: Minimum number of 1 item. Maximum number of 15 items.

Required: No

## MaxAllowedRuleLevelForMatching

Indicates the maximum allowed rule level.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 15.

Required: No

## MaxAllowedRuleLevelForMerging

[MatchingRule](#)

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 15.

Required: No

## Status

PENDING

- The first status after configuration a rule-based matching rule. If it is an existing domain, the rule-based Identity Resolution waits one hour before creating the matching rule. If it is a new domain, the system will skip the PENDING stage.

IN\_PROGRESS

- The system is creating the rule-based matching rule. Under this status, the system is evaluating the existing data and you can no longer change the Rule-based matching configuration.

## ACTIVE

- The rule is ready to use. You can change the rule a day after the status is in ACTIVE.

Type: String

Valid Values: PENDING | IN\_PROGRESS | ACTIVE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3ExportingConfig

Configuration information about the S3 bucket where Identity Resolution Jobs write result files.

## Contents

### S3BucketName

The name of the S3 bucket where Identity Resolution Jobs write result files.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: ^[a-zA-Z0-9\.\-\ ]+\$

Required: Yes

### S3KeyName

The S3 key name of the location where Identity Resolution Jobs write result files.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 800.

Pattern: .\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3ExportingLocation

The S3 location where Identity Resolution Jobs write result files.

## Contents

### S3BucketName

The name of the S3 bucket name where Identity Resolution Jobs write result files.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: ^[a-zA-Z0-9\.\-\ ]+\$

Required: No

### S3KeyName

The S3 key name of the location where Identity Resolution Jobs write result files.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3SourceProperties

The properties that are applied when Amazon S3 is being used as the flow source.

## Contents

### BucketName

The Amazon S3 bucket name where the source files are stored.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: \S+

Required: Yes

### BucketPrefix

The object key for the Amazon S3 bucket in which the source files are stored.

Type: String

Length Constraints: Maximum length of 512.

Pattern: .\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SalesforceSourceProperties

The properties that are applied when Salesforce is being used as a source.

## Contents

### Object

The object specified in the Salesforce flow source.

Type: String

Length Constraints: Maximum length of 512.

Pattern: \S+

Required: Yes

### EnableDynamicFieldUpdate

The flag that enables dynamic fetching of new (recently added) fields in the Salesforce objects while running a flow.

Type: Boolean

Required: No

### IncludeDeletedRecords

Indicates whether Amazon AppFlow includes deleted files in the flow run.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ScheduledTriggerProperties

Specifies the configuration details of a scheduled-trigger flow that you define. Currently, these settings only apply to the scheduled-trigger type.

## Contents

### ScheduleExpression

The scheduling expression that determines the rate at which the schedule will run, for example rate (5 minutes).

Type: String

Length Constraints: Maximum length of 256.

Pattern: . \*

Required: Yes

### DataPullMode

Specifies whether a scheduled flow has an incremental data transfer or a complete data transfer for each flow run.

Type: String

Valid Values: Incremental | Complete

Required: No

### FirstExecutionFrom

Specifies the date range for the records to import from the connector in the first flow run.

Type: Timestamp

Required: No

### ScheduleEndTime

Specifies the scheduled end time for a scheduled-trigger flow.

Type: Timestamp

Required: No

### ScheduleOffset

Specifies the optional offset that is added to the time interval for a schedule-triggered flow.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 36000.

Required: No

### ScheduleStartTime

Specifies the scheduled start time for a scheduled-trigger flow.

Type: Timestamp

Required: No

### Timezone

Specifies the time zone used when referring to the date and time of a scheduled-triggered flow, such as America/New\_York.

Type: String

Length Constraints: Maximum length of 256.

Pattern: .\*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ServiceNowSourceProperties

The properties that are applied when ServiceNow is being used as a source.

## Contents

### Object

The object specified in the ServiceNow flow source.

Type: String

Length Constraints: Maximum length of 512.

Pattern: \S+

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SourceConnectorProperties

Specifies the information that is required to query a particular Amazon AppFlow connector. Customer Profiles supports Salesforce, Zendesk, Marketo, ServiceNow and Amazon S3.

## Contents

### Marketo

The properties that are applied when Marketo is being used as a source.

Type: [MarketoSourceProperties](#) object

Required: No

### S3

The properties that are applied when Amazon S3 is being used as the flow source.

Type: [S3SourceProperties](#) object

Required: No

### Salesforce

The properties that are applied when Salesforce is being used as a source.

Type: [SalesforceSourceProperties](#) object

Required: No

### ServiceNow

The properties that are applied when ServiceNow is being used as a source.

Type: [ServiceNowSourceProperties](#) object

Required: No

### Zendesk

The properties that are applied when using Zendesk as a flow source.

Type: [ZendeskSourceProperties](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SourceFlowConfig

Contains information about the configuration of the source connector used in the flow.

## Contents

### ConnectorType

The type of connector, such as Salesforce, Marketo, and so on.

Type: String

Valid Values: Salesforce | Marketo | Zendesk | Servicenow | S3

Required: Yes

### SourceConnectorProperties

Specifies the information that is required to query a particular source connector.

Type: [SourceConnectorProperties](#) object

Required: Yes

### ConnectorProfileName

The name of the AppFlow connector profile. This name must be unique for each connector profile in the AWS account.

Type: String

Length Constraints: Maximum length of 256.

Pattern: [\w!@#=.-]+

Required: No

### IncrementalPullConfig

Defines the configuration for a scheduled incremental data pull. If a valid configuration is provided, the fields specified in the configuration are used when querying for the incremental data pull.

Type: [IncrementalPullConfig](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Task

A class for modeling different type of tasks. Task implementation varies based on the TaskType.

## Contents

### SourceFields

The source fields to which a particular task is applied.

Type: Array of strings

Length Constraints: Maximum length of 2048.

Pattern: .\*

Required: Yes

### TaskType

Specifies the particular task implementation that Amazon AppFlow performs.

Type: String

Valid Values: Arithmetic | Filter | Map | Mask | Merge | Truncate | Validate

Required: Yes

### ConnectorOperator

The operation to be performed on the provided source fields.

Type: [ConnectorOperator](#) object

Required: No

### DestinationField

A field in a destination connector, or a field value against which Amazon AppFlow validates a source field.

Type: String

Length Constraints: Maximum length of 256.

Pattern: .\*

Required: No

## TaskProperties

A map used to store task-related information. The service looks for particular information based on the TaskType.

Type: String to string map

Valid Keys: VALUE | VALUES | DATA\_TYPE | UPPER\_BOUND | LOWER\_BOUND  
| SOURCE\_DATA\_TYPE | DESTINATION\_DATA\_TYPE | VALIDATION\_ACTION |  
MASK\_VALUE | MASK\_LENGTH | TRUNCATE\_LENGTH | MATH\_OPERATION\_FIELDS\_ORDER  
| CONCAT\_FORMAT | SUBFIELD\_CATEGORY\_MAP

Value Length Constraints: Maximum length of 2048.

Value Pattern: .+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Threshold

The threshold for the calculated attribute.

## Contents

### Operator

The operator of the threshold.

Type: String

Valid Values: EQUAL\_TO | GREATER\_THAN | LESS\_THAN | NOT\_EQUAL\_TO

Required: Yes

### Value

The value of the threshold.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TriggerConfig

The trigger settings that determine how and when Amazon AppFlow runs the specified flow.

## Contents

### TriggerType

Specifies the type of flow trigger. It can be OnDemand, Scheduled, or Event.

Type: String

Valid Values: Scheduled | Event | OnDemand

Required: Yes

### TriggerProperties

Specifies the configuration details of a schedule-triggered flow that you define. Currently, these settings only apply to the Scheduled trigger type.

Type: [TriggerProperties](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TriggerProperties

Specifies the configuration details that control the trigger for a flow. Currently, these settings only apply to the Scheduled trigger type.

## Contents

### Scheduled

Specifies the configuration details of a schedule-triggered flow that you define.

Type: [ScheduledTriggerProperties](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UpdateAddress

Updates associated with the address properties of a customer profile.

## Contents

### Address1

The first line of a customer address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### Address2

The second line of a customer address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### Address3

The third line of a customer address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### Address4

The fourth line of a customer address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

**City**

The city in which a customer lives.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

**Country**

The country in which a customer lives.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

**County**

The county in which a customer lives.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

**PostalCode**

The postal code of a customer address.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

**Province**

The province in which a customer lives.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

## State

The state in which a customer lives.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowAttributes

Structure to hold workflow attributes.

## Contents

### AppflowIntegration

Workflow attributes specific to APPFLOW\_INTEGRATION workflow.

Type: [AppflowIntegrationWorkflowAttributes](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowMetrics

Generic object containing workflow execution metrics.

## Contents

### AppflowIntegration

Workflow execution metrics for APPFLOW\_INTEGRATION workflow.

Type: [AppflowIntegrationWorkflowMetrics](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowStepItem

List containing steps in workflow.

## Contents

### AppflowIntegration

Workflow step information specific to APPFLOW\_INTEGRATION workflow.

Type: [AppflowIntegrationWorkflowStep](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ZendeskSourceProperties

The properties that are applied when using Zendesk as a flow source.

## Contents

### Object

The object specified in the Zendesk flow source.

Type: String

Length Constraints: Maximum length of 512.

Pattern: \S+

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request").

The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

#### X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

#### X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 400

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 400

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **InvalidAction**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

## **InvalidClientTokenId**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 400

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

## **RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

## **ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

## **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

## **ValidationException**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

# Amazon Connect Customer Profiles and interface VPC endpoints (AWS PrivateLink)

You can establish a private connection between your VPC and Amazon Connect Customer Profiles by creating an *interface VPC endpoint*. Interface endpoints are powered by [AWS PrivateLink](#), a technology that enables you to privately access Amazon Connect Customer Profiles APIs without an internet gateway, NAT device, VPN connection, or AWS Direct Connect connection. Instances in your VPC don't need public IP addresses to communicate with Amazon Connect Customer Profiles APIs. Traffic between your VPC and Amazon Connect Customer Profiles does not leave the Amazon network.

Each interface endpoint is represented by one or more [Elastic network interfaces](#) in your subnets.

For more information, see [Interface VPC endpoints \(AWS PrivateLink\)](#) in the *AWS PrivateLink Guide*.

## Considerations for Amazon Connect Customer Profiles VPC endpoints

Before you set up an interface VPC endpoint for Amazon Connect Customer Profiles, ensure that you review [Interface endpoint properties and limitations](#) in the *AWS PrivateLink Guide*.

Amazon Connect Customer Profiles supports making calls to all of its API actions from your VPC.

## Creating an interface VPC endpoint for Amazon Connect Customer Profiles

You can create a VPC endpoint for the Amazon Connect Customer Profiles service using either the Amazon VPC console or the AWS Command Line Interface (AWS CLI). For more information, see [Creating an interface endpoint](#) in the *AWS PrivateLink Guide*.

Create a VPC endpoint for Amazon Connect Customer Profiles using the following service name:

- com.amazonaws.*region*.profile

If you enable private DNS for the endpoint, you can make API requests to Amazon Connect Customer Profiles using its default DNS name for the Region, for example, `profile.us-east-1.amazonaws.com`.

For more information, see [Accessing a service through an interface endpoint](#) in the *AWS PrivateLink Guide*.

## Creating a VPC endpoint policy for Amazon Connect Customer Profiles

You can attach an endpoint policy to your VPC endpoint that controls access to Amazon Connect Customer Profiles. The policy specifies the following information:

- The principal that can perform actions.
- The actions that can be performed.
- The resources on which actions can be performed.

For more information, see [Controlling access to services with VPC endpoints](#) in the *AWS PrivateLink Guide*.

### Example: VPC endpoint policy for Amazon Connect Customer Profiles actions

The following VPC endpoint policy grants access to the listed Amazon Connect Customer Profiles actions for all principals on all resources.

```
{  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "profile:CreateDomain",  
                "profile:CreateProfile",  
                "profile:UpdateProfile"  
            ],  
            "Resource": "*",  
            "Principal": "*"  
        }  
    ]  
}
```