



API Reference

# AWS Glue DataBrew



**API Version 2017-07-25**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# AWS Glue DataBrew: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>2</b>
BatchDeleteRecipeVersion .....	4
Request Syntax .....	4
URI Request Parameters .....	4
Request Body .....	5
Response Syntax .....	5
Response Elements .....	6
Errors .....	6
See Also .....	7
CreateDataset .....	8
Request Syntax .....	8
URI Request Parameters .....	10
Request Body .....	10
Response Syntax .....	11
Response Elements .....	11
Errors .....	12
See Also .....	12
CreateProfileJob .....	14
Request Syntax .....	14
URI Request Parameters .....	16
Request Body .....	16
Response Syntax .....	19
Response Elements .....	19
Errors .....	19
See Also .....	20
CreateProject .....	22
Request Syntax .....	22
URI Request Parameters .....	22
Request Body .....	22
Response Syntax .....	24
Response Elements .....	24
Errors .....	24
See Also .....	25

CreateRecipe .....	26
Request Syntax .....	26
URI Request Parameters .....	26
Request Body .....	26
Response Syntax .....	28
Response Elements .....	28
Errors .....	28
See Also .....	29
CreateRecipeJob .....	30
Request Syntax .....	30
URI Request Parameters .....	32
Request Body .....	32
Response Syntax .....	35
Response Elements .....	35
Errors .....	36
See Also .....	36
CreateRuleset .....	38
Request Syntax .....	38
URI Request Parameters .....	38
Request Body .....	39
Response Syntax .....	40
Response Elements .....	40
Errors .....	40
See Also .....	41
CreateSchedule .....	42
Request Syntax .....	42
URI Request Parameters .....	42
Request Body .....	42
Response Syntax .....	43
Response Elements .....	43
Errors .....	44
See Also .....	44
DeleteDataset .....	46
Request Syntax .....	46
URI Request Parameters .....	46
Request Body .....	46

---

Response Syntax .....	46
Response Elements .....	46
Errors .....	47
See Also .....	47
DeleteJob .....	49
Request Syntax .....	49
URI Request Parameters .....	49
Request Body .....	49
Response Syntax .....	49
Response Elements .....	49
Errors .....	50
See Also .....	50
DeleteProject .....	52
Request Syntax .....	52
URI Request Parameters .....	52
Request Body .....	52
Response Syntax .....	52
Response Elements .....	52
Errors .....	53
See Also .....	53
DeleteRecipeVersion .....	55
Request Syntax .....	55
URI Request Parameters .....	55
Request Body .....	55
Response Syntax .....	55
Response Elements .....	56
Errors .....	56
See Also .....	57
DeleteRuleset .....	58
Request Syntax .....	58
URI Request Parameters .....	58
Request Body .....	58
Response Syntax .....	58
Response Elements .....	58
Errors .....	59
See Also .....	59

DeleteSchedule .....	61
Request Syntax .....	61
URI Request Parameters .....	61
Request Body .....	61
Response Syntax .....	61
Response Elements .....	61
Errors .....	62
See Also .....	62
DescribeDataset .....	64
Request Syntax .....	64
URI Request Parameters .....	64
Request Body .....	64
Response Syntax .....	64
Response Elements .....	66
Errors .....	68
See Also .....	69
DescribeJob .....	70
Request Syntax .....	70
URI Request Parameters .....	70
Request Body .....	70
Response Syntax .....	70
Response Elements .....	73
Errors .....	78
See Also .....	78
DescribeJobRun .....	80
Request Syntax .....	80
URI Request Parameters .....	80
Request Body .....	80
Response Syntax .....	80
Response Elements .....	83
Errors .....	87
See Also .....	87
DescribeProject .....	88
Request Syntax .....	88
URI Request Parameters .....	88
Request Body .....	88

Response Syntax .....	88
Response Elements .....	89
Errors .....	91
See Also .....	92
DescribeRecipe .....	93
Request Syntax .....	93
URI Request Parameters .....	93
Request Body .....	93
Response Syntax .....	93
Response Elements .....	94
Errors .....	96
See Also .....	97
DescribeRuleset .....	98
Request Syntax .....	98
URI Request Parameters .....	98
Request Body .....	98
Response Syntax .....	98
Response Elements .....	99
Errors .....	101
See Also .....	101
DescribeSchedule .....	103
Request Syntax .....	103
URI Request Parameters .....	103
Request Body .....	103
Response Syntax .....	103
Response Elements .....	104
Errors .....	105
See Also .....	106
ListDatasets .....	107
Request Syntax .....	107
URI Request Parameters .....	107
Request Body .....	107
Response Syntax .....	107
Response Elements .....	110
Errors .....	110
See Also .....	110

---

ListJobRuns .....	112
Request Syntax .....	112
URI Request Parameters .....	112
Request Body .....	112
Response Syntax .....	112
Response Elements .....	115
Errors .....	115
See Also .....	115
ListJobs .....	117
Request Syntax .....	117
URI Request Parameters .....	117
Request Body .....	118
Response Syntax .....	118
Response Elements .....	120
Errors .....	120
See Also .....	121
ListProjects .....	122
Request Syntax .....	122
URI Request Parameters .....	122
Request Body .....	122
Response Syntax .....	122
Response Elements .....	123
Errors .....	123
See Also .....	124
ListRecipes .....	125
Request Syntax .....	125
URI Request Parameters .....	125
Request Body .....	125
Response Syntax .....	125
Response Elements .....	126
Errors .....	127
See Also .....	127
ListRecipeVersions .....	129
Request Syntax .....	129
URI Request Parameters .....	129
Request Body .....	129

---

Response Syntax .....	129
Response Elements .....	130
Errors .....	131
See Also .....	131
ListRulesets .....	133
Request Syntax .....	133
URI Request Parameters .....	133
Request Body .....	133
Response Syntax .....	133
Response Elements .....	134
Errors .....	135
See Also .....	135
ListSchedules .....	136
Request Syntax .....	136
URI Request Parameters .....	136
Request Body .....	136
Response Syntax .....	136
Response Elements .....	137
Errors .....	137
See Also .....	138
ListTagsForResource .....	139
Request Syntax .....	139
URI Request Parameters .....	139
Request Body .....	139
Response Syntax .....	139
Response Elements .....	139
Errors .....	140
See Also .....	140
PublishRecipe .....	142
Request Syntax .....	142
URI Request Parameters .....	142
Request Body .....	142
Response Syntax .....	143
Response Elements .....	143
Errors .....	143
See Also .....	144

SendProjectSessionAction .....	145
Request Syntax .....	145
URI Request Parameters .....	145
Request Body .....	146
Response Syntax .....	147
Response Elements .....	147
Errors .....	148
See Also .....	148
StartJobRun .....	150
Request Syntax .....	150
URI Request Parameters .....	150
Request Body .....	150
Response Syntax .....	150
Response Elements .....	150
Errors .....	151
See Also .....	151
StartProjectSession .....	153
Request Syntax .....	153
URI Request Parameters .....	153
Request Body .....	153
Response Syntax .....	153
Response Elements .....	154
Errors .....	154
See Also .....	155
StopJobRun .....	156
Request Syntax .....	156
URI Request Parameters .....	156
Request Body .....	156
Response Syntax .....	156
Response Elements .....	157
Errors .....	157
See Also .....	157
TagResource .....	159
Request Syntax .....	159
URI Request Parameters .....	159
Request Body .....	159

---

Response Syntax .....	160
Response Elements .....	160
Errors .....	160
See Also .....	160
UntagResource .....	162
Request Syntax .....	162
URI Request Parameters .....	162
Request Body .....	162
Response Syntax .....	162
Response Elements .....	163
Errors .....	163
See Also .....	163
UpdateDataset .....	165
Request Syntax .....	165
URI Request Parameters .....	167
Request Body .....	167
Response Syntax .....	168
Response Elements .....	168
Errors .....	168
See Also .....	169
UpdateProfileJob .....	170
Request Syntax .....	170
URI Request Parameters .....	171
Request Body .....	172
Response Syntax .....	174
Response Elements .....	175
Errors .....	175
See Also .....	175
UpdateProject .....	177
Request Syntax .....	177
URI Request Parameters .....	177
Request Body .....	177
Response Syntax .....	178
Response Elements .....	178
Errors .....	178
See Also .....	179

UpdateRecipe .....	180
Request Syntax .....	180
URI Request Parameters .....	180
Request Body .....	181
Response Syntax .....	181
Response Elements .....	181
Errors .....	182
See Also .....	182
UpdateRecipeJob .....	183
Request Syntax .....	183
URI Request Parameters .....	184
Request Body .....	185
Response Syntax .....	187
Response Elements .....	187
Errors .....	187
See Also .....	188
UpdateRuleset .....	189
Request Syntax .....	189
URI Request Parameters .....	189
Request Body .....	190
Response Syntax .....	190
Response Elements .....	190
Errors .....	191
See Also .....	191
UpdateSchedule .....	193
Request Syntax .....	193
URI Request Parameters .....	193
Request Body .....	193
Response Syntax .....	194
Response Elements .....	194
Errors .....	194
See Also .....	195
<b>Data Types .....</b>	<b>196</b>
AllowedStatistics .....	198
Contents .....	198
See Also .....	198

ColumnSelector .....	199
Contents .....	199
See Also .....	199
ColumnStatisticsConfiguration .....	201
Contents .....	201
See Also .....	201
ConditionExpression .....	203
Contents .....	203
See Also .....	204
CsvOptions .....	205
Contents .....	205
See Also .....	205
CsvOutputOptions .....	206
Contents .....	206
See Also .....	206
DatabaseInputDefinition .....	207
Contents .....	207
See Also .....	208
DatabaseOutput .....	209
Contents .....	209
See Also .....	210
DatabaseTableOutputOptions .....	211
Contents .....	211
See Also .....	211
DataCatalogInputDefinition .....	212
Contents .....	212
See Also .....	213
DataCatalogOutput .....	214
Contents .....	214
See Also .....	215
Dataset .....	216
Contents .....	216
See Also .....	218
DatasetParameter .....	220
Contents .....	220
See Also .....	221

DatetimeOptions .....	222
Contents .....	222
See Also .....	223
EntityDetectorConfiguration .....	224
Contents .....	224
See Also .....	225
ExcelOptions .....	226
Contents .....	226
See Also .....	227
FilesLimit .....	228
Contents .....	228
See Also .....	229
FilterExpression .....	230
Contents .....	230
See Also .....	231
FormatOptions .....	232
Contents .....	232
See Also .....	232
Input .....	234
Contents .....	234
See Also .....	235
Job .....	236
Contents .....	236
See Also .....	241
JobRun .....	242
Contents .....	242
See Also .....	245
JobSample .....	247
Contents .....	247
See Also .....	248
JsonOptions .....	249
Contents .....	249
See Also .....	249
Metadata .....	250
Contents .....	250
See Also .....	250

Output .....	251
Contents .....	251
See Also .....	252
OutputFormatOptions .....	254
Contents .....	254
See Also .....	254
PathOptions .....	255
Contents .....	255
See Also .....	256
ProfileConfiguration .....	257
Contents .....	257
See Also .....	258
Project .....	259
Contents .....	259
See Also .....	262
Recipe .....	263
Contents .....	263
See Also .....	266
RecipeAction .....	267
Contents .....	267
See Also .....	267
RecipeReference .....	269
Contents .....	269
See Also .....	269
RecipeStep .....	270
Contents .....	270
See Also .....	270
RecipeVersionErrorDetail .....	272
Contents .....	272
See Also .....	272
Rule .....	274
Contents .....	274
See Also .....	276
RulesetItem .....	277
Contents .....	277
See Also .....	279

S3Location .....	280
Contents .....	280
See Also .....	281
S3TableOutputOptions .....	282
Contents .....	282
See Also .....	282
Sample .....	283
Contents .....	283
See Also .....	283
Schedule .....	284
Contents .....	284
See Also .....	286
StatisticOverride .....	287
Contents .....	287
See Also .....	287
StatisticsConfiguration .....	289
Contents .....	289
See Also .....	289
Threshold .....	291
Contents .....	291
See Also .....	292
ValidationConfiguration .....	293
Contents .....	293
See Also .....	293
ViewFrame .....	295
Contents .....	295
See Also .....	296
<b>Common Parameters .....</b>	<b>297</b>
<b>Common Error Types .....</b>	<b>300</b>

# Welcome

AWS Glue DataBrew is a visual, cloud-scale data-preparation service. DataBrew simplifies data preparation tasks, targeting data issues that are hard to spot and time-consuming to fix. DataBrew empowers users of all technical levels to visualize the data and perform one-click data transformations, with no coding required.

This document was last published on June 25, 2026.

# Actions

The following actions are supported:

- [BatchDeleteRecipeVersion](#)
- [CreateDataset](#)
- [CreateProfileJob](#)
- [CreateProject](#)
- [CreateRecipe](#)
- [CreateRecipeJob](#)
- [CreateRuleset](#)
- [CreateSchedule](#)
- [DeleteDataset](#)
- [DeleteJob](#)
- [DeleteProject](#)
- [DeleteRecipeVersion](#)
- [DeleteRuleset](#)
- [DeleteSchedule](#)
- [DescribeDataset](#)
- [DescribeJob](#)
- [DescribeJobRun](#)
- [DescribeProject](#)
- [DescribeRecipe](#)
- [DescribeRuleset](#)
- [DescribeSchedule](#)
- [ListDatasets](#)
- [ListJobRuns](#)
- [ListJobs](#)
- [ListProjects](#)
- [ListRecipes](#)
- [ListRecipeVersions](#)

- [ListRulesets](#)
- [ListSchedules](#)
- [ListTagsForResource](#)
- [PublishRecipe](#)
- [SendProjectSessionAction](#)
- [StartJobRun](#)
- [StartProjectSession](#)
- [StopJobRun](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateDataset](#)
- [UpdateProfileJob](#)
- [UpdateProject](#)
- [UpdateRecipe](#)
- [UpdateRecipeJob](#)
- [UpdateRuleset](#)
- [UpdateSchedule](#)

# BatchDeleteRecipeVersion

Deletes one or more versions of a recipe at a time.

The entire request will be rejected if:

- The recipe does not exist.
- There is an invalid version identifier in the list of versions.
- The version list is empty.
- The version list size exceeds 50.
- The version list contains duplicate entries.

The request will complete successfully, but with partial failures, if:

- A version does not exist.
- A version is being used by a job.
- You specify LATEST\_WORKING, but it's being used by a project.
- The version fails to be deleted.

The LATEST\_WORKING version will only be deleted if the recipe has no other versions. If you try to delete LATEST\_WORKING while other versions exist (or if they can't be deleted), then LATEST\_WORKING will be listed as partial failure in the response.

## Request Syntax

```
POST /recipes/name/batchDeleteRecipeVersion HTTP/1.1
Content-type: application/json

{
  "RecipeVersions": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

## name

The name of the recipe whose versions are to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### RecipeVersions

An array of version identifiers, for the recipe versions to be deleted. You can specify numeric versions (X.Y) or LATEST\_WORKING. LATEST\_PUBLISHED is not supported.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Errors": [
    {
      "ErrorCode": "string",
      "ErrorMessage": "string",
      "RecipeVersion": "string"
    }
  ],
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the recipe that was modified.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### Errors

Errors, if any, that occurred while attempting to delete the recipe versions.

Type: Array of [RecipeVersionErrorDetail](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDataset

Creates a new DataBrew dataset.

## Request Syntax

```
POST /datasets HTTP/1.1
Content-type: application/json

{
  "Format": "string",
  "FormatOptions": {
    "Csv": {
      "Delimiter": "string",
      "HeaderRow": boolean
    },
    "Excel": {
      "HeaderRow": boolean,
      "SheetIndexes": [ number ],
      "SheetNames": [ "string" ]
    },
    "Json": {
      "MultiLine": boolean
    }
  },
  "Input": {
    "DatabaseInputDefinition": {
      "DatabaseTableName": "string",
      "GlueConnectionName": "string",
      "QueryString": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "DataCatalogInputDefinition": {
      "CatalogId": "string",
      "DatabaseName": "string",
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",

```

```
        "Key": "string"
    }
},
"Metadata": {
    "SourceArn": "string"
},
"S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
}
},
"Name": "string",
"PathOptions": {
    "FilesLimit": {
        "MaxFiles": number,
        "Order": "string",
        "OrderedBy": "string"
    },
    "LastModifiedDateCondition": {
        "Expression": "string",
        "ValuesMap": {
            "string" : "string"
        }
    },
    "Parameters": {
        "string" : {
            "CreateColumn": boolean,
            "DatetimeOptions": {
                "Format": "string",
                "LocaleCode": "string",
                "TimezoneOffset": "string"
            },
            "Filter": {
                "Expression": "string",
                "ValuesMap": {
                    "string" : "string"
                }
            },
            "Name": "string",
            "Type": "string"
        }
    }
},
}
```

```
"Tags": {  
  "string" : "string"  
}  
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

Required: Yes

### Name

The name of the dataset to be created. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### Format

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

Required: No

## FormatOptions

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Type: [FormatOptions](#) object

Required: No

## PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

Required: No

## Tags

Metadata tags to apply to this dataset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the dataset that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Access to the specified resource was denied.

HTTP Status Code: 403

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateProfileJob

Creates a new job to analyze a dataset and create its data profile.

## Request Syntax

```
POST /profileJobs HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "ColumnStatisticsConfigurations": [
      {
        "Selectors": [
          {
            "Name": "string",
            "Regex": "string"
          }
        ],
        "Statistics": {
          "IncludedStatistics": [ "string" ],
          "Overrides": [
            {
              "Parameters": {
                "string": "string"
              },
              "Statistic": "string"
            }
          ]
        }
      }
    ],
    "DatasetStatisticsConfiguration": {
      "IncludedStatistics": [ "string" ],
      "Overrides": [
        {
          "Parameters": {
            "string": "string"
          },
          "Statistic": "string"
        }
      ]
    }
  },
}
```

```
  "EntityDetectorConfiguration": {
    "AllowedStatistics": [
      {
        "Statistics": [ "string" ]
      }
    ],
    "EntityTypes": [ "string" ]
  },
  "ProfileColumns": [
    {
      "Name": "string",
      "Regex": "string"
    }
  ]
},
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"OutputLocation": {
  "Bucket": "string",
  "BucketOwner": "string",
  "Key": "string"
},
"RoleArn": "string",
"Tags": {
  "string" : "string"
},
"Timeout": number,
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### DatasetName

The name of the dataset that this job is to act upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### Name

The name of the job to be created. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

### OutputLocation

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Type: [S3Location](#) object

Required: Yes

### RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### Configuration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

Required: No

### EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - SSE-KMS - Server-side encryption with AWS KMS-managed keys.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

### JobSample

Sample configuration for profile jobs only. Determines the number of rows on which the profile job will be executed. If a JobSample value is not provided, the default value will be used. The default value is CUSTOM\_ROWS for the mode parameter and 20000 for the size parameter.

Type: [JobSample](#) object

Required: No

## LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

## MaxCapacity

The maximum number of nodes that DataBrew can use when the job processes data.

Type: Integer

Required: No

## MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Tags

Metadata tags to apply to this job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

### ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the job that was created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

## ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

## ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

## ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateProject

Creates a new DataBrew project.

## Request Syntax

```
POST /projects HTTP/1.1
Content-type: application/json

{
  "DatasetName": "string",
  "Name": "string",
  "RecipeName": "string",
  "RoleArn": "string",
  "Sample": {
    "Size": number,
    "Type": "string"
  },
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### DatasetName

The name of an existing dataset to associate this project with.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Name

A unique name for the new project. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## RecipeName

The name of an existing recipe to associate with the project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed for this request.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

## Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Type: [Sample](#) object

Required: No

## Tags

Metadata tags to apply to this project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the project that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

## InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

## ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateRecipe

Creates a new DataBrew recipe.

## Request Syntax

```
POST /recipes HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Name": "string",
  "Steps": [
    {
      "Action": {
        "Operation": "string",
        "Parameters": {
          "string": "string"
        }
      },
      "ConditionExpressions": [
        {
          "Condition": "string",
          "TargetColumn": "string",
          "Value": "string"
        }
      ]
    }
  ],
  "Tags": {
    "string": "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

## Name

A unique name for the recipe. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Steps

An array containing the steps to be performed by the recipe. Each recipe step consists of one recipe action and (optionally) an array of condition expressions.

Type: Array of [RecipeStep](#) objects

Required: Yes

## Description

A description for the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

## Tags

Metadata tags to apply to this recipe.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the recipe that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateRecipeJob

Creates a new job to transform input data, using steps defined in an existing AWS Glue DataBrew recipe

## Request Syntax

```
POST /recipeJobs HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "DatabaseOutputMode": "string",
      "GlueConnectionName": "string"
    }
  ],
  "DataCatalogOutputs": [
    {
      "CatalogId": "string",
      "DatabaseName": "string",
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "Overwrite": boolean,
      "S3Options": {
        "Location": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      }
    }
  ]
}
```

```

    }
  },
  "TableName": "string"
}
],
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"ProjectName": "string",
"RecipeReference": {
  "Name": "string",
  "RecipeVersion": "string"
},
"RoleArn": "string",
"Tags": {
  "string" : "string"
},
"Timeout": number
}

```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### Name

A unique name for the job. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

### RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write to.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### DatasetName

The name of the dataset that this job processes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

### LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

### MaxCapacity

The maximum number of nodes that DataBrew can consume when the job processes data.

Type: Integer

Required: No

### MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

### Outputs

One or more artifacts that represent the output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

### ProjectName

Either the name of an existing project, or a combination of a recipe and a dataset to associate with the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### RecipeReference

Represents the name and version of a DataBrew recipe.

Type: [RecipeReference](#) object

Required: No

## Tags

Metadata tags to apply to this job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the job that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Access to the specified resource was denied.

HTTP Status Code: 403

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateRuleset

Creates a new ruleset that can be used in a profile job to validate the data quality of a dataset.

## Request Syntax

```
POST /rulesets HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Name": "string",
  "Rules": [
    {
      "CheckExpression": "string",
      "ColumnSelectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Disabled": boolean,
      "Name": "string",
      "SubstitutionMap": {
        "string" : "string"
      },
      "Threshold": {
        "Type": "string",
        "Unit": "string",
        "Value": number
      }
    }
  ],
  "Tags": {
    "string" : "string"
  },
  "TargetArn": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### Name

The name of the ruleset to be created. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### Rules

A list of rules that are defined with the ruleset. A rule includes one or more checks to be validated on a DataBrew dataset.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

### TargetArn

The Amazon Resource Name (ARN) of a resource (dataset) that the ruleset is associated with.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

## Tags

Metadata tags to apply to the ruleset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The unique name of the created ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

## ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSchedule

Creates a new schedule for one or more DataBrew jobs. Jobs can be run at a specific date and time, or at regular intervals.

## Request Syntax

```
POST /schedules HTTP/1.1
Content-type: application/json

{
  "CronExpression": "string",
  "JobNames": [ "string" ],
  "Name": "string",
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### CronExpression

The date or dates and time or times when the jobs are to be run. For more information, see [Cron expressions](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

### Name

A unique name for the schedule. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### JobNames

The name or names of one or more jobs to be run.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

### Tags

Metadata tags to apply to this schedule.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the schedule that was created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDataset

Deletes a dataset from DataBrew.

## Request Syntax

```
DELETE /datasets/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the dataset to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the dataset that you deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteJob

Deletes the specified DataBrew job.

## Request Syntax

```
DELETE /jobs/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the job to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the job that you deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteProject

Deletes an existing DataBrew project.

## Request Syntax

```
DELETE /projects/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the project that you deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteRecipeVersion

Deletes a single version of a DataBrew recipe.

## Request Syntax

```
DELETE /recipes/name/recipeVersion/recipeVersion HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the recipe.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### recipeVersion

The version of the recipe to be deleted. You can specify a numeric versions (X.Y) or LATEST\_WORKING. LATEST\_PUBLISHED is not supported.

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string",
```

```
"RecipeVersion": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the recipe that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### RecipeVersion

The version of the recipe that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteRuleset

Deletes a ruleset.

## Request Syntax

```
DELETE /rulesets/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the ruleset to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the deleted ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSchedule

Deletes the specified DataBrew schedule.

## Request Syntax

```
DELETE /schedules/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the schedule to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the schedule that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# DescribeDataset

Returns the definition of a specific DataBrew dataset.

## Request Syntax

```
GET /datasets/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the dataset to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "Format": "string",
  "FormatOptions": {
    "Csv": {
      "Delimiter": "string",
      "HeaderRow": boolean
    },
    "Excel": {
      "HeaderRow": boolean,
      "SheetIndexes": [ number ],

```

```
    "SheetNames": [ "string" ]
  },
  "Json": {
    "MultiLine": boolean
  }
},
"Input": {
  "DatabaseInputDefinition": {
    "DatabaseTableName": "string",
    "GlueConnectionName": "string",
    "QueryString": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "DataCatalogInputDefinition": {
    "CatalogId": "string",
    "DatabaseName": "string",
    "TableName": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "Metadata": {
    "SourceArn": "string"
  },
  "S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
  }
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
"Name": "string",
"PathOptions": {
  "FilesLimit": {
    "MaxFiles": number,
    "Order": "string",
    "OrderedBy": "string"
  }
}
```

```

    },
    "LastModifiedDateCondition": {
      "Expression": "string",
      "ValuesMap": {
        "string" : "string"
      }
    },
    "Parameters": {
      "string" : {
        "CreateColumn": boolean,
        "DatetimeOptions": {
          "Format": "string",
          "LocaleCode": "string",
          "TimezoneOffset": "string"
        },
        "Filter": {
          "Expression": "string",
          "ValuesMap": {
            "string" : "string"
          }
        },
        "Name": "string",
        "Type": "string"
      }
    }
  },
  "ResourceArn": "string",
  "Source": "string",
  "Tags": {
    "string" : "string"
  }
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

### [Name](#)

The name of the dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### [CreateDate](#)

The date and time that the dataset was created.

Type: Timestamp

### [CreatedBy](#)

The identifier (user name) of the user who created the dataset.

Type: String

### [Format](#)

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

### [FormatOptions](#)

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Type: [FormatOptions](#) object

### [LastModifiedBy](#)

The identifier (user name) of the user who last modified the dataset.

Type: String

### [LastModifiedDate](#)

The date and time that the dataset was last modified.

Type: Timestamp

### PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

### ResourceArn

The Amazon Resource Name (ARN) of the dataset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### Source

The location of the data for this dataset, Amazon S3 or the AWS Glue Data Catalog.

Type: String

Valid Values: S3 | DATA-CATALOG | DATABASE

### Tags

Metadata tags associated with this dataset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeJob

Returns the definition of a specific DataBrew job.

## Request Syntax

```
GET /jobs/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the job to be described.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      }
    }
  ]
}
```

```
    },
    "DatabaseOutputMode": "string",
    "GlueConnectionName": "string"
  }
],
"DataCatalogOutputs": [
  {
    "CatalogId": "string",
    "DatabaseName": "string",
    "DatabaseOptions": {
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "Overwrite": boolean,
    "S3Options": {
      "Location": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "TableName": "string"
  }
],
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
```

```

    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"ProfileConfiguration": {
  "ColumnStatisticsConfigurations": [
    {
      "Selectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Statistics": {
        "IncludedStatistics": [ "string" ],
        "Overrides": [
          {
            "Parameters": {
              "string": "string"
            },
            "Statistic": "string"
          }
        ]
      }
    }
  ]
}
],
"DatasetStatisticsConfiguration": {
  "IncludedStatistics": [ "string" ],
  "Overrides": [
    {
      "Parameters": {
        "string": "string"
      }
    }
  ]
}
]

```

```

    },
    "Statistic": "string"
  }
]
},
"EntityDetectorConfiguration": {
  "AllowedStatistics": [
    {
      "Statistics": [ "string" ]
    }
  ],
  "EntityTypes": [ "string" ]
},
"ProfileColumns": [
  {
    "Name": "string",
    "Regex": "string"
  }
]
},
"ProjectName": "string",
"RecipeReference": {
  "Name": "string",
  "RecipeVersion": "string"
},
"ResourceArn": "string",
"RoleArn": "string",
"Tags": {
  "string" : "string"
},
"Timeout": number,
"Type": "string",
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

### CreateDate

The date and time that the job was created.

Type: Timestamp

### CreatedBy

The identifier (user name) of the user associated with the creation of the job.

Type: String

### DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

### DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

### DatasetName

The dataset that the job acts upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

## EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

## JobSample

Sample configuration for profile jobs only. Determines the number of rows on which the profile job will be executed.

Type: [JobSample](#) object

## LastModifiedBy

The identifier (user name) of the user who last modified the job.

Type: String

## LastModifiedDate

The date and time that the job was last modified.

Type: Timestamp

## LogSubscription

Indicates whether Amazon CloudWatch logging is enabled for this job.

Type: String

Valid Values: ENABLE | DISABLE

## MaxCapacity

The maximum number of compute nodes that DataBrew can consume when the job processes data.

Type: Integer

## MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

## Outputs

One or more artifacts that represent the output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

## ProfileConfiguration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

## ProjectName

The DataBrew project associated with this job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## RecipeReference

Represents the name and version of a DataBrew recipe.

Type: [RecipeReference](#) object

## ResourceArn

The Amazon Resource Name (ARN) of the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### RoleArn

The ARN of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### Tags

Metadata tags associated with this job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

### Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

### Type

The job type, which must be one of the following:

- PROFILE - The job analyzes the dataset to determine its size, data types, data distribution, and more.
- RECIPE - The job applies one or more transformations to a dataset.

Type: String

Valid Values: PROFILE | RECIPE

## ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# DescribeJobRun

Represents one run of a DataBrew job.

## Request Syntax

```
GET /jobs/name/jobRun/runId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the job being processed during this run.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

### runId

The unique identifier of the job run.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Attempt": number,
  "CompletedOn": number,
  "DatabaseOutputs": [
    {
```

```

    "DatabaseOptions": {
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "DatabaseOutputMode": "string",
    "GlueConnectionName": "string"
  }
],
"DataCatalogOutputs": [
  {
    "CatalogId": "string",
    "DatabaseName": "string",
    "DatabaseOptions": {
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "Overwrite": boolean,
    "S3Options": {
      "Location": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "TableName": "string"
  }
],
"DatasetName": "string",
"ErrorMessage": "string",
"ExecutionTime": number,
"JobName": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogGroupName": "string",

```

```

"LogSubscription": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"ProfileConfiguration": {
  "ColumnStatisticsConfigurations": [
    {
      "Selectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Statistics": {
        "IncludedStatistics": [ "string" ],
        "Overrides": [
          {
            "Parameters": {
              "string": "string"
            },
            "Statistic": "string"
          }
        ]
      }
    }
  ]
},
"DatasetStatisticsConfiguration": {
  "IncludedStatistics": [ "string" ],

```

```

    "Overrides": [
      {
        "Parameters": {
          "string": "string"
        },
        "Statistic": "string"
      }
    ],
    "EntityDetectorConfiguration": {
      "AllowedStatistics": [
        {
          "Statistics": [ "string" ]
        }
      ],
      "EntityTypes": [ "string" ]
    },
    "ProfileColumns": [
      {
        "Name": "string",
        "Regex": "string"
      }
    ],
    "RecipeReference": {
      "Name": "string",
      "RecipeVersion": "string"
    },
    "RunId": "string",
    "StartedBy": "string",
    "StartedOn": number,
    "State": "string",
    "ValidationConfigurations": [
      {
        "RulesetArn": "string",
        "ValidationMode": "string"
      }
    ]
  }

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobName

The name of the job being processed during this run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

### Attempt

The number of times that DataBrew has attempted to run the job.

Type: Integer

### CompletedOn

The date and time when the job completed processing.

Type: Timestamp

### DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

### DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

### DatasetName

The name of the dataset for the job to process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## ErrorMessage

A message indicating an error (if any) that was encountered when the job ran.

Type: String

## ExecutionTime

The amount of time, in seconds, during which the job run consumed resources.

Type: Integer

## JobSample

Sample configuration for profile jobs only. Determines the number of rows on which the profile job will be executed. If a JobSample value is not provided, the default value will be used. The default value is CUSTOM\_ROWS for the mode parameter and 20000 for the size parameter.

Type: [JobSample](#) object

## LogGroupName

The name of an Amazon CloudWatch log group, where the job writes diagnostic messages when it runs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

## LogSubscription

The current status of Amazon CloudWatch logging for the job run.

Type: String

Valid Values: ENABLE | DISABLE

## Outputs

One or more output artifacts from a job run.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

## ProfileConfiguration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

## RecipeReference

Represents the name and version of a DataBrew recipe.

Type: [RecipeReference](#) object

## RunId

The unique identifier of the job run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## StartedBy

The Amazon Resource Name (ARN) of the user who started the job run.

Type: String

## StartedOn

The date and time when the job run began.

Type: Timestamp

## State

The current state of the job run entity itself.

Type: String

Valid Values: STARTING | RUNNING | STOPPING | STOPPED | SUCCEEDED | FAILED | TIMEOUT

## ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeProject

Returns the definition of a specific DataBrew project.

## Request Syntax

```
GET /projects/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "CreateDate": number,  
  "CreatedBy": "string",  
  "DatasetName": "string",  
  "LastModifiedBy": "string",  
  "LastModifiedDate": number,  
  "Name": "string",  
  "OpenDate": number,  
  "OpenedBy": "string",  
  "RecipeName": "string",  
  "ResourceArn": "string",
```

```
"RoleArn": "string",
"Sample": {
  "Size": number,
  "Type": "string"
},
"SessionStatus": "string",
"Tags": {
  "string" : "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### CreateDate

The date and time that the project was created.

Type: Timestamp

### CreatedBy

The identifier (user name) of the user who created the project.

Type: String

### DatasetName

The dataset associated with the project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### LastModifiedBy

The identifier (user name) of the user who last modified the project.

Type: String

### LastModifiedDate

The date and time that the project was last modified.

Type: Timestamp

### OpenDate

The date and time when the project was opened.

Type: Timestamp

### OpenedBy

The identifier (user name) of the user that opened the project for use.

Type: String

### RecipeName

The recipe associated with this job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### ResourceArn

The Amazon Resource Name (ARN) of the project.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### RoleArn

The ARN of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

## Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Type: [Sample](#) object

## SessionStatus

Describes the current state of the session:

- PROVISIONING - allocating resources for the session.
- INITIALIZING - getting the session ready for first use.
- ASSIGNED - the session is ready for use.

Type: String

Valid Values: ASSIGNED | FAILED | INITIALIZING | PROVISIONING | READY | RECYCLING | ROTATING | TERMINATED | TERMINATING | UPDATING

## Tags

Metadata tags associated with this project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRecipe

Returns the definition of a specific DataBrew recipe corresponding to a particular version.

## Request Syntax

```
GET /recipes/name?recipeVersion=RecipeVersion HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the recipe to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### RecipeVersion

The recipe version identifier. If this parameter isn't specified, then the latest published version is returned.

Length Constraints: Minimum length of 1. Maximum length of 16.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "Description": "string",
```

```
"LastModifiedBy": "string",
"LastModifiedDate": number,
"Name": "string",
"ProjectName": "string",
"PublishedBy": "string",
"PublishedDate": number,
"RecipeVersion": "string",
"ResourceArn": "string",
"Steps": [
  {
    "Action": {
      "Operation": "string",
      "Parameters": {
        "string": "string"
      }
    },
    "ConditionExpressions": [
      {
        "Condition": "string",
        "TargetColumn": "string",
        "Value": "string"
      }
    ]
  }
],
"Tags": {
  "string": "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### CreateDate

The date and time that the recipe was created.

Type: Timestamp

### CreatedBy

The identifier (user name) of the user who created the recipe.

Type: String

### Description

The description of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

### LastModifiedBy

The identifier (user name) of the user who last modified the recipe.

Type: String

### LastModifiedDate

The date and time that the recipe was last modified.

Type: Timestamp

### ProjectName

The name of the project associated with this recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### PublishedBy

The identifier (user name) of the user who last published the recipe.

Type: String

### PublishedDate

The date and time when the recipe was last published.

Type: Timestamp

### RecipeVersion

The recipe version identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

### ResourceArn

The ARN of the recipe.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### Steps

One or more steps to be performed by the recipe. Each step consists of an action, and the conditions under which the action should succeed.

Type: Array of [RecipeStep](#) objects

### Tags

Metadata tags associated with this project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRuleset

Retrieves detailed information about the ruleset.

## Request Syntax

```
GET /rulesets/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the ruleset to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "Description": "string",
  "LastModifiedBy": "string",
  "LastModifiedDate": number,
  "Name": "string",
  "ResourceArn": "string",
  "Rules": [
    {
      "CheckExpression": "string",
```

```
    "ColumnSelectors": [
      {
        "Name": "string",
        "Regex": "string"
      }
    ],
    "Disabled": boolean,
    "Name": "string",
    "SubstitutionMap": {
      "string" : "string"
    },
    "Threshold": {
      "Type": "string",
      "Unit": "string",
      "Value": number
    }
  }
],
"Tags": {
  "string" : "string"
},
"TargetArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### CreateDate

The date and time that the ruleset was created.

Type: Timestamp

### CreatedBy

The Amazon Resource Name (ARN) of the user who created the ruleset.

Type: String

### Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

### LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the ruleset.

Type: String

### LastModifiedDate

The modification date and time of the ruleset.

Type: Timestamp

### ResourceArn

The Amazon Resource Name (ARN) for the ruleset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### Rules

A list of rules that are defined with the ruleset. A rule includes one or more checks to be validated on a DataBrew dataset.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 1 item.

### Tags

Metadata tags that have been applied to the ruleset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

### **TargetArn**

The Amazon Resource Name (ARN) of a resource (dataset) that the ruleset is associated with.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

## **Errors**

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeSchedule

Returns the definition of a specific DataBrew schedule.

## Request Syntax

```
GET /schedules/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the schedule to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "CronExpression": "string",
  "JobNames": [ "string" ],
  "LastModifiedBy": "string",
  "LastModifiedDate": number,
  "Name": "string",
  "ResourceArn": "string",
  "Tags": {
    "string" : "string"
  }
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the schedule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### CreateDate

The date and time that the schedule was created.

Type: Timestamp

### CreatedBy

The identifier (user name) of the user who created the schedule.

Type: String

### CronExpression

The date or dates and time or times when the jobs are to be run for the schedule. For more information, see [Cron expressions](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

### JobNames

The name or names of one or more jobs to be run by using the schedule.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

### LastModifiedBy

The identifier (user name) of the user who last modified the schedule.

Type: String

### LastModifiedDate

The date and time that the schedule was last modified.

Type: Timestamp

### ResourceArn

The Amazon Resource Name (ARN) of the schedule.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

### Tags

Metadata tags associated with this schedule.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDatasets

Lists all of the DataBrew datasets.

## Request Syntax

```
GET /datasets?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Datasets": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
      "Format": "string",
      "FormatOptions": {
        "Csv": {
```

```
    "Delimiter": "string",
    "HeaderRow": boolean
  },
  "Excel": {
    "HeaderRow": boolean,
    "SheetIndexes": [ number ],
    "SheetNames": [ "string" ]
  },
  "Json": {
    "MultiLine": boolean
  }
},
"Input": {
  "DatabaseInputDefinition": {
    "DatabaseTableName": "string",
    "GlueConnectionName": "string",
    "QueryString": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "DataCatalogInputDefinition": {
    "CatalogId": "string",
    "DatabaseName": "string",
    "TableName": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "Metadata": {
    "SourceArn": "string"
  },
  "S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
  }
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
```

```
"Name": "string",
"PathOptions": {
  "FilesLimit": {
    "MaxFiles": number,
    "Order": "string",
    "OrderedBy": "string"
  },
  "LastModifiedDateCondition": {
    "Expression": "string",
    "ValuesMap": {
      "string" : "string"
    }
  },
  "Parameters": {
    "string" : {
      "CreateColumn": boolean,
      "DatetimeOptions": {
        "Format": "string",
        "LocaleCode": "string",
        "TimezoneOffset": "string"
      },
      "Filter": {
        "Expression": "string",
        "ValuesMap": {
          "string" : "string"
        }
      },
      "Name": "string",
      "Type": "string"
    }
  }
},
"ResourceArn": "string",
"Source": "string",
"Tags": {
  "string" : "string"
}
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Datasets

A list of datasets that are defined.

Type: Array of [Dataset](#) objects

### NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListJobRuns

Lists all of the previous runs of a particular DataBrew job.

## Request Syntax

```
GET /jobs/name/jobRuns?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### name

The name of the job.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

### NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "JobRuns": [
```

```
{
  "Attempt": number,
  "CompletedOn": number,
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "DatabaseOutputMode": "string",
      "GlueConnectionName": "string"
    }
  ],
  "DataCatalogOutputs": [
    {
      "CatalogId": "string",
      "DatabaseName": "string",
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "Overwrite": boolean,
      "S3Options": {
        "Location": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "TableName": "string"
    }
  ],
  "DatasetName": "string",
  "ErrorMessage": "string",
  "ExecutionTime": number,
  "JobName": "string",
```

```
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogGroupName": "string",
"LogSubscription": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"RecipeReference": {
  "Name": "string",
  "RecipeVersion": "string"
},
"RunId": "string",
"StartedBy": "string",
"StartedOn": number,
"State": "string",
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobRuns

A list of job runs that have occurred for the specified job.

Type: Array of [JobRun](#) objects

### NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListJobs

Lists all of the DataBrew jobs that are defined.

## Request Syntax

```
GET /jobs?  
datasetName=DatasetName&maxResults=MaxResults&nextToken=NextToken&projectName=ProjectName  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### DatasetName

The name of a dataset. Using this parameter indicates to return only those jobs that act on the specified dataset.

Length Constraints: Minimum length of 1. Maximum length of 255.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

A token generated by DataBrew that specifies where to continue pagination if a previous request was truncated. To get the next set of pages, pass in the NextToken value from the response object of the previous page call.

Length Constraints: Minimum length of 1. Maximum length of 2000.

### ProjectName

The name of a project. Using this parameter indicates to return only those jobs that are associated with the specified project.

Length Constraints: Minimum length of 1. Maximum length of 255.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Jobs": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
      "DatabaseOutputs": [
        {
          "DatabaseOptions": {
            "TableName": "string",
            "TempDirectory": {
              "Bucket": "string",
              "BucketOwner": "string",
              "Key": "string"
            }
          },
          "DatabaseOutputMode": "string",
          "GlueConnectionName": "string"
        }
      ],
      "DataCatalogOutputs": [
        {
          "CatalogId": "string",
          "DatabaseName": "string",
          "DatabaseOptions": {
            "TableName": "string",
            "TempDirectory": {
              "Bucket": "string",
              "BucketOwner": "string",
              "Key": "string"
            }
          },
          "Overwrite": boolean,
          "S3Options": {
```

```
        "Location": {
            "Bucket": "string",
            "BucketOwner": "string",
            "Key": "string"
        }
    },
    "TableName": "string"
}
],
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
    "Mode": "string",
    "Size": number
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"Outputs": [
    {
        "CompressionFormat": "string",
        "Format": "string",
        "FormatOptions": {
            "Csv": {
                "Delimiter": "string"
            }
        },
        "Location": {
            "Bucket": "string",
            "BucketOwner": "string",
            "Key": "string"
        },
        "MaxOutputFiles": number,
        "Overwrite": boolean,
        "PartitionColumns": [ "string" ]
    }
],
"ProjectName": "string",
"RecipeReference": {
    "Name": "string",
```

```
    "RecipeVersion": "string"
  },
  "ResourceArn": "string",
  "RoleArn": "string",
  "Tags": {
    "string" : "string"
  },
  "Timeout": number,
  "Type": "string",
  "ValidationConfigurations": [
    {
      "RulesetArn": "string",
      "ValidationMode": "string"
    }
  ]
}
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Jobs

A list of jobs that are defined.

Type: Array of [Job](#) objects

### NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListProjects

Lists all of the DataBrew projects that are defined.

## Request Syntax

```
GET /projects?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [MaxResults](#)

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### [NextToken](#)

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Projects": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
```

```
    "DatasetName": "string",
    "LastModifiedBy": "string",
    "LastModifiedDate": number,
    "Name": "string",
    "OpenDate": number,
    "OpenedBy": "string",
    "RecipeName": "string",
    "ResourceArn": "string",
    "RoleArn": "string",
    "Sample": {
      "Size": number,
      "Type": "string"
    },
    "Tags": {
      "string" : "string"
    }
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Projects

A list of projects that are defined .

Type: Array of [Project](#) objects

### NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListRecipes

Lists all of the DataBrew recipes that are defined.

## Request Syntax

```
GET /recipes?maxResults=MaxResults&nextToken=NextToken&recipeVersion=RecipeVersion  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

### RecipeVersion

Return only those recipes with a version identifier of LATEST\_WORKING or LATEST\_PUBLISHED. If RecipeVersion is omitted, ListRecipes returns all of the LATEST\_PUBLISHED recipe versions.

Valid values: LATEST\_WORKING | LATEST\_PUBLISHED

Length Constraints: Minimum length of 1. Maximum length of 16.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```

{
  "NextToken": "string",
  "Recipes": [
    {
      "CreateDate": number,
      "CreatedBy": "string",
      "Description": "string",
      "LastModifiedBy": "string",
      "LastModifiedDate": number,
      "Name": "string",
      "ProjectName": "string",
      "PublishedBy": "string",
      "PublishedDate": number,
      "RecipeVersion": "string",
      "ResourceArn": "string",
      "Steps": [
        {
          "Action": {
            "Operation": "string",
            "Parameters": {
              "string": "string"
            }
          },
          "ConditionExpressions": [
            {
              "Condition": "string",
              "TargetColumn": "string",
              "Value": "string"
            }
          ]
        }
      ],
      "Tags": {
        "string": "string"
      }
    }
  ]
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Recipes

A list of recipes that are defined.

Type: Array of [Recipe](#) objects

## NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListRecipeVersions

Lists the versions of a particular DataBrew recipe, except for LATEST\_WORKING.

## Request Syntax

```
GET /recipeVersions?maxResults=MaxResults&name=Name&nextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### Name

The name of the recipe for which to return version information.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"NextToken": "string",
"Recipes": [
  {
    "CreateDate": number,
    "CreatedBy": "string",
    "Description": "string",
    "LastModifiedBy": "string",
    "LastModifiedDate": number,
    "Name": "string",
    "ProjectName": "string",
    "PublishedBy": "string",
    "PublishedDate": number,
    "RecipeVersion": "string",
    "ResourceArn": "string",
    "Steps": [
      {
        "Action": {
          "Operation": "string",
          "Parameters": {
            "string" : "string"
          }
        },
        "ConditionExpressions": [
          {
            "Condition": "string",
            "TargetColumn": "string",
            "Value": "string"
          }
        ]
      }
    ],
    "Tags": {
      "string" : "string"
    }
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Recipes

A list of versions for the specified recipe.

Type: Array of [Recipe](#) objects

## NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# ListRulesets

List all rulesets available in the current account or rulesets associated with a specific resource (dataset).

## Request Syntax

```
GET /rulesets?maxResults=MaxResults&nextToken=NextToken&targetArn=TargetArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

A token generated by DataBrew that specifies where to continue pagination if a previous request was truncated. To get the next set of pages, pass in the NextToken value from the response object of the previous page call.

Length Constraints: Minimum length of 1. Maximum length of 2000.

### TargetArn

The Amazon Resource Name (ARN) of a resource (dataset). Using this parameter indicates to return only those rulesets that are associated with the specified resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "NextToken": "string",
  "Rulesets": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
      "Description": "string",
      "LastModifiedBy": "string",
      "LastModifiedDate": number,
      "Name": "string",
      "ResourceArn": "string",
      "RuleCount": number,
      "Tags": {
        "string" : "string"
      },
      "TargetArn": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Rulesets

A list of RulesetItem. RulesetItem contains meta data of a ruleset.

Type: Array of [RulesetItem](#) objects

### NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSchedules

Lists the DataBrew schedules that are defined.

## Request Syntax

```
GET /schedules?jobName=JobName&maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### JobName

The name of the job that these schedules apply to.

Length Constraints: Minimum length of 1. Maximum length of 240.

### MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

### NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"NextToken": "string",
"Schedules": [
  {
    "AccountId": "string",
    "CreateDate": number,
    "CreatedBy": "string",
    "CronExpression": "string",
    "JobNames": [ "string" ],
    "LastModifiedBy": "string",
    "LastModifiedDate": number,
    "Name": "string",
    "ResourceArn": "string",
    "Tags": {
      "string" : "string"
    }
  }
]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Schedules

A list of schedules that are defined.

Type: Array of [Schedule](#) objects

### NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

Lists all the tags for a DataBrew resource.

## Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [ResourceArn](#)

The Amazon Resource Name (ARN) string that uniquely identifies the DataBrew resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Tags

A list of tags associated with the DataBrew resource.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InternalServerErrorException**

An internal service failure occurred.

HTTP Status Code: 500

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PublishRecipe

Publishes a new version of a DataBrew recipe.

## Request Syntax

```
POST /recipes/name/publishRecipe HTTP/1.1
Content-type: application/json

{
  "Description": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the recipe to be published.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Description

A description of the recipe to be published, for this version of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the recipe that you published.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# SendProjectSessionAction

Performs a recipe step within an interactive DataBrew session that's currently open.

## Request Syntax

```
PUT /projects/name/sendProjectSessionAction HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "ClientSessionId": "string",
  "Preview": boolean,
  "RecipeStep": {
    "Action": {
      "Operation": "string",
      "Parameters": {
        "string" : "string"
      }
    }
  },
  "ConditionExpressions": [
    {
      "Condition": "string",
      "TargetColumn": "string",
      "Value": "string"
    }
  ]
},
"StepIndex": number,
"ViewFrame": {
  "Analytics": "string",
  "ColumnRange": number,
  "HiddenColumns": [ "string" ],
  "RowRange": number,
  "StartColumnIndex": number,
  "StartRowIndex": number
}
}
```

## URI Request Parameters

The request uses the following URI parameters.

## name

The name of the project to apply the action to.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ClientSessionId

A unique identifier for an interactive session that's currently open and ready for work. The action will be performed on this session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*$`

Required: No

### Preview

If true, the result of the recipe step will be returned, but not applied.

Type: Boolean

Required: No

### RecipeStep

Represents a single step from a DataBrew recipe to be performed.

Type: [RecipeStep](#) object

Required: No

### StepIndex

The index from which to preview a step. This index is used to preview the result of steps that have already been applied, so that the resulting view frame is from earlier in the view frame stack.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

### ViewFrame

Represents the data being transformed during an action.

Type: [ViewFrame](#) object

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ActionId": number,
  "Name": "string",
  "Result": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the project that was affected by the action.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### ActionId

A unique identifier for the action that was performed.

Type: Integer

## Result

A message indicating the result of performing the action.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartJobRun

Runs a DataBrew job.

## Request Syntax

```
POST /jobs/name/startJobRun HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the job to be run.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RunId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## RunId

A system-generated identifier for this particular job run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartProjectSession

Creates an interactive session, enabling you to manipulate data in a DataBrew project.

## Request Syntax

```
PUT /projects/name/startProjectSession HTTP/1.1
Content-type: application/json

{
  "AssumeControl": boolean
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project to act upon.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### AssumeControl

A value that, if true, enables you to take control of a session, even if a different client is currently accessing the project.

Type: Boolean

Required: No

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "ClientSessionId": "string",
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the project to be acted upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### ClientSessionId

A system-generated identifier for the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*$`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ConflictException**

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopJobRun

Stops a particular run of a job.

## Request Syntax

```
POST /jobs/name/jobRun/runId/stopJobRun HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the job to be stopped.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

### runId

The ID of the job run to be stopped.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RunId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### RunId

The ID of the job run that you stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Adds metadata tags to a DataBrew resource, such as a dataset, project, recipe, job, or schedule.

## Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

The DataBrew resource to which tags should be added. The value for this parameter is an Amazon Resource Name (ARN). For DataBrew, you can tag a dataset, a job, a project, or a recipe.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Tags

One or more tags to be assigned to the resource.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Removes metadata tags from a DataBrew resource.

## Request Syntax

```
DELETE /tags/ResourceArn?tagKeys=TagKeys HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

A DataBrew resource from which you want to remove a tag or tags. The value for this parameter is an Amazon Resource Name (ARN).

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### TagKeys

The tag keys (names) of one or more tags to be removed.

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# UpdateDataset

Modifies the definition of an existing DataBrew dataset.

## Request Syntax

```
PUT /datasets/name HTTP/1.1
Content-type: application/json

{
  "Format": "string",
  "FormatOptions": {
    "Csv": {
      "Delimiter": "string",
      "HeaderRow": boolean
    },
    "Excel": {
      "HeaderRow": boolean,
      "SheetIndexes": [ number ],
      "SheetNames": [ "string" ]
    },
    "Json": {
      "MultiLine": boolean
    }
  },
  "Input": {
    "DatabaseInputDefinition": {
      "DatabaseTableName": "string",
      "GlueConnectionName": "string",
      "QueryString": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "DataCatalogInputDefinition": {
      "CatalogId": "string",
      "DatabaseName": "string",
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",

```

```
        "Key": "string"
    }
},
"Metadata": {
    "SourceArn": "string"
},
"S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
}
},
"PathOptions": {
    "FilesLimit": {
        "MaxFiles": number,
        "Order": "string",
        "OrderedBy": "string"
    },
    "LastModifiedDateCondition": {
        "Expression": "string",
        "ValuesMap": {
            "string" : "string"
        }
    }
},
"Parameters": {
    "string" : {
        "CreateColumn": boolean,
        "DatetimeOptions": {
            "Format": "string",
            "LocaleCode": "string",
            "TimezoneOffset": "string"
        },
        "Filter": {
            "Expression": "string",
            "ValuesMap": {
                "string" : "string"
            }
        }
    },
    "Name": "string",
    "Type": "string"
}
}
```

```
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the dataset to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

Required: Yes

### Format

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

Required: No

### FormatOptions

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Type: [FormatOptions](#) object

Required: No

## PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the dataset that you updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Access to the specified resource was denied.

HTTP Status Code: 403

## ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateProfileJob

Modifies the definition of an existing profile job.

## Request Syntax

```
PUT /profileJobs/name HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "ColumnStatisticsConfigurations": [
      {
        "Selectors": [
          {
            "Name": "string",
            "Regex": "string"
          }
        ],
        "Statistics": {
          "IncludedStatistics": [ "string" ],
          "Overrides": [
            {
              "Parameters": {
                "string": "string"
              },
              "Statistic": "string"
            }
          ]
        }
      }
    ],
    "DatasetStatisticsConfiguration": {
      "IncludedStatistics": [ "string" ],
      "Overrides": [
        {
          "Parameters": {
            "string": "string"
          },
          "Statistic": "string"
        }
      ]
    }
  },
}
```

```
  "EntityDetectorConfiguration": {
    "AllowedStatistics": [
      {
        "Statistics": [ "string" ]
      }
    ],
    "EntityTypes": [ "string" ]
  },
  "ProfileColumns": [
    {
      "Name": "string",
      "Regex": "string"
    }
  ]
},
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"OutputLocation": {
  "Bucket": "string",
  "BucketOwner": "string",
  "Key": "string"
},
"RoleArn": "string",
"Timeout": number,
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}
```

## URI Request Parameters

The request uses the following URI parameters.

## name

The name of the job to be updated.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

## **Request Body**

The request accepts the following data in JSON format.

### OutputLocation

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Type: [S3Location](#) object

Required: Yes

### RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### Configuration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

Required: No

### EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

### JobSample

Sample configuration for Profile Jobs only. Determines the number of rows on which the Profile job will be executed. If a JobSample value is not provided for profile jobs, the default value will be used. The default value is CUSTOM\_ROWS for the mode parameter and 20000 for the size parameter.

Type: [JobSample](#) object

Required: No

### LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

### MaxCapacity

The maximum number of compute nodes that DataBrew can use when the job processes data.

Type: Integer

Required: No

### MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

### Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

### ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the job that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Access to the specified resource was denied.

HTTP Status Code: 403

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateProject

Modifies the definition of an existing DataBrew project.

## Request Syntax

```
PUT /projects/name HTTP/1.1
Content-type: application/json

{
  "RoleArn": "string",
  "Sample": {
    "Size": number,
    "Type": "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### RoleArn

The Amazon Resource Name (ARN) of the IAM role to be assumed for this request.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

## Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Type: [Sample](#) object

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "LastModifiedDate": number,
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [Name](#)

The name of the project that you updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### [LastModifiedDate](#)

The date and time that the project was last modified.

Type: Timestamp

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateRecipe

Modifies the definition of the LATEST\_WORKING version of a DataBrew recipe.

## Request Syntax

```
PUT /recipes/name HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Steps": [
    {
      "Action": {
        "Operation": "string",
        "Parameters": {
          "string": "string"
        }
      },
      "ConditionExpressions": [
        {
          "Condition": "string",
          "TargetColumn": "string",
          "Value": "string"
        }
      ]
    }
  ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the recipe to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Description

A description of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

### Steps

One or more steps to be performed by the recipe. Each step consists of an action, and the conditions under which the action should succeed.

Type: Array of [RecipeStep](#) objects

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the recipe that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateRecipeJob

Modifies the definition of an existing DataBrew recipe job.

## Request Syntax

```
PUT /recipeJobs/name HTTP/1.1
Content-type: application/json
```

```
{
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "DatabaseOutputMode": "string",
      "GlueConnectionName": "string"
    }
  ],
  "DataCatalogOutputs": [
    {
      "CatalogId": "string",
      "DatabaseName": "string",
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "Overwrite": boolean,
      "S3Options": {
        "Location": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      }
    }
  ]
}
```

```
    },
    "TableName": "string"
  }
],
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
  },
  "Location": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
  },
  "MaxOutputFiles": number,
  "Overwrite": boolean,
  "PartitionColumns": [ "string" ]
}
],
"RoleArn": "string",
"Timeout": number
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the job to update.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

## EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

## LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

## MaxCapacity

The maximum number of nodes that DataBrew can consume when the job processes data.

Type: Integer

Required: No

## MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Outputs

One or more artifacts that represent the output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

### Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the job that you updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

## ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

## ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateRuleset

Updates specified ruleset.

## Request Syntax

```
PUT /rulesets/name HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Rules": [
    {
      "CheckExpression": "string",
      "ColumnSelectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Disabled": boolean,
      "Name": "string",
      "SubstitutionMap": {
        "string" : "string"
      },
      "Threshold": {
        "Type": "string",
        "Unit": "string",
        "Value": number
      }
    }
  ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the ruleset to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Rules

A list of rules that are defined with the ruleset. A rule includes one or more checks to be validated on a DataBrew dataset.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

### Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Name

The name of the updated ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ResourceNotFoundException**

One or more resources can't be found.

HTTP Status Code: 404

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# UpdateSchedule

Modifies the definition of an existing DataBrew schedule.

## Request Syntax

```
PUT /schedules/name HTTP/1.1
Content-type: application/json

{
  "CronExpression": "string",
  "JobNames": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the schedule to update.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### CronExpression

The date or dates and time or times when the jobs are to be run. For more information, see [Cron expressions](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

## JobNames

The name or names of one or more jobs to be run for this schedule.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Name

The name of the schedule that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

A service quota is exceeded.

HTTP Status Code: 402

### **ValidationException**

The input parameters for this request failed validation.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Glue DataBrew API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AllowedStatistics](#)
- [ColumnSelector](#)
- [ColumnStatisticsConfiguration](#)
- [ConditionExpression](#)
- [CsvOptions](#)
- [CsvOutputOptions](#)
- [DatabaseInputDefinition](#)
- [DatabaseOutput](#)
- [DatabaseTableOutputOptions](#)
- [DataCatalogInputDefinition](#)
- [DataCatalogOutput](#)
- [Dataset](#)
- [DatasetParameter](#)
- [DatetimeOptions](#)
- [EntityDetectorConfiguration](#)
- [ExcelOptions](#)
- [FilesLimit](#)
- [FilterExpression](#)
- [FormatOptions](#)
- [Input](#)

- [Job](#)
- [JobRun](#)
- [JobSample](#)
- [JsonOptions](#)
- [Metadata](#)
- [Output](#)
- [OutputFormatOptions](#)
- [PathOptions](#)
- [ProfileConfiguration](#)
- [Project](#)
- [Recipe](#)
- [RecipeAction](#)
- [RecipeReference](#)
- [RecipeStep](#)
- [RecipeVersionErrorDetail](#)
- [Rule](#)
- [RulesetItem](#)
- [S3Location](#)
- [S3TableOutputOptions](#)
- [Sample](#)
- [Schedule](#)
- [StatisticOverride](#)
- [StatisticsConfiguration](#)
- [Threshold](#)
- [ValidationConfiguration](#)
- [ViewFrame](#)

# AllowedStatistics

Configuration of statistics that are allowed to be run on columns that contain detected entities. When undefined, no statistics will be computed on columns that contain detected entities.

## Contents

### Note

In the following list, the required parameters are described first.

## Statistics

One or more column statistics to allow for columns that contain detected entities.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z\_]+`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ColumnSelector

Selector of a column from a dataset for profile job configuration. One selector includes either a column name or a regular expression.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The name of a column from a dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### Regex

A regular expression for selecting a column from a dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ColumnStatisticsConfiguration

Configuration for column evaluations for a profile job. ColumnStatisticsConfiguration can be used to select evaluations and override parameters of evaluations for particular columns.

## Contents

### Note

In the following list, the required parameters are described first.

## Statistics

Configuration for evaluations. Statistics can be used to select evaluations and override parameters of evaluations.

Type: [StatisticsConfiguration](#) object

Required: Yes

## Selectors

List of column selectors. Selectors can be used to select columns from the dataset. When selectors are undefined, configuration will be applied to all supported columns.

Type: Array of [ColumnSelector](#) objects

Array Members: Minimum number of 1 item.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ConditionExpression

Represents an individual condition that evaluates to true or false.

Conditions are used with recipe actions. The action is only performed for column values where the condition evaluates to true.

If a recipe requires more than one condition, then the recipe must specify multiple `ConditionExpression` elements. Each condition is applied to the rows in a dataset first, before the recipe action is performed.

## Contents

### Note

In the following list, the required parameters are described first.

### Condition

A specific condition to apply to a recipe action. For more information, see [Recipe structure](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z\_]+`

Required: Yes

### TargetColumn

A column to apply this condition to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

### Value

A value that the condition must evaluate to for the condition to succeed.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CsvOptions

Represents a set of options that define how DataBrew will read a comma-separated value (CSV) file when creating a dataset from that file.

## Contents

### Note

In the following list, the required parameters are described first.

### Delimiter

A single character that specifies the delimiter being used in the CSV file.

Type: String

Length Constraints: Fixed length of 1.

Required: No

### HeaderRow

A variable that specifies whether the first row in the file is parsed as the header. If this value is false, column names are auto-generated.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CsvOutputOptions

Represents a set of options that define how DataBrew will write a comma-separated value (CSV) file.

## Contents

### Note

In the following list, the required parameters are described first.

### Delimiter

A single character that specifies the delimiter used to create CSV job output.

Type: String

Length Constraints: Fixed length of 1.

Required: No

### See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DatabaseInputDefinition

Connection information for dataset input files stored in a database.

## Contents

### Note

In the following list, the required parameters are described first.

### GlueConnectionName

The AWS Glue Connection that stores the connection information for the target database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### DatabaseTableName

The table within the target database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### QueryString

Custom SQL to run against the provided AWS Glue connection. This SQL will be used as the input for DataBrew projects and jobs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## TempDirectory

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Type: [S3Location](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DatabaseOutput

Represents a JDBC database output object which defines the output destination for a DataBrew recipe job to write into.

## Contents

### Note

In the following list, the required parameters are described first.

### DatabaseOptions

Represents options that specify how and where DataBrew writes the database output generated by recipe jobs.

Type: [DatabaseTableOutputOptions](#) object

Required: Yes

### GlueConnectionName

The AWS Glue connection that stores the connection information for the target database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### DatabaseOutputMode

The output mode to write into the database. Currently supported option: NEW\_TABLE.

Type: String

Valid Values: NEW\_TABLE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DatabaseTableOutputOptions

Represents options that specify how and where DataBrew writes the database output generated by recipe jobs.

## Contents

### Note

In the following list, the required parameters are described first.

### TableName

A prefix for the name of a table DataBrew will create in the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### TempDirectory

Represents an Amazon S3 location (bucket name and object key) where DataBrew can store intermediate results.

Type: [S3Location](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DataCatalogInputDefinition

Represents how metadata stored in the AWS Glue Data Catalog is defined in a DataBrew dataset.

## Contents

### Note

In the following list, the required parameters are described first.

### DatabaseName

The name of a database in the Data Catalog.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### TableName

The name of a database table in the Data Catalog. This table corresponds to a DataBrew dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### CatalogId

The unique identifier of the AWS account that holds the Data Catalog that stores the data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### TempDirectory

Represents an Amazon location where DataBrew can store intermediate results.

Type: [S3Location](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DataCatalogOutput

Represents options that specify how and where in the AWS Glue Data Catalog DataBrew writes the output generated by recipe jobs.

## Contents

### Note

In the following list, the required parameters are described first.

### DatabaseName

The name of a database in the Data Catalog.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### TableName

The name of a table in the Data Catalog.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### CatalogId

The unique identifier of the AWS account that holds the Data Catalog that stores the data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## DatabaseOptions

Represents options that specify how and where DataBrew writes the database output generated by recipe jobs.

Type: [DatabaseTableOutputOptions](#) object

Required: No

## Overwrite

A value that, if true, means that any data in the location specified for output is overwritten with new output. Not supported with DatabaseOptions.

Type: Boolean

Required: No

## S3Options

Represents options that specify how and where DataBrew writes the Amazon S3 output generated by recipe jobs.

Type: [S3TableOutputOptions](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Dataset

Represents a dataset that can be processed by DataBrew.

## Contents

### Note

In the following list, the required parameters are described first.

## Input

Information on how DataBrew can find the dataset, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

Required: Yes

## Name

The unique name of the dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

## AccountId

The ID of the AWS account that owns the dataset.

Type: String

Length Constraints: Maximum length of 255.

Required: No

## CreateDate

The date and time that the dataset was created.

Type: Timestamp

Required: No

### **CreatedBy**

The Amazon Resource Name (ARN) of the user who created the dataset.

Type: String

Required: No

### **Format**

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

Required: No

### **FormatOptions**

A set of options that define how DataBrew interprets the data in the dataset.

Type: [FormatOptions](#) object

Required: No

### **LastModifiedBy**

The Amazon Resource Name (ARN) of the user who last modified the dataset.

Type: String

Required: No

### **LastModifiedDate**

The last modification date and time of the dataset.

Type: Timestamp

Required: No

### **PathOptions**

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

Required: No

### ResourceArn

The unique Amazon Resource Name (ARN) for the dataset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### Source

The location of the data for the dataset, either Amazon S3 or the AWS Glue Data Catalog.

Type: String

Valid Values: S3 | DATA-CATALOG | DATABASE

Required: No

### Tags

Metadata tags that have been applied to the dataset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DatasetParameter

Represents a dataset parameter that defines type and conditions for a parameter in the Amazon S3 path of the dataset.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The name of the parameter that is used in the dataset's Amazon S3 path.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### Type

The type of the dataset parameter, can be one of a 'String', 'Number' or 'Datetime'.

Type: String

Valid Values: `Datetime` | `Number` | `String`

Required: Yes

### CreateColumn

Optional boolean value that defines whether the captured value of this parameter should be used to create a new column in a dataset.

Type: Boolean

Required: No

### DatetimeOptions

Additional parameter options such as a format and a timezone. Required for datetime parameters.

Type: [DatetimeOptions](#) object

Required: No

### Filter

The optional filter expression structure to apply additional matching criteria to the parameter.

Type: [FilterExpression](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DatetimeOptions

Represents additional options for correct interpretation of datetime parameters used in the Amazon S3 path of a dataset.

## Contents

### Note

In the following list, the required parameters are described first.

### Format

Required option, that defines the datetime format used for a date parameter in the Amazon S3 path. Should use only supported datetime specifiers and separation characters, all literal a-z or A-Z characters should be escaped with single quotes. E.g. "MM.dd.yyyy-'at'-HH:mm".

Type: String

Length Constraints: Minimum length of 2. Maximum length of 100.

Required: Yes

### LocaleCode

Optional value for a non-US locale code, needed for correct interpretation of some date formats.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 100.

Pattern: `^[A-Za-z0-9_\.\#@\-]+`

Required: No

### TimezoneOffset

Optional value for a timezone offset of the datetime parameter value in the Amazon S3 path. Shouldn't be used if Format for this parameter includes timezone fields. If no offset specified, UTC is assumed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6.

Pattern: `^(Z|[-+](\d|\d{2}|\d{2}:?\d{2}))$`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EntityDetectorConfiguration

Configuration of entity detection for a profile job. When undefined, entity detection is disabled.

## Contents

### Note

In the following list, the required parameters are described first.

## EntityTypes

Entity types to detect. Can be any of the following:

- USA\_SSN
- EMAIL
- USA\_ITIN
- USA\_PASSPORT\_NUMBER
- PHONE\_NUMBER
- USA\_DRIVING\_LICENSE
- BANK\_ACCOUNT
- CREDIT\_CARD
- IP\_ADDRESS
- MAC\_ADDRESS
- USA\_DEA\_NUMBER
- USA\_HCPCS\_CODE
- USA\_NATIONAL\_PROVIDER\_IDENTIFIER
- USA\_NATIONAL\_DRUG\_CODE
- USA\_HEALTH\_INSURANCE\_CLAIM\_NUMBER
- USA\_MEDICARE\_BENEFICIARY\_IDENTIFIER
- USA\_CPT\_CODE
- PERSON\_NAME
- DATE

The Entity type group USA\_ALL is also supported, and includes all of the above entity types except PERSON\_NAME and DATE.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_][A-Z\d_]*$`

Required: Yes

### **AllowedStatistics**

Configuration of statistics that are allowed to be run on columns that contain detected entities. When undefined, no statistics will be computed on columns that contain detected entities.

Type: Array of [AllowedStatistics](#) objects

Array Members: Minimum number of 1 item.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ExcelOptions

Represents a set of options that define how DataBrew will interpret a Microsoft Excel file when creating a dataset from that file.

## Contents

### Note

In the following list, the required parameters are described first.

### HeaderRow

A variable that specifies whether the first row in the file is parsed as the header. If this value is false, column names are auto-generated.

Type: Boolean

Required: No

### SheetIndexes

One or more sheet numbers in the Excel file that will be included in the dataset.

Type: Array of integers

Array Members: Fixed number of 1 item.

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

### SheetNames

One or more named sheets in the Excel file that will be included in the dataset.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 31.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FilesLimit

Represents a limit imposed on number of Amazon S3 files that should be selected for a dataset from a connected Amazon S3 path.

## Contents

### Note

In the following list, the required parameters are described first.

### MaxFiles

The number of Amazon S3 files to select.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

### Order

A criteria to use for Amazon S3 files sorting before their selection. By default uses DESCENDING order, i.e. most recent files are selected first. Another possible value is ASCENDING.

Type: String

Valid Values: DESCENDING | ASCENDING

Required: No

### OrderedBy

A criteria to use for Amazon S3 files sorting before their selection. By default uses LAST\_MODIFIED\_DATE as a sorting criteria. Currently it's the only allowed value.

Type: String

Valid Values: LAST\_MODIFIED\_DATE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FilterExpression

Represents a structure for defining parameter conditions. Supported conditions are described here: [Supported conditions for dynamic datasets](#) in the *AWS Glue DataBrew Developer Guide*.

## Contents

### Note

In the following list, the required parameters are described first.

## Expression

The expression which includes condition names followed by substitution variables, possibly grouped and combined with other conditions. For example, "(starts\_with :prefix1 or starts\_with :prefix2) and (ends\_with :suffix1 or ends\_with :suffix2)". Substitution variables should start with ':' symbol.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Pattern: `^[<>0-9A-Za-z_.,:)(!= ]+$`

Required: Yes

## ValuesMap

The map of substitution variable names to their values used in this filter expression.

Type: String to string map

Key Length Constraints: Minimum length of 2. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9_]+$`

Value Length Constraints: Maximum length of 1024.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FormatOptions

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

## Contents

### Note

In the following list, the required parameters are described first.

### Csv

Options that define how CSV input is to be interpreted by DataBrew.

Type: [CsvOptions](#) object

Required: No

### Excel

Options that define how Excel input is to be interpreted by DataBrew.

Type: [ExcelOptions](#) object

Required: No

### Json

Options that define how JSON input is to be interpreted by DataBrew.

Type: [JsonOptions](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

## Contents

### Note

In the following list, the required parameters are described first.

### **DatabaseInputDefinition**

Connection information for dataset input files stored in a database.

Type: [DatabaseInputDefinition](#) object

Required: No

### **DataCatalogInputDefinition**

The AWS Glue Data Catalog parameters for the data.

Type: [DataCatalogInputDefinition](#) object

Required: No

### **Metadata**

Contains additional resource information needed for specific datasets.

Type: [Metadata](#) object

Required: No

### **S3InputDefinition**

The Amazon S3 location where the data is stored.

Type: [S3Location](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Job

Represents all of the attributes of a DataBrew job.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The unique name of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

### AccountId

The ID of the AWS account that owns the job.

Type: String

Length Constraints: Maximum length of 255.

Required: No

### CreateDate

The date and time that the job was created.

Type: Timestamp

Required: No

### CreatedBy

The Amazon Resource Name (ARN) of the user who created the job.

Type: String

Required: No

### **DatabaseOutputs**

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### **DataCatalogOutputs**

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### **DatasetName**

A dataset that the job is to process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **EncryptionKeyArn**

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job output. For more information, see [Encrypting data written by DataBrew jobs](#)

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### **EncryptionMode**

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

### JobSample

A sample configuration for profile jobs only, which determines the number of rows on which the profile job is run. If a JobSample value isn't provided, the default value is used. The default value is CUSTOM\_ROWS for the mode parameter and 20,000 for the size parameter.

Type: [JobSample](#) object

Required: No

### LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the job.

Type: String

Required: No

### LastModifiedDate

The modification date and time of the job.

Type: Timestamp

Required: No

### LogSubscription

The current status of Amazon CloudWatch logging for the job.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

## MaxCapacity

The maximum number of nodes that can be consumed when the job processes data.

Type: Integer

Required: No

## MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Outputs

One or more artifacts that represent output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

## ProjectName

The name of the project that the job is associated with.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## RecipeReference

A set of steps that the job runs.

Type: [RecipeReference](#) object

Required: No

**ResourceArn**

The unique Amazon Resource Name (ARN) for the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

**RoleArn**

The Amazon Resource Name (ARN) of the role to be assumed for this job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

**Tags**

Metadata tags that have been applied to the job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

**Timeout**

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Type

The job type of the job, which must be one of the following:

- **PROFILE** - A job to analyze a dataset, to determine its size, data types, data distribution, and more.
- **RECIPE** - A job to apply one or more transformations to a dataset.

Type: String

Valid Values: PROFILE | RECIPE

Required: No

## ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JobRun

Represents one run of a DataBrew job.

## Contents

### Note

In the following list, the required parameters are described first.

### Attempt

The number of times that DataBrew has attempted to run the job.

Type: Integer

Required: No

### CompletedOn

The date and time when the job completed processing.

Type: Timestamp

Required: No

### DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

### **DatasetName**

The name of the dataset for the job to process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **ErrorMessage**

A message indicating an error (if any) that was encountered when the job ran.

Type: String

Required: No

### **ExecutionTime**

The amount of time, in seconds, during which a job run consumed resources.

Type: Integer

Required: No

### **JobName**

The name of the job being processed during this run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

### **JobSample**

A sample configuration for profile jobs only, which determines the number of rows on which the profile job is run. If a `JobSample` value isn't provided, the default is used. The default value is `CUSTOM_ROWS` for the mode parameter and 20,000 for the size parameter.

Type: [JobSample](#) object

Required: No

### **LogGroupName**

The name of an Amazon CloudWatch log group, where the job writes diagnostic messages when it runs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

### **LogSubscription**

The current status of Amazon CloudWatch logging for the job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

### **Outputs**

One or more output artifacts from a job run.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

### **RecipeReference**

The set of steps processed by the job.

Type: [RecipeReference](#) object

Required: No

### **RunId**

The unique identifier of the job run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **StartedBy**

The Amazon Resource Name (ARN) of the user who initiated the job run.

Type: String

Required: No

### **StartedOn**

The date and time when the job run began.

Type: Timestamp

Required: No

### **State**

The current state of the job run entity itself.

Type: String

Valid Values: STARTING | RUNNING | STOPPING | STOPPED | SUCCEEDED | FAILED | TIMEOUT

Required: No

### **ValidationConfigurations**

List of validation configurations that are applied to the profile job run.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JobSample

A sample configuration for profile jobs only, which determines the number of rows on which the profile job is run. If a `JobSample` value isn't provided, the default is used. The default value is `CUSTOM_ROWS` for the mode parameter and 20,000 for the size parameter.

## Contents

### Note

In the following list, the required parameters are described first.

### Mode

A value that determines whether the profile job is run on the entire dataset or a specified number of rows. This value must be one of the following:

- `FULL_DATASET` - The profile job is run on the entire dataset.
- `CUSTOM_ROWS` - The profile job is run on the number of rows specified in the `Size` parameter.

Type: String

Valid Values: `FULL_DATASET` | `CUSTOM_ROWS`

Required: No

### Size

The `Size` parameter is only required when the mode is `CUSTOM_ROWS`. The profile job is run on the specified number of rows. The maximum value for size is `Long.MAX_VALUE`.

`Long.MAX_VALUE` = 9223372036854775807

Type: Long

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JsonOptions

Represents the JSON-specific options that define how input is to be interpreted by AWS Glue DataBrew.

## Contents

### Note

In the following list, the required parameters are described first.

### MultiLine

A value that specifies whether JSON input contains embedded new line characters.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Metadata

Contains additional resource information needed for specific datasets.

## Contents

### Note

In the following list, the required parameters are described first.

### SourceArn

The Amazon Resource Name (ARN) associated with the dataset. Currently, DataBrew only supports ARNs from Amazon AppFlow.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Output

Represents options that specify how and where in Amazon S3 DataBrew writes the output generated by recipe jobs or profile jobs.

## Contents

### Note

In the following list, the required parameters are described first.

### Location

The location in Amazon S3 where the job writes its output.

Type: [S3Location](#) object

Required: Yes

### CompressionFormat

The compression algorithm used to compress the output text of the job.

Type: String

Valid Values: GZIP | LZ4 | SNAPPY | BZIP2 | DEFLATE | LZ0 | BROTLI | ZSTD | ZLIB

Required: No

### Format

The data format of the output of the job.

Type: String

Valid Values: CSV | JSON | PARQUET | GLUEPARQUET | AVRO | ORC | XML | TABLEAUHYPER

Required: No

## FormatOptions

Represents options that define how DataBrew formats job output files.

Type: [OutputFormatOptions](#) object

Required: No

## MaxOutputFiles

Maximum number of files to be generated by the job and written to the output folder. For output partitioned by column(s), the MaxOutputFiles value is the maximum number of files per partition.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 999.

Required: No

## Overwrite

A value that, if true, means that any data in the location specified for output is overwritten with new output.

Type: Boolean

Required: No

## PartitionColumns

The names of one or more partition columns for the output of the job.

Type: Array of strings

Array Members: Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OutputFormatOptions

Represents a set of options that define the structure of comma-separated (CSV) job output.

## Contents

### Note

In the following list, the required parameters are described first.

### Csv

Represents a set of options that define the structure of comma-separated value (CSV) job output.

Type: [CsvOutputOptions](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PathOptions

Represents a set of options that define how DataBrew selects files for a given Amazon S3 path in a dataset.

## Contents

### Note

In the following list, the required parameters are described first.

### FilesLimit

If provided, this structure imposes a limit on a number of files that should be selected.

Type: [FilesLimit](#) object

Required: No

### LastModifiedDateCondition

If provided, this structure defines a date range for matching Amazon S3 objects based on their LastModifiedDate attribute in Amazon S3.

Type: [FilterExpression](#) object

Required: No

### Parameters

A structure that maps names of parameters used in the Amazon S3 path of a dataset to their definitions.

Type: String to [DatasetParameter](#) object map

Map Entries: Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProfileConfiguration

Configuration for profile jobs. Configuration can be used to select columns, do evaluations, and override default parameters of evaluations. When configuration is undefined, the profile job will apply default settings to all supported columns.

## Contents

### Note

In the following list, the required parameters are described first.

## ColumnStatisticsConfigurations

List of configurations for column evaluations. ColumnStatisticsConfigurations are used to select evaluations and override parameters of evaluations for particular columns. When ColumnStatisticsConfigurations is undefined, the profile job will profile all supported columns and run all supported evaluations.

Type: Array of [ColumnStatisticsConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

## DatasetStatisticsConfiguration

Configuration for inter-column evaluations. Configuration can be used to select evaluations and override parameters of evaluations. When configuration is undefined, the profile job will run all supported inter-column evaluations.

Type: [StatisticsConfiguration](#) object

Required: No

## EntityDetectorConfiguration

Configuration of entity detection for a profile job. When undefined, entity detection is disabled.

Type: [EntityDetectorConfiguration](#) object

Required: No

## ProfileColumns

List of column selectors. ProfileColumns can be used to select columns from the dataset. When ProfileColumns is undefined, the profile job will profile all supported columns.

Type: Array of [ColumnSelector](#) objects

Array Members: Minimum number of 1 item.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Project

Represents all of the attributes of a DataBrew project.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The unique name of a project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### RecipeName

The name of a recipe that will be developed during a project session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### AccountId

The ID of the AWS account that owns the project.

Type: String

Length Constraints: Maximum length of 255.

Required: No

### CreateDate

The date and time that the project was created.

Type: Timestamp

Required: No

### **CreatedBy**

The Amazon Resource Name (ARN) of the user who crated the project.

Type: String

Required: No

### **DatasetName**

The dataset that the project is to act upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **LastModifiedBy**

The Amazon Resource Name (ARN) of the user who last modified the project.

Type: String

Required: No

### **LastModifiedDate**

The last modification date and time for the project.

Type: Timestamp

Required: No

### **OpenDate**

The date and time when the project was opened.

Type: Timestamp

Required: No

### **OpenedBy**

The Amazon Resource Name (ARN) of the user that opened the project for use.

Type: String

Required: No

### **ResourceArn**

The Amazon Resource Name (ARN) for the project.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### **RoleArn**

The Amazon Resource Name (ARN) of the role that will be assumed for this project.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### **Sample**

The sample size and sampling type to apply to the data. If this parameter isn't specified, then the sample consists of the first 500 rows from the dataset.

Type: [Sample](#) object

Required: No

### **Tags**

Metadata tags that have been applied to the project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Recipe

Represents one or more actions to be performed on a DataBrew dataset.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The unique name for the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### CreateDate

The date and time that the recipe was created.

Type: Timestamp

Required: No

### CreatedBy

The Amazon Resource Name (ARN) of the user who created the recipe.

Type: String

Required: No

### Description

The description of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

### **LastModifiedBy**

The Amazon Resource Name (ARN) of the user who last modified the recipe.

Type: String

Required: No

### **LastModifiedDate**

The last modification date and time of the recipe.

Type: Timestamp

Required: No

### **ProjectName**

The name of the project that the recipe is associated with.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **PublishedBy**

The Amazon Resource Name (ARN) of the user who published the recipe.

Type: String

Required: No

### **PublishedDate**

The date and time when the recipe was published.

Type: Timestamp

Required: No

### **RecipeVersion**

The identifier for the version for the recipe. Must be one of the following:

- Numeric version (X.Y) - X and Y stand for major and minor version numbers. The maximum length of each is 6 digits, and neither can be negative values. Both X and Y are required, and "0.0" isn't a valid version.
- LATEST\_WORKING - the most recent valid version being developed in a DataBrew project.
- LATEST\_PUBLISHED - the most recent published version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: No

### ResourceArn

The Amazon Resource Name (ARN) for the recipe.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

### Steps

A list of steps that are defined by the recipe.

Type: Array of [RecipeStep](#) objects

Required: No

### Tags

Metadata tags that have been applied to the recipe.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecipeAction

Represents a transformation and associated parameters that are used to apply a change to a DataBrew dataset. For more information, see [Recipe actions reference](#).

## Contents

### Note

In the following list, the required parameters are described first.

## Operation

The name of a valid DataBrew transformation to be performed on the data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z\_]+`

Required: Yes

## Parameters

Contextual parameters for the transformation.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9]+`

Value Length Constraints: Minimum length of 1. Maximum length of 32768.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecipeReference

Represents the name and version of a DataBrew recipe.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The name of the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### RecipeVersion

The identifier for the version for the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecipeStep

Represents a single step from a DataBrew recipe to be performed.

## Contents

### Note

In the following list, the required parameters are described first.

## Action

The particular action to be performed in the recipe step.

Type: [RecipeAction](#) object

Required: Yes

## ConditionExpressions

One or more conditions that must be met for the recipe step to succeed.

### Note

All of the conditions in the array must be met. In other words, all of the conditions must be combined using a logical AND operation.

Type: Array of [ConditionExpression](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# RecipeVersionErrorDetail

Represents any errors encountered when attempting to delete multiple recipe versions.

## Contents

### Note

In the following list, the required parameters are described first.

### ErrorCode

The HTTP status code for the error.

Type: String

Pattern: `^[1-5][0-9][0-9]$`

Required: No

### ErrorMessage

The text of the error message.

Type: String

Required: No

### RecipeVersion

The identifier for the recipe version associated with this error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Rule

Represents a single data quality requirement that should be validated in the scope of this dataset.

## Contents

### Note

In the following list, the required parameters are described first.

## CheckExpression

The expression which includes column references, condition names followed by variable references, possibly grouped and combined with other conditions. For example, (`:col1 starts_with :prefix1` or `:col1 starts_with :prefix2`) and (`:col1 ends_with :suffix1` or `:col1 ends_with :suffix2`). Column and value references are substitution variables that should start with the ':' symbol. Depending on the context, substitution variables' values can be either an actual value or a column name. These values are defined in the SubstitutionMap. If a CheckExpression starts with a column reference, then ColumnSelectors in the rule should be null. If ColumnSelectors has been defined, then there should be no column reference in the left side of a condition, for example, `is_between :val1` and `:val2`.

For more information, see [Available checks](#)

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Pattern: `^[<>@-9A-Za-z_.,:)(!= ]+$`

Required: Yes

## Name

The name of the rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

## ColumnSelectors

List of column selectors. Selectors can be used to select columns using a name or regular expression from the dataset. Rule will be applied to selected columns.

Type: Array of [ColumnSelector](#) objects

Array Members: Minimum number of 1 item.

Required: No

## Disabled

A value that specifies whether the rule is disabled. Once a rule is disabled, a profile job will not validate it during a job run. Default value is false.

Type: Boolean

Required: No

## SubstitutionMap

The map of substitution variable names to their values used in a check expression. Variable names should start with a ':' (colon). Variable values can either be actual values or column names. To differentiate between the two, column names should be enclosed in backticks, for example, ":col1": "`Column A`".

Type: String to string map

Key Length Constraints: Minimum length of 2. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9_]+$`

Value Length Constraints: Maximum length of 1024.

Required: No

## Threshold

The threshold used with a non-aggregate check expression. Non-aggregate check expressions will be applied to each row in a specific column, and the threshold will be used to determine whether the validation succeeds.

Type: [Threshold](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RulesetItem

Contains metadata about the ruleset.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The name of the ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### TargetArn

The Amazon Resource Name (ARN) of a resource (dataset) that the ruleset is associated with.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### AccountId

The ID of the AWS account that owns the ruleset.

Type: String

Length Constraints: Maximum length of 255.

Required: No

### CreateDate

The date and time that the ruleset was created.

Type: Timestamp

Required: No

### **CreatedBy**

The Amazon Resource Name (ARN) of the user who created the ruleset.

Type: String

Required: No

### **Description**

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

### **LastModifiedBy**

The Amazon Resource Name (ARN) of the user who last modified the ruleset.

Type: String

Required: No

### **LastModifiedDate**

The modification date and time of the ruleset.

Type: Timestamp

Required: No

### **ResourceArn**

The Amazon Resource Name (ARN) for the ruleset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

## RuleCount

The number of rules that are defined in the ruleset.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## Tags

Metadata tags that have been applied to the ruleset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

## S3Location

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

### Contents

#### Note

In the following list, the required parameters are described first.

#### Bucket

The Amazon S3 bucket name.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Required: Yes

#### BucketOwner

The AWS account ID of the bucket owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

#### Key

The unique name of the object in the bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1280.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3TableOutputOptions

Represents options that specify how and where DataBrew writes the Amazon S3 output generated by recipe jobs.

## Contents

### Note

In the following list, the required parameters are described first.

### Location

Represents an Amazon S3 location (bucket name and object key) where DataBrew can write output from a job.

Type: [S3Location](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

## Contents

### Note

In the following list, the required parameters are described first.

### Type

The way in which DataBrew obtains rows from a dataset.

Type: String

Valid Values: FIRST\_N | LAST\_N | RANDOM

Required: Yes

### Size

The number of rows in the sample.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 5000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Schedule

Represents one or more dates and times when a job is to run.

## Contents

### Note

In the following list, the required parameters are described first.

### Name

The name of the schedule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### AccountId

The ID of the AWS account that owns the schedule.

Type: String

Length Constraints: Maximum length of 255.

Required: No

### CreateDate

The date and time that the schedule was created.

Type: Timestamp

Required: No

### CreatedBy

The Amazon Resource Name (ARN) of the user who created the schedule.

Type: String

Required: No

### **CronExpression**

The dates and times when the job is to run. For more information, see [Working with cron expressions for recipe jobs](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

### **JobNames**

A list of jobs to be run, according to the schedule.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

### **LastModifiedBy**

The Amazon Resource Name (ARN) of the user who last modified the schedule.

Type: String

Required: No

### **LastModifiedDate**

The date and time when the schedule was last modified.

Type: Timestamp

Required: No

### **ResourceArn**

The Amazon Resource Name (ARN) of the schedule.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

## Tags

Metadata tags that have been applied to the schedule.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StatisticOverride

Override of a particular evaluation for a profile job.

## Contents

### Note

In the following list, the required parameters are described first.

## Parameters

A map that includes overrides of an evaluation's parameters.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 32768.

Required: Yes

## Statistic

The name of an evaluation

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z\_]+$`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StatisticsConfiguration

Configuration of evaluations for a profile job. This configuration can be used to select evaluations and override the parameters of selected evaluations.

## Contents

### Note

In the following list, the required parameters are described first.

### IncludedStatistics

List of included evaluations. When the list is undefined, all supported evaluations will be included.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z\_]+$`

Required: No

### Overrides

List of overrides for evaluations.

Type: Array of [StatisticOverride](#) objects

Array Members: Minimum number of 1 item.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Threshold

The threshold used with a non-aggregate check expression. The non-aggregate check expression will be applied to each row in a specific column. Then the threshold will be used to determine whether the validation succeeds.

## Contents

### Note

In the following list, the required parameters are described first.

### Value

The value of a threshold.

Type: Double

Valid Range: Minimum value of 0.

Required: Yes

### Type

The type of a threshold. Used for comparison of an actual count of rows that satisfy the rule to the threshold value.

Type: String

Valid Values: GREATER\_THAN\_OR\_EQUAL | LESS\_THAN\_OR\_EQUAL | GREATER\_THAN | LESS\_THAN

Required: No

### Unit

Unit of threshold value. Can be either a COUNT or PERCENTAGE of the full sample size used for validation.

Type: String

Valid Values: COUNT | PERCENTAGE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ValidationConfiguration

Configuration for data quality validation. Used to select the Rulesets and Validation Mode to be used in the profile job. When ValidationConfiguration is null, the profile job will run without data quality validation.

## Contents

### Note

In the following list, the required parameters are described first.

### RulesetArn

The Amazon Resource Name (ARN) for the ruleset to be validated in the profile job. The TargetArn of the selected ruleset should be the same as the Amazon Resource Name (ARN) of the dataset that is associated with the profile job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

### ValidationMode

Mode of data quality validation. Default mode is "CHECK\_ALL" which verifies all rules defined in the selected ruleset.

Type: String

Valid Values: CHECK\_ALL

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ViewFrame

Represents the data being transformed during an action.

## Contents

### Note

In the following list, the required parameters are described first.

### StartColumnIndex

The starting index for the range of columns to return in the view frame.

Type: Integer

Valid Range: Minimum value of 0.

Required: Yes

### Analytics

Controls if analytics computation is enabled or disabled. Enabled by default.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

### ColumnRange

The number of columns to include in the view frame, beginning with the StartColumnIndex value and ignoring any columns in the HiddenColumns list.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

### HiddenColumns

A list of columns to hide in the view frame.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

### **RowRange**

The number of rows to include in the view frame, beginning with the `StartRowIndex` value.

Type: Integer

Required: No

### **StartRowIndex**

The starting index for the range of rows to return in the view frame.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

## X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

## Required: Conditional

# Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

## **ExpiredTokenException**

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

## **IncompleteSignature**

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

## **InternalFailure**

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## **MalformedHttpRequestException**

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

**NotAuthorized**

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

**OptInRequired**

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

**RequestAbortedException**

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

**RequestEntityTooLargeException**

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

**RequestTimeoutException**

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

**ServiceUnavailable**

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

**ThrottlingException**

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

### **UnknownOperationException**

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

### **UnrecognizedClientException**

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

### **ValidationError**

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400