
AWS Resource Access Manager

API Reference

API Version 2018-01-04



AWS Resource Access Manager: API Reference

Copyright © 2019 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AcceptResourceShareInvitation	3
Request Syntax	3
URI Request Parameters	3
Request Body	3
Response Syntax	3
Response Elements	4
Errors	4
See Also	5
AssociateResourceShare	6
Request Syntax	6
URI Request Parameters	6
Request Body	6
Response Syntax	6
Response Elements	7
Errors	7
See Also	8
CreateResourceShare	10
Request Syntax	10
URI Request Parameters	10
Request Body	10
Response Syntax	11
Response Elements	11
Errors	12
See Also	13
DeleteResourceShare	14
Request Syntax	14
URI Request Parameters	14
Request Body	14
Response Syntax	14
Response Elements	14
Errors	15
See Also	15
DisassociateResourceShare	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	17
Response Elements	18
Errors	18
See Also	19
EnableSharingWithAwsOrganization	20
Request Syntax	20
URI Request Parameters	20
Request Body	20
Response Syntax	20
Response Elements	20
Errors	20
See Also	21
GetResourcePolicies	22
Request Syntax	22
URI Request Parameters	22
Request Body	22

Response Syntax	23
Response Elements	23
Errors	23
See Also	24
GetResourceShareAssociations	25
Request Syntax	25
URI Request Parameters	25
Request Body	25
Response Syntax	26
Response Elements	26
Errors	27
See Also	27
GetResourceShareInvitations	29
Request Syntax	29
URI Request Parameters	29
Request Body	29
Response Syntax	30
Response Elements	30
Errors	30
See Also	31
GetResourceShares	32
Request Syntax	32
URI Request Parameters	32
Request Body	32
Response Syntax	33
Response Elements	34
Errors	34
See Also	34
ListPrincipals	36
Request Syntax	36
URI Request Parameters	36
Request Body	36
Response Syntax	37
Response Elements	37
Errors	38
See Also	38
ListResources	40
Request Syntax	40
URI Request Parameters	40
Request Body	40
Response Syntax	41
Response Elements	41
Errors	42
See Also	42
RejectResourceShareInvitation	44
Request Syntax	44
URI Request Parameters	44
Request Body	44
Response Syntax	44
Response Elements	45
Errors	45
See Also	46
TagResource	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	47

Response Elements	47
Errors	47
See Also	48
UntagResource	49
Request Syntax	49
URI Request Parameters	49
Request Body	49
Response Syntax	49
Response Elements	49
Errors	49
See Also	50
UpdateResourceShare	51
Request Syntax	51
URI Request Parameters	51
Request Body	51
Response Syntax	51
Response Elements	52
Errors	52
See Also	53
Data Types	54
Principal	55
Contents	55
See Also	55
Resource	56
Contents	56
See Also	57
ResourceShare	58
Contents	58
See Also	59
ResourceShareAssociation	60
Contents	60
See Also	61
ResourceShareInvitation	62
Contents	62
See Also	63
Tag	64
Contents	64
See Also	64
TagFilter	65
Contents	65
See Also	65
Common Parameters	66
Common Errors	68

Welcome

Use AWS Resource Access Manager to share AWS resources between AWS accounts. To share a resource, you create a resource share, associate the resource with the resource share, and specify the principals that can access the resources associated with the resource share. The following principals are supported: AWS accounts, organizational units (OU) from AWS Organizations, and organizations from AWS Organizations.

For more information, see the [AWS Resource Access Manager User Guide](#).

This document was last published on April 18, 2019.

Actions

The following actions are supported:

- [AcceptResourceShareInvitation](#) (p. 3)
- [AssociateResourceShare](#) (p. 6)
- [CreateResourceShare](#) (p. 10)
- [DeleteResourceShare](#) (p. 14)
- [DisassociateResourceShare](#) (p. 17)
- [EnableSharingWithAwsOrganization](#) (p. 20)
- [GetResourcePolicies](#) (p. 22)
- [GetResourceShareAssociations](#) (p. 25)
- [GetResourceShareInvitations](#) (p. 29)
- [GetResourceShares](#) (p. 32)
- [ListPrincipals](#) (p. 36)
- [ListResources](#) (p. 40)
- [RejectResourceShareInvitation](#) (p. 44)
- [TagResource](#) (p. 47)
- [UntagResource](#) (p. 49)
- [UpdateResourceShare](#) (p. 51)

AcceptResourceShareInvitation

Accepts an invitation to a resource share from another AWS account.

Request Syntax

```
POST /acceptresourceshareinvitation HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "resourceShareInvitationArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken (p. 3)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Required: No

resourceShareInvitationArn (p. 3)

The Amazon Resource Name (ARN) of the invitation.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "clientToken": "string",
  "resourceShareInvitation": {
    "invitationTimestamp": number,
    "receiverAccountId": "string",
    "resourceShareArn": "string",
    "resourceShareAssociations": [
      {
        "associatedEntity": "string",
        "associationType": "string",
        "creationTime": number,
        "external": boolean,
        "lastUpdatedTime": number,
      }
    ]
  }
}
```



```
        "resourceShareArn": "string",
        "status": "string",
        "statusMessage": "string"
    },
    ],
    "resourceShareInvitationArn": "string",
    "resourceShareName": "string",
    "senderAccountId": "string",
    "status": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

clientToken (p. 3)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

resourceShareInvitation (p. 3)

Information about the invitation.

Type: [ResourceShareInvitation](#) (p. 62) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ResourceShareInvitationAlreadyAcceptedException

The invitation was already accepted.

HTTP Status Code: 400

ResourceShareInvitationAlreadyRejectedException

The invitation was already rejected.

HTTP Status Code: 400

ResourceShareInvitationArnNotFoundException

The Amazon Resource Name (ARN) for an invitation was not found.

HTTP Status Code: 400

ResourceShareInvitationExpiredException

The invitation is expired.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

AssociateResourceShare

Associates the specified resource share with the specified principals and resources.

Request Syntax

```
POST /associateresourceshare HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "principals": [ "string" ],
  "resourceArns": [ "string" ],
  "resourceShareArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken (p. 6)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Required: No

principals (p. 6)

The principals.

Type: Array of strings

Required: No

resourceArns (p. 6)

The Amazon Resource Names (ARN) of the resources.

Type: Array of strings

Required: No

resourceShareArn (p. 6)

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{
  "clientToken": "string",
  "resourceShareAssociations": [
    {
      "associatedEntity": "string",
      "associationType": "string",
      "creationTime": number,
      "external": boolean,
      "lastUpdatedTime": number,
      "resourceShareArn": "string",
      "status": "string",
      "statusMessage": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

clientToken (p. 6)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

resourceShareAssociations (p. 6)

Information about the associations.

Type: Array of [ResourceShareAssociation](#) (p. 60) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

IdempotentParameterMismatchException

A client token input parameter was reused with an operation, but at least one of the other input parameters is different from the previous call to the operation.

HTTP Status Code: 400

InvalidClientTokenException

A client token is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

InvalidStateTransitionException

The requested state transition is not valid.

HTTP Status Code: 400

InvalidStateTransitionException

The requested state transition is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ResourceShareLimitExceededException

The requested resource share exceeds the limit for your account.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V2](#)

CreateResourceShare

Creates a resource share.

Request Syntax

```
POST /createresourceshare HTTP/1.1
Content-type: application/json

{
  "allowExternalPrincipals": boolean,
  "clientToken": "string",
  "name": "string",
  "principals": [ "string" ],
  "resourceArns": [ "string" ],
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

allowExternalPrincipals (p. 10)

Indicates whether principals outside your AWS organization can be associated with a resource share.

Type: Boolean

Required: No

clientToken (p. 10)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Required: No

name (p. 10)

The name of the resource share.

Type: String

Required: Yes

principals (p. 10)

The principals to associate with the resource share. The possible values are IDs of AWS accounts, the ARN of an OU or organization from AWS Organizations.

Type: Array of strings

Required: No

[resourceArns \(p. 10\)](#)

The Amazon Resource Names (ARN) of the resources to associate with the resource share.

Type: Array of strings

Required: No

[tags \(p. 10\)](#)

One or more tags.

Type: Array of [Tag \(p. 64\)](#) objects

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "clientToken": "string",
  "resourceShare": {
    "allowExternalPrincipals": boolean,
    "creationTime": number,
    "lastUpdatedTime": number,
    "name": "string",
    "owningAccountId": "string",
    "resourceShareArn": "string",
    "status": "string",
    "statusMessage": "string",
    "tags": [
      {
        "key": "string",
        "value": "string"
      }
    ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[clientToken \(p. 11\)](#)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

[resourceShare \(p. 11\)](#)

Information about the resource share.

Type: [ResourceShare](#) (p. 58) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

IdempotentParameterMismatchException

A client token input parameter was reused with an operation, but at least one of the other input parameters is different from the previous call to the operation.

HTTP Status Code: 400

InvalidClientTokenException

A client token is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

InvalidStateTransitionException

The requested state transition is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ResourceShareLimitExceededException

The requested resource share exceeds the limit for your account.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteResourceShare

Deletes the specified resource share.

Request Syntax

```
DELETE /deleteresourceshare?clientToken=clientToken&resourceShareArn=resourceShareArn  
HTTP/1.1
```

URI Request Parameters

The request requires the following URI parameters.

clientToken (p. 14)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

resourceShareArn (p. 14)

The Amazon Resource Name (ARN) of the resource share.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "clientToken": "string",  
  "returnValue": boolean  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

clientToken (p. 14)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

returnValue (p. 14)

Indicates whether the request succeeded.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

IdempotentParameterMismatchException

A client token input parameter was reused with an operation, but at least one of the other input parameters is different from the previous call to the operation.

HTTP Status Code: 400

InvalidClientTokenException

A client token is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

InvalidStateTransitionException

The requested state transition is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DisassociateResourceShare

Disassociates the specified principals or resources from the specified resource share.

Request Syntax

```
POST /disassociateresourceshare HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "principals": [ "string" ],
  "resourceArns": [ "string" ],
  "resourceShareArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken (p. 17)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Required: No

principals (p. 17)

The principals.

Type: Array of strings

Required: No

resourceArns (p. 17)

The Amazon Resource Names (ARN) of the resources.

Type: Array of strings

Required: No

resourceShareArn (p. 17)

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{
  "clientToken": "string",
  "resourceShareAssociations": [
    {
      "associatedEntity": "string",
      "associationType": "string",
      "creationTime": number,
      "external": boolean,
      "lastUpdatedTime": number,
      "resourceShareArn": "string",
      "status": "string",
      "statusMessage": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[clientToken \(p. 17\)](#)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

[resourceShareAssociations \(p. 17\)](#)

Information about the associations.

Type: Array of [ResourceShareAssociation \(p. 60\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

IdempotentParameterMismatchException

A client token input parameter was reused with an operation, but at least one of the other input parameters is different from the previous call to the operation.

HTTP Status Code: 400

InvalidClientTokenException

A client token is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

InvalidStateTransitionException

The requested state transition is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ResourceShareLimitExceededException

The requested resource share exceeds the limit for your account.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

EnableSharingWithAwsOrganization

Enables resource sharing within your AWS Organization.

The caller must be the master account for the AWS Organization.

Request Syntax

```
POST /enablesharingwithawsorganization HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "returnValue": boolean
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

returnValue (p. 20)

Indicates whether the request succeeded.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetResourcePolicies

Gets the policies for the specified resources that you own and have shared.

Request Syntax

```
POST /getresourcepolicies HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string",
  "principal": "string",
  "resourceArns": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 22)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

nextToken (p. 22)

The token for the next page of results.

Type: String

Required: No

principal (p. 22)

The principal.

Type: String

Required: No

resourceArns (p. 22)

The Amazon Resource Names (ARN) of the resources.

Type: Array of strings

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "policies": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 23)

The token to use to retrieve the next page of results. This value is `null` when there are no more results to return.

Type: String

policies (p. 23)

A key policy document, in JSON format.

Type: Array of strings

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

InvalidNextTokenException

The specified value for NextToken is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetResourceShareAssociations

Gets the resources or principals for the resource shares that you own.

Request Syntax

```
POST /getresourceshareassociations HTTP/1.1
Content-type: application/json

{
  "associationStatus": "string",
  "associationType": "string",
  "maxResults": number,
  "nextToken": "string",
  "principal": "string",
  "resourceArn": "string",
  "resourceShareArns": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[associationStatus \(p. 25\)](#)

The association status.

Type: String

Valid Values: ASSOCIATING | ASSOCIATED | FAILED | DISASSOCIATING | DISASSOCIATED

Required: No

[associationType \(p. 25\)](#)

The association type.

Type: String

Valid Values: PRINCIPAL | RESOURCE

Required: Yes

[maxResults \(p. 25\)](#)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

nextToken (p. 25)

The token for the next page of results.

Type: String

Required: No

principal (p. 25)

The principal. You cannot specify this parameter if the association type is `RESOURCE`.

Type: String

Required: No

resourceArn (p. 25)

The Amazon Resource Name (ARN) of the resource. You cannot specify this parameter if the association type is `PRINCIPAL`.

Type: String

Required: No

resourceShareArns (p. 25)

The Amazon Resource Names (ARN) of the resource shares.

Type: Array of strings

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "resourceShareAssociations": [
    {
      "associatedEntity": "string",
      "associationType": "string",
      "creationTime": number,
      "external": boolean,
      "lastUpdatedTime": number,
      "resourceShareArn": "string",
      "status": "string",
      "statusMessage": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken \(p. 26\)](#)

The token to use to retrieve the next page of results. This value is `null` when there are no more results to return.

Type: String

[resourceShareAssociations \(p. 26\)](#)

Information about the associations.

Type: Array of [ResourceShareAssociation \(p. 60\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

InvalidNextTokenException

The specified value for NextToken is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetResourceShareInvitations

Gets the invitations for resource sharing that you've received.

Request Syntax

```
POST /getresourceshareinvitations HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string",
  "resourceShareArns": [ "string" ],
  "resourceShareInvitationArns": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 29)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

nextToken (p. 29)

The token for the next page of results.

Type: String

Required: No

resourceShareArns (p. 29)

The Amazon Resource Names (ARN) of the resource shares.

Type: Array of strings

Required: No

resourceShareInvitationArns (p. 29)

The Amazon Resource Names (ARN) of the invitations.

Type: Array of strings

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "resourceShareInvitations": [
    {
      "invitationTimestamp": number,
      "receiverAccountId": "string",
      "resourceShareArn": "string",
      "resourceShareAssociations": [
        {
          "associatedEntity": "string",
          "associationType": "string",
          "creationTime": number,
          "external": boolean,
          "lastUpdatedTime": number,
          "resourceShareArn": "string",
          "status": "string",
          "statusMessage": "string"
        }
      ],
      "resourceShareInvitationArn": "string",
      "resourceShareName": "string",
      "senderAccountId": "string",
      "status": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 30)

The token to use to retrieve the next page of results. This value is `null` when there are no more results to return.

Type: String

resourceShareInvitations (p. 30)

Information about the invitations.

Type: Array of [ResourceShareInvitation](#) (p. 62) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

InvalidMaxResultsException

The specified value for `MaxResults` is not valid.

HTTP Status Code: 400

InvalidNextTokenException

The specified value for NextToken is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

ResourceShareInvitationArnNotFoundException

The Amazon Resource Name (ARN) for an invitation was not found.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetResourceShares

Gets the resource shares that you own or the resource shares that are shared with you.

Request Syntax

```
POST /getresourceshares HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "name": "string",
  "nextToken": "string",
  "resourceOwner": "string",
  "resourceShareArns": [ "string" ],
  "resourceShareStatus": "string",
  "tagFilters": [
    {
      "tagKey": "string",
      "tagValues": [ "string" ]
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 32)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

name (p. 32)

The name of the resource share.

Type: String

Required: No

nextToken (p. 32)

The token for the next page of results.

Type: String

Required: No

[resourceOwner \(p. 32\)](#)

The type of owner.

Type: String

Valid Values: SELF | OTHER-ACCOUNTS

Required: Yes

[resourceShareArns \(p. 32\)](#)

The Amazon Resource Names (ARN) of the resource shares.

Type: Array of strings

Required: No

[resourceShareStatus \(p. 32\)](#)

The status of the resource share.

Type: String

Valid Values: PENDING | ACTIVE | FAILED | DELETING | DELETED

Required: No

[tagFilters \(p. 32\)](#)

One or more tag filters.

Type: Array of [TagFilter \(p. 65\)](#) objects

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "resourceShares": [
    {
      "allowExternalPrincipals": boolean,
      "creationTime": number,
      "lastUpdatedTime": number,
      "name": "string",
      "owningAccountId": "string",
      "resourceShareArn": "string",
      "status": "string",
      "statusMessage": "string",
      "tags": [
        {
          "key": "string",
          "value": "string"
        }
      ]
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 33)

The token to use to retrieve the next page of results. This value is `null` when there are no more results to return.

Type: String

resourceShares (p. 33)

Information about the resource shares.

Type: Array of [ResourceShare](#) (p. 58) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

InvalidNextTokenException

The specified value for NextToken is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListPrincipals

Lists the principals that you have shared resources with or the principals that have shared resources with you.

Request Syntax

```
POST /listprincipals HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string",
  "principals": [ "string" ],
  "resourceArn": "string",
  "resourceOwner": "string",
  "resourceShareArns": [ "string" ],
  "resourceType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 36)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

nextToken (p. 36)

The token for the next page of results.

Type: String

Required: No

principals (p. 36)

The principals.

Type: Array of strings

Required: No

resourceArn (p. 36)

The Amazon Resource Name (ARN) of the resource.

Type: String

Required: No

resourceOwner (p. 36)

The type of owner.

Type: String

Valid Values: SELF | OTHER-ACCOUNTS

Required: Yes

resourceShareArns (p. 36)

The Amazon Resource Names (ARN) of the resource shares.

Type: Array of strings

Required: No

resourceType (p. 36)

The resource type.

Valid values: route53resolver:ResolverRule | ec2:TransitGateway | ec2:Subnet | license-manager:LicenseConfiguration

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "principals": [
    {
      "creationTime": number,
      "external": boolean,
      "id": "string",
      "lastUpdatedTime": number,
      "resourceShareArn": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 37)

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

[principals \(p. 37\)](#)

The principals.

Type: Array of [Principal \(p. 55\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

InvalidNextTokenException

The specified value for NextToken is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V2](#)

ListResources

Lists the resources that you added to a resource shares or the resources that are shared with you.

Request Syntax

```
POST /listresources HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string",
  "principal": "string",
  "resourceArns": [ "string" ],
  "resourceOwner": "string",
  "resourceShareArns": [ "string" ],
  "resourceType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults (p. 40)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

nextToken (p. 40)

The token for the next page of results.

Type: String

Required: No

principal (p. 40)

The principal.

Type: String

Required: No

resourceArns (p. 40)

The Amazon Resource Names (ARN) of the resources.

Type: Array of strings

Required: No

resourceOwner (p. 40)

The type of owner.

Type: String

Valid Values: SELF | OTHER-ACCOUNTS

Required: Yes

resourceShareArns (p. 40)

The Amazon Resource Names (ARN) of the resource shares.

Type: Array of strings

Required: No

resourceType (p. 40)

The resource type.

Valid values: route53resolver:ResolverRule | ec2:TransitGateway | ec2:Subnet | license-manager:LicenseConfiguration

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "resources": [
    {
      "arn": "string",
      "creationTime": number,
      "lastUpdatedTime": number,
      "resourceShareArn": "string",
      "status": "string",
      "statusMessage": "string",
      "type": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 41)

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

[resources \(p. 41\)](#)

Information about the resources.

Type: Array of [Resource \(p. 56\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

InvalidNextTokenException

The specified value for NextToken is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

InvalidResourceTypeException

The specified resource type is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

RejectResourceShareInvitation

Rejects an invitation to a resource share from another AWS account.

Request Syntax

```
POST /rejectresourceshareinvitation HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "resourceShareInvitationArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[clientToken \(p. 44\)](#)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Required: No

[resourceShareInvitationArn \(p. 44\)](#)

The Amazon Resource Name (ARN) of the invitation.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "clientToken": "string",
  "resourceShareInvitation": {
    "invitationTimestamp": number,
    "receiverAccountId": "string",
    "resourceShareArn": "string",
    "resourceShareAssociations": [
      {
        "associatedEntity": "string",
        "associationType": "string",
        "creationTime": number,
        "external": boolean,
        "lastUpdatedTime": number,
      }
    ]
  }
}
```

```
        "resourceShareArn": "string",  
        "status": "string",  
        "statusMessage": "string"  
    },  
    ],  
    "resourceShareInvitationArn": "string",  
    "resourceShareName": "string",  
    "senderAccountId": "string",  
    "status": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[clientToken \(p. 44\)](#)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

[resourceShareInvitation \(p. 44\)](#)

Information about the invitation.

Type: [ResourceShareInvitation \(p. 62\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ResourceShareInvitationAlreadyAcceptedException

The invitation was already accepted.

HTTP Status Code: 400

ResourceShareInvitationAlreadyRejectedException

The invitation was already rejected.

HTTP Status Code: 400

ResourceShareInvitationArnNotFoundException

The Amazon Resource Name (ARN) for an invitation was not found.

HTTP Status Code: 400

ResourceShareInvitationExpiredException

The invitation is expired.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

TagResource

Adds the specified tags to the specified resource share that you own.

Request Syntax

```
POST /tagresource HTTP/1.1
Content-type: application/json

{
  "resourceShareArn": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

resourceShareArn (p. 47)

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: Yes

tags (p. 47)

One or more tags.

Type: Array of [Tag](#) (p. 64) objects

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

ResourceArnNotFoundException

An Amazon Resource Name (ARN) was not found.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

TagLimitExceededException

The requested tags exceed the limit for your account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UntagResource

Removes the specified tags from the specified resource share that you own.

Request Syntax

```
POST /untagresource HTTP/1.1
Content-type: application/json

{
  "resourceShareArn": "string",
  "tagKeys": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

resourceShareArn (p. 49)

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: Yes

tagKeys (p. 49)

The tag keys of the tags to remove.

Type: Array of strings

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 68\)](#).

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UpdateResourceShare

Updates the specified resource share that you own.

Request Syntax

```
POST /updateresourceshare HTTP/1.1
Content-type: application/json

{
  "allowExternalPrincipals": boolean,
  "clientToken": "string",
  "name": "string",
  "resourceShareArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[allowExternalPrincipals \(p. 51\)](#)

Indicates whether principals outside your AWS organization can be associated with a resource share.

Type: Boolean

Required: No

[clientToken \(p. 51\)](#)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Required: No

[name \(p. 51\)](#)

The name of the resource share.

Type: String

Required: No

[resourceShareArn \(p. 51\)](#)

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 200
```



```
Content-type: application/json

{
  "clientToken": "string",
  "resourceShare": {
    "allowExternalPrincipals": boolean,
    "creationTime": number,
    "lastUpdatedTime": number,
    "name": "string",
    "owningAccountId": "string",
    "resourceShareArn": "string",
    "status": "string",
    "statusMessage": "string",
    "tags": [
      {
        "key": "string",
        "value": "string"
      }
    ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

clientToken (p. 51)

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

resourceShare (p. 51)

Information about the resource share.

Type: [ResourceShare](#) (p. 58) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 68).

IdempotentParameterMismatchException

A client token input parameter was reused with an operation, but at least one of the other input parameters is different from the previous call to the operation.

HTTP Status Code: 400

InvalidClientTokenException

A client token is not valid.

HTTP Status Code: 400

InvalidParameterException

A parameter is not valid.

HTTP Status Code: 400

MalformedArnException

The format of an Amazon Resource Name (ARN) is not valid.

HTTP Status Code: 400

MissingRequiredParameterException

A required input parameter is missing.

HTTP Status Code: 400

OperationNotPermittedException

The requested operation is not permitted.

HTTP Status Code: 400

ServerInternalException

The service could not respond to the request due to an internal problem.

HTTP Status Code: 500

ServiceUnavailableException

The service is not available.

HTTP Status Code: 503

UnknownResourceException

A specified resource was not found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

Data Types

The AWS Resource Access Manager API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Principal](#) (p. 55)
- [Resource](#) (p. 56)
- [ResourceShare](#) (p. 58)
- [ResourceShareAssociation](#) (p. 60)
- [ResourceShareInvitation](#) (p. 62)
- [Tag](#) (p. 64)
- [TagFilter](#) (p. 65)

Principal

Describes a principal for use with AWS Resource Access Manager.

Contents

creationTime

The time when the principal was associated with the resource share.

Type: Timestamp

Required: No

external

Indicates whether the principal belongs to the same AWS organization as the AWS account that owns the resource share.

Type: Boolean

Required: No

id

The ID of the principal.

Type: String

Required: No

lastUpdatedTime

The time when the association was last updated.

Type: Timestamp

Required: No

resourceShareArn

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Resource

Describes a resource associated with a resource share.

Contents

arn

The Amazon Resource Name (ARN) of the resource.

Type: String

Required: No

creationTime

The time when the resource was associated with the resource share.

Type: Timestamp

Required: No

lastUpdatedTime

The time when the association was last updated.

Type: Timestamp

Required: No

resourceShareArn

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: No

status

The status of the resource.

Type: String

Valid Values: `AVAILABLE` | `ZONAL_RESOURCE_INACCESSIBLE` | `LIMIT_EXCEEDED` | `UNAVAILABLE`

Required: No

statusMessage

A message about the status of the resource.

Type: String

Required: No

type

The resource type.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ResourceShare

Describes a resource share.

Contents

allowExternalPrincipals

Indicates whether principals outside your AWS organization can be associated with a resource share.

Type: Boolean

Required: No

creationTime

The time when the resource share was created.

Type: Timestamp

Required: No

lastUpdatedTime

The time when the resource share was last updated.

Type: Timestamp

Required: No

name

The name of the resource share.

Type: String

Required: No

owningAccountId

The ID of the AWS account that owns the resource share.

Type: String

Required: No

resourceShareArn

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: No

status

The status of the resource share.

Type: String

Valid Values: PENDING | ACTIVE | FAILED | DELETING | DELETED

Required: No

statusMessage

A message about the status of the resource share.

Type: String

Required: No

tags

The tags for the resource share.

Type: Array of [Tag \(p. 64\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ResourceShareAssociation

Describes an association with a resource share.

Contents

associatedEntity

The associated entity. For resource associations, this is the ARN of the resource. For principal associations, this is the ID of an AWS account or the ARN of an OU or organization from AWS Organizations.

Type: String

Required: No

associationType

The association type.

Type: String

Valid Values: `PRINCIPAL` | `RESOURCE`

Required: No

creationTime

The time when the association was created.

Type: Timestamp

Required: No

external

Indicates whether the principal belongs to the same AWS organization as the AWS account that owns the resource share.

Type: Boolean

Required: No

lastUpdatedTime

The time when the association was last updated.

Type: Timestamp

Required: No

resourceShareArn

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: No

status

The status of the association.

Type: String

Valid Values: ASSOCIATING | ASSOCIATED | FAILED | DISASSOCIATING | DISASSOCIATED

Required: No

statusMessage

A message about the status of the association.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ResourceShareInvitation

Describes an invitation to join a resource share.

Contents

invitationTimestamp

The date and time when the invitation was sent.

Type: Timestamp

Required: No

receiverAccountId

The ID of the AWS account that received the invitation.

Type: String

Required: No

resourceShareArn

The Amazon Resource Name (ARN) of the resource share.

Type: String

Required: No

resourceShareAssociations

The resources associated with the resource share.

Type: Array of [ResourceShareAssociation](#) (p. 60) objects

Required: No

resourceShareInvitationArn

The Amazon Resource Name (ARN) of the invitation.

Type: String

Required: No

resourceShareName

The name of the resource share.

Type: String

Required: No

senderAccountId

The ID of the AWS account that sent the invitation.

Type: String

Required: No

status

The status of the invitation.

Type: String

Valid Values: PENDING | ACCEPTED | REJECTED | EXPIRED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Tag

Information about a tag.

Contents

key

The key of the tag.

Type: String

Required: No

value

The value of the tag.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

TagFilter

Used to filter information based on tags.

Contents

tagKey

The tag key.

Type: String

Required: No

tagValues

The tag values.

Type: Array of strings

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Go - Pilot](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signature Version 4 Signing Process](#) in the *Amazon Web Services General Reference*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: `AWS4-HMAC-SHA256`

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: `access_key/YYYYMMDD/region/service/aws4_request`.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'THHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: `20120325T120000Z`.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is

not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS Security Token Service, go to [AWS Services That Work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

InvalidParameterCombination

Parameters that must not be used together were used together.

HTTP Status Code: 400

InvalidParameterValue

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

InvalidQueryParameter

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

MalformedQueryString

The query string contains a syntax error.

HTTP Status Code: 404

MissingAction

The request is missing an action or a required parameter.

HTTP Status Code: 400

MissingAuthenticationToken

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

MissingParameter

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400