
Amazon Connect Voice ID

API Reference

API Version 2021-09-27



Amazon Connect Voice ID: API Reference

Copyright © Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateDomain	3
Request Syntax	3
Request Parameters	3
Response Syntax	4
Response Elements	4
Errors	5
See Also	5
DeleteDomain	7
Request Syntax	7
Request Parameters	7
Response Elements	7
Errors	7
See Also	8
DeleteFraudster	9
Request Syntax	9
Request Parameters	9
Response Elements	9
Errors	9
See Also	10
DeleteSpeaker	11
Request Syntax	11
Request Parameters	11
Response Elements	11
Errors	11
See Also	12
DescribeDomain	13
Request Syntax	13
Request Parameters	13
Response Syntax	13
Response Elements	13
Errors	14
See Also	14
DescribeFraudster	16
Request Syntax	16
Request Parameters	16
Response Syntax	16
Response Elements	16
Errors	17
See Also	17
DescribeFraudsterRegistrationJob	19
Request Syntax	19
Request Parameters	19
Response Syntax	19
Response Elements	20
Errors	20
See Also	21
DescribeSpeaker	22
Request Syntax	22
Request Parameters	22
Response Syntax	22
Response Elements	23
Errors	23

See Also	23
DescribeSpeakerEnrollmentJob	25
Request Syntax	25
Request Parameters	25
Response Syntax	25
Response Elements	26
Errors	26
See Also	27
EvaluateSession	28
Request Syntax	28
Request Parameters	28
Response Syntax	28
Response Elements	29
Errors	30
See Also	31
ListDomains	32
Request Syntax	32
Request Parameters	32
Response Syntax	32
Response Elements	33
Errors	33
See Also	34
ListFraudsterRegistrationJobs	35
Request Syntax	35
Request Parameters	35
Response Syntax	36
Response Elements	36
Errors	36
See Also	37
ListSpeakerEnrollmentJobs	38
Request Syntax	38
Request Parameters	38
Response Syntax	39
Response Elements	39
Errors	39
See Also	40
ListSpeakers	41
Request Syntax	41
Request Parameters	41
Response Syntax	41
Response Elements	42
Errors	42
See Also	43
ListTagsForResource	44
Request Syntax	44
Request Parameters	44
Response Syntax	44
Response Elements	44
Errors	45
See Also	45
OptOutSpeaker	46
Request Syntax	46
Request Parameters	46
Response Syntax	46
Response Elements	47
Errors	47
See Also	47

StartFraudsterRegistrationJob	49
Request Syntax	49
Request Parameters	49
Response Syntax	50
Response Elements	51
Errors	51
See Also	52
StartSpeakerEnrollmentJob	53
Request Syntax	53
Request Parameters	53
Response Syntax	54
Response Elements	55
Errors	55
See Also	56
TagResource	57
Request Syntax	57
Request Parameters	57
Response Elements	57
Errors	57
See Also	58
UntagResource	59
Request Syntax	59
Request Parameters	59
Response Elements	59
Errors	59
See Also	60
UpdateDomain	61
Request Syntax	61
Request Parameters	61
Response Syntax	62
Response Elements	62
Errors	62
See Also	63
Data Types	64
AuthenticationConfiguration	65
Contents	65
See Also	65
AuthenticationResult	66
Contents	66
See Also	67
Domain	68
Contents	68
See Also	69
DomainSummary	70
Contents	70
See Also	71
EnrollmentConfig	72
Contents	72
See Also	72
EnrollmentJobFraudDetectionConfig	73
Contents	73
See Also	73
FailureDetails	74
Contents	74
See Also	74
FraudDetectionConfiguration	75
Contents	75

See Also	75
FraudDetectionResult	76
Contents	76
See Also	77
FraudRiskDetails	78
Contents	78
See Also	78
Fraudster	79
Contents	79
See Also	79
FraudsterRegistrationJob	80
Contents	80
See Also	82
FraudsterRegistrationJobSummary	83
Contents	83
See Also	84
InputDataConfig	85
Contents	85
See Also	85
JobProgress	86
Contents	86
See Also	86
KnownFraudsterRisk	87
Contents	87
See Also	87
OutputDataConfig	88
Contents	88
See Also	88
RegistrationConfig	89
Contents	89
See Also	89
ServerSideEncryptionConfiguration	90
Contents	90
See Also	90
ServerSideEncryptionUpdateDetails	91
Contents	91
See Also	91
Speaker	92
Contents	92
See Also	93
SpeakerEnrollmentJob	94
Contents	94
See Also	96
SpeakerEnrollmentJobSummary	97
Contents	97
See Also	98
SpeakerSummary	99
Contents	99
See Also	100
Tag	101
Contents	101
See Also	101
Common Parameters	102
Common Errors	104

Welcome

Amazon Connect Voice ID provides real-time caller authentication and fraud screening. This guide describes the APIs used for this service.

This document was last published on August 18, 2022.

Actions

The following actions are supported:

- [CreateDomain](#) (p. 3)
- [DeleteDomain](#) (p. 7)
- [DeleteFraudster](#) (p. 9)
- [DeleteSpeaker](#) (p. 11)
- [DescribeDomain](#) (p. 13)
- [DescribeFraudster](#) (p. 16)
- [DescribeFraudsterRegistrationJob](#) (p. 19)
- [DescribeSpeaker](#) (p. 22)
- [DescribeSpeakerEnrollmentJob](#) (p. 25)
- [EvaluateSession](#) (p. 28)
- [ListDomains](#) (p. 32)
- [ListFraudsterRegistrationJobs](#) (p. 35)
- [ListSpeakerEnrollmentJobs](#) (p. 38)
- [ListSpeakers](#) (p. 41)
- [ListTagsForResource](#) (p. 44)
- [OptOutSpeaker](#) (p. 46)
- [StartFraudsterRegistrationJob](#) (p. 49)
- [StartSpeakerEnrollmentJob](#) (p. 53)
- [TagResource](#) (p. 57)
- [UntagResource](#) (p. 59)
- [UpdateDomain](#) (p. 61)

CreateDomain

Creates a domain that contains all Amazon Connect Voice ID data, such as speakers, fraudsters, customer audio, and voiceprints.

Request Syntax

```
{
  "ClientToken": "string",
  "Description": "string",
  "Name": "string",
  "ServerSideEncryptionConfiguration": {
    "KmsKeyId": "string"
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

ClientToken (p. 3)

The idempotency token for creating a new domain. If not provided, AWS SDK populates this field.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-_]+$`

Required: No

Description (p. 3)

A brief description of this domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/+\\-%@]*)$`

Required: No

Name (p. 3)

The name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: Yes

ServerSideEncryptionConfiguration (p. 3)

The configuration, containing the KMS key identifier, to be used by Voice ID for the server-side encryption of your data. Refer to [Amazon Connect Voice ID encryption at rest](#) for more details on how the KMS key is used.

Type: [ServerSideEncryptionConfiguration \(p. 90\)](#) object

Required: Yes

Tags (p. 3)

A list of tags you want added to the domain.

Type: Array of [Tag \(p. 101\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{
  "Domain": {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "DomainId": "string",
    "DomainStatus": "string",
    "Name": "string",
    "ServerSideEncryptionConfiguration": {
      "KmsKeyId": "string"
    },
    "ServerSideEncryptionUpdateDetails": {
      "Message": "string",
      "OldKmsKeyId": "string",
      "UpdateStatus": "string"
    },
    "UpdatedAt": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Domain (p. 4)

Information about the newly created domain.

Type: [Domain \(p. 68\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ServiceQuotaExceededException

The request exceeded the service quota. Refer to [Voice ID Service Quotas](#) and try your request again.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DeleteDomain

Deletes the specified domain from Voice ID.

Request Syntax

```
{  
  "DomainId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 7)

The identifier of the domain you want to delete.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteFraudster

Deletes the specified fraudster from Voice ID.

Request Syntax

```
{  
  "DomainId": "string",  
  "FraudsterId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 9)

The identifier of the domain containing the fraudster.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

FraudsterId (p. 9)

The identifier of the fraudster you want to delete.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSpeaker

Deletes the specified speaker from Voice ID.

Request Syntax

```
{  
  "DomainId": "string",  
  "SpeakerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 11)

The identifier of the domain containing the speaker.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

SpeakerId (p. 11)

The identifier of the speaker you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^(id#[a-zA-Z0-9]{22}|[a-zA-Z0-9][a-zA-Z0-9_-]*)$`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDomain

Describes the specified domain.

Request Syntax

```
{  
  "DomainId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 13)

The identifier of the domain you are describing.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

Response Syntax

```
{  
  "Domain": {  
    "Arn": "string",  
    "CreatedAt": number,  
    "Description": "string",  
    "DomainId": "string",  
    "DomainStatus": "string",  
    "Name": "string",  
    "ServerSideEncryptionConfiguration": {  
      "KmsKeyId": "string"  
    },  
    "ServerSideEncryptionUpdateDetails": {  
      "Message": "string",  
      "OldKmsKeyId": "string",  
      "UpdateStatus": "string"  
    },  
    "UpdatedAt": number  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Domain (p. 13)

Information about the specified domain.

Type: [Domain \(p. 68\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFraudster

Describes the specified fraudster.

Request Syntax

```
{  
  "DomainId": "string",  
  "FraudsterId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 16)

The identifier of the domain containing the fraudster.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

FraudsterId (p. 16)

The identifier of the fraudster you are describing.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: Yes

Response Syntax

```
{  
  "Fraudster": {  
    "CreatedAt": number,  
    "DomainId": "string",  
    "GeneratedFraudsterId": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Fraudster (p. 16)

Information about the specified fraudster.

Type: [Fraudster \(p. 79\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFraudsterRegistrationJob

Describes the specified fraudster registration job.

Request Syntax

```
{  
  "DomainId": "string",  
  "JobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 19)

The identifier for the domain containing the fraudster registration job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

JobId (p. 19)

The identifier for the fraudster registration job you are describing.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

Response Syntax

```
{  
  "Job": {  
    "CreatedAt": number,  
    "DataAccessRoleArn": "string",  
    "DomainId": "string",  
    "EndedAt": number,  
    "FailureDetails": {  
      "Message": "string",  
      "StatusCode": number  
    },  
    "InputDataConfig": {  
      "S3Uri": "string"  
    },  
    "JobId": "string",  
  }  
}
```

```
"JobName": "string",
"JobProgress": {
  "PercentComplete": number
},
"JobStatus": "string",
"OutputDataConfig": {
  "KmsKeyId": "string",
  "S3Uri": "string"
},
"RegistrationConfig": {
  "DuplicateRegistrationAction": "string",
  "FraudsterSimilarityThreshold": number
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Job (p. 19)

Contains details about the specified fraudster registration job.

Type: [FraudsterRegistrationJob \(p. 80\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeSpeaker

Describes the specified speaker.

Request Syntax

```
{  
  "DomainId": "string",  
  "SpeakerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 22)

The identifier of the domain that contains the speaker.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

SpeakerId (p. 22)

The identifier of the speaker you are describing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^(id#[a-zA-Z0-9]{22}|[a-zA-Z0-9][a-zA-Z0-9_-]*)$`

Required: Yes

Response Syntax

```
{  
  "Speaker": {  
    "CreatedAt": number,  
    "CustomerSpeakerId": "string",  
    "DomainId": "string",  
    "GeneratedSpeakerId": "string",  
    "LastAccessedAt": number,  
    "Status": "string",  
    "UpdatedAt": number  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Speaker (p. 22)

Information about the specified speaker.

Type: [Speaker \(p. 92\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeSpeakerEnrollmentJob

Describes the specified speaker enrollment job.

Request Syntax

```
{  
  "DomainId": "string",  
  "JobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 102).

The request accepts the following data in JSON format.

DomainId (p. 25)

The identifier of the domain containing the speaker enrollment job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

JobId (p. 25)

The identifier of the speaker enrollment job you are describing.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

Response Syntax

```
{  
  "Job": {  
    "CreatedAt": number,  
    "DataAccessRoleArn": "string",  
    "DomainId": "string",  
    "EndedAt": number,  
    "EnrollmentConfig": {  
      "ExistingEnrollmentAction": "string",  
      "FraudDetectionConfig": {  
        "FraudDetectionAction": "string",  
        "RiskThreshold": number  
      }  
    }  
  },  
}
```

```
    "FailureDetails": {
      "Message": "string",
      "StatusCode": number
    },
    "InputDataConfig": {
      "S3Uri": "string"
    },
    "JobId": "string",
    "JobName": "string",
    "JobProgress": {
      "PercentComplete": number
    },
    "JobStatus": "string",
    "OutputDataConfig": {
      "KmsKeyId": "string",
      "S3Uri": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Job (p. 25)

Contains details about the specified speaker enrollment job.

Type: [SpeakerEnrollmentJob \(p. 94\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerError

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

EvaluateSession

Evaluates a specified session based on audio data accumulated during a streaming Amazon Connect Voice ID call.

Request Syntax

```
{  
  "DomainId": "string",  
  "SessionNameOrId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 102).

The request accepts the following data in JSON format.

DomainId (p. 28)

The identifier of the domain where the session started.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

SessionNameOrId (p. 28)

The session identifier, or name of the session, that you want to evaluate. In Voice ID integration, this is the Contact-Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `^(id#[a-zA-Z0-9]{22}|[a-zA-Z0-9][a-zA-Z0-9_-]*)$`

Required: Yes

Response Syntax

```
{  
  "AuthenticationResult": {  
    "AudioAggregationEndedAt": number,  
    "AudioAggregationStartedAt": number,  
    "AuthenticationResultId": "string",  
    "Configuration": {  
      "AcceptanceThreshold": number  
    },  
    "CustomerSpeakerId": "string",  
    "Decision": "string",  
  }
```

```
    "GeneratedSpeakerId": "string",
    "Score": number
  },
  "DomainId": "string",
  "FraudDetectionResult": {
    "AudioAggregationEndedAt": number,
    "AudioAggregationStartedAt": number,
    "Configuration": {
      "RiskThreshold": number
    },
    "Decision": "string",
    "FraudDetectionResultId": "string",
    "Reasons": [ "string" ],
    "RiskDetails": {
      "KnownFraudsterRisk": {
        "GeneratedFraudsterId": "string",
        "RiskScore": number
      }
    }
  },
  "SessionId": "string",
  "SessionName": "string",
  "StreamingStatus": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuthenticationResult (p. 28)

Details resulting from the authentication process, such as authentication decision and authentication score.

Type: [AuthenticationResult \(p. 66\)](#) object

DomainId (p. 28)

The identifier of the domain containing the session.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

FraudDetectionResult (p. 28)

Details resulting from the fraud detection process, such as fraud detection decision and risk score.

Type: [FraudDetectionResult \(p. 76\)](#) object

SessionId (p. 28)

The service-generated identifier of the session.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

SessionName (p. 28)

The client-provided name of the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

StreamingStatus (p. 28)

The current status of audio streaming for this session. This field is useful to infer next steps when the Authentication or Fraud Detection results are empty or the decision is `NOT_ENOUGH_SPEECH`. In this situation, if the `StreamingStatus` is `ONGOING/PENDING_CONFIGURATION`, it can mean that the client should call the API again later, after Voice ID has enough audio to produce a result. If the decision remains `NOT_ENOUGH_SPEECH` even after `StreamingStatus` is `ENDED`, it means that the previously streamed session did not have enough speech to perform evaluation, and a new streaming session is needed to try again.

Type: String

Valid Values: `PENDING_CONFIGURATION | ONGOING | ENDED`

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerError

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDomains

Lists all the domains in the AWS account.

Request Syntax

```
{
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 102).

The request accepts the following data in JSON format.

MaxResults (p. 32)

The maximum number of domains to list per API call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 10.

Required: No

NextToken (p. 32)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 8192.

Pattern: `^\p{ASCII}{0,8192}$`

Required: No

Response Syntax

```
{
  "DomainSummaries": [
    {
      "Arn": "string",
      "CreatedAt": number,
      "Description": "string",
      "DomainId": "string",
      "DomainStatus": "string",
      "Name": "string",
      "ServerSideEncryptionConfiguration": {
        "KmsKeyId": "string"
      },
      "ServerSideEncryptionUpdateDetails": {
```

```
    "Message": "string",
    "OldKmsKeyId": "string",
    "UpdateStatus": "string"
  },
  "UpdatedAt": number
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DomainSummaries (p. 32)

A list containing details about each domain in the AWS account.

Type: Array of [DomainSummary \(p. 70\)](#) objects

NextToken (p. 32)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 1.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListFraudsterRegistrationJobs

Lists all the fraudster registration jobs in the domain with the given `JobStatus`. If `JobStatus` is not provided, this lists all fraudster registration jobs in the given domain.

Request Syntax

```
{  
  "DomainId": "string",  
  "JobStatus": "string",  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 35)

The identifier of the domain containing the fraudster registration Jobs.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

JobStatus (p. 35)

Provides the status of your fraudster registration job.

Type: String

Valid Values: `SUBMITTED` | `IN_PROGRESS` | `COMPLETED` | `COMPLETED_WITH_ERRORS` | `FAILED`

Required: No

MaxResults (p. 35)

The maximum number of results that are returned per call. You can use `NextToken` to obtain further pages of results. The default is 100; the maximum allowed page size is also 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken (p. 35)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 8192.

Pattern: `^\p{ASCII}{0,8192}$`

Required: No

Response Syntax

```
{
  "JobSummaries": [
    {
      "CreatedAt": number,
      "DomainId": "string",
      "EndedAt": number,
      "FailureDetails": {
        "Message": "string",
        "StatusCode": number
      },
      "JobId": "string",
      "JobName": "string",
      "JobProgress": {
        "PercentComplete": number
      },
      "JobStatus": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobSummaries (p. 36)

A list containing details about each specified fraudster registration job.

Type: Array of [FraudsterRegistrationJobSummary \(p. 83\)](#) objects

NextToken (p. 36)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 1.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSpeakerEnrollmentJobs

Lists all the speaker enrollment jobs in the domain with the specified `JobStatus`. If `JobStatus` is not provided, this lists all jobs with all possible speaker enrollment job statuses.

Request Syntax

```
{  
  "DomainId": "string",  
  "JobStatus": "string",  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 102).

The request accepts the following data in JSON format.

DomainId (p. 38)

The identifier of the domain containing the speaker enrollment jobs.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

JobStatus (p. 38)

Provides the status of your speaker enrollment Job.

Type: String

Valid Values: `SUBMITTED` | `IN_PROGRESS` | `COMPLETED` | `COMPLETED_WITH_ERRORS` | `FAILED`

Required: No

MaxResults (p. 38)

The maximum number of results that are returned per call. You can use `NextToken` to obtain further pages of results. The default is 100; the maximum allowed page size is also 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken (p. 38)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 8192.

Pattern: `^\p{ASCII}{0,8192}$`

Required: No

Response Syntax

```
{
  "JobSummaries": [
    {
      "CreatedAt": number,
      "DomainId": string,
      "EndedAt": number,
      "FailureDetails": {
        "Message": string,
        "StatusCode": number
      },
      "JobId": string,
      "JobName": string,
      "JobProgress": {
        "PercentComplete": number
      },
      "JobStatus": string
    }
  ],
  "NextToken": string
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobSummaries (p. 39)

A list containing details about each specified speaker enrollment job.

Type: Array of [SpeakerEnrollmentJobSummary](#) (p. 97) objects

NextToken (p. 39)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 1.

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 104).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSpeakers

Lists all speakers in a specified domain.

Request Syntax

```
{  
  "DomainId": "string",  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 41)

The identifier of the domain.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

MaxResults (p. 41)

The maximum number of results that are returned per call. You can use `NextToken` to obtain further pages of results. The default is 100; the maximum allowed page size is also 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken (p. 41)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 8192.

Pattern: `^\p{ASCII}{0,8192}$`

Required: No

Response Syntax

```
{
```

```
"NextToken": "string",
"SpeakerSummaries": [
  {
    "CreatedAt": number,
    "CustomerSpeakerId": "string",
    "DomainId": "string",
    "GeneratedSpeakerId": "string",
    "LastAccessedAt": number,
    "Status": "string",
    "UpdatedAt": number
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken (p. 41)

If `NextToken` is returned, there are more results available. The value of `NextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours.

Type: String

Length Constraints: Minimum length of 1.

SpeakerSummaries (p. 41)

A list containing details about each speaker in the AWS account.

Type: Array of [SpeakerSummary \(p. 99\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all tags associated with a specified Voice ID resource.

Request Syntax

```
{  
  "ResourceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

ResourceArn (p. 44)

The Amazon Resource Name (ARN) of the Voice ID resource for which you want to list the tags.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `^arn:aws(-[^\:]+)?:voiceid.+:[0-9]{12}:domain/[a-zA-Z0-9]{22}$`

Required: Yes

Response Syntax

```
{  
  "Tags": [  
    {  
      "Key": "string",  
      "Value": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags (p. 44)

The list of tags associated with the specified resource.

Type: Array of [Tag \(p. 101\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

OptOutSpeaker

Opts out a speaker from Voice ID. A speaker can be opted out regardless of whether or not they already exist in Voice ID. If they don't yet exist, a new speaker is created in an opted out state. If they already exist, their existing status is overridden and they are opted out. Enrollment and evaluation authentication requests are rejected for opted out speakers, and opted out speakers have no voice embeddings stored in Voice ID.

Request Syntax

```
{  
  "DomainId": "string",  
  "SpeakerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

DomainId (p. 46)

The identifier of the domain containing the speaker.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

SpeakerId (p. 46)

The identifier of the speaker you want opted-out.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^(id#[a-zA-Z0-9]{22}|[a-zA-Z0-9][a-zA-Z0-9_-]*)$`

Required: Yes

Response Syntax

```
{  
  "Speaker": {  
    "CreatedAt": number,  
    "CustomerSpeakerId": "string",  
    "DomainId": "string",  
    "GeneratedSpeakerId": "string",  
    "LastAccessedAt": number,  
    "Status": "string",  
    "UpdatedAt": number  
  }  
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Speaker (p. 46)

Details about the opted-out speaker.

Type: [Speaker \(p. 92\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartFraudsterRegistrationJob

Starts a new batch fraudster registration job using provided details.

Request Syntax

```
{
  "ClientToken": "string",
  "DataAccessRoleArn": "string",
  "DomainId": "string",
  "InputDataConfig": {
    "S3Uri": "string"
  },
  "JobName": "string",
  "OutputDataConfig": {
    "KmsKeyId": "string",
    "S3Uri": "string"
  },
  "RegistrationConfig": {
    "DuplicateRegistrationAction": "string",
    "FraudsterSimilarityThreshold": number
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 102).

The request accepts the following data in JSON format.

ClientToken (p. 49)

The idempotency token for starting a new fraudster registration job. If not provided, AWS SDK populates this field.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-_]+$`

Required: No

DataAccessRoleArn (p. 49)

The IAM role Amazon Resource Name (ARN) that grants Voice ID permissions to access customer's buckets to read the input manifest file and write the Job output file. Refer to the [Create and edit a fraudster watchlist](#) documentation for the permissions needed in this role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws(-[^:]+)?:iam:[0-9]{12}:role/.+$`

Required: Yes

DomainId (p. 49)

The identifier of the domain containing the fraudster registration job and in which the fraudsters are registered.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

InputDataConfig (p. 49)

The input data config containing an S3 URI for the input manifest file that contains the list of fraudster registration requests.

Type: [InputDataConfig \(p. 85\)](#) object

Required: Yes

JobName (p. 49)

The name of the new fraudster registration job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_]*$`

Required: No

OutputDataConfig (p. 49)

The output data config containing the S3 location where Voice ID writes the job output file; you must also include a KMS key ID to encrypt the file.

Type: [OutputDataConfig \(p. 88\)](#) object

Required: Yes

RegistrationConfig (p. 49)

The registration config containing details such as the action to take when a duplicate fraudster is detected, and the similarity threshold to use for detecting a duplicate fraudster.

Type: [RegistrationConfig \(p. 89\)](#) object

Required: No

Response Syntax

```
{
  "Job": {
    "CreatedAt": number,
    "DataAccessRoleArn": "string",
    "DomainId": "string",
    "EndedAt": number,
    "FailureDetails": {
      "Message": "string",
      "StatusCode": number
    }
  }
}
```



```
    },  
    "InputDataConfig": {  
      "S3Uri": "string"  
    },  
    "JobId": "string",  
    "JobName": "string",  
    "JobProgress": {  
      "PercentComplete": number  
    },  
    "JobStatus": "string",  
    "OutputDataConfig": {  
      "KmsKeyId": "string",  
      "S3Uri": "string"  
    },  
    "RegistrationConfig": {  
      "DuplicateRegistrationAction": "string",  
      "FraudsterSimilarityThreshold": number  
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Job (p. 50)

Details about the started fraudster registration job.

Type: [FraudsterRegistrationJob](#) (p. 80) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 104).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ServiceQuotaExceededException

The request exceeded the service quota. Refer to [Voice ID Service Quotas](#) and try your request again.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartSpeakerEnrollmentJob

Starts a new batch speaker enrollment job using specified details.

Request Syntax

```
{
  "ClientToken": "string",
  "DataAccessRoleArn": "string",
  "DomainId": "string",
  "EnrollmentConfig": {
    "ExistingEnrollmentAction": "string",
    "FraudDetectionConfig": {
      "FraudDetectionAction": "string",
      "RiskThreshold": number
    }
  },
  "InputDataConfig": {
    "S3Uri": "string"
  },
  "JobName": "string",
  "OutputDataConfig": {
    "KmsKeyId": "string",
    "S3Uri": "string"
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 102).

The request accepts the following data in JSON format.

[ClientToken](#) (p. 53)

The idempotency token for starting a new speaker enrollment Job. If not provided, AWS SDK populates this field.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-_]+$`

Required: No

[DataAccessRoleArn](#) (p. 53)

The IAM role Amazon Resource Name (ARN) that grants Voice ID permissions to access customer's buckets to read the input manifest file and write the job output file. Refer to [Batch enrollment using audio data from prior calls](#) for the permissions needed in this role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws(-[^\:]+)?:iam:[0-9]{12}:role/.+$`

Required: Yes

DomainId (p. 53)

The identifier of the domain that contains the speaker enrollment job and in which the speakers are enrolled.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

EnrollmentConfig (p. 53)

The enrollment config that contains details such as the action to take when a speaker is already enrolled in Voice ID or when a speaker is identified as a fraudster.

Type: [EnrollmentConfig \(p. 72\)](#) object

Required: No

InputDataConfig (p. 53)

The input data config containing the S3 location for the input manifest file that contains the list of speaker enrollment requests.

Type: [InputDataConfig \(p. 85\)](#) object

Required: Yes

JobName (p. 53)

A name for your speaker enrollment job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

OutputDataConfig (p. 53)

The output data config containing the S3 location where Voice ID writes the job output file; you must also include a KMS key ID to encrypt the file.

Type: [OutputDataConfig \(p. 88\)](#) object

Required: Yes

Response Syntax

```
{
  "Job": {
    "CreatedAt": number,
    "DataAccessRoleArn": "string",
    "DomainId": "string",
    "EndedAt": number,
    "EnrollmentConfig": {
      "ExistingEnrollmentAction": "string",
      "FraudDetectionConfig": {
        "FraudDetectionAction": "string",
```

```
        "RiskThreshold": number
      },
      "FailureDetails": {
        "Message": string,
        "StatusCode": number
      },
      "InputDataConfig": {
        "S3Uri": string
      },
      "JobId": string,
      "JobName": string,
      "JobProgress": {
        "PercentComplete": number
      },
      "JobStatus": string,
      "OutputDataConfig": {
        "KmsKeyId": string,
        "S3Uri": string
      }
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Job (p. 54)

Details about the started speaker enrollment job.

Type: [SpeakerEnrollmentJob \(p. 94\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerError

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ServiceQuotaExceededException

The request exceeded the service quota. Refer to [Voice ID Service Quotas](#) and try your request again.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Tags a Voice ID resource with the provided list of tags.

Request Syntax

```
{
  "ResourceArn": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

ResourceArn (p. 57)

The Amazon Resource Name (ARN) of the Voice ID resource you want to tag.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `^arn:aws(-[[:^:]]+)?:voiceid.+:[0-9]{12}:domain/[a-zA-Z0-9]{22}$`

Required: Yes

Tags (p. 57)

The list of tags to assign to the specified resource.

Type: Array of [Tag \(p. 101\)](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes specified tags from a specified Amazon Connect Voice ID resource.

Request Syntax

```
{  
  "ResourceArn": "string",  
  "TagKeys": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

ResourceArn (p. 59)

The Amazon Resource Name (ARN) of the Voice ID resource you want to remove tags from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `^arn:aws(-[^\:]+)?:voiceid.+:[0-9]{12}:domain/[a-zA-Z0-9]{22}$`

Required: Yes

TagKeys (p. 59)

The list of tag keys you want to remove from the specified resource.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/+=\-\@]*)$`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateDomain

Updates the specified domain. This API has clobber behavior, and clears and replaces all attributes. If an optional field, such as 'Description' is not provided, it is removed from the domain.

Request Syntax

```
{
  "Description": "string",
  "DomainId": "string",
  "Name": "string",
  "ServerSideEncryptionConfiguration": {
    "KmsKeyId": "string"
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 102\)](#).

The request accepts the following data in JSON format.

Description (p. 61)

A brief description about this domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^([\p{L}\p{Z}\p{N}_./+=\-%@]*)$`

Required: No

DomainId (p. 61)

The identifier of the domain to be updated.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: Yes

Name (p. 61)

The name of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: Yes

ServerSideEncryptionConfiguration (p. 61)

The configuration, containing the KMS key identifier, to be used by Voice ID for the server-side encryption of your data. Changing the domain's associated KMS key immediately triggers an asynchronous process to remove dependency on the old KMS key, such that the domain's data can only be accessed using the new KMS key. The domain's `ServerSideEncryptionUpdateDetails` contains the details for this process.

Type: [ServerSideEncryptionConfiguration \(p. 90\)](#) object

Required: Yes

Response Syntax

```
{
  "Domain": {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "DomainId": "string",
    "DomainStatus": "string",
    "Name": "string",
    "ServerSideEncryptionConfiguration": {
      "KmsKeyId": "string"
    },
    "ServerSideEncryptionUpdateDetails": {
      "Message": "string",
      "OldKmsKeyId": "string",
      "UpdateStatus": "string"
    },
    "UpdatedAt": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Domain (p. 62)

Details about the updated domain

Type: [Domain \(p. 68\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 104\)](#).

AccessDeniedException

You do not have sufficient permissions to perform this action. Check the error message and try again.

HTTP Status Code: 400

ConflictException

The request failed due to a conflict. Check the `ConflictType` and error message for more details.

HTTP Status Code: 400

InternalServerErrorException

The request failed due to an unknown error on the server side.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource cannot be found. Check the `ResourceType` and error message for more details.

HTTP Status Code: 400

ThrottlingException

The request was denied due to request throttling. Please slow down your request rate. Refer to [Amazon Connect Voice ID Service API throttling quotas](#) and try your request again.

HTTP Status Code: 400

ValidationException

The request failed one or more validations; check the error message for more details.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon Voice ID API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AuthenticationConfiguration](#) (p. 65)
- [AuthenticationResult](#) (p. 66)
- [Domain](#) (p. 68)
- [DomainSummary](#) (p. 70)
- [EnrollmentConfig](#) (p. 72)
- [EnrollmentJobFraudDetectionConfig](#) (p. 73)
- [FailureDetails](#) (p. 74)
- [FraudDetectionConfiguration](#) (p. 75)
- [FraudDetectionResult](#) (p. 76)
- [FraudRiskDetails](#) (p. 78)
- [Fraudster](#) (p. 79)
- [FraudsterRegistrationJob](#) (p. 80)
- [FraudsterRegistrationJobSummary](#) (p. 83)
- [InputDataConfig](#) (p. 85)
- [JobProgress](#) (p. 86)
- [KnownFraudsterRisk](#) (p. 87)
- [OutputDataConfig](#) (p. 88)
- [RegistrationConfig](#) (p. 89)
- [ServerSideEncryptionConfiguration](#) (p. 90)
- [ServerSideEncryptionUpdateDetails](#) (p. 91)
- [Speaker](#) (p. 92)
- [SpeakerEnrollmentJob](#) (p. 94)
- [SpeakerEnrollmentJobSummary](#) (p. 97)
- [SpeakerSummary](#) (p. 99)
- [Tag](#) (p. 101)

AuthenticationConfiguration

The configuration used to authenticate a speaker during a session.

Contents

AcceptanceThreshold

The minimum threshold needed to successfully authenticate a speaker.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuthenticationResult

The authentication result produced by Voice ID, processed against the current session state and streamed audio of the speaker.

Contents

AudioAggregationEndedAt

A timestamp indicating when audio aggregation ended for this authentication result.

Type: Timestamp

Required: No

AudioAggregationStartedAt

A timestamp indicating when audio aggregation started for this authentication result.

Type: Timestamp

Required: No

AuthenticationResultId

The unique identifier for this authentication result. Because there can be multiple authentications for a given session, this field helps to identify if the returned result is from a previous streaming activity or a new result. Note that in absence of any new streaming activity, `AcceptanceThreshold` changes, or `SpeakerId` changes, Voice ID always returns cached Authentication Result for this API.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

Configuration

The `AuthenticationConfiguration` used to generate this authentication result.

Type: [AuthenticationConfiguration](#) (p. 65) object

Required: No

CustomerSpeakerId

The client-provided identifier for the speaker whose authentication result is produced. Only present if a `SpeakerId` is provided for the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

Decision

The authentication decision produced by Voice ID, processed against the current session state and streamed audio of the speaker.

Type: String

Valid Values: `ACCEPT` | `REJECT` | `NOT_ENOUGH_SPEECH` | `SPEAKER_NOT_ENROLLED` | `SPEAKER_OPTED_OUT` | `SPEAKER_ID_NOT_PROVIDED` | `SPEAKER_EXPIRED`

Required: No

GeneratedSpeakerId

The service-generated identifier for the speaker whose authentication result is produced.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: No

Score

The authentication score for the speaker whose authentication result is produced. This value is only present if the authentication decision is either `ACCEPT` or `REJECT`.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Domain

Contains all the information about a domain.

Contents

Arn

The Amazon Resource Name (ARN) for the domain.

Type: String

Pattern: `^arn:aws(-[[:^:]]+)?:voiceid.+:[0-9]{12}:domain/[a-zA-Z0-9]{22}$`

Required: No

CreatedAt

The timestamp at which the domain is created.

Type: Timestamp

Required: No

Description

The client-provided description of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^[[:p{L}]\p{Z}\p{N}_\.:/+\\-%@]*$`

Required: No

DomainId

The service-generated identifier for the domain.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

DomainStatus

The current status of the domain.

Type: String

Valid Values: `ACTIVE | PENDING | SUSPENDED`

Required: No

Name

The client-provided name for the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

ServerSideEncryptionConfiguration

The server-side encryption configuration containing the KMS key identifier you want Voice ID to use to encrypt your data.

Type: [ServerSideEncryptionConfiguration \(p. 90\)](#) object

Required: No

ServerSideEncryptionUpdateDetails

Details about the most recent server-side encryption configuration update. When the server-side encryption configuration is changed, dependency on the old KMS key is removed through an asynchronous process. When this update is complete, the domain's data can only be accessed using the new KMS key.

Type: [ServerSideEncryptionUpdateDetails \(p. 91\)](#) object

Required: No

UpdatedAt

The timestamp showing the domain's last update.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DomainSummary

Contains a summary of information about a domain.

Contents

Arn

The Amazon Resource Name (ARN) for the domain.

Type: String

Pattern: `^arn:aws(-[^:]+)?:voiceid.+:[0-9]{12}:domain/[a-zA-Z0-9]{22}$`

Required: No

CreatedAt

The timestamp showing when the domain is created.

Type: Timestamp

Required: No

Description

The client-provided description of the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^[\p{L}\p{Z}\p{N}_ . : / = + \ - % @ *] $`

Required: No

DomainId

The service-generated identifier for the domain.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

DomainStatus

The current status of the domain.

Type: String

Valid Values: `ACTIVE | PENDING | SUSPENDED`

Required: No

Name

The client-provided name for the domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

ServerSideEncryptionConfiguration

The server-side encryption configuration containing the KMS key identifier you want Voice ID to use to encrypt your data.

Type: [ServerSideEncryptionConfiguration \(p. 90\)](#) object

Required: No

ServerSideEncryptionUpdateDetails

Details about the most recent server-side encryption configuration update. When the server-side encryption configuration is changed, dependency on the old KMS key is removed through an asynchronous process. When this update is complete, the domain's data can only be accessed using the new KMS key.

Type: [ServerSideEncryptionUpdateDetails \(p. 91\)](#) object

Required: No

UpdatedAt

The timestamp showing the domain's last update.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EnrollmentConfig

Contains configurations defining enrollment behavior for the batch job.

Contents

ExistingEnrollmentAction

The action to take when the specified speaker is already enrolled in the specified domain. The default value is `SKIP`, which skips the enrollment for the existing speaker. Setting the value to `OVERWRITE` replaces the existing voice prints and enrollment audio stored for that speaker with new data generated from the latest audio.

Type: String

Valid Values: `SKIP` | `OVERWRITE`

Required: No

FraudDetectionConfig

The fraud detection configuration to use for the speaker enrollment job.

Type: [EnrollmentJobFraudDetectionConfig \(p. 73\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EnrollmentJobFraudDetectionConfig

The configuration defining the action to take when a speaker is flagged by the fraud detection system during a batch speaker enrollment job, and the risk threshold to use for identification.

Contents

FraudDetectionAction

The action to take when the given speaker is flagged by the fraud detection system. The default value is `FAIL`, which fails the speaker enrollment. Changing this value to `IGNORE` results in the speaker being enrolled even if they are flagged by the fraud detection system.

Type: String

Valid Values: `IGNORE` | `FAIL`

Required: No

RiskThreshold

Threshold value for determining whether the speaker is a high risk to be fraudulent. If the detected risk score calculated by Voice ID is greater than or equal to the threshold, the speaker is considered a fraudster.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FailureDetails

Contains error details for a failed batch job.

Contents

Message

A description of the error that caused the batch job failure.

Type: String

Length Constraints: Minimum length of 1.

Required: No

StatusCode

An HTTP status code representing the nature of the error.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FraudDetectionConfiguration

The configuration used for performing fraud detection over a speaker during a session.

Contents

RiskThreshold

Threshold value for determining whether the speaker is a fraudster. If the detected risk score calculated by Voice ID is higher than the threshold, the speaker is considered a fraudster.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FraudDetectionResult

The fraud detection result produced by Voice ID, processed against the current session state and streamed audio of the speaker.

Contents

AudioAggregationEndedAt

A timestamp indicating when audio aggregation ended for this fraud detection result.

Type: Timestamp

Required: No

AudioAggregationStartedAt

A timestamp indicating when audio aggregation started for this fraud detection result.

Type: Timestamp

Required: No

Configuration

The `FraudDetectionConfiguration` used to generate this fraud detection result.

Type: [FraudDetectionConfiguration \(p. 75\)](#) object

Required: No

Decision

The fraud detection decision produced by Voice ID, processed against the current session state and streamed audio of the speaker.

Type: String

Valid Values: `HIGH_RISK` | `LOW_RISK` | `NOT_ENOUGH_SPEECH`

Required: No

FraudDetectionResultId

The unique identifier for this fraud detection result. Given there can be multiple fraud detections for a given session, this field helps in identifying if the returned result is from previous streaming activity or a new result. Note that in the absence of any new streaming activity or risk threshold changes, Voice ID always returns cached Fraud Detection result for this API.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

Reasons

The reason speaker was flagged by the fraud detection system. This is only be populated if fraud detection Decision is `HIGH_RISK`, and only has one possible value: `KNOWN_FRAUDSTER`.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: `KNOWN_FRAUDSTER`

Required: No

RiskDetails

Details about each risk analyzed for this speaker.

Type: [FraudRiskDetails \(p. 78\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FraudRiskDetails

Details regarding various fraud risk analyses performed against the current session state and streamed audio of the speaker.

Contents

KnownFraudsterRisk

The details resulting from 'Known Fraudster Risk' analysis of the speaker.

Type: [KnownFraudsterRisk \(p. 87\)](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Fraudster

Contains all the information about a fraudster.

Contents

CreatedAt

The timestamp when Voice ID identified the fraudster.

Type: Timestamp

Required: No

DomainId

The identifier for the domain containing the fraudster.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

GeneratedFraudsterId

The service-generated identifier for the fraudster.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FraudsterRegistrationJob

Contains all the information about a fraudster registration job.

Contents

CreatedAt

A timestamp showing the creation time of the fraudster registration job.

Type: Timestamp

Required: No

DataAccessRoleArn

The IAM role Amazon Resource Name (ARN) that grants Voice ID permissions to access customer's buckets to read the input manifest file and write the job output file.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws(-[^:]+)?:iam:[0-9]{1,2}:role/.+&`

Required: No

DomainId

The identifier of the domain containing the fraudster registration job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}&`

Required: No

EndedAt

A timestamp showing when the fraudster registration job ended.

Type: Timestamp

Required: No

FailureDetails

Contains details that are populated when an entire batch job fails. In cases of individual registration job failures, the batch job as a whole doesn't fail; it is completed with a `JobStatus` of `COMPLETED_WITH_ERRORS`. You can use the job output file to identify the individual registration requests that failed.

Type: [FailureDetails \(p. 74\)](#) object

Required: No

InputDataConfig

The input data config containing an S3 URI for the input manifest file that contains the list of fraudster registration job requests.

Type: [InputDataConfig \(p. 85\)](#) object

Required: No

JobId

The service-generated identifier for the fraudster registration job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

JobName

The client-provided name for the fraudster registration job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

JobProgress

Shows the completed percentage of registration requests listed in the input file.

Type: [JobProgress \(p. 86\)](#) object

Required: No

JobStatus

The current status of the fraudster registration job.

Type: String

Valid Values: `SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERRORS | FAILED`

Required: No

OutputDataConfig

The output data config containing the S3 location where you want Voice ID to write your job output file; you must also include a KMS key ID in order to encrypt the file.

Type: [OutputDataConfig \(p. 88\)](#) object

Required: No

RegistrationConfig

The registration config containing details such as the action to take when a duplicate fraudster is detected, and the similarity threshold to use for detecting a duplicate fraudster.

Type: [RegistrationConfig \(p. 89\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FraudsterRegistrationJobSummary

Contains a summary of information about a fraudster registration job.

Contents

CreatedAt

A timestamp showing when the fraudster registration job is created.

Type: Timestamp

Required: No

DomainId

The identifier of the domain containing the fraudster registration job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

EndedAt

A timestamp showing when the fraudster registration job ended.

Type: Timestamp

Required: No

FailureDetails

Contains details that are populated when an entire batch job fails. In cases of individual registration job failures, the batch job as a whole doesn't fail; it is completed with a `JobStatus` of `COMPLETED_WITH_ERRORS`. You can use the job output file to identify the individual registration requests that failed.

Type: [FailureDetails \(p. 74\)](#) object

Required: No

JobId

The service-generated identifier for the fraudster registration job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

JobName

The client-provided name for the fraudster registration job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

JobProgress

Shows the completed percentage of registration requests listed in the input file.

Type: [JobProgress \(p. 86\)](#) object

Required: No

JobStatus

The current status of the fraudster registration job.

Type: String

Valid Values: SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERRORS | FAILED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputDataConfig

The configuration containing input file information for a batch job.

Contents

S3Uri

The S3 location for the input manifest file that contains the list of individual enrollment or registration job requests.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `^s3://[a-z0-9][\.\-a-z0-9]{1,61}[a-z0-9](/*.*)?$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobProgress

Indicates the completion progress for a batch job.

Contents

PercentComplete

Shows the completed percentage of enrollment or registration requests listed in the input file.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KnownFraudsterRisk

Contains details produced as a result of performing known fraudster risk analysis on a speaker.

Contents

GeneratedFraudsterId

The identifier of the fraudster that is the closest match to the speaker. If there are no fraudsters registered in a given domain, or if there are no fraudsters with a non-zero RiskScore, this value is `null`.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: No

RiskScore

The score indicating the likelihood the speaker is a known fraudster.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutputDataConfig

The configuration containing output file information for a batch job.

Contents

KmsKeyId

The identifier of the KMS key you want Voice ID to use to encrypt the output file of a speaker enrollment job/fraudster registration job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

S3Uri

The S3 path of the folder where Voice ID writes the job output file. It has a *.out extension. For example, if the input file name is `input-file.json` and the output folder path is `s3://output-bucket/output-folder`, the full output file path is `s3://output-bucket/output-folder/job-Id/input-file.json.out`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `^s3://[a-z0-9][\.\-a-z0-9]{1,61}[a-z0-9](/*.*)?$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RegistrationConfig

The configuration defining the action to take when a duplicate fraudster is detected, and the similarity threshold to use for detecting a duplicate fraudster during a batch fraudster registration job.

Contents

DuplicateRegistrationAction

The action to take when a fraudster is identified as a duplicate. The default action is `SKIP`, which skips registering the duplicate fraudster. Setting the value to `REGISTER_AS_NEW` always registers a new fraudster into the specified domain.

Type: String

Valid Values: `SKIP` | `REGISTER_AS_NEW`

Required: No

FraudsterSimilarityThreshold

The minimum similarity score between the new and old fraudsters in order to consider the new fraudster a duplicate.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServerSideEncryptionConfiguration

The configuration containing information about the customer managed key used for encrypting customer data.

Contents

KmsKeyId

The identifier of the KMS key you want Voice ID to use to encrypt your data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServerSideEncryptionUpdateDetails

Details about the most recent server-side encryption configuration update. When the server-side encryption configuration is changed, dependency on the old KMS key is removed through an asynchronous process. When this update is complete, the domain's data can only be accessed using the new KMS key.

Contents

Message

Message explaining the current `UpdateStatus`. When the `UpdateStatus` is `FAILED`, this message explains the cause of the failure.

Type: String

Length Constraints: Minimum length of 1.

Required: No

OldKmsKeyId

The previous KMS key ID the domain was encrypted with, before `ServerSideEncryptionConfiguration` was updated to a new KMS key ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

UpdateStatus

Status of the server-side encryption update. During an update, if there is an issue with the domain's current or old KMS key ID, such as an inaccessible or disabled key, then the status is `FAILED`. In order to resolve this, the key needs to be made accessible, and then an `UpdateDomain` call with the existing server-side encryption configuration will re-attempt this update process.

Type: String

Valid Values: `IN_PROGRESS` | `COMPLETED` | `FAILED`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Speaker

Contains all the information about a speaker.

Contents

CreatedAt

A timestamp showing when the speaker is created.

Type: Timestamp

Required: No

CustomerSpeakerId

The client-provided identifier for the speaker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

DomainId

The identifier of the domain that contains the speaker.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

GeneratedSpeakerId

The service-generated identifier for the speaker.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: No

LastAccessedAt

The timestamp when the speaker was last accessed for enrollment, re-enrollment or a successful authentication. This timestamp is accurate to one hour.

Type: Timestamp

Required: No

Status

The current status of the speaker.

Type: String

Valid Values: `ENROLLED` | `EXPIRED` | `OPTED_OUT` | `PENDING`

Required: No

UpdatedAt

A timestamp showing the speaker's last update.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SpeakerEnrollmentJob

Contains all the information about a speaker enrollment job.

Contents

CreatedAt

A timestamp showing the creation of the speaker enrollment job.

Type: Timestamp

Required: No

DataAccessRoleArn

The IAM role Amazon Resource Name (ARN) that grants Voice ID permissions to access customer's buckets to read the input manifest file and write the job output file.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws(-[:]+)?:iam::[0-9]{12}:role/.+&`

Required: No

DomainId

The identifier of the domain that contains the speaker enrollment job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}&`

Required: No

EndedAt

A timestamp showing when the speaker enrollment job ended.

Type: Timestamp

Required: No

EnrollmentConfig

The configuration that defines the action to take when the speaker is already enrolled in Voice ID, and the `FraudDetectionConfig` to use.

Type: [EnrollmentConfig \(p. 72\)](#) object

Required: No

FailureDetails

Contains details that are populated when an entire batch job fails. In cases of individual registration job failures, the batch job as a whole doesn't fail; it is completed with a `JobStatus` of `COMPLETED_WITH_ERRORS`. You can use the job output file to identify the individual registration requests that failed.

Type: [FailureDetails \(p. 74\)](#) object

Required: No

InputDataConfig

The input data config containing an S3 URI for the input manifest file that contains the list of speaker enrollment job requests.

Type: [InputDataConfig \(p. 85\)](#) object

Required: No

JobId

The service-generated identifier for the speaker enrollment job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

JobName

The client-provided name for the speaker enrollment job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

JobProgress

Provides details on job progress. This field shows the completed percentage of registration requests listed in the input file.

Type: [JobProgress \(p. 86\)](#) object

Required: No

JobStatus

The current status of the speaker enrollment job.

Type: String

Valid Values: SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERRORS | FAILED

Required: No

OutputDataConfig

The output data config containing the S3 location where Voice ID writes the job output file; you must also include a KMS key ID to encrypt the file.

Type: [OutputDataConfig \(p. 88\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SpeakerEnrollmentJobSummary

Contains a summary of information about a speaker enrollment job.

Contents

CreatedAt

A timestamp showing the creation time of the speaker enrollment job.

Type: Timestamp

Required: No

DomainId

The identifier of the domain that contains the speaker enrollment job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

EndedAt

A timestamp showing when the speaker enrollment job ended.

Type: Timestamp

Required: No

FailureDetails

Contains details that are populated when an entire batch job fails. In cases of individual registration job failures, the batch job as a whole doesn't fail; it is completed with a `JobStatus` of `COMPLETED_WITH_ERRORS`. You can use the job output file to identify the individual registration requests that failed.

Type: [FailureDetails \(p. 74\)](#) object

Required: No

JobId

The service-generated identifier for the speaker enrollment job.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

JobName

The client-provided name for the speaker enrollment job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

JobProgress

Provides details regarding job progress. This field shows the completed percentage of enrollment requests listed in the input file.

Type: [JobProgress \(p. 86\)](#) object

Required: No

JobStatus

The current status of the speaker enrollment job.

Type: String

Valid Values: `SUBMITTED` | `IN_PROGRESS` | `COMPLETED` | `COMPLETED_WITH_ERRORS` | `FAILED`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SpeakerSummary

Contains a summary of information about a speaker.

Contents

CreatedAt

A timestamp showing the speaker's creation time.

Type: Timestamp

Required: No

CustomerSpeakerId

The client-provided identifier for the speaker.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*$`

Required: No

DomainId

The identifier of the domain that contains the speaker.

Type: String

Length Constraints: Fixed length of 22.

Pattern: `^[a-zA-Z0-9]{22}$`

Required: No

GeneratedSpeakerId

The service-generated identifier for the speaker.

Type: String

Length Constraints: Fixed length of 25.

Pattern: `^id#[a-zA-Z0-9]{22}$`

Required: No

LastAccessedAt

The timestamp when the speaker was last accessed for enrollment, re-enrollment or a successful authentication. This timestamp is accurate to one hour.

Type: Timestamp

Required: No

Status

The current status of the speaker.

Type: String

Valid Values: `ENROLLED` | `EXPIRED` | `OPTED_OUT` | `PENDING`

Required: No

UpdatedAt

A timestamp showing the speaker's last update.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

A tag that can be assigned to a Voice ID resource.

Contents

Key

The first part of a key:value pair that forms a tag associated with a given resource. For example, in the tag 'Department':'Sales', the key is 'Department'.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\p{L}\p{Z}\p{N}_ . : / = + \ - @] *) $`

Required: Yes

Value

The second part of a key:value pair that forms a tag associated with a given resource. For example, in the tag 'Department':'Sales', the value is 'Sales'.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^[\p{L}\p{Z}\p{N}_ . : / = + \ - @] *) $`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signature Version 4 Signing Process](#) in the *Amazon Web Services General Reference*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: `AWS4-HMAC-SHA256`

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: `access_key/YYYYMMDD/region/service/aws4_request`.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'THHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: `20120325T120000Z`.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is

not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS Security Token Service, go to [AWS Services That Work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

InvalidParameterCombination

Parameters that must not be used together were used together.

HTTP Status Code: 400

InvalidParameterValue

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

InvalidQueryParameter

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

MalformedQueryString

The query string contains a syntax error.

HTTP Status Code: 404

MissingAction

The request is missing an action or a required parameter.

HTTP Status Code: 400

MissingAuthenticationToken

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

MissingParameter

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400