

---

# AWS Application Discovery Service

## API Reference

**API Version 2015-11-01**



## **AWS Application Discovery Service: API Reference**

Copyright © 2018 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

## Table of Contents

|  |    |
|--|----|
| Welcome .....                                  | 1  |
| Querying Discovered Configuration Items .....  | 2  |
| Using the DescribeConfigurationsAction .....   | 2  |
| Using the ListConfigurationsAction .....       | 4  |
| Actions .....                                  | 14 |
| AssociateConfigurationItemsToApplication ..... | 15 |
| Request Syntax .....                           | 15 |
| Request Parameters .....                       | 15 |
| Response Elements .....                        | 15 |
| Errors .....                                   | 15 |
| See Also .....                                 | 16 |
| CreateApplication .....                        | 17 |
| Request Syntax .....                           | 17 |
| Request Parameters .....                       | 17 |
| Response Syntax .....                          | 17 |
| Response Elements .....                        | 17 |
| Errors .....                                   | 17 |
| See Also .....                                 | 18 |
| CreateTags .....                               | 19 |
| Request Syntax .....                           | 19 |
| Request Parameters .....                       | 19 |
| Response Elements .....                        | 19 |
| Errors .....                                   | 19 |
| See Also .....                                 | 20 |
| DeleteApplications .....                       | 21 |
| Request Syntax .....                           | 21 |
| Request Parameters .....                       | 21 |
| Response Elements .....                        | 21 |
| Errors .....                                   | 21 |
| See Also .....                                 | 22 |
| DeleteTags .....                               | 23 |
| Request Syntax .....                           | 23 |
| Request Parameters .....                       | 23 |
| Response Elements .....                        | 23 |
| Errors .....                                   | 23 |
| See Also .....                                 | 24 |
| DescribeAgents .....                           | 25 |
| Request Syntax .....                           | 25 |
| Request Parameters .....                       | 25 |
| Response Syntax .....                          | 26 |
| Response Elements .....                        | 26 |
| Errors .....                                   | 26 |
| See Also .....                                 | 27 |
| DescribeConfigurations .....                   | 28 |
| Request Syntax .....                           | 28 |
| Request Parameters .....                       | 28 |
| Response Syntax .....                          | 28 |
| Response Elements .....                        | 28 |
| Errors .....                                   | 28 |
| See Also .....                                 | 29 |
| DescribeExportConfigurations .....             | 30 |
| Request Syntax .....                           | 30 |
| Request Parameters .....                       | 30 |
| Response Syntax .....                          | 30 |

|   |    |
|---|----|
| Response Elements .....                             | 31 |
| Errors .....  | 31 |
| See Also .....                                      | 32 |
| DescribeExportTasks .....                           | 33 |
| Request Syntax .....                                | 33 |
| Request Parameters .....                            | 33 |
| Response Syntax .....                               | 34 |
| Response Elements .....                             | 34 |
| Errors .....  | 34 |
| Example .....                                       | 35 |
| See Also .....                                      | 36 |
| DescribeTags .....                                  | 37 |
| Request Syntax .....                                | 37 |
| Request Parameters .....                            | 37 |
| Response Syntax .....                               | 37 |
| Response Elements .....                             | 38 |
| Errors .....  | 38 |
| See Also .....                                      | 39 |
| DisassociateConfigurationItemsFromApplication ..... | 40 |
| Request Syntax .....                                | 40 |
| Request Parameters .....                            | 40 |
| Response Elements .....                             | 40 |
| Errors .....  | 40 |
| See Also .....                                      | 41 |
| ExportConfigurations .....                          | 42 |
| Response Syntax .....                               | 42 |
| Response Elements .....                             | 42 |
| Errors .....  | 42 |
| See Also .....                                      | 43 |
| GetDiscoverySummary .....                           | 44 |
| Response Syntax .....                               | 44 |
| Response Elements .....                             | 44 |
| Errors .....  | 45 |
| See Also .....                                      | 45 |
| ListConfigurations .....                            | 46 |
| Request Syntax .....                                | 46 |
| Request Parameters .....                            | 46 |
| Response Syntax .....                               | 47 |
| Response Elements .....                             | 47 |
| Errors .....  | 47 |
| See Also .....                                      | 48 |
| ListServerNeighbors .....                           | 49 |
| Request Syntax .....                                | 49 |
| Request Parameters .....                            | 49 |
| Response Syntax .....                               | 50 |
| Response Elements .....                             | 50 |
| Errors .....  | 50 |
| See Also .....                                      | 51 |
| StartDataCollectionByAgentIds .....                 | 52 |
| Request Syntax .....                                | 52 |
| Request Parameters .....                            | 52 |
| Response Syntax .....                               | 52 |
| Response Elements .....                             | 52 |
| Errors .....  | 53 |
| See Also .....                                      | 53 |
| StartExportTask .....                               | 54 |
| Request Syntax .....                                | 54 |

|                                    |    |
|------------------------------------|----|
| Request Parameters .....           | 54 |
| Response Syntax .....              | 55 |
| Response Elements .....            | 55 |
| Errors .....                       | 55 |
| Example .....                      | 56 |
| See Also .....                     | 57 |
| StopDataCollectionByAgentIds ..... | 58 |
| Request Syntax .....               | 58 |
| Request Parameters .....           | 58 |
| Response Syntax .....              | 58 |
| Response Elements .....            | 58 |
| Errors .....                       | 58 |
| See Also .....                     | 59 |
| UpdateApplication .....            | 60 |
| Request Syntax .....               | 60 |
| Request Parameters .....           | 60 |
| Response Elements .....            | 60 |
| Errors .....                       | 60 |
| See Also .....                     | 61 |
| Data Types .....                   | 62 |
| AgentConfigurationStatus .....     | 63 |
| Contents .....                     | 63 |
| See Also .....                     | 63 |
| AgentInfo .....                    | 64 |
| Contents .....                     | 64 |
| See Also .....                     | 65 |
| AgentNetworkInfo .....             | 66 |
| Contents .....                     | 66 |
| See Also .....                     | 66 |
| ConfigurationTag .....             | 67 |
| Contents .....                     | 67 |
| See Also .....                     | 67 |
| CustomerAgentInfo .....            | 68 |
| Contents .....                     | 68 |
| See Also .....                     | 69 |
| CustomerConnectorInfo .....        | 70 |
| Contents .....                     | 70 |
| See Also .....                     | 71 |
| ExportFilter .....                 | 72 |
| Contents .....                     | 72 |
| See Also .....                     | 72 |
| ExportInfo .....                   | 73 |
| Contents .....                     | 73 |
| See Also .....                     | 74 |
| Filter .....                       | 75 |
| Contents .....                     | 75 |
| See Also .....                     | 75 |
| NeighborConnectionDetail .....     | 76 |
| Contents .....                     | 76 |
| See Also .....                     | 76 |
| OrderByElement .....               | 77 |
| Contents .....                     | 77 |
| See Also .....                     | 77 |
| Tag .....                          | 78 |
| Contents .....                     | 78 |
| See Also .....                     | 78 |
| TagFilter .....                    | 79 |

|                         |    |
|-------------------------|----|
| Contents .....          | 79 |
| See Also .....          | 79 |
| Common Parameters ..... | 80 |
| Common Errors .....     | 82 |

# Welcome

AWS Application Discovery Service helps you plan application migration projects by automatically identifying servers, virtual machines (VMs), software, and software dependencies running in your on-premises data centers. Application Discovery Service also collects application performance data, which can help you assess the outcome of your migration. The data collected by Application Discovery Service is securely retained in an AWS-hosted and managed database in the cloud. You can export the data as a CSV or XML file into your preferred visualization tool or cloud-migration solution to plan your migration. For more information, see [AWS Application Discovery Service FAQ](#).

Application Discovery Service offers two modes of operation:

- **Agentless discovery** mode is recommended for environments that use VMware vCenter Server. This mode doesn't require you to install an agent on each host. Agentless discovery gathers server information regardless of the operating systems, which minimizes the time required for initial on-premises infrastructure assessment. Agentless discovery doesn't collect information about software and software dependencies. It also doesn't work in non-VMware environments.
- **Agent-based discovery** mode collects a richer set of data than agentless discovery by using the AWS Application Discovery Agent, which you install on one or more hosts in your data center. The agent captures infrastructure and application information, including an inventory of installed software applications, system and process performance, resource utilization, and network dependencies between workloads. The information collected by agents is secured at rest and in transit to the Application Discovery Service database in the cloud.

We recommend that you use agent-based discovery for non-VMware environments and to collect information about software and software dependencies. You can also run agent-based and agentless discovery simultaneously. Use agentless discovery to quickly complete the initial infrastructure assessment and then install agents on select hosts.

Application Discovery Service integrates with application discovery solutions from AWS Partner Network (APN) partners. Third-party application discovery tools can query Application Discovery Service and write to the Application Discovery Service database using a public API. You can then import the data into either a visualization tool or cloud-migration solution.

### Important

Application Discovery Service doesn't gather sensitive information. All data is handled according to the [AWS Privacy Policy](#). You can operate Application Discovery Service offline to inspect collected data before it is shared with the service.

Your AWS account must be granted access to Application Discovery Service, a process called *whitelisting*. This is true for AWS partners and customers alike. To request access, [sign up for Application Discovery Service](#).

This API reference provides descriptions, syntax, and usage examples for each of the actions and data types for Application Discovery Service. The topic for each action shows the API request parameters and the response. Alternatively, you can use one of the AWS SDKs to access an API that is tailored to the programming language or platform that you're using. For more information, see [AWS SDKs](#).

This guide is intended for use with the [Application Discovery Service User Guide](#).

# Querying Discovered Configuration Items

A *configuration item* is an IT asset that was discovered in your data center by an agent or the connector. When you use Application Discovery Service, you can specify filters and query specific configuration items for server, application, process, and connection assets.

The tables in the following sections list the available input filters and output sorting options for two Application Discovery Service actions:

- DescribeConfigurations
- ListConfigurations

The filtering and sorting options are organized by the type of asset to which apply (server, application, process, or connection).

## Using the DescribeConfigurationsAction

The DescribeConfigurationsaction retrieves attributes for a list of configuration IDs. All the supplied IDs must be for the same asset type (server, application, process, or connection). Output fields are specific to the asset type selected. For example, the output for a server configuration item includes a list of attributes about the server, such as host name, operating system, and number of network cards. For more information about command syntax, see [DescribeConfigurations](#).

The DescribeConfigurationsaction does not support filtering.

### Output fields for DescribeConfigurations

The following tables, organized by asset type, list the supported output fields of the DescribeConfigurationsaction. The ones marked as mandatory are always present in the output.

#### Server assets

| Field                                     | Mandatory |
|---|-----------|
| server.agentId                            |           |
| server.applications                       |           |
| server.applications.hasMoreValues         |           |
| server.configurationId                    | ✓         |
| server.cpuType                            |           |
| server.hostName                           |           |
| server.hypervisor                         |           |
| server.networkInterfaceInfo               |           |
| server.networkInterfaceInfo.hasMoreValues |           |



| Field  | Mandatory |
|--|-----------|
| server.osName                                    |           |
| server.osVersion                                 |           |
| server.tags                                      |           |
| server.tags.hasMoreValues                        |           |
| server.timeOfCreation                            | ✓         |
| server.type                                      |           |
| server.performance.avgCpuUsagePct                |           |
| server.performance.avgDiskReadIOPS               |           |
| server.performance.avgDiskReadsPerSecondInKB     |           |
| server.performance.avgDiskWriteIOPS              |           |
| server.performance.avgDiskWritesPerSecondInKB    |           |
| server.performance.avgFreeRAMInKB                |           |
| server.performance.avgNetworkReadsPerSecondInKB  |           |
| server.performance.avgNetworkWritesPerSecondInKB |           |
| server.performance.maxCpuUsagePct                |           |
| server.performance.maxDiskReadIOPS               |           |
| server.performance.maxDiskReadsPerSecondInKB     |           |
| server.performance.maxDiskWriteIOPS              |           |
| server.performance.maxDiskWritesPerSecondInKB    |           |
| server.performance.maxNetworkReadsPerSecondInKB  |           |
| server.performance.maxNetworkWritesPerSecondInKB |           |
| server.performance.minFreeRAMInKB                |           |
| server.performance.numCores                      |           |
| server.performance.numCpus                       |           |
| server.performance.numDisks                      |           |
| server.performance.numNetworkCards               |           |
| server.performance.totalRAMInKB                  |           |

**Process assets**

| Field               | Mandatory |
|---------------------|-----------|
| process.commandLine |           |

| Field                                | Mandatory |
|--------------------------------------|-----------|
| <code>process.configurationId</code> | ✓         |
| <code>process.name</code>            |           |
| <code>process.path</code>            |           |
| <code>process.timeOfCreation</code>  | ✓         |

#### Application assets

| Field                                     | Mandatory |
|---|-----------|
| <code>application.configurationId</code>  | ✓         |
| <code>application.description</code>      |           |
| <code>application.lastModifiedTime</code> | ✓         |
| <code>application.name</code>             | ✓         |
| <code>application.serverCount</code>      | ✓         |
| <code>application.timeOfCreation</code>   | ✓         |

## Using the ListConfigurationsAction

The ListConfigurationsaction retrieves a list of configuration items according to the criteria that you specify in a filter. For more information about command syntax, see [ListConfigurations](#).

#### Output fields for ListConfigurations

The following tables, organized by asset type, list the supported output fields of the ListConfigurationsaction. The ones marked as mandatory are always present in the output.

#### Server assets

| Field                               | Mandatory |
|-------------------------------------|-----------|
| <code>server.configurationId</code> | ✓         |
| <code>server.agentId</code>         |           |
| <code>server.hostName</code>        |           |
| <code>server.osName</code>          |           |
| <code>server.osVersion</code>       |           |
| <code>server.timeOfCreation</code>  | ✓         |
| <code>server.type</code>            |           |

#### Process assets

| Field                   | Mandatory |
|-------------------------|-----------|
| process.commandLine     |           |
| process.configurationId | ✓         |
| process.name            |           |
| process.path            |           |
| process.timeOfCreation  | ✓         |
| server.agentId          |           |
| server.configurationId  | ✓         |

### Application assets

| Field                        | Mandatory |
|------------------------------|-----------|
| application.configurationId  | ✓         |
| application.description      |           |
| application.name             | ✓         |
| application.serverCount      | ✓         |
| application.timeOfCreation   | ✓         |
| application.lastModifiedTime | ✓         |

### Connection assets

| Field                              | Mandatory |
|------------------------------------|-----------|
| connection.destinationIp           | ✓         |
| connection.destinationPort         | ✓         |
| connection.ipVersion               | ✓         |
| connection.latestTimestamp         | ✓         |
| connection.occurrence              | ✓         |
| connection.sourceIp                | ✓         |
| connection.transportProtocol       |           |
| destinationProcess.configurationId |           |
| destinationProcess.name            |           |
| destinationServer.configurationId  |           |
| destinationServer.hostName         |           |

| Field                         | Mandatory |
|-------------------------------|-----------|
| sourceProcess.configurationId |           |
| sourceProcess.name            |           |
| sourceServer.configurationId  |           |
| sourceServer.hostName         |           |

### Supported filters for ListConfigurations

The following tables, organized by asset type, list the supported filters for the ListConfigurationsaction. Filters and values are in a key/value relationship defined by one of the supported logical conditions. You can sort the output of the indicated filters.

#### Server assets

| Filter                 | Supported conditions   | Supported values  | Supported sorting   |
|------------------------|--|---|---|
| server.configurationId | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> </ul>   | <ul style="list-style-type: none"> <li>• Any valid server configuration ID</li> </ul> | None  |
| server.hostName        | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>                            | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| server.osName          | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>                            | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| server.osVersion       | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>                            | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| server.agentId         | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> </ul>   | <ul style="list-style-type: none"> <li>• String</li> </ul>                            | None  |
| server.connectorId     | <ul style="list-style-type: none"> <li>• EQUALS</li> </ul>   | <ul style="list-style-type: none"> <li>• String</li> </ul>                            | None  |

| Filter                      | Supported conditions   | Supported values  | Supported sorting |
|-----------------------------|--|---|-------------------|
|                             | <ul style="list-style-type: none"> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   |   |                   |
| server.type                 | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | String with one of the following values: <ul style="list-style-type: none"> <li>EC2</li> <li>OTHER</li> <li>VMWARE_VM</li> <li>VMWARE_HOST</li> <li>VMWARE_VM_TEMPLATE</li> </ul> | None              |
| server.vmWareInfo.moreInfo  | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>  | None              |
| server.vmWareInfo.vcenterId | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>  | None              |
| server.vmWareInfo.hostName  | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>  | None              |
| server.networkInterfaceId   | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>  | None              |
| server.networkInterfaceId   | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>  | None              |

| Filter                                   | Supported conditions   | Supported values | Supported sorting |
|--|--|------------------|-------------------|
| server.networkInterfaceId                | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | • String         | None              |
| server.networkInterfacePrivateIpAddress  | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | • String         | None              |
| server.networkInterfacePrivateMacAddress | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | • String         | None              |
| server.performance.avgCpuUsagePct        | <ul style="list-style-type: none"> <li>• GE</li> <li>• LE</li> <li>• GT</li> <li>• LT</li> </ul>   | • Percentage     | None              |
| server.performance.totalDiskFreeSizeInKB | <ul style="list-style-type: none"> <li>• GE</li> <li>• LE</li> <li>• GT</li> <li>• LT</li> </ul>   | • Double         | None              |
| server.performance.avgFreeRAMInKB        | <ul style="list-style-type: none"> <li>• GE</li> <li>• LE</li> <li>• GT</li> <li>• LT</li> </ul>   | • Double         | None              |
| server.tag.value                         | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | • String         | None              |

| Filter                             | Supported conditions   | Supported values   | Supported sorting |
|------------------------------------|--|--|-------------------|
| server.tag.key                     | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>                                 | None              |
| server.application.name            | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>                                 | None              |
| server.application.description     | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>                                 | None              |
| server.application.configurationId | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>Any valid application configuration ID</li> </ul> | None              |
| server.process.configurationId     | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>ProcessId</li> </ul>                              | None              |
| server.process.name                | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>                                 | None              |
| server.process.command             | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>                                 | None              |

### Application assets

| Filter                          | Supported conditions   | Supported values  | Supported sorting   |
|---------------------------------|--|---|---|
| application.configurationId     | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>ApplicationId</li> </ul> | None  |
| application.name                | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>        | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| application.description         | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>        | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| application.serverConfiguration | Filtering not supported.   | Filtering not supported.  | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| application.timeOfCreation      | Filtering not supported.   | Filtering not supported.  | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| application.lastModified        | Filtering not supported.   | Filtering not supported.  | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| server.configurationId          | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>ServerId</li> </ul>      | None  |

### Process assets

| Filter                  | Supported conditions   | Supported values  | Supported sorting   |
|-------------------------|--|---|---|
| process.configurationId | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>ProcessId</li> </ul> |   |
| process.name            | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>    | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |



| Filter                              | Supported conditions   | Supported values   | Supported sorting   |
|-------------------------------------|--|--|---|
| <code>process.commandLine</code>    | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>   | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| <code>server.configurationId</code> | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> </ul>   | <ul style="list-style-type: none"> <li>• ServerId</li> </ul> |   |
| <code>server.hostName</code>        | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>   | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| <code>server.osName</code>          | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>   | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| <code>server.osVersion</code>       | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>   | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| <code>server.agentId</code>         | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>   |   |

#### Connection assets

| Filter                           | Supported conditions   | Supported values                                       | Supported sorting   |
|----------------------------------|--|--|---|
| <code>connection.sourceIp</code> | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> </ul> | <ul style="list-style-type: none"> <li>• IP</li> </ul> | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |

| Filter                       | Supported conditions   | Supported values   | Supported sorting   |
|------------------------------|--|--|---|
|                              | <ul style="list-style-type: none"> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul>   |  |   |
| connection.destinationIp     | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>IP</li> </ul>       | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| connection.destinationPort   | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>Integer</li> </ul>  | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| sourceServer.configurationId | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> </ul>   | <ul style="list-style-type: none"> <li>ServerId</li> </ul> |   |
| sourceServer.hostName        | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>   | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| destinationServer.osName     | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>   | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| destinationServer.osVersion  | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>   | <ul style="list-style-type: none"> <li>ASC</li> <li>DESC</li> </ul> |
| destinationServer.agentId    | <ul style="list-style-type: none"> <li>EQUALS</li> <li>NOT_EQUALS</li> <li>EQ</li> <li>NE</li> <li>CONTAINS</li> <li>NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>String</li> </ul>   |   |

| Filter                             | Supported conditions   | Supported values  | Supported sorting   |
|------------------------------------|--|---|---|
| sourceProcess.configurationId      | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> </ul>   | <ul style="list-style-type: none"> <li>• ProcessId</li> </ul> |   |
| sourceProcess.name                 | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>    | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| sourceProcess.commandLine          | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>    | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| destinationProcess.configurationId | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> </ul>   | <ul style="list-style-type: none"> <li>• ProcessId</li> </ul> |   |
| destinationProcess.name            | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>    | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |
| destinationprocess.commandLine     | <ul style="list-style-type: none"> <li>• EQUALS</li> <li>• NOT_EQUALS</li> <li>• EQ</li> <li>• NE</li> <li>• CONTAINS</li> <li>• NOT_CONTAINS</li> </ul> | <ul style="list-style-type: none"> <li>• String</li> </ul>    | <ul style="list-style-type: none"> <li>• ASC</li> <li>• DESC</li> </ul> |

# Actions

The following actions are supported:

- [AssociateConfigurationItemsToApplication](#) (p. 15)
- [CreateApplication](#) (p. 17)
- [CreateTags](#) (p. 19)
- [DeleteApplications](#) (p. 21)
- [DeleteTags](#) (p. 23)
- [DescribeAgents](#) (p. 25)
- [DescribeConfigurations](#) (p. 28)
- [DescribeExportConfigurations](#) (p. 30)
- [DescribeExportTasks](#) (p. 33)
- [DescribeTags](#) (p. 37)
- [DisassociateConfigurationItemsFromApplication](#) (p. 40)
- [ExportConfigurations](#) (p. 42)
- [GetDiscoverySummary](#) (p. 44)
- [ListConfigurations](#) (p. 46)
- [ListServerNeighbors](#) (p. 49)
- [StartDataCollectionByAgentIds](#) (p. 52)
- [StartExportTask](#) (p. 54)
- [StopDataCollectionByAgentIds](#) (p. 58)
- [UpdateApplication](#) (p. 60)

# AssociateConfigurationItemsToApplication

Associates one or more configuration items with an application.

## Request Syntax

```
{  
  "applicationConfigurationId": "string",  
  "configurationIds": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **applicationConfigurationId (p. 15)**

The configuration ID of an application with which items are to be associated.

Type: String

Required: Yes

### **configurationIds (p. 15)**

The ID of each configuration item to be associated with an application.

Type: Array of strings

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# CreateApplication

Creates an application with the given name and description.

## Request Syntax

```
{  
  "description": "string",  
  "name": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **description (p. 17)**

Description of the application to be created.

Type: String

Required: No

### **name (p. 17)**

Name of the application to be created.

Type: String

Required: Yes

## Response Syntax

```
{  
  "configurationId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **configurationId (p. 17)**

Configuration ID of an application to be created.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

#### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

#### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

#### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

#### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)



## CreateTags

Creates one or more tags for configuration items. Tags are metadata that help you categorize IT assets. This API accepts a list of multiple configuration items.

### Request Syntax

```
{
  "configurationIds": [ "string" ],
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

#### **configurationIds (p. 19)**

A list of configuration items that you want to tag.

Type: Array of strings

Required: Yes

#### **tags (p. 19)**

Tags that you want to associate with one or more configuration items. Specify the tags that you want to create in a *key-value* format. For example:

```
{"key": "serverType", "value": "webServer"}
```

Type: Array of [Tag \(p. 78\)](#) objects

Required: Yes

### Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

#### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

**InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

**InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

**ResourceNotFoundException**

The specified configuration ID was not located. Verify the configuration ID and try again.

HTTP Status Code: 400

**ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DeleteApplications

Deletes a list of applications and their associations with configuration items.

## Request Syntax

```
{  
  "configurationIds": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **configurationIds (p. 21)**

Configuration ID of an application to be deleted.

Type: Array of strings

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## DeleteTags

Deletes the association between configuration items and one or more tags. This API accepts a list of multiple configuration items.

### Request Syntax

```
{
  "configurationIds": [ "string" ],
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

#### **configurationIds (p. 23)**

A list of configuration items with tags that you want to delete.

Type: Array of strings

Required: Yes

#### **tags (p. 23)**

Tags that you want to delete from one or more configuration items. Specify the tags that you want to delete in a *key-value* format. For example:

```
{"key": "serverType", "value": "webServer"}
```

Type: Array of [Tag \(p. 78\)](#) objects

Required: No

### Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

#### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

**InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

**InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

**ResourceNotFoundException**

The specified configuration ID was not located. Verify the configuration ID and try again.

HTTP Status Code: 400

**ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DescribeAgents

Lists agents or the Connector by ID or lists all agents/Connectors associated with your user account if you did not specify an ID.

## Request Syntax

```
{
  "agentIds": [ "string" ],
  "filters": [
    {
      "condition": "string",
      "name": "string",
      "values": [ "string" ]
    }
  ],
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### [agentIds \(p. 25\)](#)

The agent or the Connector IDs for which you want information. If you specify no IDs, the system returns information about all agents/Connectors associated with your AWS user account.

Type: Array of strings

Required: No

### [filters \(p. 25\)](#)

You can filter the request using various logical operators and a *key-value* format. For example:

```
{"key": "collectionStatus", "value": "STARTED"}
```

Type: Array of [Filter \(p. 75\)](#) objects

Required: No

### [maxResults \(p. 25\)](#)

The total number of agents/Connectors to return in a single page of output. The maximum value is 100.

Type: Integer

Required: No

### [nextToken \(p. 25\)](#)

Token to retrieve the next set of results. For example, if you previously specified 100 IDs for `DescribeAgentsRequest$agentIds` but set `DescribeAgentsRequest$maxResults` to 10, you received a set of 10 results along with a token. Use that token in this query to get the next set of 10.

Type: String

Required: No

## Response Syntax

```
{
  "agentsInfo": [
    {
      "agentId": "string",
      "agentNetworkInfoList": [
        {
          "ipAddress": "string",
          "macAddress": "string"
        }
      ],
      "agentType": "string",
      "collectionStatus": "string",
      "connectorId": "string",
      "health": "string",
      "hostName": "string",
      "lastHealthPingTime": "string",
      "registeredTime": "string",
      "version": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **agentsInfo** (p. 26)

Lists agents or the Connector by ID or lists all agents/Connectors associated with your user account if you did not specify an agent/Connector ID. The output includes agent/Connector IDs, IP addresses, media access control (MAC) addresses, agent/Connector health, host name where the agent/Connector resides, and the version number of each agent/Connector.

Type: Array of [AgentInfo](#) (p. 64) objects

### **nextToken** (p. 26)

Token to retrieve the next set of results. For example, if you specified 100 IDs for `DescribeAgentsRequest$agentIds` but set `DescribeAgentsRequest$maxResults` to 10, you received a set of 10 results along with this token. Use this token in the next query to retrieve the next set of 10.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 82).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.



HTTP Status Code: 400

**InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

**InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

**ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## DescribeConfigurations

Retrieves attributes for a list of configuration item IDs. All of the supplied IDs must be for the same asset type (server, application, process, or connection). Output fields are specific to the asset type selected. For example, the output for a *server* configuration item includes a list of attributes about the server, such as host name, operating system, and number of network cards.

For a complete list of outputs for each asset type, see [Using the DescribeConfigurations Action](#).

### Request Syntax

```
{  
  "configurationIds": [ "string" ]  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

#### **configurationIds (p. 28)**

One or more configuration IDs.

Type: Array of strings

Required: Yes

### Response Syntax

```
{  
  "configurations": [  
    {  
      "string" : "string"  
    }  
  ]  
}
```

### Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **configurations (p. 28)**

A key in the response map. The value is an array of data.

Type: Array of string to string maps

### Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DescribeExportConfigurations

Deprecated. Use `DescribeExportTasks` instead.

Retrieves the status of a given export process. You can retrieve status from a maximum of 100 processes.

## Request Syntax

```
{
  "exportIds": [ "string" ],
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 80).

The request accepts the following data in JSON format.

### **exportIds** (p. 30)

A unique identifier that you can use to query the export status.

Type: Array of strings

Required: No

### **maxResults** (p. 30)

The maximum number of results that you want to display as a part of the query.

Type: Integer

Required: No

### **nextToken** (p. 30)

A token to get the next set of results. For example, if you specify 100 IDs for `DescribeExportConfigurationsRequest$exportIds` but set `DescribeExportConfigurationsRequest$maxResults` to 10, you get results in a set of 10. Use the token in the query to get the next set of 10.

Type: String

Required: No

## Response Syntax

```
{
  "exportsInfo": [
    {
      "configurationsDownloadUrl": "string",
      "exportId": "string",
      "exportRequestTime": number,
    }
  ]
}
```

```
    "exportStatus": "string",
    "isTruncated": boolean,
    "requestedEndTime": number,
    "requestedStartTime": number,
    "statusMessage": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [exportsInfo \(p. 30\)](#)

Returns export details. When the status is complete, the response includes a URL for an Amazon S3 bucket where you can view the data in a CSV file.

Type: Array of [ExportInfo \(p. 73\)](#) objects

### [nextToken \(p. 30\)](#)

A token to get the next set of results. For example, if you specify 100 IDs for `DescribeExportConfigurationsRequest$exportIds` but set `DescribeExportConfigurationsRequest$maxResults` to 10, you get results in a set of 10. Use the token in the query to get the next set of 10.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ResourceNotFoundException**

The specified configuration ID was not located. Verify the configuration ID and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DescribeExportTasks

Retrieve status of one or more export tasks. You can retrieve the status of up to 100 export tasks.

## Request Syntax

```
{
  "exportIds": [ "string" ],
  "filters": [
    {
      "condition": "string",
      "name": "string",
      "values": [ "string" ]
    }
  ],
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **exportIds (p. 33)**

One or more unique identifiers used to query the status of an export request.

Type: Array of strings

Required: No

### **filters (p. 33)**

One or more filters.

- `AgentId` - ID of the agent whose collected data will be exported

Type: Array of [ExportFilter \(p. 72\)](#) objects

Required: No

### **maxResults (p. 33)**

The maximum number of volume results returned by `DescribeExportTasks` in paginated output. When this parameter is used, `DescribeExportTasks` only returns `maxResults` results in a single page along with a `nextToken` response element.

Type: Integer

Required: No

### **nextToken (p. 33)**

The `nextToken` value returned from a previous paginated `DescribeExportTasks` request where `maxResults` was used and the results exceeded the value of that parameter. Pagination continues from the end of the previous results that returned the `nextToken` value. This value is null when there are no more results to return.

Type: String

Required: No

## Response Syntax

```
{
  "exportsInfo": [
    {
      "configurationsDownloadUrl": "string",
      "exportId": "string",
      "exportRequestTime": number,
      "exportStatus": "string",
      "isTruncated": boolean,
      "requestedEndTime": number,
      "requestedStartTime": number,
      "statusMessage": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **exportsInfo** (p. 34)

Contains one or more sets of export request details. When the status of a request is `SUCCEEDED`, the response includes a URL for an Amazon S3 bucket where you can view the data in a CSV file.

Type: Array of [ExportInfo](#) (p. 73) objects

### **nextToken** (p. 34)

The `nextToken` value to include in a future `DescribeExportTasks` request. When the results of a `DescribeExportTasks` request exceed `maxResults`, this value can be used to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 82).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400



### InvalidParameterValueException

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### ServerInternalErrorException

The server experienced an internal error. Try again.

HTTP Status Code: 500

## Example

In the following example or examples, the Authorization header contents (AUTHPARAMS) must be replaced with an AWS Signature Version 4 signature. For more information about creating these signatures, see [Signature Version 4 Signing Process](#) in the *AWS General Reference*.

You only need to learn how to sign HTTP requests if you intend to manually create them. When you use the [AWS Command Line Interface \(AWS CLI\)](#) or one of the [AWS SDKs](#) to make requests to AWS, these tools automatically sign the requests for you with the access key that you specify when you configure the tools. When you use these tools, you don't need to learn how to sign requests yourself.

## Retrieve status of two specified export tasks

### Sample Request

```
POST / HTTP/1.1
Host: discovery.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 109
X-Amz-Target: AWSPoseidonService_V2015_11_01.DescribeExportTasks
X-Amz-Date: 20170308T232123Z
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS

{
  "exportIds":[
    "export-123a4b56-7c89-01d2-3ef4-example5678f",
    "export-654a3b21-7c89-01d2-3ef4-example8765f"
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 123a4b56-7c89-01d2-3ef4-example5678f
Content-Type: application/x-amz-json-1.1
Content-Length: 1140
Date: Wed, 08 Mar 2017 23:21:25 GMT

{
  "exportsInfo":[
    {
      "configurationsDownloadUrl":"[URL]",
      "exportId":"export-123a4b56-7c89-01d2-3ef4-example5678f",
      "exportRequestTime":1.489001254713E9,
      "exportStatus":"SUCCEEDED",
    }
  ]
}
```

```
    "statusMessage":"Data export ran successfully and is accessible from the download
URL. The URL will expire in 24 hours. The export data expires in 10 days."
  },
  {
    "configurationsDownloadUrl":"[URL]",
    "exportId":"export-654a3b21-7c89-01d2-3ef4-example8765f",
    "exportRequestTime":1.488920016713E9,
    "exportStatus":"SUCCEEDED",
    "statusMessage":"Data export ran successfully and is accessible from the download
URL. The URL will expire in 24 hours. The export data expires in 10 days."
  }
],
"nextToken":""
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## DescribeTags

Retrieves a list of configuration items that are tagged with a specific tag. Or retrieves a list of all tags assigned to a specific configuration item.

### Request Syntax

```
{
  "filters": [
    {
      "name": "string",
      "values": [ "string" ]
    }
  ],
  "maxResults": number,
  "nextToken": "string"
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 80).

The request accepts the following data in JSON format.

#### **filters** (p. 37)

You can filter the list using a *key-value* format. You can separate these items by using logical operators. Allowed filters include `tagKey`, `tagValue`, and `configurationId`.

Type: Array of [TagFilter](#) (p. 79) objects

Required: No

#### **maxResults** (p. 37)

The total number of items to return in a single page of output. The maximum value is 100.

Type: Integer

Required: No

#### **nextToken** (p. 37)

A token to start the list. Use this token to get the next set of results.

Type: String

Required: No

### Response Syntax

```
{
  "nextToken": "string",
  "tags": [
    {
      "configurationId": "string",
```

```
    "configurationType": "string",  
    "key": "string",  
    "timeOfCreation": number,  
    "value": "string"  
  }  
]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [nextToken \(p. 37\)](#)

The call returns a token. Use this token to get the next set of results.

Type: String

### [tags \(p. 37\)](#)

Depending on the input, this is a list of configuration items tagged with a specific tag, or a list of tags for a specific configuration item.

Type: Array of [ConfigurationTag \(p. 67\)](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ResourceNotFoundException**

The specified configuration ID was not located. Verify the configuration ID and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# DisassociateConfigurationItemsFromApplication

Disassociates one or more configuration items from an application.

## Request Syntax

```
{  
  "applicationConfigurationId": "string",  
  "configurationIds": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **applicationConfigurationId (p. 40)**

Configuration ID of an application from which each item is disassociated.

Type: String

Required: Yes

### **configurationIds (p. 40)**

Configuration ID of each item to be disassociated from an application.

Type: Array of strings

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ExportConfigurations

Deprecated. Use `StartExportTask` instead.

Exports all discovered configuration data to an Amazon S3 bucket or an application that enables you to view and evaluate the data. Data includes tags and tag associations, processes, connections, servers, and system performance. This API returns an export ID that you can query using the `DescribeExportConfigurations` API. The system imposes a limit of two configuration exports in six hours.

## Response Syntax

```
{  
  "exportId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### `exportId` (p. 42)

A unique identifier that you can use to query the export status.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **OperationNotPermittedException**

This operation is not permitted.

HTTP Status Code: 400



### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# GetDiscoverySummary

Retrieves a short summary of discovered assets.

## Response Syntax

```
{
  "agentSummary": {
    "activeAgents": number,
    "blackListedAgents": number,
    "healthyAgents": number,
    "shutdownAgents": number,
    "totalAgents": number,
    "unhealthyAgents": number,
    "unknownAgents": number
  },
  "applications": number,
  "connectorSummary": {
    "activeConnectors": number,
    "blackListedConnectors": number,
    "healthyConnectors": number,
    "shutdownConnectors": number,
    "totalConnectors": number,
    "unhealthyConnectors": number,
    "unknownConnectors": number
  },
  "servers": number,
  "serversMappedToApplications": number,
  "serversMappedtoTags": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **agentSummary** (p. 44)

Details about discovered agents, including agent status and health.

Type: [CustomerAgentInfo](#) (p. 68) object

### **applications** (p. 44)

The number of applications discovered.

Type: Long

### **connectorSummary** (p. 44)

Details about discovered connectors, including connector status and health.

Type: [CustomerConnectorInfo](#) (p. 70) object

### **servers** (p. 44)

The number of servers discovered.

Type: Long

### [serversMappedToApplications \(p. 44\)](#)

The number of servers mapped to applications.

Type: Long

### [serversMappedtoTags \(p. 44\)](#)

The number of servers mapped to tags.

Type: Long

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ListConfigurations

Retrieves a list of configuration items according to criteria that you specify in a filter. The filter criteria identifies the relationship requirements.

## Request Syntax

```
{
  "configurationType": "string",
  "filters": [
    {
      "condition": "string",
      "name": "string",
      "values": [ "string" ]
    }
  ],
  "maxResults": number,
  "nextToken": "string",
  "orderBy": [
    {
      "fieldName": "string",
      "sortOrder": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **configurationType (p. 46)**

A valid configuration identified by Application Discovery Service.

Type: String

Valid Values: SERVER | PROCESS | CONNECTION | APPLICATION

Required: Yes

### **filters (p. 46)**

You can filter the request using various logical operators and a *key-value* format. For example:

```
{"key": "serverType", "value": "webServer"}
```

For a complete list of filter options and guidance about using them with this action, see [Querying Discovered Configuration Items](#).

Type: Array of [Filter \(p. 75\)](#) objects

Required: No

### **maxResults (p. 46)**

The total number of items to return. The maximum value is 100.

Type: Integer

Required: No

#### [nextToken \(p. 46\)](#)

Token to retrieve the next set of results. For example, if a previous call to `ListConfigurations` returned 100 items, but you set `ListConfigurationsRequest$maxResults` to 10, you received a set of 10 results along with a token. Use that token in this query to get the next set of 10.

Type: String

Required: No

#### [orderBy \(p. 46\)](#)

Certain filter criteria return output that can be sorted in ascending or descending order. For a list of output characteristics for each filter, see [Using the ListConfigurations Action](#).

Type: Array of [OrderByElement \(p. 77\)](#) objects

Required: No

## Response Syntax

```
{
  "configurations": [
    {
      "string" : "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### [configurations \(p. 47\)](#)

Returns configuration details, including the configuration ID, attribute names, and attribute values.

Type: Array of string to string maps

#### [nextToken \(p. 47\)](#)

Token to retrieve the next set of results. For example, if your call to `ListConfigurations` returned 100 items, but you set `ListConfigurationsRequest$maxResults` to 10, you received a set of 10 results along with this token. Use this token in the next query to retrieve the next set of 10.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

#### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

#### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

#### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

#### **ResourceNotFoundException**

The specified configuration ID was not located. Verify the configuration ID and try again.

HTTP Status Code: 400

#### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# ListServerNeighbors

Retrieves a list of servers that are one network hop away from a specified server.

## Request Syntax

```
{
  "configurationId": "string",
  "maxResults": number,
  "neighborConfigurationIds": [ "string" ],
  "nextToken": "string",
  "portInformationNeeded": boolean
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **configurationId (p. 49)**

Configuration ID of the server for which neighbors are being listed.

Type: String

Required: Yes

### **maxResults (p. 49)**

Maximum number of results to return in a single page of output.

Type: Integer

Required: No

### **neighborConfigurationIds (p. 49)**

List of configuration IDs to test for one-hop-away.

Type: Array of strings

Required: No

### **nextToken (p. 49)**

Token to retrieve the next set of results. For example, if you previously specified 100 IDs for `ListServerNeighborsRequest$neighborConfigurationIds` but set `ListServerNeighborsRequest$maxResults` to 10, you received a set of 10 results along with a token. Use that token in this query to get the next set of 10.

Type: String

Required: No

### **portInformationNeeded (p. 49)**

Flag to indicate if port and protocol information is needed as part of the response.

Type: Boolean

Required: No

## Response Syntax

```
{
  "knownDependencyCount": number,
  "neighbors": [
    {
      "connectionsCount": number,
      "destinationPort": number,
      "destinationServerId": "string",
      "sourceServerId": "string",
      "transportProtocol": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **knownDependencyCount (p. 50)**

Count of distinct servers that are one hop away from the given server.

Type: Long

### **neighbors (p. 50)**

List of distinct servers that are one hop away from the given server.

Type: Array of [NeighborConnectionDetail \(p. 76\)](#) objects

### **nextToken (p. 50)**

Token to retrieve the next set of results. For example, if you specified 100 IDs for `ListServerNeighborsRequest$neighborConfigurationIds` but set `ListServerNeighborsRequest$maxResults` to 10, you received a set of 10 results along with this token. Use this token in the next query to retrieve the next set of 10.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.



HTTP Status Code: 400

**InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

**ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# StartDataCollectionByAgentIds

Instructs the specified agents or connectors to start collecting data.

## Request Syntax

```
{  
  "agentIds": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### [agentIds \(p. 52\)](#)

The IDs of the agents or connectors from which to start collecting data. If you send a request to an agent/connector ID that you do not have permission to contact, according to your AWS account, the service does not throw an exception. Instead, it returns the error in the *Description* field. If you send a request to multiple agents/connectors and you do not have permission to contact some of those agents/connectors, the system does not throw an exception. Instead, the system shows `Failed` in the *Description* field.

Type: Array of strings

Required: Yes

## Response Syntax

```
{  
  "agentsConfigurationStatus": [  
    {  
      "agentId": "string",  
      "description": "string",  
      "operationSucceeded": boolean  
    }  
  ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [agentsConfigurationStatus \(p. 52\)](#)

Information about agents or the connector that were instructed to start collecting data. Information includes the agent/connector ID, a description of the operation performed, and whether the agent/connector configuration was updated.

Type: Array of [AgentConfigurationStatus](#) (p. 63) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 82).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

## StartExportTask

Begins the export of discovered data to an S3 bucket.

If you specify `agentIds` in a filter, the task exports up to 72 hours of detailed data collected by the identified Application Discovery Agent, including network, process, and performance details. A time range for exported agent data may be set by using `startTime` and `endTime`. Export of detailed agent data is limited to five concurrently running exports.

If you do not include an `agentIds` filter, summary data is exported that includes both AWS Agentless Discovery Connector data and summary data from AWS Discovery Agents. Export of summary data is limited to two exports per day.

### Request Syntax

```
{
  "endTime": number,
  "exportDataFormat": [ "string" ],
  "filters": [
    {
      "condition": "string",
      "name": "string",
      "values": [ "string" ]
    }
  ],
  "startTime": number
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

#### [endTime \(p. 54\)](#)

The end timestamp for exported data from the single Application Discovery Agent selected in the filters. If no value is specified, exported data includes the most recent data collected by the agent.

Type: Timestamp

Required: No

#### [exportDataFormat \(p. 54\)](#)

The file format for the returned export data. Default value is CSV. **Note:** *The GRAPHML option has been deprecated.*

Type: Array of strings

Valid Values: CSV | GRAPHML

Required: No

#### [filters \(p. 54\)](#)

If a filter is present, it selects the single `agentId` of the Application Discovery Agent for which data is exported. The `agentId` can be found in the results of the `DescribeAgents` API or CLI. If no

filter is present, `startTime` and `endTime` are ignored and exported data includes both Agentless Discovery Connector data and summary data from Application Discovery agents.

Type: Array of [ExportFilter \(p. 72\)](#) objects

Required: No

#### **startTime (p. 54)**

The start timestamp for exported data from the single Application Discovery Agent selected in the filters. If no value is specified, data is exported starting from the first data collected by the agent.

Type: Timestamp

Required: No

## Response Syntax

```
{  
  "exportId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

#### **exportId (p. 55)**

A unique identifier used to query the status of an export request.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

#### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

#### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

#### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### OperationNotPermittedException

This operation is not permitted.

HTTP Status Code: 400

### ServerInternalErrorException

The server experienced an internal error. Try again.

HTTP Status Code: 500

## Example

In the following example or examples, the Authorization header contents (AUTHPARAMS) must be replaced with an AWS Signature Version 4 signature. For more information about creating these signatures, see [Signature Version 4 Signing Process](#) in the *AWS General Reference*.

You only need to learn how to sign HTTP requests if you intend to manually create them. When you use the [AWS Command Line Interface \(AWS CLI\)](#) or one of the [AWS SDKs](#) to make requests to AWS, these tools automatically sign the requests for you with the access key that you specify when you configure the tools. When you use these tools, you don't need to learn how to sign requests yourself.

## Start an export task of summary data filtering for an agentId and a time range

### Sample Request

```
POST / HTTP/1.1
Host: discovery.us-west-2.amazonaws.com
Accept-Encoding: identity
Content-Length: 141
X-Amz-Target: AWSPoseidonService_V2015_11_01.StartExportTask
X-Amz-Date: 20170711T004454Z
Content-Type: application/x-amz-json-1.1
Authorization: AUTHPARAMS

{
  "endTime":1499601600,
  "startTime":1499428800,
  "filters":[
    {
      "values":[
        "i-06ea7f227a9ad1b86"
      ],
      "name":"agentIds",
      "condition":"EQUALS"
    }
  ]
}
```

### Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 123a4b56-7c89-01d2-3ef4-example5678f
Content-Type: application/x-amz-json-1.1
Content-Length: 58
Date: Tue, 11 Jul 2017 00:44:54 GMT
```

```
{  
  "exportId": "export-123a4b56-7c89-01d2-3ef4-example5678f"  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# StopDataCollectionByAgentIds

Instructs the specified agents or connectors to stop collecting data.

## Request Syntax

```
{  
  "agentIds": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **agentIds (p. 58)**

The IDs of the agents or connectors from which to stop collecting data.

Type: Array of strings

Required: Yes

## Response Syntax

```
{  
  "agentsConfigurationStatus": [  
    {  
      "agentId": "string",  
      "description": "string",  
      "operationSucceeded": boolean  
    }  
  ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### **agentsConfigurationStatus (p. 58)**

Information about the agents or connector that were instructed to stop collecting data. Information includes the agent/connector ID, a description of the operation performed, and whether the agent/connector configuration was updated.

Type: Array of [AgentConfigurationStatus \(p. 63\)](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).



#### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

#### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

#### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

#### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# UpdateApplication

Updates metadata about an application.

## Request Syntax

```
{  
  "configurationId": "string",  
  "description": "string",  
  "name": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 80\)](#).

The request accepts the following data in JSON format.

### **configurationId (p. 60)**

Configuration ID of the application to be updated.

Type: String

Required: Yes

### **description (p. 60)**

New description of the application to be updated.

Type: String

Required: No

### **name (p. 60)**

New name of the application to be updated.

Type: String

Required: No

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 82\)](#).

### **AuthorizationErrorException**

The AWS user account does not have permission to perform the action. Check the IAM policy associated with this account.

HTTP Status Code: 400

### **InvalidParameterException**

One or more parameters are not valid. Verify the parameters and try again.

HTTP Status Code: 400

### **InvalidParameterValueException**

The value of one or more parameters are either invalid or out of range. Verify the parameter values and try again.

HTTP Status Code: 400

### **ServerInternalErrorException**

The server experienced an internal error. Try again.

HTTP Status Code: 500

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

# Data Types

The AWS Application Discovery Service API contains several data types that various actions use. This section describes each data type in detail.

**Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AgentConfigurationStatus](#) (p. 63)
- [AgentInfo](#) (p. 64)
- [AgentNetworkInfo](#) (p. 66)
- [ConfigurationTag](#) (p. 67)
- [CustomerAgentInfo](#) (p. 68)
- [CustomerConnectorInfo](#) (p. 70)
- [ExportFilter](#) (p. 72)
- [ExportInfo](#) (p. 73)
- [Filter](#) (p. 75)
- [NeighborConnectionDetail](#) (p. 76)
- [OrderByElement](#) (p. 77)
- [Tag](#) (p. 78)
- [TagFilter](#) (p. 79)

# AgentConfigurationStatus

Information about agents or connectors that were instructed to start collecting data. Information includes the agent/connector ID, a description of the operation, and whether the agent/connector configuration was updated.

## Contents

### **agentId**

The agent/connector ID.

Type: String

Required: No

### **description**

A description of the operation performed.

Type: String

Required: No

### **operationSucceeded**

Information about the status of the `StartDataCollection` and `StopDataCollection` operations. The system has recorded the data collection operation. The agent/connector receives this command the next time it polls for a new command.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AgentInfo

Information about agents or connectors associated with the user's AWS account. Information includes agent or connector IDs, IP addresses, media access control (MAC) addresses, agent or connector health, hostname where the agent or connector resides, and agent version for each agent.

## Contents

### **agentId**

The agent or connector ID.

Type: String

Required: No

### **agentNetworkInfoList**

Network details about the host where the agent or connector resides.

Type: Array of [AgentNetworkInfo](#) (p. 66) objects

Required: No

### **agentType**

Type of agent.

Type: String

Required: No

### **collectionStatus**

Status of the collection process for an agent or connector.

Type: String

Required: No

### **connectorId**

The ID of the connector.

Type: String

Required: No

### **health**

The health of the agent or connector.

Type: String

Valid Values: HEALTHY | UNHEALTHY | RUNNING | UNKNOWN | BLACKLISTED | SHUTDOWN

Required: No

### **hostName**

The name of the host where the agent or connector resides. The host can be a server or virtual machine.

Type: String

Required: No

**lastHealthPingTime**

Time since agent or connector health was reported.

Type: String

Required: No

**registeredTime**

Agent's first registration timestamp in UTC.

Type: String

Required: No

**version**

The agent or connector version.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# AgentNetworkInfo

Network details about the host where the agent/connector resides.

## Contents

### **ipAddress**

The IP address for the host where the agent/connector resides.

Type: String

Required: No

### **macAddress**

The MAC address for the host where the agent/connector resides.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



# ConfigurationTag

Tags for a configuration item. Tags are metadata that help you categorize IT assets.

## Contents

### **configurationId**

The configuration ID for the item to tag. You can specify a list of keys and values.

Type: String

Required: No

### **configurationType**

A type of IT asset to tag.

Type: String

Valid Values: `SERVER` | `PROCESS` | `CONNECTION` | `APPLICATION`

Required: No

### **key**

A type of tag on which to filter. For example, *serverType*.

Type: String

Required: No

### **timeOfCreation**

The time the configuration tag was created in Coordinated Universal Time (UTC).

Type: Timestamp

Required: No

### **value**

A value on which to filter. For example *key = serverType* and *value = web server*.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# CustomerAgentInfo

Inventory data for installed discovery agents.

## Contents

### **activeAgents**

Number of active discovery agents.

Type: Integer

Required: Yes

### **blackListedAgents**

Number of blacklisted discovery agents.

Type: Integer

Required: Yes

### **healthyAgents**

Number of healthy discovery agents

Type: Integer

Required: Yes

### **shutdownAgents**

Number of discovery agents with status SHUTDOWN.

Type: Integer

Required: Yes

### **totalAgents**

Total number of discovery agents.

Type: Integer

Required: Yes

### **unhealthyAgents**

Number of unhealthy discovery agents.

Type: Integer

Required: Yes

### **unknownAgents**

Number of unknown discovery agents.

Type: Integer

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# CustomerConnectorInfo

Inventory data for installed discovery connectors.

## Contents

### **activeConnectors**

Number of active discovery connectors.

Type: Integer

Required: Yes

### **blackListedConnectors**

Number of blacklisted discovery connectors.

Type: Integer

Required: Yes

### **healthyConnectors**

Number of healthy discovery connectors.

Type: Integer

Required: Yes

### **shutdownConnectors**

Number of discovery connectors with status SHUTDOWN,

Type: Integer

Required: Yes

### **totalConnectors**

Total number of discovery connectors.

Type: Integer

Required: Yes

### **unhealthyConnectors**

Number of unhealthy discovery connectors.

Type: Integer

Required: Yes

### **unknownConnectors**

Number of unknown discovery connectors.

Type: Integer

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# ExportFilter

Used to select which agent's data is to be exported. A single agent ID may be selected for export using the [StartExportTask](#) action.

## Contents

### condition

Supported condition: `EQUALS`

Type: String

Required: Yes

### name

A single `ExportFilter` name. Supported filters: `agentId`.

Type: String

Required: Yes

### values

A single `agentId` for a Discovery Agent. An `agentId` can be found using the [DescribeAgents](#) action. Typically an ADS `agentId` is in the form `o-0123456789abcdef0`.

Type: Array of strings

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

## ExportInfo

Information regarding the export status of discovered data. The value is an array of objects.

### Contents

#### **configurationsDownloadUrl**

A URL for an Amazon S3 bucket where you can review the exported data. The URL is displayed only if the export succeeded.

Type: String

Required: No

#### **exportId**

A unique identifier used to query an export.

Type: String

Required: Yes

#### **exportRequestTime**

The time that the data export was initiated.

Type: Timestamp

Required: Yes

#### **exportStatus**

The status of the data export job.

Type: String

Valid Values: `FAILED` | `SUCCEEDED` | `IN_PROGRESS`

Required: Yes

#### **isTruncated**

If true, the export of agent information exceeded the size limit for a single export and the exported data is incomplete for the requested time range. To address this, select a smaller time range for the export by using `startDate` and `endDate`.

Type: Boolean

Required: No

#### **requestedEndTime**

The `endTime` used in the `StartExportTask` request. If no `endTime` was requested, this result does not appear in `ExportInfo`.

Type: Timestamp

Required: No

#### **requestedStartTime**

The value of `startTime` parameter in the `StartExportTask` request. If no `startTime` was requested, this result does not appear in `ExportInfo`.

Type: Timestamp

Required: No

**statusMessage**

A status message provided for API callers.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)



# Filter

A filter that can use conditional operators.

For more information about filters, see [Querying Discovered Configuration Items](#).

## Contents

### condition

A conditional operator. The following operators are valid: EQUALS, NOT\_EQUALS, CONTAINS, NOT\_CONTAINS. If you specify multiple filters, the system utilizes all filters as though concatenated by *AND*. If you specify multiple values for a particular filter, the system differentiates the values using *OR*. Calling either *DescribeConfigurations* or *ListConfigurations* returns attributes of matching configuration items.

Type: String

Required: Yes

### name

The name of the filter.

Type: String

Required: Yes

### values

A string value on which to filter. For example, if you choose the `destinationServer.osVersion` filter name, you could specify `Ubuntu` for the value.

Type: Array of strings

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# NeighborConnectionDetail

Details about neighboring servers.

## Contents

### **connectionsCount**

The number of open network connections with the neighboring server.

Type: Long

Required: Yes

### **destinationPort**

The destination network port for the connection.

Type: Integer

Required: No

### **destinationServerId**

The ID of the server that accepted the network connection.

Type: String

Required: Yes

### **sourceServerId**

The ID of the server that opened the network connection.

Type: String

Required: Yes

### **transportProtocol**

The network protocol used for the connection.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# OrderByElement

A field and direction for ordered output.

## Contents

### **fieldName**

The field on which to order.

Type: String

Required: Yes

### **sortOrder**

Ordering direction.

Type: String

Valid Values: `ASC` | `DESC`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# Tag

Metadata that help you categorize IT assets.

## Contents

### key

The type of tag on which to filter.

Type: String

Required: Yes

### value

A value for a tag key on which to filter.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# TagFilter

The tag filter. Valid names are: `tagKey`, `tagValue`, `configurationId`.

## Contents

### **name**

A name of the tag filter.

Type: String

Required: Yes

### **values**

Values for the tag filter.

Type: Array of strings

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signature Version 4 Signing Process](#) in the *Amazon Web Services General Reference*.

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: `AWS4-HMAC-SHA256`

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: `access_key/YYYYMMDD/region/service/aws4_request`.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

## X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'THHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: `20120325T120000Z`.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is

not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

#### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS Security Token Service, go to [AWS Services That Work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

#### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 400

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 400

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **InvalidAction**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

## **InvalidClientTokenId**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **InvalidParameterCombination**

Parameters that must not be used together were used together.

HTTP Status Code: 400

## **InvalidParameterValue**

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

## **InvalidQueryParameter**

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

## **MalformedQueryString**

The query string contains a syntax error.

HTTP Status Code: 404

## **MissingAction**

The request is missing an action or a required parameter.

HTTP Status Code: 400



**MissingAuthenticationToken**

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

**MissingParameter**

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

**OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

**RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

**ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

**ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

**ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400